Results for Eedi

Current results grouped by recommendation-graph parameters | Snapshot: 2026-10-06 15:50 CST

Each group uses the same six model variants, N = 5, 10, ..., 50, and four Ep response thresholds.

Bold = best; underline = second best by unrounded value. Rankings require all six models.

Parameter group	Completed models	Run status
1. theta_m=0.8, theta_f=0.6, rec=10	**6/6**	completed
2. theta_m=0.8, theta_f=0.6, rec=50	**6/6**	completed
3. theta_m=0.8, theta_f=0.8, rec=10	**6/6**	completed

Metric source

Data_Fin_New/_sensitivity_runs/<variant>/<dataset>/sensitivity_seed2024/
SemanticConvE_<model>/seed2024/eval/metrics.json

Group 1: theta_m=0.8, theta_f=0.6, rec=10

6/6 models completed | completed | ranked across six models

(a) Adaptability (Ada)

N	2CKG4ER	No-mastery	No-forgetting	No-student-feature	No-exercise-feature	ID-based only
5	0.677	0.649	**0.693**	0.666	0.669	0.677
10	0.675	0.649	**0.685**	0.665	0.669	0.670
15	0.675	0.649	**0.676**	0.664	0.672	0.668
20	**0.674**	0.650	0.672	0.663	0.672	0.667
25	**0.672**	0.650	0.671	0.662	0.671	0.665
30	0.670	0.650	0.670	0.662	**0.670**	0.664
35	0.669	0.651	0.668	0.662	**0.669**	0.664
40	0.668	0.651	0.668	0.661	**0.669**	0.663
45	**0.669**	0.651	0.666	0.661	0.668	0.663
50	0.668	0.652	0.666	0.661	**0.668**	0.662

(b) Novelty (NOV)

N	2CKG4ER	No-mastery	No-forgetting	No-student-feature	No-exercise-feature	ID-based only
5	0.979	0.984	**0.987**	0.978	0.982	0.981
10	0.980	**0.984**	0.983	0.980	0.982	0.982
15	0.981	0.984	**0.985**	0.978	0.982	0.984
20	0.982	0.984	**0.985**	0.978	0.981	0.985
25	0.982	0.983	0.984	0.978	0.981	**0.984**
30	0.981	0.983	0.983	0.977	0.980	**0.984**
35	0.981	0.983	0.983	0.977	0.980	**0.984**
40	0.981	0.984	0.983	0.977	0.980	**0.984**
45	0.981	0.983	0.983	0.977	0.981	**0.984**
50	0.982	0.983	0.984	0.977	0.981	**0.984**

Seed 2024; single-run values. No across-seed standard deviation is available.

Group 1: theta_m=0.8, theta_f=0.6, rec=10

6/6 models completed | completed | ranked across six models

(c) Ep, response threshold = 0.4

N	2CKG4ER	No-mastery	No-forgetting	No-student-feature	No-exercise-feature	ID-based only
5	0.015	-0.119	**0.186**	0.055	-0.100	0.109
10	0.047	0.038	**0.316**	0.123	-0.048	0.182
15	0.006	0.051	**0.659**	0.174	-0.014	0.219
20	-0.070	0.076	**0.678**	0.198	0.070	0.276
25	-0.146	0.123	**0.634**	0.203	0.049	0.311
30	-0.172	0.029	**0.529**	0.213	0.043	0.342
35	-0.187	0.023	**0.538**	0.217	-0.050	0.375
40	-0.218	0.051	**0.549**	0.218	-0.069	0.407
45	-0.190	-0.013	0.382	0.221	-0.064	**0.416**
50	-0.152	-0.011	**0.467**	0.224	-0.107	0.425

(d) Ep, response threshold = 0.5

N	2CKG4ER	No-mastery	No-forgetting	No-student-feature	No-exercise-feature	ID-based only
5	-0.057	-0.200	**0.140**	-0.025	-0.182	0.045
10	-0.091	-0.078	**0.198**	-0.030	-0.190	0.060
15	-0.172	-0.133	**0.521**	-0.034	-0.221	0.034
20	-0.253	-0.128	**0.560**	-0.048	-0.176	0.015
25	-0.328	-0.085	**0.516**	-0.074	-0.244	0.000
30	-0.411	-0.219	**0.423**	-0.102	-0.299	-0.025
35	-0.527	-0.234	**0.446**	-0.116	-0.395	-0.031
40	-0.631	-0.176	**0.330**	-0.128	-0.438	-0.027
45	-0.710	-0.224	**0.081**	-0.139	-0.456	-0.036
50	-0.753	-0.259	**0.111**	-0.137	-0.568	-0.045

Seed 2024; single-run values. No across-seed standard deviation is available.

Group 1: theta_m=0.8, theta_f=0.6, rec=10

6/6 models completed | completed | ranked across six models

(e) Ep, response threshold = 0.6

N	2CKG4ER	No-mastery	No-forgetting	No-student-feature	No-exercise-feature	ID-based only
5	-0.141	-0.256	**0.071**	-0.091	-0.284	-0.022
10	-0.256	-0.160	**0.058**	-0.154	-0.350	-0.071
15	-0.396	-0.246	**0.382**	-0.212	-0.445	-0.130
20	-0.513	-0.266	**0.379**	-0.262	-0.474	-0.179
25	-0.597	-0.247	**0.333**	-0.319	-0.560	-0.225
30	-0.600	-0.382	**0.174**	-0.357	-0.634	-0.256
35	-0.667	-0.420	**0.137**	-0.383	-0.722	-0.276
40	-0.748	-0.330	**-0.142**	-0.402	-0.760	-0.285
45	-0.800	-0.432	-0.632	-0.418	-0.766	**-0.315**
50	-0.800	-0.480	-0.667	-0.433	-0.779	**-0.340**

(f) Ep, response threshold = 0.7

N	2CKG4ER	No-mastery	No-forgetting	No-student-feature	No-exercise-feature	ID-based only
5	-0.218	-0.325	**0.007**	-0.170	-0.361	-0.081
10	-0.416	-0.275	**-0.103**	-0.297	-0.465	-0.194
15	-0.614	-0.407	**0.196**	-0.395	-0.586	-0.304
20	-0.688	-0.450	**0.155**	-0.473	-0.606	-0.391
25	-0.707	-0.469	**0.100**	-0.535	-0.665	-0.459
30	-0.665	-0.621	**-0.134**	-0.580	-0.732	-0.517
35	-0.708	-0.681	**-0.200**	-0.607	-0.802	-0.556
40	-0.770	-0.552	**-0.433**	-0.624	-0.817	-0.576
45	-0.810	-0.647	-0.789	-0.634	-0.811	**-0.605**
50	-0.804	-0.696	-0.745	-0.643	-0.807	**-0.628**

Seed 2024; single-run values. No across-seed standard deviation is available.

Group 2: theta_m=0.8, theta_f=0.6, rec=50

6/6 models completed | completed | ranked across six models

(a) Adaptability (Ada)

N	2CKG4ER	No-mastery	No-forgetting	No-student-feature	No-exercise-feature	ID-based only
5	0.664	0.651	**0.693**	0.663	0.667	0.661
10	0.661	0.648	**0.685**	0.662	0.670	0.662
15	0.664	0.648	**0.679**	0.662	0.668	0.662
20	0.665	0.647	**0.676**	0.661	0.667	0.661
25	0.664	0.648	**0.673**	0.661	0.667	0.662
30	0.665	0.648	**0.671**	0.661	0.666	0.662
35	0.665	0.649	**0.670**	0.661	0.666	0.662
40	0.666	0.651	**0.669**	0.661	0.666	0.661
45	0.666	0.652	**0.668**	0.660	0.666	0.662
50	0.666	0.652	**0.667**	0.660	0.666	0.662

(b) Novelty (NOV)

N	2CKG4ER	No-mastery	No-forgetting	No-student-feature	No-exercise-feature	ID-based only
5	0.981	0.984	**0.987**	0.973	0.985	0.979
10	0.983	**0.984**	0.983	0.972	0.983	0.979
15	0.983	0.984	0.980	0.974	**0.984**	0.978
20	**0.984**	0.984	0.979	0.974	0.983	0.978
25	**0.984**	0.983	0.977	0.974	0.983	0.978
30	**0.984**	0.983	0.977	0.974	0.983	0.978
35	**0.984**	0.983	0.977	0.974	0.983	0.978
40	**0.984**	0.982	0.978	0.975	0.983	0.978
45	**0.984**	0.981	0.979	0.975	0.982	0.978
50	**0.984**	0.981	0.979	0.976	0.982	0.978

Seed 2024; single-run values. No across-seed standard deviation is available.

Group 2: theta_m=0.8, theta_f=0.6, rec=50

6/6 models completed | completed | ranked across six models

(c) Ep, response threshold = 0.4

N	2CKG4ER	No-mastery	No-forgetting	No-student-feature	No-exercise-feature	ID-based only
5	-0.027	-0.004	**0.160**	0.045	-0.008	0.043
10	-0.072	0.025	**0.273**	0.090	0.009	0.078
15	-0.105	0.063	**0.510**	0.101	0.001	0.115
20	-0.063	-0.045	**0.538**	0.117	0.006	0.132
25	-0.092	-0.012	**0.543**	0.129	-0.006	0.155
30	-0.095	0.008	**0.578**	0.129	0.010	0.164
35	-0.107	-0.007	**0.573**	0.126	0.014	0.173
40	-0.101	-0.039	**0.587**	0.122	0.025	0.181
45	-0.167	0.103	**0.607**	0.125	0.014	0.176
50	-0.174	0.137	**0.605**	0.123	-0.044	0.178

(d) Ep, response threshold = 0.5

N	2CKG4ER	No-mastery	No-forgetting	No-student-feature	No-exercise-feature	ID-based only
5	-0.099	-0.082	**0.110**	-0.027	-0.075	-0.024
10	-0.204	-0.101	**0.156**	-0.037	-0.138	-0.044
15	-0.318	-0.105	**0.331**	-0.072	-0.252	-0.062
20	-0.351	-0.243	**0.333**	-0.088	-0.327	-0.080
25	-0.430	-0.234	**0.285**	-0.113	-0.398	-0.080
30	-0.501	-0.250	**0.277**	-0.132	-0.441	-0.097
35	-0.572	-0.245	**0.235**	-0.152	-0.478	-0.111
40	-0.589	-0.257	**0.236**	-0.170	-0.502	-0.117
45	-0.662	-0.166	**0.218**	-0.184	-0.524	-0.128
50	-0.693	-0.152	**0.183**	-0.198	-0.575	-0.140

Seed 2024; single-run values. No across-seed standard deviation is available.

Group 2: theta_m=0.8, theta_f=0.6, rec=50

6/6 models completed | completed | ranked across six models

(e) Ep, response threshold = 0.6

N	2CKG4ER	No-mastery	No-forgetting	No-student-feature	No-exercise-feature	ID-based only
5	-0.175	-0.160	**0.061**	-0.100	-0.150	-0.091
10	-0.338	-0.221	**0.029**	-0.161	-0.276	-0.171
15	-0.491	-0.272	**0.156**	-0.236	-0.431	-0.221
20	-0.535	-0.454	**0.139**	-0.294	-0.549	-0.275
25	-0.637	-0.496	**0.053**	-0.345	-0.628	-0.314
30	-0.714	-0.543	**0.006**	-0.386	-0.669	-0.349
35	-0.768	-0.583	**-0.076**	-0.423	-0.708	-0.373
40	-0.777	-0.611	**-0.106**	-0.450	-0.721	-0.397
45	-0.809	-0.585	**-0.125**	-0.471	-0.739	-0.421
50	-0.808	-0.576	**-0.174**	-0.491	-0.784	-0.440

(f) Ep, response threshold = 0.7

N	2CKG4ER	No-mastery	No-forgetting	No-student-feature	No-exercise-feature	ID-based only
5	-0.258	-0.242	**-0.004**	-0.164	-0.195	-0.154
10	-0.486	-0.346	**-0.125**	-0.282	-0.371	-0.297
15	-0.632	-0.414	**-0.049**	-0.393	-0.554	-0.410
20	-0.670	-0.620	**-0.122**	-0.475	-0.658	-0.497
25	-0.743	-0.683	**-0.213**	-0.537	-0.699	-0.551
30	-0.772	-0.728	**-0.334**	-0.580	-0.718	-0.598
35	-0.797	-0.743	**-0.476**	-0.610	-0.739	-0.624
40	-0.792	-0.740	**-0.547**	-0.646	-0.740	-0.641
45	-0.815	-0.701	**-0.592**	-0.671	-0.748	-0.662
50	-0.811	-0.697	**-0.663**	-0.692	-0.788	-0.676

Seed 2024; single-run values. No across-seed standard deviation is available.

Group 3: theta_m=0.8, theta_f=0.8, rec=10

6/6 models completed | completed | ranked across six models

(a) Adaptability (Ada)

N	2CKG4ER	No-mastery	No-forgetting	No-student-feature	No-exercise-feature	ID-based only
5	0.678	0.653	**0.693**	0.669	0.673	0.665
10	0.668	0.653	**0.685**	0.667	0.667	0.663
15	0.667	0.653	**0.676**	0.665	0.666	0.663
20	0.665	0.653	**0.672**	0.664	0.665	0.663
25	0.665	0.653	**0.671**	0.664	0.665	0.663
30	0.664	0.653	**0.671**	0.663	0.665	0.663
35	0.664	0.653	**0.669**	0.662	0.664	0.664
40	0.664	0.652	**0.667**	0.662	0.664	0.665
45	0.664	0.653	**0.666**	0.662	0.664	0.664
50	0.663	0.653	**0.667**	0.661	0.664	0.663

(b) Novelty (NOV)

N	2CKG4ER	No-mastery	No-forgetting	No-student-feature	No-exercise-feature	ID-based only
5	0.982	0.984	0.987	**0.988**	0.985	0.981
10	0.983	**0.987**	0.983	0.985	0.985	0.982
15	0.982	**0.986**	0.985	0.982	0.981	0.982
20	0.981	**0.986**	0.985	0.981	0.981	0.982
25	0.982	**0.985**	0.983	0.981	0.982	0.982
30	0.983	**0.984**	0.983	0.981	0.982	0.982
35	0.983	**0.983**	0.983	0.981	0.981	0.981
40	0.982	0.983	**0.983**	0.982	0.982	0.982
45	0.982	0.983	**0.984**	0.981	0.982	0.982
50	0.982	0.983	**0.984**	0.981	0.982	0.982

Seed 2024; single-run values. No across-seed standard deviation is available.

Group 3: theta_m=0.8, theta_f=0.8, rec=10

6/6 models completed | completed | ranked across six models

(c) Ep, response threshold = 0.4

N	2CKG4ER	No-mastery	No-forgetting	No-student-feature	No-exercise-feature	ID-based only
5	0.017	0.077	**0.160**	0.075	0.102	0.024
10	-0.041	0.161	**0.322**	0.157	0.183	0.011
15	-0.054	0.143	**0.680**	0.201	0.174	-0.044
20	0.020	0.135	**0.682**	0.229	0.225	-0.170
25	0.033	0.206	**0.635**	0.243	0.235	-0.064
30	0.075	0.237	**0.482**	0.263	0.241	-0.104
35	0.081	0.194	**0.464**	0.267	0.246	0.037
40	0.101	0.164	**0.532**	0.262	0.216	0.016
45	0.116	0.136	**0.520**	0.263	0.236	0.061
50	0.171	0.100	**0.550**	0.253	0.193	-0.008

(d) Ep, response threshold = 0.5

N	2CKG4ER	No-mastery	No-forgetting	No-student-feature	No-exercise-feature	ID-based only
5	-0.057	0.008	**0.130**	-0.000	0.035	-0.039
10	-0.208	0.022	**0.206**	0.023	0.058	-0.153
15	-0.304	-0.065	**0.564**	0.019	-0.017	-0.254
20	-0.275	-0.126	**0.599**	0.010	-0.027	-0.426
25	-0.289	-0.119	**0.562**	-0.012	-0.061	-0.319
30	-0.270	-0.130	**0.427**	-0.024	-0.091	-0.379
35	-0.315	-0.193	**0.415**	-0.041	-0.107	-0.237
40	-0.336	-0.263	**0.416**	-0.067	-0.143	-0.252
45	-0.364	-0.306	**0.371**	-0.092	-0.130	-0.240
50	-0.325	-0.346	**0.323**	-0.116	-0.165	-0.280

Seed 2024; single-run values. No across-seed standard deviation is available.

Group 3: theta_m=0.8, theta_f=0.8, rec=10

6/6 models completed | completed | ranked across six models

(e) Ep, response threshold = 0.6

N	2CKG4ER	No-mastery	No-forgetting	No-student-feature	No-exercise-feature	ID-based only
5	-0.142	-0.058	**0.080**	-0.066	-0.033	-0.112
10	-0.375	-0.095	**0.064**	-0.113	-0.076	-0.331
15	-0.517	-0.257	**0.409**	-0.177	-0.186	-0.481
20	-0.520	-0.367	**0.411**	-0.242	-0.195	-0.629
25	-0.574	-0.418	**0.376**	-0.290	-0.236	-0.598
30	-0.560	-0.471	**0.205**	-0.321	-0.281	-0.748
35	-0.622	-0.556	**0.096**	-0.354	-0.304	-0.672
40	-0.633	-0.641	**-0.097**	-0.380	-0.345	-0.763
45	-0.673	-0.701	**-0.328**	-0.405	-0.335	-0.762
50	-0.628	-0.754	-0.555	-0.428	**-0.375**	-0.782

(f) Ep, response threshold = 0.7

N	2CKG4ER	No-mastery	No-forgetting	No-student-feature	No-exercise-feature	ID-based only
5	-0.193	-0.130	**0.015**	-0.131	-0.092	-0.160
10	-0.450	-0.228	**-0.094**	-0.244	-0.193	-0.459
15	-0.603	-0.430	**0.226**	-0.357	-0.351	-0.653
20	-0.602	-0.573	**0.181**	-0.440	-0.410	-0.783
25	-0.654	-0.652	**0.124**	-0.502	-0.474	-0.739
30	-0.647	-0.705	**-0.121**	-0.540	-0.556	-0.834
35	-0.701	-0.775	**-0.282**	-0.575	-0.612	-0.731
40	-0.706	-0.810	**-0.498**	-0.596	-0.679	-0.800
45	-0.746	-0.824	-0.669	**-0.617**	-0.671	-0.781
50	-0.702	-0.836	-0.760	**-0.639**	-0.711	-0.791

Seed 2024; single-run values. No across-seed standard deviation is available.