Results for XES3G5M-sub-small

Current results grouped by recommendation-graph parameters | Snapshot: 2026-10-07 09:37 CST

Each group uses the same six model variants, N = 5, 10, ..., 50, and four Ep response thresholds.

Bold = best; underline = second best by unrounded value. Rankings require all six models.

Parameter group	Completed models	Run status
1. theta_m=0.8, theta_f=0.4, rec=50	**6/6**	completed
2. theta_m=0.9, theta_f=0.6, rec=50	**6/6**	completed
3. theta_m=0.8, theta_f=0.5, rec=50	**6/6**	completed
4. theta_m=0.8, theta_f=0.8, rec=50	5/6	partial snapshot

Metric source

Data_Fin_New/_sensitivity_runs/<variant>/<dataset>/sensitivity_seed2024/
SemanticConvE_<model>/seed2024/eval/metrics.json

Group 1: theta_m=0.8, theta_f=0.4, rec=50

6/6 models completed | completed | ranked across six models

(a) Adaptability (Ada)

N	2CKG4ER	No-mastery	No-forgetting	No-student-feature	No-exercise-feature	ID-based only
5	0.880	0.750	**0.883**	0.853	0.872	0.867
10	**0.877**	0.760	0.871	0.852	0.872	0.864
15	**0.877**	0.742	0.872	0.850	0.870	0.862
20	**0.876**	0.744	0.871	0.848	0.868	0.860
25	**0.874**	0.753	0.871	0.846	0.868	0.858
30	**0.874**	0.771	0.871	0.844	0.870	0.856
35	**0.875**	0.762	0.872	0.843	0.869	0.855
40	**0.873**	0.753	0.872	0.842	0.871	0.854
45	0.871	0.744	**0.872**	0.841	0.869	0.854
50	0.870	0.744	**0.873**	0.839	0.868	0.853

(b) Novelty (NOV)

N	2CKG4ER	No-mastery	No-forgetting	No-student-feature	No-exercise-feature	ID-based only
5	0.994	0.998	0.998	0.993	**0.999**	0.996
10	0.995	0.997	**0.999**	0.992	0.998	0.995
15	0.996	0.992	**0.998**	0.990	0.995	0.993
20	0.997	0.985	**0.998**	0.990	0.995	0.993
25	0.997	0.987	**0.998**	0.990	0.995	0.992
30	0.992	0.988	**0.996**	0.990	0.996	0.992
35	0.993	0.990	**0.996**	0.990	0.992	0.991
40	0.994	0.991	**0.995**	0.991	0.993	0.991
45	0.991	0.991	**0.995**	0.991	0.992	0.991
50	0.990	0.992	**0.994**	0.991	0.992	0.991

Seed 2024; single-run values. No across-seed standard deviation is available.

Group 1: theta_m=0.8, theta_f=0.4, rec=50

6/6 models completed | completed | ranked across six models

(c) Ep, response threshold = 0.4

N	2CKG4ER	No-mastery	No-forgetting	No-student-feature	No-exercise-feature	ID-based only
5	0.174	**0.182**	0.095	0.071	0.007	0.102
10	0.118	0.141	0.093	0.138	**0.185**	0.174
15	0.126	**0.330**	0.116	0.176	0.155	0.183
20	0.074	**0.301**	0.080	0.209	0.215	0.190
25	0.210	**0.373**	0.119	0.208	0.214	0.235
30	0.220	**0.362**	0.171	0.241	0.167	0.257
35	0.207	**0.350**	0.221	0.244	0.184	0.269
40	0.291	**0.499**	0.254	0.266	0.122	0.271
45	**0.390**	0.384	0.253	0.269	0.182	0.293
50	**0.406**	0.367	0.272	0.270	0.177	0.292

(d) Ep, response threshold = 0.5

N	2CKG4ER	No-mastery	No-forgetting	No-student-feature	No-exercise-feature	ID-based only
5	0.173	**0.182**	0.089	0.069	0.005	0.101
10	0.118	0.141	0.082	0.135	**0.183**	0.173
15	0.126	**0.330**	0.106	0.171	0.153	0.181
20	0.074	**0.301**	0.071	0.204	0.213	0.187
25	0.210	**0.373**	0.104	0.202	0.213	0.232
30	0.220	**0.362**	0.159	0.235	0.166	0.255
35	0.202	**0.350**	0.209	0.237	0.183	0.266
40	0.288	**0.499**	0.235	0.254	0.121	0.268
45	**0.388**	0.384	0.236	0.262	0.180	0.291
50	**0.404**	0.367	0.248	0.262	0.176	0.290

Seed 2024; single-run values. No across-seed standard deviation is available.

Group 1: theta_m=0.8, theta_f=0.4, rec=50

6/6 models completed | completed | ranked across six models

(e) Ep, response threshold = 0.6

N	2CKG4ER	No-mastery	No-forgetting	No-student-feature	No-exercise-feature	ID-based only
5	0.173	**0.180**	0.083	0.061	0.002	0.097
10	0.118	0.140	0.066	0.120	**0.178**	0.169
15	0.126	**0.328**	0.084	0.155	0.146	0.175
20	0.074	**0.299**	0.040	0.181	0.207	0.178
25	0.210	**0.372**	0.069	0.178	0.208	0.220
30	0.220	**0.361**	0.118	0.210	0.157	0.242
35	0.185	**0.349**	0.164	0.210	0.175	0.254
40	0.280	**0.498**	0.186	0.231	0.112	0.256
45	0.383	**0.384**	0.184	0.239	0.174	0.279
50	**0.400**	0.367	0.191	0.241	0.171	0.274

(f) Ep, response threshold = 0.7

N	2CKG4ER	No-mastery	No-forgetting	No-student-feature	No-exercise-feature	ID-based only
5	**0.170**	0.169	0.074	0.038	-0.004	0.087
10	0.112	0.130	0.035	0.089	0.152	**0.152**
15	0.111	**0.305**	0.039	0.110	0.118	0.151
20	0.061	**0.278**	-0.005	0.123	0.167	0.146
25	0.197	**0.347**	0.021	0.110	0.174	0.184
30	0.201	**0.336**	0.066	0.130	0.110	0.203
35	0.098	**0.327**	0.101	0.122	0.133	0.212
40	0.226	**0.477**	0.123	0.127	0.075	0.209
45	0.348	**0.363**	0.109	0.128	0.123	0.231
50	**0.369**	0.349	0.113	0.114	0.123	0.225

Seed 2024; single-run values. No across-seed standard deviation is available.

Group 2: theta_m=0.9, theta_f=0.6, rec=50

6/6 models completed | completed | ranked across six models

(a) Adaptability (Ada)

N	2CKG4ER	No-mastery	No-forgetting	No-student-feature	No-exercise-feature	ID-based only
5	0.875	0.866	**0.879**	0.864	0.876	0.869
10	0.875	0.860	0.874	0.868	**0.876**	0.868
15	0.874	0.861	**0.877**	0.868	0.875	0.868
20	0.874	0.860	**0.877**	0.868	0.875	0.868
25	0.873	0.859	**0.879**	0.868	0.875	0.868
30	0.873	0.856	**0.880**	0.867	0.874	0.867
35	0.872	0.856	**0.880**	0.867	0.874	0.866
40	0.872	0.858	**0.880**	0.867	0.874	0.866
45	0.871	0.857	**0.879**	0.867	0.873	0.866
50	0.871	0.855	**0.879**	0.867	0.873	0.866

(b) Novelty (NOV)

N	2CKG4ER	No-mastery	No-forgetting	No-student-feature	No-exercise-feature	ID-based only
5	**1.000**	1.000	0.961	1.000	**1.000**	0.999
10	**1.000**	1.000	0.939	1.000	**1.000**	0.999
15	**1.000**	1.000	0.930	1.000	**1.000**	0.999
20	**1.000**	1.000	0.937	1.000	**1.000**	0.999
25	**1.000**	1.000	0.945	1.000	**1.000**	0.999
30	**1.000**	1.000	0.953	0.999	**1.000**	0.998
35	**1.000**	1.000	0.960	0.999	**1.000**	0.998
40	**1.000**	1.000	0.964	0.999	**1.000**	0.999
45	**1.000**	1.000	0.967	0.999	1.000	0.999
50	**1.000**	1.000	0.970	0.999	1.000	0.999

Seed 2024; single-run values. No across-seed standard deviation is available.

Group 2: theta_m=0.9, theta_f=0.6, rec=50

6/6 models completed | completed | ranked across six models

(c) Ep, response threshold = 0.4

N	2CKG4ER	No-mastery	No-forgetting	No-student-feature	No-exercise-feature	ID-based only
5	0.133	0.145	**0.154**	0.076	0.151	0.151
10	0.203	0.238	**0.273**	0.135	0.178	0.196
15	0.288	0.299	0.306	0.181	**0.322**	0.228
20	**0.362**	0.246	0.294	0.215	0.335	0.243
25	**0.382**	0.275	0.275	0.244	0.323	0.259
30	**0.344**	0.276	0.318	0.265	0.338	0.266
35	0.339	0.187	0.332	0.277	**0.373**	0.284
40	0.285	0.293	0.325	0.273	**0.369**	0.289
45	0.278	0.245	0.328	0.281	**0.348**	0.287
50	0.346	0.230	0.315	0.289	**0.365**	0.294

(d) Ep, response threshold = 0.5

N	2CKG4ER	No-mastery	No-forgetting	No-student-feature	No-exercise-feature	ID-based only
5	0.130	0.139	0.139	0.071	**0.150**	0.141
10	0.191	0.228	**0.259**	0.125	0.173	0.186
15	0.278	0.292	0.295	0.169	**0.314**	0.218
20	**0.353**	0.237	0.283	0.205	0.329	0.233
25	**0.376**	0.269	0.265	0.234	0.318	0.246
30	**0.338**	0.272	0.308	0.253	0.332	0.254
35	0.335	0.183	0.322	0.267	**0.370**	0.271
40	0.282	0.290	0.315	0.262	**0.364**	0.279
45	0.276	0.243	0.319	0.270	**0.346**	0.279
50	0.345	0.228	0.305	0.279	**0.364**	0.286

Seed 2024; single-run values. No across-seed standard deviation is available.

Group 2: theta_m=0.9, theta_f=0.6, rec=50

6/6 models completed | completed | ranked across six models

(e) Ep, response threshold = 0.6

N	2CKG4ER	No-mastery	No-forgetting	No-student-feature	No-exercise-feature	ID-based only
5	0.123	0.126	0.116	0.055	**0.144**	0.129
10	0.161	0.207	**0.232**	0.107	0.159	0.167
15	0.252	0.262	0.273	0.147	**0.297**	0.195
20	**0.325**	0.205	0.261	0.173	0.311	0.201
25	**0.351**	0.224	0.244	0.196	0.299	0.213
30	**0.314**	0.227	0.289	0.212	0.305	0.216
35	0.315	0.132	0.304	0.223	**0.339**	0.234
40	0.266	0.236	0.295	0.218	**0.340**	0.239
45	0.264	0.189	0.296	0.222	**0.329**	0.234
50	0.333	0.174	0.284	0.232	**0.350**	0.240

(f) Ep, response threshold = 0.7

N	2CKG4ER	No-mastery	No-forgetting	No-student-feature	No-exercise-feature	ID-based only
5	0.104	0.109	0.077	0.023	**0.133**	0.111
10	0.129	0.157	**0.182**	0.064	0.140	0.136
15	0.209	0.190	0.226	0.088	**0.260**	0.148
20	0.246	0.119	0.198	0.105	**0.266**	0.152
25	**0.277**	0.126	0.180	0.118	0.246	0.158
30	0.229	0.127	0.230	0.126	**0.230**	0.157
35	0.232	0.025	0.238	0.126	**0.266**	0.162
40	0.181	0.123	0.227	0.113	**0.263**	0.167
45	0.174	0.078	0.227	0.113	**0.251**	0.158
50	0.237	0.060	0.214	0.118	**0.271**	0.157

Seed 2024; single-run values. No across-seed standard deviation is available.

Group 3: theta_m=0.8, theta_f=0.5, rec=50

6/6 models completed | completed | ranked across six models

(a) Adaptability (Ada)

N	2CKG4ER	No-mastery	No-forgetting	No-student-feature	No-exercise-feature	ID-based only
5	0.896	**0.898**	0.881	0.872	0.898	0.882
10	0.896	**0.898**	0.876	0.871	0.898	0.882
15	0.896	0.897	0.872	0.869	**0.898**	0.880
20	0.895	0.896	0.872	0.869	**0.898**	0.879
25	0.895	0.896	0.870	0.867	**0.896**	0.877
30	0.893	0.886	0.872	0.866	**0.896**	0.875
35	0.893	0.876	0.873	0.865	**0.895**	0.873
40	0.891	0.865	0.873	0.864	**0.893**	0.872
45	0.890	0.858	0.873	0.863	**0.891**	0.871
50	0.889	0.855	0.872	0.862	**0.891**	0.870

(b) Novelty (NOV)

N	2CKG4ER	No-mastery	No-forgetting	No-student-feature	No-exercise-feature	ID-based only
5	**1.000**	**1.000**	0.998	0.999	**1.000**	**1.000**
10	**1.000**	**1.000**	0.999	0.999	**1.000**	**1.000**
15	**1.000**	1.000	0.995	0.999	**1.000**	1.000
20	**1.000**	1.000	0.995	0.998	**1.000**	1.000
25	**1.000**	1.000	0.995	0.998	**1.000**	1.000
30	1.000	0.999	0.995	0.998	**1.000**	1.000
35	1.000	0.999	0.995	0.998	**1.000**	1.000
40	**1.000**	0.999	0.995	0.998	1.000	1.000
45	**1.000**	0.999	0.993	0.998	1.000	0.999
50	**1.000**	0.999	0.992	0.998	1.000	0.999

Seed 2024; single-run values. No across-seed standard deviation is available.

Group 3: theta_m=0.8, theta_f=0.5, rec=50

6/6 models completed | completed | ranked across six models

(c) Ep, response threshold = 0.4

N	2CKG4ER	No-mastery	No-forgetting	No-student-feature	No-exercise-feature	ID-based only
5	**0.189**	-0.107	0.037	0.120	0.115	0.133
10	0.084	**0.216**	0.047	0.136	0.025	0.137
15	0.106	**0.178**	0.107	0.148	0.110	0.167
20	0.056	0.167	0.088	**0.182**	0.130	0.176
25	0.138	**0.360**	0.095	0.202	0.249	0.201
30	0.227	**0.281**	0.162	0.226	0.122	0.210
35	0.255	0.031	0.242	0.235	**0.345**	0.220
40	0.326	0.222	0.219	0.252	**0.401**	0.247
45	0.319	0.253	0.287	0.235	**0.451**	0.262
50	0.338	0.221	0.307	0.267	**0.459**	0.256

(d) Ep, response threshold = 0.5

N	2CKG4ER	No-mastery	No-forgetting	No-student-feature	No-exercise-feature	ID-based only
5	**0.183**	-0.107	0.033	0.116	0.112	0.130
10	0.079	**0.216**	0.037	0.131	0.023	0.134
15	0.089	**0.178**	0.096	0.138	0.108	0.158
20	0.025	0.157	0.078	**0.171**	0.127	0.168
25	0.124	**0.356**	0.084	0.188	0.239	0.192
30	0.214	**0.256**	0.151	0.214	0.115	0.203
35	0.245	0.011	0.226	0.221	**0.339**	0.213
40	0.319	0.194	0.201	0.240	**0.396**	0.241
45	0.314	0.229	0.270	0.222	**0.448**	0.257
50	0.334	0.199	0.286	0.254	**0.457**	0.252

Seed 2024; single-run values. No across-seed standard deviation is available.

Group 3: theta_m=0.8, theta_f=0.5, rec=50

6/6 models completed | completed | ranked across six models

(e) Ep, response threshold = 0.6

N	2CKG4ER	No-mastery	No-forgetting	No-student-feature	No-exercise-feature	ID-based only
5	**0.166**	-0.108	0.030	0.102	0.104	0.119
10	0.061	**0.215**	0.019	0.115	0.015	0.117
15	0.056	**0.176**	0.071	0.116	0.098	0.133
20	0.007	0.128	0.053	**0.149**	0.109	0.141
25	0.095	**0.343**	0.055	0.159	0.208	0.158
30	0.176	0.080	0.117	**0.186**	0.094	0.169
35	0.221	-0.127	0.190	0.190	**0.324**	0.176
40	0.284	0.043	0.158	0.207	**0.384**	0.206
45	0.287	0.105	0.229	0.186	**0.441**	0.223
50	0.310	0.095	0.239	0.220	**0.453**	0.219

(f) Ep, response threshold = 0.7

N	2CKG4ER	No-mastery	No-forgetting	No-student-feature	No-exercise-feature	ID-based only
5	**0.134**	-0.112	0.029	0.074	0.089	0.096
10	0.020	**0.205**	-0.019	0.065	-0.010	0.066
15	-0.011	**0.163**	0.027	0.059	0.073	0.073
20	-0.040	0.017	0.002	**0.079**	0.066	0.049
25	0.028	**0.289**	0.003	0.080	0.153	0.062
30	**0.103**	0.019	0.052	0.097	0.046	0.062
35	0.152	-0.222	0.117	0.086	**0.278**	0.061
40	0.195	-0.556	0.086	0.087	**0.337**	0.088
45	0.191	-0.525	0.135	0.049	**0.391**	0.092
50	0.203	-0.536	0.142	0.060	**0.408**	0.079

Seed 2024; single-run values. No across-seed standard deviation is available.

Group 4: theta_m=0.8, theta_f=0.8, rec=50

5/6 models completed | partial snapshot | ranking pending full group

(a) Adaptability (Ada)

N	2CKG4ER	No-mastery	No-forgetting	No-student-feature	No-exercise-feature	ID-based only
5	0.877	0.801	0.885	0.854	0.877	--
10	0.877	0.804	0.873	0.851	0.876	--
15	0.875	0.818	0.868	0.851	0.873	--
20	0.872	0.825	0.869	0.850	0.871	--
25	0.870	0.830	0.869	0.850	0.870	--
30	0.869	0.833	0.871	0.849	0.870	--
35	0.869	0.836	0.871	0.849	0.870	--
40	0.868	0.839	0.871	0.848	0.869	--
45	0.866	0.841	0.872	0.848	0.869	--
50	0.866	0.843	0.872	0.847	0.868	--

(b) Novelty (NOV)

N	2CKG4ER	No-mastery	No-forgetting	No-student-feature	No-exercise-feature	ID-based only
5	1.000	1.000	0.998	0.997	1.000	--
10	1.000	1.000	0.995	0.998	1.000	--
15	1.000	1.000	0.995	0.998	1.000	--
20	1.000	1.000	0.995	0.998	1.000	--
25	1.000	1.000	0.995	0.999	1.000	--
30	1.000	1.000	0.995	0.999	1.000	--
35	1.000	1.000	0.995	0.999	1.000	--
40	1.000	1.000	0.995	0.999	1.000	--
45	1.000	1.000	0.995	0.999	1.000	--
50	1.000	1.000	0.993	0.999	1.000	--

Seed 2024; single-run values. No across-seed standard deviation is available.

Group 4: theta_m=0.8, theta_f=0.8, rec=50

5/6 models completed | partial snapshot | ranking pending full group

(c) Ep, response threshold = 0.4

N	2CKG4ER	No-mastery	No-forgetting	No-student-feature	No-exercise-feature	ID-based only
5	0.149	0.207	0.009	0.179	0.120	--
10	0.252	0.374	0.077	0.264	0.219	--
15	0.338	0.379	0.130	0.302	0.276	--
20	0.392	0.434	0.100	0.338	0.357	--
25	0.440	0.480	0.040	0.359	0.368	--
30	0.416	0.443	0.089	0.370	0.370	--
35	0.455	0.432	0.183	0.371	0.366	--
40	0.449	0.396	0.225	0.370	0.389	--
45	0.452	0.446	0.270	0.376	0.391	--
50	0.430	0.429	0.285	0.372	0.383	--

(d) Ep, response threshold = 0.5

N	2CKG4ER	No-mastery	No-forgetting	No-student-feature	No-exercise-feature	ID-based only
5	0.147	0.202	0.006	0.175	0.117	--
10	0.251	0.370	0.067	0.259	0.215	--
15	0.337	0.376	0.118	0.298	0.273	--
20	0.392	0.429	0.087	0.334	0.354	--
25	0.440	0.476	0.027	0.355	0.365	--
30	0.415	0.440	0.072	0.367	0.367	--
35	0.455	0.430	0.162	0.369	0.363	--
40	0.449	0.395	0.205	0.369	0.385	--
45	0.451	0.445	0.250	0.375	0.389	--
50	0.430	0.429	0.260	0.371	0.381	--

Seed 2024; single-run values. No across-seed standard deviation is available.

Group 4: theta_m=0.8, theta_f=0.8, rec=50

5/6 models completed | partial snapshot | ranking pending full group

(e) Ep, response threshold = 0.6

N	2CKG4ER	No-mastery	No-forgetting	No-student-feature	No-exercise-feature	ID-based only
5	0.134	0.191	0.002	0.164	0.103	--
10	0.231	0.360	0.042	0.244	0.195	--
15	0.318	0.367	0.088	0.281	0.252	--
20	0.373	0.420	0.056	0.313	0.335	--
25	0.423	0.469	-0.007	0.332	0.347	--
30	0.401	0.434	0.032	0.344	0.351	--
35	0.443	0.427	0.117	0.347	0.351	--
40	0.438	0.393	0.151	0.347	0.377	--
45	0.442	0.444	0.189	0.354	0.382	--
50	0.423	0.428	0.194	0.352	0.375	--

(f) Ep, response threshold = 0.7

N	2CKG4ER	No-mastery	No-forgetting	No-student-feature	No-exercise-feature	ID-based only
5	0.104	0.176	0.001	0.148	0.062	--
10	0.185	0.336	0.015	0.219	0.123	--
15	0.258	0.337	0.043	0.251	0.164	--
20	0.295	0.384	0.006	0.279	0.242	--
25	0.344	0.427	-0.062	0.297	0.258	--
30	0.317	0.391	-0.036	0.303	0.264	--
35	0.357	0.381	0.035	0.305	0.268	--
40	0.349	0.349	0.070	0.305	0.293	--
45	0.354	0.407	0.103	0.310	0.300	--
50	0.336	0.399	0.102	0.308	0.294	--

Seed 2024; single-run values. No across-seed standard deviation is available.