Results for XES3G5M-sub-small

Current results grouped by recommendation-graph parameters | Snapshot: 2026-10-06 16:23 CST

Each group uses the same six model variants, N = 5, 10, ..., 50, and four Ep response thresholds.

Bold = best; underline = second best by unrounded value. Rankings require all six models.

Parameter group	Completed models	Run status
1. theta_m=0.8, theta_f=0.4, rec=50	**6/6**	completed
2. theta_m=0.8, theta_f=0.4, rec=100	5/6	running
3. theta_m=0.8, theta_f=0.8, rec=10	0/6	not started

Metric source

Data_Fin_New/_sensitivity_runs/<variant>/<dataset>/sensitivity_seed2024/
SemanticConvE_<model>/seed2024/eval/metrics.json

Group 1: theta_m=0.8, theta_f=0.4, rec=50

6/6 models completed | completed | ranked across six models

(a) Adaptability (Ada)

N	2CKG4ER	No-mastery	No-forgetting	No-student-feature	No-exercise-feature	ID-based only
5	0.880	0.750	**0.883**	0.853	0.872	0.867
10	**0.877**	0.760	0.871	0.852	0.872	0.864
15	**0.877**	0.742	0.872	0.850	0.870	0.862
20	**0.876**	0.744	0.871	0.848	0.868	0.860
25	**0.874**	0.753	0.871	0.846	0.868	0.858
30	**0.874**	0.771	0.871	0.844	0.870	0.856
35	**0.875**	0.762	0.872	0.843	0.869	0.855
40	**0.873**	0.753	0.872	0.842	0.871	0.854
45	0.871	0.744	**0.872**	0.841	0.869	0.854
50	0.870	0.744	**0.873**	0.839	0.868	0.853

(b) Novelty (NOV)

N	2CKG4ER	No-mastery	No-forgetting	No-student-feature	No-exercise-feature	ID-based only
5	0.994	0.998	0.998	0.993	**0.999**	0.996
10	0.995	0.997	**0.999**	0.992	0.998	0.995
15	0.996	0.992	**0.998**	0.990	0.995	0.993
20	0.997	0.985	**0.998**	0.990	0.995	0.993
25	0.997	0.987	**0.998**	0.990	0.995	0.992
30	0.992	0.988	**0.996**	0.990	0.996	0.992
35	0.993	0.990	**0.996**	0.990	0.992	0.991
40	0.994	0.991	**0.995**	0.991	0.993	0.991
45	0.991	0.991	**0.995**	0.991	0.992	0.991
50	0.990	0.992	**0.994**	0.991	0.992	0.991

Seed 2024; single-run values. No across-seed standard deviation is available.

Group 1: theta_m=0.8, theta_f=0.4, rec=50

6/6 models completed | completed | ranked across six models

(c) Ep, response threshold = 0.4

N	2CKG4ER	No-mastery	No-forgetting	No-student-feature	No-exercise-feature	ID-based only
5	0.174	**0.182**	0.095	0.071	0.007	0.102
10	0.118	0.141	0.093	0.138	**0.185**	0.174
15	0.126	**0.330**	0.116	0.176	0.155	0.183
20	0.074	**0.301**	0.080	0.209	0.215	0.190
25	0.210	**0.373**	0.119	0.208	0.214	0.235
30	0.220	**0.362**	0.171	0.241	0.167	0.257
35	0.207	**0.350**	0.221	0.244	0.184	0.269
40	0.291	**0.499**	0.254	0.266	0.122	0.271
45	**0.390**	0.384	0.253	0.269	0.182	0.293
50	**0.406**	0.367	0.272	0.270	0.177	0.292

(d) Ep, response threshold = 0.5

N	2CKG4ER	No-mastery	No-forgetting	No-student-feature	No-exercise-feature	ID-based only
5	0.173	**0.182**	0.089	0.069	0.005	0.101
10	0.118	0.141	0.082	0.135	**0.183**	0.173
15	0.126	**0.330**	0.106	0.171	0.153	0.181
20	0.074	**0.301**	0.071	0.204	0.213	0.187
25	0.210	**0.373**	0.104	0.202	0.213	0.232
30	0.220	**0.362**	0.159	0.235	0.166	0.255
35	0.202	**0.350**	0.209	0.237	0.183	0.266
40	0.288	**0.499**	0.235	0.254	0.121	0.268
45	**0.388**	0.384	0.236	0.262	0.180	0.291
50	**0.404**	0.367	0.248	0.262	0.176	0.290

Seed 2024; single-run values. No across-seed standard deviation is available.

Group 1: theta_m=0.8, theta_f=0.4, rec=50

6/6 models completed | completed | ranked across six models

(e) Ep, response threshold = 0.6

N	2CKG4ER	No-mastery	No-forgetting	No-student-feature	No-exercise-feature	ID-based only
5	0.173	**0.180**	0.083	0.061	0.002	0.097
10	0.118	0.140	0.066	0.120	**0.178**	0.169
15	0.126	**0.328**	0.084	0.155	0.146	0.175
20	0.074	**0.299**	0.040	0.181	0.207	0.178
25	0.210	**0.372**	0.069	0.178	0.208	0.220
30	0.220	**0.361**	0.118	0.210	0.157	0.242
35	0.185	**0.349**	0.164	0.210	0.175	0.254
40	0.280	**0.498**	0.186	0.231	0.112	0.256
45	0.383	**0.384**	0.184	0.239	0.174	0.279
50	**0.400**	0.367	0.191	0.241	0.171	0.274

(f) Ep, response threshold = 0.7

N	2CKG4ER	No-mastery	No-forgetting	No-student-feature	No-exercise-feature	ID-based only
5	**0.170**	0.169	0.074	0.038	-0.004	0.087
10	0.112	0.130	0.035	0.089	0.152	**0.152**
15	0.111	**0.305**	0.039	0.110	0.118	0.151
20	0.061	**0.278**	-0.005	0.123	0.167	0.146
25	0.197	**0.347**	0.021	0.110	0.174	0.184
30	0.201	**0.336**	0.066	0.130	0.110	0.203
35	0.098	**0.327**	0.101	0.122	0.133	0.212
40	0.226	**0.477**	0.123	0.127	0.075	0.209
45	0.348	**0.363**	0.109	0.128	0.123	0.231
50	**0.369**	0.349	0.113	0.114	0.123	0.225

Seed 2024; single-run values. No across-seed standard deviation is available.

Group 2: theta_m=0.8, theta_f=0.4, rec=100

5/6 models completed | running | ranking pending full group

(a) Adaptability (Ada)

N	2CKG4ER	No-mastery	No-forgetting	No-student-feature	No-exercise-feature	ID-based only
5	0.870	0.718	0.878	0.872	0.869	--
10	0.871	0.714	0.883	0.869	0.872	--
15	0.871	0.710	0.882	0.865	0.872	--
20	0.872	0.717	0.880	0.863	0.871	--
25	0.874	0.723	0.879	0.861	0.872	--
30	0.876	0.723	0.880	0.861	0.873	--
35	0.878	0.728	0.879	0.860	0.872	--
40	0.878	0.728	0.879	0.859	0.871	--
45	0.879	0.731	0.878	0.857	0.870	--
50	0.877	0.734	0.877	0.857	0.870	--

(b) Novelty (NOV)

N	2CKG4ER	No-mastery	No-forgetting	No-student-feature	No-exercise-feature	ID-based only
5	0.997	0.998	0.999	0.993	0.998	--
10	0.995	0.989	0.999	0.991	0.997	--
15	0.995	0.991	0.999	0.989	0.997	--
20	0.996	0.993	0.998	0.989	0.996	--
25	0.997	0.994	0.996	0.989	0.995	--
30	0.997	0.995	0.995	0.989	0.995	--
35	0.997	0.992	0.994	0.988	0.995	--
40	0.997	0.992	0.994	0.988	0.995	--
45	0.995	0.991	0.993	0.989	0.995	--
50	0.993	0.991	0.993	0.989	0.994	--

Seed 2024; single-run values. No across-seed standard deviation is available.

Group 2: theta_m=0.8, theta_f=0.4, rec=100

5/6 models completed | running | ranking pending full group

(c) Ep, response threshold = 0.4

N	2CKG4ER	No-mastery	No-forgetting	No-student-feature	No-exercise-feature	ID-based only
5	0.127	0.193	0.100	0.095	0.133	--
10	0.130	0.232	0.103	0.133	0.156	--
15	0.141	0.301	0.031	0.163	0.212	--
20	0.206	0.225	0.137	0.168	0.249	--
25	0.160	0.285	0.203	0.191	0.172	--
30	0.059	0.266	0.276	0.194	0.190	--
35	0.284	0.269	0.330	0.218	0.177	--
40	0.261	0.288	0.347	0.213	0.223	--
45	0.190	0.265	0.359	0.231	0.236	--
50	0.240	0.303	0.383	0.242	0.252	--

(d) Ep, response threshold = 0.5

N	2CKG4ER	No-mastery	No-forgetting	No-student-feature	No-exercise-feature	ID-based only
5	0.127	0.193	0.100	0.093	0.133	--
10	0.130	0.232	0.099	0.130	0.156	--
15	0.141	0.300	0.028	0.159	0.212	--
20	0.206	0.225	0.135	0.164	0.249	--
25	0.160	0.279	0.198	0.185	0.171	--
30	0.018	0.263	0.269	0.189	0.183	--
35	0.262	0.266	0.323	0.213	0.168	--
40	0.250	0.285	0.341	0.208	0.218	--
45	0.182	0.262	0.354	0.224	0.232	--
50	0.236	0.300	0.378	0.237	0.249	--

Seed 2024; single-run values. No across-seed standard deviation is available.

Group 2: theta_m=0.8, theta_f=0.4, rec=100

5/6 models completed | running | ranking pending full group

(e) Ep, response threshold = 0.6

N	2CKG4ER	No-mastery	No-forgetting	No-student-feature	No-exercise-feature	ID-based only
5	0.127	0.189	0.100	0.087	0.132	--
10	0.130	0.229	0.092	0.116	0.155	--
15	0.130	0.294	0.017	0.140	0.205	--
20	0.192	0.216	0.118	0.140	0.243	--
25	0.149	0.261	0.177	0.159	0.156	--
30	-0.058	0.250	0.244	0.165	0.163	--
35	0.243	0.256	0.289	0.190	0.141	--
40	0.235	0.275	0.306	0.186	0.200	--
45	0.170	0.252	0.320	0.205	0.220	--
50	0.225	0.289	0.339	0.219	0.235	--

(f) Ep, response threshold = 0.7

N	2CKG4ER	No-mastery	No-forgetting	No-student-feature	No-exercise-feature	ID-based only
5	0.121	0.177	0.096	0.064	0.129	--
10	0.127	0.213	0.073	0.083	0.149	--
15	0.098	0.259	-0.018	0.086	0.178	--
20	0.163	0.176	0.072	0.075	0.209	--
25	0.108	0.164	0.118	0.084	0.099	--
30	-0.100	0.167	0.177	0.079	0.120	--
35	0.178	0.191	0.221	0.099	0.093	--
40	0.166	0.213	0.233	0.094	0.146	--
45	0.101	0.189	0.245	0.107	0.163	--
50	0.162	0.223	0.257	0.116	0.181	--

Seed 2024; single-run values. No across-seed standard deviation is available.