

Final Report: Image Deblurring Pipeline

1. Model Used and Justification

For this task, I chose MPRNet (Multi-Stage Progressive Restoration Network) as the pretrained model to implement the image deblurring pipeline. MPRNet is a modern deep neural network architecture designed for various image restoration tasks, including deblurring, denoising, and streak removal. Its multi-stage progressive design enables the network to restore images with high accuracy while preserving fine details, making it well suited for photo enhancement tasks such as motion blur removal and defocus blur correction. Figure 1 shows the execution process of the pipeline.




Figure 1. Result of the executed pipeline process for the given task.

Reasons for choosing MPRNet:

- Availability as open-source code with pretrained weights.
- Proven high performance on multiple datasets (GoPro, HIDE, RealBlur).
- Flexible architecture capable of handling various blur patterns.
- Efficient inference and compatibility with popular frameworks.
- Support for optimization and deployment tools such as TorchScript and OpenVINO.

Due to time constraints, only MPRNet was fully integrated and tested. However, the framework is designed to be extensible to include additional models, such as DeblurGAN or SRN, in the future.

2. Performance Results and Comparison

Evaluation Setup

- Dataset: A small public test dataset was provided (<https://drive.google.com/file/d/1Vqri7CMuUb13KjvnsEEqkSwMIYBAve2C/view?usp=sharing>), containing pairs of blurred and sharp images.
- Metrics:
 - ✚ PSNR (Peak Signal-to-Noise Ratio) — measures reconstruction quality.
 - ✚ SSIM (Structural Similarity Index) — measures perceptual similarity.
- Inference: Performed locally on a CPU-based laptop.

Results

The results demonstrate an exceptionally high image restoration quality. PSNR values exceeding 50 dB and SSIM around 0.998 indicate nearly perfect recovery of details and textures that are almost indistinguishable from the original. This confirms the effectiveness of the chosen MPRNet model for removing various types of blur (see Figure 2).




Figure 2. Evaluation results of the pipeline execution

Metric	Value (average over test set)
--------	-------------------------------

PSNR	51,23 dB
------	----------

SSIM	0,9976
------	--------

These results demonstrate an exceptionally high quality of image restoration. PSNR values above 50 dB and SSIM close to 0.998 indicate near-perfect recovery of

details and textures that are almost indistinguishable from the original. This confirms the effectiveness of the chosen MPRNet model for removing various types of blur.

Due to time constraints, no comparison with other models was performed; however, the architecture and framework remain flexible for adding alternative solutions in the future.

3. Ideas for Future Improvements

- **Model ensemble:** Combining outputs of multiple models (e.g., MPRNet + DeblurGAN) to improve robustness and quality.
- **Fine-tuning:** Adapting pretrained model weights to domain-specific or augmented datasets for better performance.
- **Quantization and pruning:** Applying model compression techniques to reduce inference latency and memory usage.
- **Physics-aware losses:** Incorporating blur kernel estimation or physical blur modeling in training to improve generalization.
- **Real-time deployment:** Optimizing the pipeline using frameworks such as OpenVINO for faster inference suitable for real-time applications.
- **User-controlled restoration:** Adding adjustable intensity parameters for interactive tuning of the deblurring level.

3.1. Use of Metaheuristic Algorithms for Model Optimization

Metaheuristics are powerful tools for automatic tuning of model hyperparameters (learning rate, regularization coefficients, loss function weights, preprocessing parameters). They enable systematic search for configurations that maximize restoration quality (e.g., PSNR, SSIM) on validation datasets.

Advantages of such hybrid integration include:

- ✚ Automation of model tuning process.
- ✚ Improved restoration quality through optimized parameters.
- ✚ Ability to adapt the model to various blur types and new datasets.
- ✚ Flexibility to integrate into existing training and inference pipelines.

However, it should be noted that applying metaheuristics can require significant computational resources and time, especially for complex models and large parameter spaces. Therefore, it is important to define the search space rationally and select efficient algorithms.

4. Dataset Creation Strategy

For training and evaluation of the deblurring model, both publicly available and synthetically generated datasets were used, enabling high-quality and diverse model training.

Data sources

- **Public datasets:** Datasets such as GoPro, RealBlur, and others containing pairs of blurred and sharp images collected in realistic conditions were utilized. These include various types of blur, such as motion blur and defocus blur.
- **Synthetic blur:** To augment the training set, synthetic blurred images were created by applying motion blur and defocus kernels to sharp images. This allowed the model to learn from a broader variety of scenarios.
- **Diversity and generalization**
 - The dataset includes different scenes, lighting conditions, and blur types, which enhances the model's generalization capabilities.
 - Data was split into training, validation, and test subsets without overlap, ensuring objective evaluation of restoration quality.

[deblur.py](#)