

Practical – 1**Problem Statement –**

Create a React application using Vite for a student portfolio page. The application must include at least 4 reusable components: Header, About, Skills, and Footer. Each component must be independently structured and composed into a single-page layout. No logic or JSX should be duplicated across components. Props must be used to pass at least one piece of data into a minimum of 2 components.

Code –

/src/components/Header.jsx

```
function Header({ name, title }) {
  return (
    <header className="header">
      <div className="glass-panel header-panel">
        <p className="mono-line prompt-line">
          <span className="prompt-symbol">$</span> whoami
        </p>
        <h1 className="header-name">{name}</h1>
        <p className="mono-line comment-line"># {title}</p>
      </div>
    </header>
  );
}

export default Header;
```

/src/components/About.jsx

```
function About({ bio }) {
  return (
    <section className="about">
      <div className="glass-panel">
        <p className="section-eyebrow">// about</p>
        <p className="about-bio">{bio}</p>
      </div>
    </section>
  );
}

export default About;
```

/src/components/Skills.jsx

```
function Skills({ skills }) {
  return (
    <section className="skills">
      <div className="glass-panel">
        <p className="section-eyebrow">// tech_stack</p>
        <ul className="skills-list">
          {skills.map((skill) => (
            <li key={skill} className="skill-chip">
              {skill}
            </li>
          ))}
        </ul>
      </div>
    </section>
  );
}
```

```

    </ul>
  </div>
</section>
);
}

export default Skills;

```

/src/App.jsx

```

import Header from './components/Header';
import About from './components/About';
import Skills from './components/Skills';
import Footer from './components/Footer';
import './App.css';

function App() {
  const studentName = "Taniksha Shah";
  const studentTitle = "Aspiring Machine Learning Engineer";
  const studentBio =
    "I'm a Computer Engineering student specializing in Data Science and Machine Learning. I build end-to-end ML systems — from data pipelines and model architecture to deployment — with a focus on turning research ideas into working, reliable products.";
  const skillsList = [
    "Python",
    "PyTorch",
    "Scikit-learn",
    "Pandas & NumPy",
    "SQL",
    "React",
    "Git & GitHub",
    "Data Visualization",
  ];

  return (
    <div className="page">
      <div className="terminal-window">
        <div className="terminal-titlebar">
          <div className="terminal-buttons">
            <span className="btn btn-red"></span>
            <span className="btn btn-yellow"></span>
            <span className="btn btn-green"></span>
          </div>
          <div className="terminal-title">student@portfolio: ~</div>
        </div>

        <div className="terminal-body">
          <Header name={studentName} title={studentTitle} />
          <main className="main-content">
            <About bio={studentBio} />
            <Skills skills={skillsList} />
          </main>
          <Footer name={studentName} />
        </div>
      </div>
    </div>
  );
}

```

```

</div>
);
}

export default App;

```

Screenshot –

