Class Name: Aaa

Attribute	Value
Method Name	doGet
Number of Annotations	0
Parameter Name	arg0
Parameter Type	javax.servlet.http.HttpServletRequest
Parameter Name	arg1
Parameter Type	javax.servlet.http.HttpServletResponse
Method Name	doPost
Number of Annotations	0
Parameter Name	arg0
Parameter Type	javax.servlet.http.HttpServletRequest
Parameter Name	arg1
Parameter Type	javax.servlet.http.HttpServletResponse

Class Name: bobby.secure.Login

Attribute	Value
Class Annotation	com.thinking.machines.webrock.annotations.InjectApplicationScope
Field Type	com.thinking.machines.webrock.scope.ApplicationScope
Field Name	applicationScope
Method Name	efgh
Number of Annotations	0
Method Name	setApplicationScope
Number of Annotations	0
Parameter Name	arg0
Parameter Type	com.thinking.machines.webrock.scope.ApplicationScope

Class Name: bobby.test.abcd

Attribute	Value
Class Annotation	com.thinking.machines.webrock.annotations.InjectSessionScope
Class Annotation	com.thinking.machines.webrock.annotations.InjectApplicationScope
Class Annotation	com.thinking.machines.webrock.annotations.InjectApplicationDirectory
Class Annotation	com.thinking.machines.webrock.annotations.InjectRequestScope

Class Annotation	com.thinking.machines.webrock.annotations.Get
Class Annotation	com.thinking.machines.webrock.annotations.Path
Field Type	com.thinking.machines.webrock.scope.ApplicationDirectory
Field Name	directory
Field Type	com.thinking.machines.webrock.scope.SessionScope
Field Name	sess
Field Type	com.thinking.machines.webrock.scope.RequestScope
Field Name	requestScope
Field Type	com.thinking.machines.webrock.scope.ApplicationScope
Field Name	applicationScope
Method Name	mksl
Number of Annotations	3
Method Annotation	com.thinking.machines.webrock.annotations.OnStartup
Method Annotation	com.thinking.machines.webrock.annotations.Path
Method Annotation	com.thinking.machines.webrock.annotations.Post
Method Name	lmn
Number of Annotations	3
Method Annotation	com.thinking.machines.webrock.annotations.Forward
Method Annotation	com.thinking.machines.webrock.annotations.Post
Method Annotation	com.thinking.machines.webrock.annotations.Path
Parameter Name	arg0
Parameter Type	java.lang.String
Parameter Annotation	com.thinking.machines.webrock.annotations.RequestParameter
Parameter Name	arg1
Parameter Type	int
Parameter Annotation	com.thinking.machines.webrock.annotations.RequestParameter
Parameter Name	arg2
Parameter Type	com.thinking.machines.webrock.scope.ApplicationScope
Method Name	something
Number of Annotations	2
Method Annotation	com.thinking.machines.webrock.annotations.Forward
Method Annotation	com.thinking.machines.webrock.annotations.Path
Method Name	pqr
Number of Annotations	3

Method Annotation	com.thinking.machines.webrock.annotations.SecuredAccess
Method Annotation	com.thinking.machines.webrock.annotations.Forward
Method Annotation	com.thinking.machines.webrock.annotations.Path
Parameter Name	arg0
Parameter Type	com.thinking.machines.webrock.scope.ApplicationScope
Method Name	abcddm
Number of Annotations	2
Method Annotation	com.thinking.machines.webrock.annotations.Forward
Method Annotation	com.thinking.machines.webrock.annotations.Path
Method Name	setSess
Number of Annotations	0
Parameter Name	arg0
Parameter Type	com.thinking.machines.webrock.scope.SessionScope
Method Name	setDirectory
Number of Annotations	0
Parameter Name	arg0
Parameter Type	com.thinking.machines.webrock.scope.ApplicationDirectory
Method Name	setRequestScope
Number of Annotations	0
Parameter Name	arg0
Parameter Type	com.thinking.machines.webrock.scope.RequestScope
Method Name	setApplicationScope
Number of Annotations	0
Parameter Name	arg0
Parameter Type	com.thinking.machines.webrock.scope.ApplicationScope

Class Name: bobby.test.Customer

Attribute	Value
Field Type	java.lang.String
Field Name	firstName
Field Type	int
Field Name	age

Class Name: bobby.test.gobby.lmnop

A	\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \
Attribute	Value
Class Annotation	com.thinking.machines.webrock.annotations.Path
Method Name	potato
Number of Annotations	0
Method Name	bhindi
Number of Annotations	1
Method Annotation	com.thinking.machines.webrock.annotations.Path
Method Name	corriander
Number of Annotations	0
Method Name	palak
Number of Annotations	1
Method Annotation	com.thinking.machines.webrock.annotations.Path
Method Name	tomoto
Number of Annotations	1
Method Annotation	com.thinking.machines.webrock.annotations.Path

Class Name: bobby.test.tom

Attribute	Value
Class Annotation	com.thinking.machines.webrock.annotations.Path
Field Type	java.lang.String
Field Name	hello
Field Annotation	com.thinking.machines.webrock.annotations.Autowired
Field Type	java.lang.String
Field Name	i
Field Annotation	com.thinking.machines.webrock.annotations.Autowired
Field Type	java.lang.String
Field Name	ujjain
Field Annotation	com.thinking.machines.webrock.annotations.Autowired
Method Name	SO
Number of Annotations	3
Method Annotation	com.thinking.machines.webrock.annotations.Forward
Method Annotation	com.thinking.machines.webrock.annotations.Post

Method Annotation	com.thinking.machines.webrock.annotations.Path	
Method Name	setl	
Number of Annotations	0	
Parameter Name	arg0	
Parameter Type	java.lang.String	
Method Name	setUjjain	
Number of Annotations	0	
Parameter Name	arg0	
Parameter Type	java.lang.String	
Method Name	setHello	
Number of Annotations	0	
Parameter Name	arg0	
Parameter Type	java.lang.String	
Method Name	great	
Number of Annotations	2	
Method Annotation	com.thinking.machines.webrock.annotations.OnStartup	
Method Annotation	com.thinking.machines.webrock.annotations.Get	
Method Name	nice	
Number of Annotations	2	
Method Annotation	com.thinking.machines.webrock.annotations.OnStartup	
Method Annotation	com.thinking.machines.webrock.annotations.Path	

Class Name: com.thinking.machines.webrock.annotations.Autowired

Attribute	Value
Class Annotation	java.lang.annotation.Retention
Class Annotation	java.lang.annotation.Target
Method Name	name
Number of Annotations	0

 ${\bf Class\ Name:\ com.thinking.machines.webrock.annotations.} Forward$

Attribute	Value
Class Annotation	java.lang.annotation.Retention
Class Annotation	java.lang.annotation.Target

Method Name	value
Number of Annotations	0

Class Name: com.thinking.machines.webrock.annotations.Get

Attribute	Value
Class Annotation	java.lang.annotation.Retention
Class Annotation	java.lang.annotation.Target

Class Name: com.thinking.machines.webrock.annotations.InjectApplicationDirectory

Attribute	Value
Class Annotation	java.lang.annotation.Retention
Class Annotation	java.lang.annotation.Target

Class Name: com.thinking.machines.webrock.annotations.InjectApplicationScope

Attribute	Value
Class Annotation	java.lang.annotation.Retention
Class Annotation	java.lang.annotation.Target

Class Name: com.thinking.machines.webrock.annotations.InjectRequestParameter

Attribute	Value
Class Annotation	java.lang.annotation.Retention
Class Annotation	java.lang.annotation.Target
Method Name	value
Number of Annotations	0

Class Name: com.thinking.machines.webrock.annotations.InjectRequestScope

Attribute	Value
Class Annotation	java.lang.annotation.Retention
Class Annotation	java.lang.annotation.Target

Class Name: com.thinking.machines.webrock.annotations.InjectSessionScope

Attribute	Value
-----------	-------

Class Annotation	java.lang.annotation.Retention
Class Annotation	java.lang.annotation.Target

Class Name: com.thinking.machines.webrock.annotations.OnStartup

Attribute	Value
Class Annotation	java.lang.annotation.Retention
Class Annotation	java.lang.annotation.Target
Method Name	priority
Number of Annotations	0

Class Name: com.thinking.machines.webrock.annotations.Path

Attribute	Value
Class Annotation	java.lang.annotation.Retention
Class Annotation	java.lang.annotation.Target
Method Name	value
Number of Annotations	0

Class Name: com.thinking.machines.webrock.annotations.Post

Attribute	Value
Class Annotation	java.lang.annotation.Retention
Class Annotation	java.lang.annotation.Target

Class Name: com.thinking.machines.webrock.annotations.RequestParameter

Attribute	Value
Class Annotation	java.lang.annotation.Retention
Class Annotation	java.lang.annotation.Target
Method Name	value
Number of Annotations	0

Class Name: com.thinking.machines.webrock.annotations.SecuredAccess

Attribute	Value
Class Annotation	java.lang.annotation.Retention

Class Annotation	java.lang.annotation.Target	
Method Name	guard	
Number of Annotations	0	
Method Name	checkPost	
Number of Annotations	0	

 ${\it Class\ Name: com.thinking.machines.webrock. Exceptions. Service Exception}$

Attribute Value

 ${\it Class\ Name: com.thinking.machines.webrock.JSServlet}$

Attribute	Value
Method Name	doGet
Number of Annotations	0
Parameter Name	arg0
Parameter Type	javax.servlet.http.HttpServletRequest
Parameter Name	arg1
Parameter Type	javax.servlet.http.HttpServletResponse
Method Name	doPost
Number of Annotations	0
Parameter Name	arg0
Parameter Type	javax.servlet.http.HttpServletRequest
Parameter Name	arg1
Parameter Type	javax.servlet.http.HttpServletResponse
Method Name	processRequest
Number of Annotations	0
Parameter Name	arg0
Parameter Type	javax.servlet.http.HttpServletRequest
Parameter Name	arg1
Parameter Type	javax.servlet.http.HttpServletResponse

 ${\bf Class\ Name:\ com.thinking.machines.webrock.model.WebRockModel}$

Attribute	Value
Field Type	java.util.HashMap

Field Name	туМар
------------	-------

 $Class\ Name:\ com.thinking.machines.webrock.pojo.Field Value Pair$

Attribute	Value
Field Type	java.lang.Class
Field Name	fieldType
Field Type	java.lang.String
Field Name	value
Field Type	java.lang.String
Field Name	fieldName
Method Name	getValue
Number of Annotations	0
Method Name	getFieldType
Number of Annotations	0
Method Name	getFieldName
Number of Annotations	0

 $Class\ Name: com.thinking.machines.webrock.pojo.Service \$Field Value Pair$

Attribute	Value
Field Type	java.lang.Class
Field Name	fieldName
Field Type	java.lang.String
Field Name	value

Class Name: com.thinking.machines.webrock.pojo.Service

Attribute	Value
Field Type	java.lang.Class
Field Name	serviceClass
Field Type	java.lang.String
Field Name	path
Field Type	java.lang.reflect.Method
Field Name	service
Field Type	java.lang.String

Field Name	forwardTo	
Field Type	java.lang.String	
Field Name	mappingType	
Field Type	java.lang.Boolean	
Field Name	onStartup	
Field Type	int	
Field Name	priority	
Field Type	java.lang.Boolean	
Field Name	isInjectApplicationDirectory	
Field Type	java.lang.Boolean	
Field Name	isInjectSessionScope	
Field Type	java.lang.Boolean	
Field Name	isInjectApplicationScope	
Field Type	java.lang.Boolean	
Field Name	isInjectRequestScope	
Field Type	java.lang.Boolean	
Field Name	isInjectRequestParameter	
Field Type	java.lang.Boolean	
Field Name	isSecuredAccessOnMethod	
Field Type	java.lang.Boolean	
Field Name	isSecuredAccessOnClass	
Field Type	java.util.List	
Field Name	fieldList	
Method Name	getMethod	
Number of Annotations	0	
Method Name	setPriority	
Number of Annotations	0	
Parameter Name	arg0	
Parameter Type	int	
Method Name	getPriority	
Number of Annotations	0	
Method Name	getPath	
Number of Annotations	0	
Method Name	setMethod	
•		

Number of Annotations	0	
Parameter Name	arg0	
Parameter Type	java.lang.reflect.Method	
Method Name	getIsInjectApplicationScope	
Number of Annotations	0	
Method Name	getIsInjectApplicationDirectory	
Number of Annotations	0	
Method Name	setIsInjectApplicationDirectory	
Number of Annotations	0	
Parameter Name	arg0	
Parameter Type	java.lang.Boolean	
Method Name	getIsInjectRequestParameter	
Number of Annotations	0	
Method Name	setIsInjectApplicationScope	
Number of Annotations	0	
Parameter Name	arg0	
Parameter Type	java.lang.Boolean	
Method Name	setIsInjectRequestParameter	
Number of Annotations	0	
Parameter Name	arg0	
Parameter Type	java.lang.Boolean	
Method Name	setPath	
Number of Annotations	0	
Parameter Name	arg0	
Parameter Type	java.lang.String	
Method Name	setServiceClass	
Number of Annotations	0	
Parameter Name	arg0	
Parameter Type	java.lang.Class	
Method Name	getMappingType	
Number of Annotations	0	
Method Name	setOnStartup	
Number of Annotations	0	
Parameter Name	arg0	

Parameter Type	java.lang.Boolean
Method Name	getOnStartup
Number of Annotations	0
Method Name	addToArrayList
Number of Annotations	0
Parameter Name	arg0
Parameter Type	java.lang.Class
Parameter Name	arg1
Parameter Type	java.lang.String
Parameter Name	arg2
Parameter Type	java.lang.String
Method Name	getArrayList
Number of Annotations	0
Method Name	setMappingType
Number of Annotations	0
Parameter Name	arg0
Parameter Type	java.lang.String
Method Name	setForwardTo
Number of Annotations	0
Parameter Name	arg0
Parameter Type	java.lang.String
Method Name	getForwardTo
Number of Annotations	0
Method Name	getServiceClass
Number of Annotations	0
Method Name	setIsInjectRequestScope
Number of Annotations	0
Parameter Name	arg0
Parameter Type	java.lang.Boolean
Method Name	getIsInjectRequestScope
Number of Annotations	0
Method Name	setIsSecuredAccessOnClass
Number of Annotations	0
Parameter Name	arg0

Parameter Type	java.lang.Boolean
Method Name	getIsSecuredAccessOnClass
Number of Annotations	0
Method Name	setIsSecuredAccessOnMethod
Number of Annotations	0
Parameter Name	arg0
Parameter Type	java.lang.Boolean
Method Name	setIsInjectSessionScope
Number of Annotations	0
Parameter Name	arg0
Parameter Type	java.lang.Boolean
Method Name	getIsSecuredAccessOnMethod
Number of Annotations	0
Method Name	getIsInjectSessionScope
Number of Annotations	0

Class Name: com.thinking.machines.webrock.scope.ApplicationDirectory

Attribute	Value
Field Type	java.io.File
Field Name	directory
Method Name	getDirectory
Number of Annotations	0

Class Name: com.thinking.machines.webrock.scope.ApplicationScope

Attribute	Value
Field Type	javax.servlet.ServletContext
Field Name	servletContext
Method Name	setAttribute
Number of Annotations	0
Parameter Name	arg0
Parameter Type	java.lang.String
Parameter Name	arg1
Parameter Type	java.lang.Object

Method Name	getAttribute
Number of Annotations	0
Parameter Name	arg0
Parameter Type	java.lang.String

 ${\bf Class\ Name:\ com.thinking.machines.webrock.scope.RequestScope}$

Attribute	Value
Field Type	javax.servlet.http.HttpServletRequest
Field Name	request
Method Name	setAttribute
Number of Annotations	0
Parameter Name	arg0
Parameter Type	java.lang.String
Parameter Name	arg1
Parameter Type	java.lang.Object
Method Name	getAttribute
Number of Annotations	0
Parameter Name	arg0
Parameter Type	java.lang.String

 ${\it Class\ Name: com.thinking.machines.webrock.scope. Session Scope}$

Attribute	Value
Field Type	javax.servlet.http.HttpSession
Field Name	session
Method Name	setAttribute
Number of Annotations	0
Parameter Name	arg0
Parameter Type	java.lang.String
Parameter Name	arg1
Parameter Type	java.lang.Object
Method Name	getAttribute
Number of Annotations	0
Parameter Name	arg0

Parameter Type	java.lang.String
----------------	------------------

 ${\bf Class\ Name:\ com.thinking.machines.webrock.TMWebRock}$

Attribute	Value
Method Name	doGet
Number of Annotations	0
Parameter Name	arg0
Parameter Type	javax.servlet.http.HttpServletRequest
Parameter Name	arg1
Parameter Type	javax.servlet.http.HttpServletResponse
Method Name	doPost
Number of Annotations	0
Parameter Name	arg0
Parameter Type	javax.servlet.http.HttpServletRequest
Parameter Name	arg1
Parameter Type	javax.servlet.http.HttpServletResponse
Method Name	isInject
Number of Annotations	0
Parameter Name	arg0
Parameter Type	java.lang.Class
Parameter Name	arg1
Parameter Type	java.lang.Object
Parameter Name	arg2
Parameter Type	javax.servlet.http.HttpServletRequest
Method Name	inject
Number of Annotations	0
Parameter Name	arg0
Parameter Type	com.thinking.machines.webrock.pojo.Service
Parameter Name	arg1
Parameter Type	java.lang.Class
Parameter Name	arg2
Parameter Type	java.lang.Object
Parameter Name	arg3

Doromotor Typo	iovov convlot bttp Uttp Convlot Doguest
Parameter Type	javax.servlet.http.HttpServletRequest
Method Name	isSecuredAccess
Number of Annotations	
Parameter Name	arg0
Parameter Type	com.thinking.machines.webrock.pojo.Service
Parameter Name	arg1
Parameter Type	javax.servlet.http.HttpServletResponse
Parameter Name	arg2
Parameter Type	javax.servlet.http.HttpServletRequest
Method Name	handleForward
Number of Annotations	0
Parameter Name	arg0
Parameter Type	com.thinking.machines.webrock.pojo.Service
Parameter Name	arg1
Parameter Type	javax.servlet.http.HttpServletRequest
Parameter Name	arg2
Parameter Type	javax.servlet.http.HttpServletResponse
Method Name	convertToType
Number of Annotations	0
Parameter Name	arg0
Parameter Type	java.lang.String
Danas atau Masa	
Parameter Name	arg1
Parameter Type	java.lang.Class
Parameter Type	java.lang.Class
Parameter Type Method Name	java.lang.Class processFieldValues
Parameter Type Method Name Number of Annotations	java.lang.Class processFieldValues 0
Parameter Type Method Name Number of Annotations Parameter Name	java.lang.Class processFieldValues 0 arg0
Parameter Type Method Name Number of Annotations Parameter Name Parameter Type	java.lang.Class processFieldValues 0 arg0 java.util.List
Parameter Type Method Name Number of Annotations Parameter Name Parameter Type Parameter Name	java.lang.Class processFieldValues 0 arg0 java.util.List arg1
Parameter Type Method Name Number of Annotations Parameter Name Parameter Type Parameter Name Parameter Type	java.lang.Class processFieldValues 0 arg0 java.util.List arg1 javax.servlet.http.HttpServletRequest
Parameter Type Method Name Number of Annotations Parameter Name Parameter Type Parameter Name Parameter Type Parameter Name Parameter Type Parameter Type	java.lang.Class processFieldValues 0 arg0 java.util.List arg1 javax.servlet.http.HttpServletRequest arg2
Parameter Type Method Name Number of Annotations Parameter Name Parameter Type Parameter Name Parameter Type Parameter Type Parameter Type Parameter Type Parameter Name Parameter Name	java.lang.Class processFieldValues 0 arg0 java.util.List arg1 javax.servlet.http.HttpServletRequest arg2 java.lang.Object
Parameter Type Method Name Number of Annotations Parameter Name Parameter Type Parameter Type Parameter Type Parameter Type Parameter Type Parameter Name Parameter Name Parameter Name Parameter Type Parameter Type	java.lang.Class processFieldValues 0 arg0 java.util.List arg1 javax.servlet.http.HttpServletRequest arg2 java.lang.Object arg3

Parameter Type	java.lang.Class
Method Name	isJSONInRequest
Number of Annotations	0
Parameter Name	arg0
Parameter Type	javax.servlet.http.HttpServletRequest
Method Name	processMethodValues
Number of Annotations	0
Parameter Name	arg0
Parameter Type	javax.servlet.http.HttpServletRequest
Parameter Name	arg1
Parameter Type	java.lang.Object
Parameter Name	arg2
Parameter Type	com.thinking.machines.webrock.pojo.Service
Parameter Name	arg3
Parameter Type	java.lang.reflect.Method
Method Name	checkJsonAndPrepareIt
Number of Annotations	0
Parameter Name	arg0
Parameter Type	javax.servlet.http.HttpServletRequest
Parameter Name	arg1
Parameter Type	java.lang.Object
Parameter Name	arg2
Parameter Type	com.thinking.machines.webrock.pojo.Service
Parameter Name	arg3
Parameter Type	java.lang.reflect.Method
Method Name	capitalizeFirstLetter
Number of Annotations	0
Parameter Name	arg0
Parameter Type	java.lang.String
Method Name	generateSetterMethodName
Number of Annotations	0
Parameter Name	arg0
Parameter Type	java.lang.String
Method Name	processMethodValuesForSecuredAccess
L	,

Number of Annotations	0
Parameter Name	arg0
Parameter Type	javax.servlet.http.HttpServletRequest
Parameter Name	arg1
Parameter Type	java.lang.Object
Parameter Name	arg2
Parameter Type	java.lang.reflect.Method

 ${\bf Class\ Name:\ com.thinking.machines.webrock.TMWebRockStarter.StartupServlet}$

Attribute	Value
Field Type	java.util.Map
Field Name	startupMap
Method Name	processFileBasedClasses
Number of Annotations	0
Parameter Name	arg0
Parameter Type	java.lang.String
Parameter Name	arg1
Parameter Type	java.io.File
Parameter Name	arg2
Parameter Type	java.util.List
Parameter Name	arg3
Parameter Type	java.lang.Class
Method Name	init
Number of Annotations	0
Method Name	getClassName
Number of Annotations	0
Parameter Name	arg0
Parameter Type	java.lang.String
Parameter Name	arg1
Parameter Type	java.io.File
Method Name	analyzeMethodsForAnnotation
Number of Annotations	0
Parameter Name	arg0

Parameter Type	java.lang.Class
Parameter Name	arg1
Parameter Type	java.lang.Class
Method Name	createJsFile
Number of Annotations	0
Parameter Name	arg0
Parameter Type	java.lang.String
Method Name	processServices
Number of Annotations	0
Method Name	hasAnnotation
Number of Annotations	0
Parameter Name	arg0
Parameter Type	java.lang.reflect.Method
Parameter Name	arg1
Parameter Type	java.lang.Class
Method Name	hasAnnotation
Number of Annotations	0
Parameter Name	arg0
Parameter Type	java.lang.Class
Parameter Name	arg1
Parameter Type	java.lang.Class
Method Name	isInSubpackage
Number of Annotations	0
Parameter Name	arg0
Parameter Type	java.lang.Class
Parameter Name	arg1
Parameter Type	java.lang.String
Method Name	getClassesWithAnnotation
Number of Annotations	0
Parameter Name	arg0
Parameter Type	java.lang.String
Parameter Name	arg1
Parameter Type	java.lang.Class
Method Name	addServiceToStartupMap
•	

Number of Annotations	0
Parameter Name	arg0
Parameter Type	com.thinking.machines.webrock.pojo.Service
Method Name	checkAndCreateJSFolder
Number of Annotations	0
Parameter Name	arg0
Parameter Type	java.lang.String

 ${\bf Class\ Name:\ tommy. Student Management. Action Response}$

Value
java.lang.Boolean
successful
java.lang.String
exception
java.lang.Object
result
getException
0
setResult
0
arg0
java.lang.Object
getResult
0
getSuccessful
0
setSuccessful
0
arg0
java.lang.Boolean
setException
0
arg0

 ${\bf Class\ Name:\ tommy. Student Management. DAO Connection}$

Attribute	Value
Method Name	getConnection
Number of Annotations	0

 ${\bf Class\ Name:\ tommy. Student Management. DAO Exception}$

Attribute Value

Class Name: tommy.StudentManagement.Student

Attribute	Value
Field Type	java.lang.String
Field Name	name
Field Type	int
Field Name	id
Field Type	java.lang.String
Field Name	gender
Method Name	getName
Number of Annotations	0
Method Name	setName
Number of Annotations	0
Parameter Name	arg0
Parameter Type	java.lang.String
Method Name	getID
Number of Annotations	0
Method Name	setID
Number of Annotations	0
Parameter Name	arg0
Parameter Type	int
Method Name	setGender
Number of Annotations	0
Parameter Name	arg0

Parameter Type	java.lang.String
Method Name	getGender
Number of Annotations	0

 ${\bf Class\ Name:\ tommy. Student Management. Student Service}$

Attribute	Value
Class Annotation	com.thinking.machines.webrock.annotations.Path
Method Name	update
Number of Annotations	1
Method Annotation	com.thinking.machines.webrock.annotations.Path
Parameter Name	arg0
Parameter Type	tommy.StudentManagement.Student
Method Name	add
Number of Annotations	2
Method Annotation	com.thinking.machines.webrock.annotations.Post
Method Annotation	com.thinking.machines.webrock.annotations.Path
Parameter Name	arg0
Parameter Type	tommy.StudentManagement.Student
Method Name	delete
Number of Annotations	1
Method Annotation	com.thinking.machines.webrock.annotations.Path
Parameter Name	arg0
Parameter Type	int
Parameter Annotation	com.thinking.machines.webrock.annotations.RequestParameter
Method Name	getAll
Number of Annotations	1
Method Annotation	com.thinking.machines.webrock.annotations.Path
Method Name	idExists
Number of Annotations	1
Method Annotation	com.thinking.machines.webrock.annotations.Path
Parameter Name	arg0
Parameter Type	int
Parameter Annotation	com.thinking.machines.webrock.annotations.RequestParameter

Method Name	getByID
Number of Annotations	1
Method Annotation	com.thinking.machines.webrock.annotations.Path
Parameter Name	arg0
Parameter Type	int
Parameter Annotation	com.thinking.machines.webrock.annotations.RequestParameter