

└─(kali123@kali)-[~]

└─\$ nmap -sC -sV 192.168.207.133

Starting Nmap 7.98 (<https://nmap.org>) at 2026-03-09 12:17 +0530

Nmap scan report for 192.168.207.133

Host is up (0.0012s latency).

Not shown: 977 closed tcp ports (reset)

PORT STATE SERVICE VERSION

21/tcp open ftp vsftpd 2.3.4

|_ftp-anon: Anonymous FTP login allowed (FTP code 230)

| ftp-syst:

| STAT:

| FTP server status:

| Connected to 192.168.207.132

| Logged in as ftp

| TYPE: ASCII

| No session bandwidth limit

| Session timeout in seconds is 300

| Control connection is plain text

| Data connections will be plain text

| vsFTPD 2.3.4 - secure, fast, stable

|_End of status

22/tcp open ssh OpenSSH 4.7p1 Debian 8ubuntu1 (protocol 2.0)

| ssh-hostkey:

| 1024 60:0f:cf:e1:c0:5f:6a:74:d6:90:24:fa:c4:d5:6c:cd (DSA)

|_ 2048 56:56:24:0f:21:1d:de:a7:2b:ae:61:b1:24:3d:e8:f3 (RSA)

23/tcp open telnet Linux telnetd

25/tcp open smtp Postfix smtpd

|_smtp-commands: metasploitable.localdomain, PIPELINING, SIZE 10240000, VRFY, ETRN, STARTTLS, ENHANCEDSTATUSCODES, 8BITMIME, DSN

| ssl-cert: Subject: commonName=ubuntu804-
base.localdomain/organizationName=OCOSA/stateOrProvinceName=There is no such thing
outside US/countryName=XX

| Not valid before: 2010-03-17T14:07:45

|_ Not valid after: 2010-04-16T14:07:45

|_ ssl-date: 2026-03-09T06:47:24+00:00; +2s from scanner time.

| sslv2:

| SSLv2 supported

| ciphers:

| SSL2_RC4_128_EXPORT40_WITH_MD5

| SSL2_DES_64_CBC_WITH_MD5

| SSL2_RC4_128_WITH_MD5

| SSL2_DES_192_EDE3_CBC_WITH_MD5

| SSL2_RC2_128_CBC_WITH_MD5

|_ SSL2_RC2_128_CBC_EXPORT40_WITH_MD5

53/tcp open domain ISC BIND 9.4.2

| dns-nsid:

|_ bind.version: 9.4.2

80/tcp open http Apache httpd 2.2.8 ((Ubuntu) DAV/2)

|_ http-server-header: Apache/2.2.8 (Ubuntu) DAV/2

|_ http-title: Metasploitable2 - Linux

111/tcp open rpcbind 2 (RPC #100000)

| rpcinfo:

| program version port/proto service

| 100000 2 111/tcp rpcbind

| 100000 2 111/udp rpcbind

| 100003 2,3,4 2049/tcp nfs

| 100003 2,3,4 2049/udp nfs

| 100005 1,2,3 33769/udp mountd

| 100005 1,2,3 41893/tcp mountd

| 100021 1,3,4 38869/udp nlockmgr

| 100021 1,3,4 38888/tcp nlockmgr
| 100024 1 36191/udp status
|_ 100024 1 45066/tcp status
139/tcp open netbios-ssn Samba smbd 3.X - 4.X (workgroup: WORKGROUP)
445/tcp open netbios-ssn Samba smbd 3.0.20-Debian (workgroup: WORKGROUP)
512/tcp open exec netkit-rsh rexecd
513/tcp open login OpenBSD or Solaris rlogind
514/tcp open tcpwrapped
1099/tcp open java-rmi GNU Classpath gmmiregistry
1524/tcp open bindshell Metasploitable root shell
2049/tcp open nfs 2-4 (RPC #100003)
2121/tcp open ftp ProFTPD 1.3.1
3306/tcp open mysql MySQL 5.0.51a-3ubuntu5
| mysql-info:
| Protocol: 10
| Version: 5.0.51a-3ubuntu5
| Thread ID: 8
| Capabilities flags: 43564
| Some Capabilities: SupportsTransactions, Support41Auth, LongColumnFlag,
SwitchToSSLAfterHandshake, Speaks41ProtocolNew, SupportsCompression,
ConnectWithDatabase
| Status: Autocommit
|_ Salt: +DVbkr|8?rA/c'8\$J()3
5432/tcp open postgresql PostgreSQL DB 8.3.0 - 8.3.7
|_ssl-date: 2026-03-09T06:47:24+00:00; +2s from scanner time.
| ssl-cert: Subject: commonName=ubuntu804-
base.localdomain/organizationName=OCOSA/stateOrProvinceName=There is no such thing
outside US/countryName=XX
| Not valid before: 2010-03-17T14:07:45
|_Not valid after: 2010-04-16T14:07:45
5900/tcp open vnc VNC (protocol 3.3)
| vnc-info:

| Protocol version: 3.3
| Security types:
|_ VNC Authentication (2)
6000/tcp open X11 (access denied)
6667/tcp open irc UnrealIRCd
| irc-info:
| users: 1
| servers: 1
| lusers: 1
| lservers: 0
| server: irc.Metasploitable.LAN
| version: Unreal3.2.8.1. irc.Metasploitable.LAN
| uptime: 0 days, 0:01:23
| source ident: nmap
| source host: A23ACDD5.EFDF92B4.FFFA6D49.IP
|_ error: Closing Link: mdksychpm[192.168.207.132] (Quit: mdksychpm)
8009/tcp open ajp13 Apache Jserv (Protocol v1.3)
|_ajp-methods: Failed to get a valid response for the OPTION request
8180/tcp open http Apache Tomcat/Coyote JSP engine 1.1
|_http-server-header: Apache-Coyote/1.1
|_http-favicon: Apache Tomcat
|_http-title: Apache Tomcat/5.5
MAC Address: 00:0C:29:36:EC:05 (VMware)
Service Info: Hosts: metasploitable.localdomain, irc.Metasploitable.LAN; OSs: Unix, Linux;
CPE: cpe:/o:linux:linux_kernel

Host script results:

| smb-os-discovery:
| OS: Unix (Samba 3.0.20-Debian)
| Computer name: metasploitable
| NetBIOS computer name:

| Domain name: localdomain
| FQDN: metasploitable.localdomain
|_ System time: 2026-03-09T02:47:16-04:00
|_ smb2-time: Protocol negotiation failed (SMB2)
| smb-security-mode:
| account_used: guest
| authentication_level: user
| challenge_response: supported
|_ message_signing: disabled (dangerous, but default)
|_ nbstat: NetBIOS name: METASPLOITABLE, NetBIOS user: <unknown>, NetBIOS
MAC: <unknown> (unknown)
|_ clock-skew: mean: 1h00m02s, deviation: 2h00m00s, median: 1s

Service detection performed. Please report any incorrect results at <https://nmap.org/submit/> .

Nmap done: 1 IP address (1 host up) scanned in 21.69 seconds

Port	Service	Vulnerability
21	FTP	vsftpd 2.3.4 backdoor
23	Telnet	weak login
80	Apache	vulnerable web apps
445	Samba	Samba 3.0.20 exploit
1099	Java RMI	RCE possible
1524	Root shell	already vulnerable
6667	UnrealIRCd	backdoor exploit
8180	Tomcat	default credentials