

PROJECT QUICK OVERVIEW

PROJECT SENTINEL

Autonomous AI-Powered Payment Risk Intelligence & Protection Platform

Combining Machine Learning, Graph Intelligence, Agentic AI and PayPal Payment Infrastructure

PREPARED FOR

PayPal AI Hackathon 2026

PREPARED BY

Tanisha Dey

DATE

October 2026

Disclaimer: Sentinel is a hackathon prototype. It runs on PayPal Sandbox with synthetic data only and is not an official, deployed or endorsed PayPal fraud-prevention product. It does not access PayPal's internal risk systems. Model results describe synthetic data and are not evidence of real-world performance.

SENTINEL

Sentinel at a Glance

A payment protection layer for PayPal checkouts: it decides, with evidence, whether money should move, and keeps a human in charge of irreversible decisions. Hackathon prototype on PayPal Sandbox and synthetic data.

The problem

Fraud checks usually score one payment at a time and give no reasons. Organised fraud is designed to look normal payment by payment, and a bare score still leaves an analyst to investigate while the customer waits.

What Sentinel does

1. The demo shop (SENTINEL MERCHANT) creates a real PayPal Orders v2 order on the server, with server-side prices.
2. The buyer approves in PayPal. No money has moved yet.
3. Sentinel fetches the order from PayPal, checks status, amount and ownership, and scores the risk.
4. LOW risk is captured automatically. Anything else is **held**: approved in PayPal, but not captured.
5. For HIGH risk, an AI agent investigates with seven tools and writes an evidence-cited report.
6. A reviewer re-authenticates and approves, rejects or escalates. Only approval triggers capture.
7. Every step is written to a hash-chained audit log.




Figure 1: High-level system architecture

Key results (actual)

Item	Result
Primary model (selected by hold-out PR-AUC)	Random Forest: precision 0.941, recall 0.889, F1 0.914, ROC-AUC 0.939, PR-AUC 0.897 (500-row test set, synthetic)
Other models	XGBoost PR-AUC 0.886; Logistic Regression 0.893; Isolation Forest 0.830
Graph findings	2 shared devices, 1 four-account money loop ($16,064), 2 flagged mule wallets, 4 suspicious clusters
Demo C	ML score 0.313 alone; graph raised it to HIGH; agent recommended REJECT with 6 evidence-backed findings
Automated tests	23 passed, 0 failed

What makes it different

- Risk is enforced at the PayPal capture step, with idempotency and bypass protection.
- ML, anomaly detection and graph intelligence feed one explainable policy.
- The AI agent must cite evidence and can only recommend.
- PayPal status and Sentinel status are kept separate, so a held payment is never shown as paid.

Technology

React, TypeScript, Vite, Tailwind, Recharts, React Flow, AG Grid, TanStack Query, PayPal JS SDK · FastAPI, Pydantic, SQLAlchemy, Alembic, PostgreSQL/SQLite, Redis (optional) · scikit-learn, XGBoost, SHAP, pandas, NumPy · NetworkX · LangGraph, Groq · Docker, Render.

Honest status

Verified	Not yet verified
Full app running locally; 23 tests; UI walkthrough; hold-out ML metrics; PostgreSQL DDL generation	Live PayPal Sandbox capture (no credentials on build machine); Groq LLM path (fallback used); Docker/Render runtime