





SHOWER CHANNEL DRAINERS & GRATINGS
SHOWER CHANNEL DRAINERS & GRATINGS



Graceflow Drainage systems provides innovative solutions that unite functionality with refined aesthetics, bringing a seamless balance of beauty and performance to your space.

Graceflow Drainage





Company Profile

Engineering the Future of Drainage Solutions

Founded in 2012, **Wellnox** Drain has grown into a trusted name in the manufacturing of high-quality drainage and bathroom products. Located near Rajkot, Gujarat, a region renowned for its engineering and manufacturing excellence, **Wellnox** Drain takes full advantage of this environment to craft innovative, durable solutions that seamlessly combine functionality with style.

At the heart of **Wellnox** Drain's success is a commitment to precision and quality. We use premium materials like AISI 304 and 316 stainless steel, especially for bulk orders, ensuring exceptional durability and flawless finishes. This dedication to superior craftsmanship has made **Wellnox** Drain the preferred choice for customers who demand products that meet the highest standards.

In addition, we specialize in crafting premium stainless steel fasteners for wall-hung lavatories, washbasins, and cast iron brackets. Each product is designed for superior performance and lasting durability, showcasing our unwavering commitment to quality.



A photograph of a modern bathroom interior. In the foreground, the white, curved rim of a bathtub is visible. Behind it, on a white surface, are three chrome faucets and a wooden soap dish with two soap dispensers. To the left, a large potted plant with long, feathery leaves is positioned against a textured, light-colored wall. The overall aesthetic is clean and sophisticated.

Sophisticated Drainage Systems
offer expertly designed water
management products that
combine efficiency with timeless style,
elevating the appeal of any environment.

Sophisticated Drainage



OUR PRODUCT RANGE

Wellnox Drain offers a wide range of drainage and bathroom solutions, including:

- Shower Channel Drainers • Floor Drainers
- Bathroom Accessories • Grab Bars
- Cockroach Trap Drain • Manhole Covers

ENGINEERING INNOVATION

At **Wellnox Drain**, we engineer products with cutting-edge design and technical excellence. Features such as enhanced water flow rates, stain and rust resistance, and advanced cockroach prevention distinguish our products from the competition. Our innovative approach helps not only improve product quality but also reduces costs, ensuring excellent value for our customers.

ADVANCED MANUFACTURING FACILITY

Our state-of-the-art integrated manufacturing facility in Rajkot is 100% in-house, allowing **Wellnox Drain** complete control over the entire production process, from design and material selection to machining, inspection, and packaging. This end-to-end approach guarantees that every product meets the highest benchmarks for quality and reliability.

INNOVATIVE SOLUTIONS

Wellnox Drain continues to drive innovation in the field of drainage and bathroom solutions. We are committed to developing products that not only improve functionality and aesthetics but also provide ease of use. This focus on innovation has made us a preferred partner for architects, engineers, designers, and homeowners. Whether it's custom orders for corporate OE buyers or solutions for export markets, our versatility enables us to meet diverse customer demands.

WIDESPREAD REPUTATION AND REACH

Wellnox Drain has built a strong reputation in India, backed by an expansive export network. We serve several states, including Gujarat, Maharashtra, Karnataka, Kerala, Telangana, Andhra Pradesh, Punjab, Delhi, Assam, West Bengal, and Rajasthan. Our wide reach is a testament to the trust our customers place in **Wellnox Drain** for delivering reliable and efficient drainage solutions.



REASONS TO CHOOSE OUR PRODUCT



Designed to increase drain efficiency. Each design has variable high flow rate to drain speedily.



International grade stainless steel (ss) for best and lasting performance.



Safety is key for installation and day-to-day usage. All sharp edges are folded inside & tapered outside.



Gradient slope towards outlet increases draining capacity and offers ease in manual cleaning.



Globally compliant 100% recyclable material.



Anti-cockroach trap options available to control generic pests.



International quality standard raw material, craftsmanship and sizes to cater to global market.



Customized product sizes and quality can be produced for corporate, OE sourcing and international market requirements.



Higher grade ss are most resistant to rust and corrosion in constant humid conditions.



Precision engineered for easy installation and all essential provided.

PROCESS

PROCESS



RAW MATERIAL



PROCESSING



LASER CUTTING



PRESSING



BEADING



BUFFING



POLISHING



CHECKING



PACKAGING



SHIPPING





LC-4101 PALO

SHOWER CHANNEL DRAINER


SPECIFICATIONS :

Thickness	: Base : 1 mm Plate : 1 mm (Both Can be customized)
Outlet	: 60 mm
Flow Rate	: 40 - 60 Liters / Minute
Drainage Direction	: Side / Center (can be customized)


Lenght Option (mm)	Width (mm)	Outlet Dia. (mm)	Height (mm)
300 / 450 / 600 / 750 / 900 / 1000 / 1200 / 1500	30	22	20
300 / 450 / 600 / 750 / 900 / 1000 / 1200 / 1500	55	40	32
300 / 450 / 600 / 750 / 900 / 1000 / 1200 / 1500	75	60	32
300 / 450 / 600 / 750 / 900 / 1000 / 1200 / 1500	100	60	32
300 / 450 / 600 / 750 / 900 / 1000 / 1200 / 1500	125	60	32

Shower Channel Drainers are available in either side hole or center hole, also can be customized.

Without Collar



With Collar*



Also Available in



Satin



Gold



Black



Rose Gold



BH-4102 WAVE

SHOWER CHANNEL DRAINER


SPECIFICATIONS :

Thickness	: Base : 1 mm Plate : 1 mm (Both Can be customized)
Outlet	: 60 mm
Flow Rate	: 40 - 60 Liters / Minute
Drainage Direction	: Side / Center (can be customized)

Lenght Option (mm)	Width (mm)	Outlet Dia. (mm)	Height (mm)
300 / 450 / 600 / 750 / 900 / 1000 / 1200 / 1500	30	22	20
300 / 450 / 600 / 750 / 900 / 1000 / 1200 / 1500	55	40	32
300 / 450 / 600 / 750 / 900 / 1000 / 1200 / 1500	75	60	32
300 / 450 / 600 / 750 / 900 / 1000 / 1200 / 1500	100	60	32
300 / 450 / 600 / 750 / 900 / 1000 / 1200 / 1500	125	60	32

Shower Channel Drainers are available in either side hole or center hole, also can be customized.

Without Collar



With Collar*



Also Available in





BH-4103 VERTICLE

SHOWER CHANNEL DRAINER

SPECIFICATIONS :

Thickness	: Base : 1 mm Plate : 1 mm (Both Can be customized)
Outlet	: 60 mm
Flow Rate	: 40 - 60 Liters / Minute
Drainage Direction	: Side / Center (can be customized)


Lenght Option (mm)	Width (mm)	Outlet Dia. (mm)	Height (mm)
300 / 450 / 600 / 750 / 900 / 1000 / 1200 / 1500	30	22	20
300 / 450 / 600 / 750 / 900 / 1000 / 1200 / 1500	55	40	32
300 / 450 / 600 / 750 / 900 / 1000 / 1200 / 1500	75	60	32
300 / 450 / 600 / 750 / 900 / 1000 / 1200 / 1500	100	60	32
300 / 450 / 600 / 750 / 900 / 1000 / 1200 / 1500	125	60	32

Shower Channel Drainers are available in either side hole or center hole, also can be customized.

Without Collar



With Collar*



Also Available in



BH-4104 TILE / MARBLE INSERT

SHOWER CHANNEL DRAINER



SPECIFICATIONS :

Thickness	: Base : 1 mm Plate : 1 mm (Both Can be customized)
Outlet	: 60 mm
Flow Rate	: 40 - 60 Liters / Minute
Drainage Direction	: Side / Center (can be customized)

Lenght Option (mm)	Width (mm)	Outlet Dia. (mm)	Height (mm)
300 / 450 / 600 / 750 / 900 / 1000 / 1200 / 1500	30	22	20
300 / 450 / 600 / 750 / 900 / 1000 / 1200 / 1500	55	40	32
300 / 450 / 600 / 750 / 900 / 1000 / 1200 / 1500	75	60	32
300 / 450 / 600 / 750 / 900 / 1000 / 1200 / 1500	100	60	32
300 / 450 / 600 / 750 / 900 / 1000 / 1200 / 1500	125	60	32

Shower Channel Drainers are available in either side hole or center hole, also can be customized.

With Collar*



Also Available in



BH-4105 PIANO

SHOWER CHANNEL DRAINER

SPECIFICATIONS :

Thickness	: Base : 1 mm Plate : 1 mm (Both Can be customized)
Outlet	: 60 mm
Flow Rate	: 40 - 60 Liters / Minute
Drainage Direction	: Side / Center (can be customized)


Lenght Option (mm)	Width (mm)	Outlet Dia. (mm)	Height (mm)
300 / 450 / 600 / 750 / 900 / 1000 / 1200 / 1500	30	22	20
300 / 450 / 600 / 750 / 900 / 1000 / 1200 / 1500	55	40	32
300 / 450 / 600 / 750 / 900 / 1000 / 1200 / 1500	75	60	32
300 / 450 / 600 / 750 / 900 / 1000 / 1200 / 1500	100	60	32
300 / 450 / 600 / 750 / 900 / 1000 / 1200 / 1500	125	60	32

Shower Channel Drainers are available in either side hole or center hole, also can be customized.

Without Collar



With Collar*



Also Available in



Satin



Gold



Black



Rose Gold

BH-4106 ANTIQ

SHOWER CHANNEL DRAINER


SPECIFICATIONS :

Thickness	: Base : 1 mm Plate : 1 mm (Both Can be customized)
Outlet	: 60 mm
Flow Rate	: 40 - 60 Liters / Minute
Drainage Direction	: Side / Center (can be customized)


Lenght Option (mm)	Width (mm)	Outlet Dia. (mm)	Height (mm)
300 / 450 / 600 / 750 / 900 / 1000 / 1200 / 1500	30	22	20
300 / 450 / 600 / 750 / 900 / 1000 / 1200 / 1500	55	40	32
300 / 450 / 600 / 750 / 900 / 1000 / 1200 / 1500	75	60	32
300 / 450 / 600 / 750 / 900 / 1000 / 1200 / 1500	100	60	32
300 / 450 / 600 / 750 / 900 / 1000 / 1200 / 1500	125	60	32

Shower Channel Drainers are available in either side hole or center hole, also can be customized.

Without Collar



With Collar*



Also Available in



Satin



Gold



Black



Rose Gold



BH-4107 DAZZLE

SHOWER CHANNEL DRAINER


SPECIFICATIONS :

Thickness	: Base : 1 mm Plate : 1 mm (Both Can be customized)
Outlet	: 60 mm
Flow Rate	: 40 - 60 Liters / Minute
Drainage Direction	: Side / Center (can be customized)


Lenght Option (mm)	Width (mm)	Outlet Dia. (mm)	Height (mm)
300 / 450 / 600 / 750 / 900 / 1000 / 1200 / 1500	30	22	20
300 / 450 / 600 / 750 / 900 / 1000 / 1200 / 1500	55	40	32
300 / 450 / 600 / 750 / 900 / 1000 / 1200 / 1500	75	60	32
300 / 450 / 600 / 750 / 900 / 1000 / 1200 / 1500	100	60	32
300 / 450 / 600 / 750 / 900 / 1000 / 1200 / 1500	125	60	32

Shower Channel Drainers are available in either side hole or center hole, also can be customized.

Without Collar



With Collar*



Also Available in



Satin



Gold



Black



Rose Gold



BH-4108 CAPSULE

SHOWER CHANNEL DRAINER

SPECIFICATIONS :

Thickness	: Base : 1 mm Plate : 1 mm (Both Can be customized)
Outlet	: 60 mm
Flow Rate	: 40 - 60 Liters / Minute
Drainage Direction	: Side / Center (can be customized)


Lenght Option (mm)	Width (mm)	Outlet Dia. (mm)	Height (mm)
300 / 450 / 600 / 750 / 900 / 1000 / 1200 / 1500	30	22	20
300 / 450 / 600 / 750 / 900 / 1000 / 1200 / 1500	55	40	32
300 / 450 / 600 / 750 / 900 / 1000 / 1200 / 1500	75	60	32
300 / 450 / 600 / 750 / 900 / 1000 / 1200 / 1500	100	60	32
300 / 450 / 600 / 750 / 900 / 1000 / 1200 / 1500	125	60	32

Shower Channel Drainers are available in either side hole or center hole, also can be customized.

Without Collar



With Collar*



Also Available in



BH-4109 SLOT

SHOWER CHANNEL DRAINER

SPECIFICATIONS :

Thickness	: Base : 1 mm Plate : 1 mm (both Can be customized)
Outlet	: 60 mm
Flow Rate	: 40 - 60 Liters / Minute
Drainage Direction	: Side / Center (can be customized)


Lenght Option (mm)	Width (mm)	Outlet Dia. (mm)	Height (mm)
300 / 450 / 600 / 750 / 900 / 1000 / 1200 / 1500	30	22	20
300 / 450 / 600 / 750 / 900 / 1000 / 1200 / 1500	55	40	32
300 / 450 / 600 / 750 / 900 / 1000 / 1200 / 1500	75	60	32
300 / 450 / 600 / 750 / 900 / 1000 / 1200 / 1500	100	60	32
300 / 450 / 600 / 750 / 900 / 1000 / 1200 / 1500	125	60	32

Shower Channel Drainers are available in either side hole or center hole, also can be customized.

Without Collar



With Collar*



Also Available in



Satin



Gold



Black



Rose Gold



BH-4110 ALIGN

SHOWER CHANNEL DRAINER

SPECIFICATIONS :

Thickness	: Base : 1 mm Plate : 1 mm (Both Can be customized)
Outlet	: 60 mm
Flow Rate	: 40 - 60 Liters / Minute
Drainage Direction	: Side / Center (can be customized)


Lenght Option (mm)	Width (mm)	Outlet Dia. (mm)	Height (mm)
300 / 450 / 600 / 750 / 900 / 1000 / 1200 / 1500	30	22	20
300 / 450 / 600 / 750 / 900 / 1000 / 1200 / 1500	55	40	32
300 / 450 / 600 / 750 / 900 / 1000 / 1200 / 1500	75	60	32
300 / 450 / 600 / 750 / 900 / 1000 / 1200 / 1500	100	60	32
300 / 450 / 600 / 750 / 900 / 1000 / 1200 / 1500	125	60	32

Shower Channel Drainers are available in either side hole or center hole, also can be customized.

Without Collar



With Collar*



Also Available in



Satin




Gold



Black



Rose Gold



Elegant Drainage offers seamless, sophisticated water management solutions that blend functionality with aesthetic appeal, enhancing your space effortlessly."

Elegant Drainage


TILE / MARBLE INSERT INSTALLATION GUIDELINES

MARBLE PIECE




OR


TILE PIECE



INSERT PLATE



DRAIN BASE



CUSTOMIZATION OPTIONS

LENGTH OPTIONS



SEVERAL LENGTH OPTIONS ARE AVAILABLE
STILL CAN BE CUSTOMIZED FOR BULK ORDERS

HOLE OPTIONS



SIDE HOLE



CENTER HOLE



CAN BE CUSTOMIZED
HOLE SIZE / HOLE DISTANCE / ADDING HOLES

THICKNESS OPTIONS



BASE & PLATE
BOTH CAN BE CUSTOMIZED

ANTI-COCKROACH LOCK MECHANISM



"THE MECHANISM WORKS THROUGH WATER WEIGHT TO OPEN & CLOSE THE TRAP. WATER LEVEL MAINTAINED CONSTANTLY IN THE TRAP TO RESTRICT COCKROACHES & OTHER SIMILAR PESTS. THE TRAP OPENS ONLY WHEN ADDITIONAL WATER COMES INTO THE DRAIN."



BH-1001 PLUTO

SQUARE FLOOR DRAINER




SPECIFICATIONS :

Thickness	: Base : 1.2 mm Plate : 1.5 mm (Can be customized)
Outlet	: 80/90/94 mm
Flow Rate	: 70 - 80 Liters / Minute
Drainage Direction	: Center

FLOOR DRAINER

Length (mm) x Width (mm)	Size (Inch) Approx.	Height (mm)
127 x 127	5" x 5"	22
150 x 150	6" x 6"	22

Also Available in All Model Without Screw / With Screw / With Anti-Cockroach Options



Without Screw



With Screw



With Anti-Cockroach




BH-1002 EARTH

SQUARE FLOOR DRAINER



BH-1003 SAPHIRE

SQUARE FLOOR DRAINER



BH-1004 PEARL

SQUARE FLOOR DRAINER



BH-1005 RUBY

SQUARE FLOOR DRAINER




BH-1006 DIAMOND

SQUARE FLOOR DRAINER



BH-1007 EMERALD

SQUARE FLOOR DRAINER



BH-1008 OPAL

SQUARE FLOOR DRAINER



BH-1009 JUPITER

SQUARE FLOOR DRAINER



BH-1010 NAPITUNE

SQUARE FLOOR DRAINER



BH-1011 MURCURY

SQUARE FLOOR DRAINER



BH-1012 VENUS

SQUARE FLOOR DRAINER



BH-1013 GEMINI

SQUARE FLOOR DRAINER



BH-1014 CLASSIC

SQUARE FLOOR DRAINER



BH-1015 FIRE

SQUARE FLOOR DRAINER



BH-1016 WIFI

SQUARE FLOOR DRAINER



BH-1017 STEPS

SQUARE FLOOR DRAINER





BH-1101 (POP-UP)
LOOKINGUP FLOOR DRAINER (SQUARE)


SPECIFICATIONS :

Thickness	: 1 mm
Outlet	: 94 mm
Flow Rate	: 70 - 80 Liters / Minute
Drainage Direction	: Center


TILE INSERT FLOOR DRAINER

Length (mm) x Width (mm)	Size (Inch) Approx.	Height (mm)
127 x 127	5" x 5"	18
150 x 150	6" x 6"	18

With Anti-Cockroach Options



Also Available in



BH-1102

SQUARE FLOOR DRAINER



BH-1103

SQUARE FLOOR DRAINER



BH-1104

SQUARE FLOOR DRAINER



BH-1105

SQUARE FLOOR DRAINER



BH-1106

SQUARE FLOOR DRAINER



BH-1107

SQUARE FLOOR DRAINER





BH-2101

TILES AND MARBLE INSERT
BOTH ARE AVAILABLE

SPECIFICATIONS :

Thickness	: Base : 1 mm Plate : 1.5 mm (Can be customized)
Outlet	: 80/-94 mm
Flow Rate	: 70 - 80 Liters / Minute
Drainage Direction	: Center

MARBLE INSERT FLOOR DRAINER

Length (mm) x Width (mm)	Outlet Dia. (mm)	Height (mm)
127 x 127	94	40
150 x 150	94	40
200 x 200	94	40
250 X 250	94	40
300 X 300	94	40


Regular



Reversible



With Anti-Cockroach



Also Available in





BH-2102 (HINGES)

SQUARE FLOOR DRAINER

SPECIFICATIONS :

Thickness	: Base : 12 mm Plate : 1.5 mm (Can be customized)
Outlet	: 80/94/94 mm
Flow Rate	: 70 - 80 Liters / Minute
Drainage Direction	: Center

TILE INSERT FLOOR DRAINER

Length (mm) x Width (mm)	Size (Inch) Approx.	Height (mm)
127 x 127	5" x 5"	22
150 x 150	6" x 6"	22

With Anti-Cockroach Options




BH-2103 (POP-UP)
PUSH UP FLOOR DRAINER

SPECIFICATIONS :

Thickness	: 1 mm
Outlet	: 94 mm
Flow Rate	: 70 - 80 Liters / Minute
Drainage Direction	: Center

TILE INSERT FLOOR DRAINER

Length (mm) x Width (mm)	Size (Inch) Approx.
127 x 127	5" x 5"
150 x 150	6" x 6"



Also Available in



BH-2104

SQUARE FLOOR DRAINER (OPEN-CLOSE)



FLOOR DRAINER

Length (mm) x Width (mm)
120 x 120

BH-2105

GRATING(SQUARE)



SPECIFICATIONS :

Thickness	: 1 Mm
Outlet	: 00 Mm
Flow Rate	: 150 Liters / Minute
Drainage Direction	: Center

FLOOR DRAINER

Length (mm) x Width (mm)	Size (Inch) Approx.
75 x 75	3" x 3"
100 x 100	4" x 4"
125 x 125	5" x 5"
150 x 150	6" x 6"

Size Customize (Thickness)

BH-2106

SQUARE FLOOR DRAINER



FLOOR DRAINER

Length (mm) x Width (mm)
150 X 150

BH-2107

CORNER DRAINER



FLOOR DRAINER

Length (mm) x Width (mm)
125 X 125
150 X 150

BH-2108

VERTICAL DRAINER



FLOOR DRAINER

Length (mm) x Width (mm)
250 X 250
300 X 300
300 X 450
300 X 600

Thickness Can Be Customize



BH-3101 (POP-UP)
LOOKING FLOOR DRAINER (ROUND)

SPECIFICATIONS :

Thickness	: 1 mm
Outlet	: 94 mm
Flow Rate	: 70 - 80 Liters / Minute
Drainage Direction	: Center

TILE INSERT FLOOR DRAINER

Length (mm) x Width (mm)	Size (Inch) Approx.	Height (mm)
127 x 127	5" x 5"	18

Without Screw



Also Available in



BH-3102

ROUND FLOOR DRAINER



BH-3103

ROUND FLOOR DRAINER



BH-3104

ROUND FLOOR DRAINER



BH-3105

ROUND FLOOR DRAINER



BH-3106

ROUND FLOOR DRAINER



BH-3107

ROUND FLOOR DRAINER



BH-5101 (POP-UP)

LOOKING FLOOR DRAINER (ROUND)

SPECIFICATIONS :

Thickness	: 1 mm
Outlet	: 60 mm
Flow Rate	: 50 - 60 Liters / Minute
Drainage Direction	: Center



TILE INSERT FLOOR DRAINER

Length (mm) x Width (mm)	Size (Inch) Approx.	HEIGHT (MM) Approx.
200 x 200	8" x 8"	32
250 x 250	10" x 10"	32
300 x 300	12" x 12"	32

BH-5102



(2 PIS)

BH-5103



(2 PIS)



BH-1116

WASTE COUPLING (BRASS + NAYLON)



SPECIFICATIONS :

Outlet : 40 mm
Flow Rate : 20 Liters / Minute
Drainage Direction : Center

TILE INSERT FLOOR DRAINER

Size (Inch) Approx.
4"
6"

Without Screw / With Screw / With Anti-Cockroach Options

Also Available in



Satin



Gold



Black



Rose Gold

BH-1115

ANTI-COCKROACH TRAP



ANTI-COCKROACH TRAP



01

ACCESSORIES

Suitable for
shower drainer



02

ACCESSORIES

Suitable for
shower drainer



03

ACCESSORIES

Suitable for
127 x 127 mm
150 x 150 mm



04

ACCESSORIES

Suitable for
127 x 127 mm
150 x 150 mm



05

ACCESSORIES

Suitable for
127 x 127 mm
150 x 150 mm



06

ACCESSORIES

Suitable for
150 x 150 mm




07

ACCESSORIES

Suitable for
127 x 127 mm
150 x 150 mm






BH-5101

MANHOLE COVER SS 304

Built Tough for Every Step


Choose these manhole covers for exceptional quality, unparalleled durability, and a design that meets the rigorous demands of modern infrastructure.



Fix Size (Inch)

12" x 12"	18" x 24"
18" x 18"	24" x 24"

Size Customize



Available PVD options: Black,
Gold, Rose Gold. Can be available in any design.
Also can be customized in single or dual colours.

Also Available in



Satin



Gold



Black



Rose Gold



Mfg. By:

WELLNOX INTERNATIONAL PVT LTD

VIBRANT GROUP OF COMPANY

Virva, Rajkot - 360024, (Gujarat) India.

Email : sales@wellnox.co

Web.: www.wellnox.co