Bounty Board: UI and UX Redesign (Warm Glass Theme)

Oct 10, 2026 · @Tanishq

This document lists every visual change needed to restyle the whole application to match your three references, while leaving behavior and the position of every element untouched. It is a change document, not a PRD: each section says what changes, what must not change, and how to prove nothing broke.

1. Non-negotiable rules

1. **No functional change.** No edits to contracts, backend services, indexer, API calls, Wagmi or Viem logic, state handling, routes, or event handlers.
2. **No DOM movement.** Elements keep their order, nesting and on-screen position. No wrapper elements are added or removed, no components reordered, no layout restructured.
3. **Paint only.** Only properties that change how things look, not where they sit, may be edited (section 8 lists the allowed and forbidden properties).
4. **No text, id, data attribute, aria attribute or tab-order changes.**
5. **No purple, violet, lilac or magenta gradients anywhere**, including shadows, glows, focus rings and chart colors.
6. **One system everywhere.** The demo, the landing page, login and signup, both workspaces, the marketplace, public pages and the admin page share the same tokens and components.
7. **Free assets only.** Fonts from Google Fonts through next/font (self-hosted at build time), icons stay Lucide, no paid UI kits or image packs.

2. What I take from the references

Reference	What it shows	What we adopt	What we leave out
Image 1 (3D glass landing page)	Warm taupe background, glossy orange spheres and rings, one large frosted rectangle with a thin light border, small nav labels separated by thin dividers, outlined small call-to-action	Frosted main container feel, orange orb and ring motifs, thin dividers between nav items, outlined secondary buttons	White text over mid-tone backgrounds (poor legibility); photographic 3D renders
Image 2 (Living Color Systems)	Soft mesh gradient with a large rounded frosted panel, thin white outline, light-weight large display type, tiny caption text	Mesh-glow technique, very large corner radius, light-weight display headlines, tiny uppercase-free captions	The blue and lilac areas, and any blue-to-orange blending, which drifts toward purple and grey in gradients
Image 3 (login and cards)	Beige glass cards, pill inputs with a circular icon chip, black pill buttons with a circular arrow, a dark contrast card, a white card with a soft orange glow and a solid orange half-circle, thin grey secondary text	Pill inputs, icon chips, black pill buttons with arrow, dark contrast cards, soft orange glow inside light cards, thin type	Third-party login buttons (we use wallet login) and password fields (we have none)

3. Where I would push back or flag

1. **Complete redesign versus unchanged positions.** These two requests pull against each other. I read your intent as: new look and feel, same structure. A genuinely new UX (new flows, new layout, new navigation) is out of scope under rule 2. If you want structural changes later, treat them as a separate project.

2. **Contrast on glass.** The references use white text on glass over mid-tone backgrounds. That fails readability for data-heavy screens. We use near-black ink on light frosted surfaces (as in image 3) and keep white text only on dark pills and the dark contrast cards.
3. **Orange text.** Bright orange text on a light background fails contrast. Orange is used for fills, glows, progress and large display accents. Small orange text uses a deeper orange (token below). Verify every pair with a contrast checker; the target is 4.5 to 1 for body text and 3 to 1 for large text and interface parts.
4. **Blur cost.** Backdrop blur is expensive. We cap the number of stacked blurred layers, avoid blur on large scrolling tables, and fall back to solid translucent fills where blur is unsupported or the device is slow.
5. **Font changes shift text slightly.** A new typeface changes character widths, which can nudge wrapped text by a few pixels. We keep every font size identical to today and accept a small tolerance in the position test.
6. **A dark mode is extra work.** The references are light and warm. I recommend shipping light only first.
7. **Blue as an accent only.** Blue may appear as flat information color, never inside a gradient with orange.

4. Design tokens

Colors

Token	Value	Use
sand-50	#FBF7F2	Page highlights, input fills
sand-100	#F3EAE1	Page background (light)
sand-200	#E9DCCF	Page background (shadow end), dividers
taupe-400	#BFB3A8	Disabled, subtle borders
ink-900	#1B1917	Primary text, black pill buttons (#1C1C1C for pills)
ink-600	#6B625B	Secondary text, captions
orange-500	#FF7A1A	Primary accent fills, glows, progress
orange-400	#FF9A45	Hover fills, orb highlights

Token	Value	Use
amber-300	#FFC47A	Soft glows, warning backgrounds
peach-200	#FFDDBF	Chips, selected rows
orange-700	#B54708	Small accent text on light surfaces (verify contrast)
success	#2F9E6B	PASS, paid, confirmed
danger	#D6453D	FAIL, error, slashed
warning	#E89B0C	Disputed, expiring, caution
info	#3D7EA6	Neutral information, flat use only

No token may contain purple, violet, lilac, indigo or pink-magenta. Existing purple or indigo values anywhere in the app (including Tailwind classes such as violet, purple, indigo, fuchsia) are replaced.

Glass surface

```
.glass {
  background: rgba(255, 255, 255, 0.42);
  -webkit-backdrop-filter: blur(20px) saturate(1.3);
  backdrop-filter: blur(20px) saturate(1.3);
  border-color: rgba(255, 255, 255, 0.65);
  box-shadow: inset 0 1px 0 rgba(255, 255, 255, 0.7),
              0 24px 60px -20px rgba(140, 80, 30, 0.25);
}
@supports not (backdrop-filter: blur(1px)) {
  .glass { background: rgba(255, 255, 255, 0.88); }
}
```

The class changes the border color only, never the border width, so layout stays identical. Three levels: **glass-1** (main containers, blur 20px), **glass-2** (cards inside containers, blur 12px, alpha 0.55), **glass-dark** (rgba(28, 28, 28, 0.92), no blur, white text) for contrast cards.

Shape, type and motion

- **Radius:** panels 28px, cards 24px, inputs and buttons fully rounded (9999px), chips 9999px, small controls 12px. Radius never affects layout.

- **Font:** Manrope (or Urbanist) through next/font/google. Weights 300 for display, 400 for body, 500 for labels and buttons, 600 for emphasis. Display and large headings use letter spacing of minus 0.02em.
- **Sizes:** unchanged from the current build. Only family, weight, color and letter spacing change.
- **Numbers:** MON amounts and balances use tabular numerals (font-variant-numeric: tabular-nums) so figures do not jitter during animated changes.
- **Motion:** keep the existing Framer Motion animations and timing. New motion is limited to hover transitions (150 to 200ms) and the slow ambient drift in section 6. All new motion is disabled under prefers-reduced-motion.

5. Component restyle specification

Component	New look
Page background	Warm sand gradient from sand-50 to sand-200 with the ambient orb layer (section 6)
Main app frame	Large glass-1 container, thin light outline, 28px radius, soft warm shadow
Top navigation	Transparent on glass; items in 500 weight small type separated by thin vertical hairlines; active item marked by an orange underline glow or a peach pill; wallet and role switcher as outlined glass pills
Primary button	Black pill (ink), white text, with a small circular chip on the right holding the existing arrow or icon; hover lifts shadow and shifts chip to orange
Accent button	Orange-500 pill with ink text for key money actions (Fund, Select, Withdraw); never white text on orange
Secondary button	Glass pill with a 1px translucent white outline and ink text
Destructive button	Pill outlined in danger color, fills on hover

Component	New look
Inputs, selects, textareas	Pill (selects and single-line) or 24px radius (textarea); fill sand-50 at 70 percent; leading circular icon chip where an icon already exists; focus shows a 2px orange outline with 2px offset
Cards	glass-2 with 24px radius; hover raises the shadow slightly
Tables	Rows separated by hairlines at 8 percent ink; header in small ink-600 type on a glass strip; selected or highlighted row in peach-200; no heavy borders
Badges and status chips	Pills with tinted fill and matching dark text: success, danger, warning, info, neutral. Icons are the existing Lucide ones
Stepper bar (demo)	Pill nodes on a hairline track; completed steps filled orange with a soft glow, the current step has an orange ring, future steps are outlined taupe. The Framer Motion progression logic is untouched
Event feed	Glass-2 list, tiny timestamps in ink-600, transaction links in orange-700 with an underline on hover
MON ledger and wallet strip	glass-dark contrast card (like the New in card in image 3): white figures, orange positive deltas, coral negative deltas, tabular numerals
Evidence and verdict panel	Criteria rows with a circular status chip (check or cross) in success or danger color; reasons in ink-600; PASS and FAIL banners as tinted glass
Bid table and agent cards	Glass-2 cards; the recommended or auto-selected bid carries an orange outline glow
Forms and wizard	Pill inputs, stepper at top in the same style as the demo stepper, helper text in ink-600
Modals, drawers, popovers	Frosted glass with a stronger shadow and a dimmed warm overlay (ink at 35 percent), 28px radius
Toasts	Dark pill toasts with a colored status chip

Component	New look
DemoBanner	Amber-300 tinted glass strip, ink text, outlined Exit demo pill
Notification bell	Glass circle with an orange dot for unread
Avatars	Circular with a thin white ring
Charts and statistics	Orange primary series, ink-600 secondary, taupe grid; no gradients beyond orange to amber
Skeletons and loaders	Warm shimmer from sand-100 to sand-50; spinners in orange
Scrollbars	Thin, taupe-400 thumb, transparent track
Selection and focus	Text selection peach-200; keyboard focus always visible, 2px orange outline
Empty states	Existing icon and text, centered in a glass-2 card with a soft orange glow behind the icon

Page-by-page application

Route	Notes
/ (landing)	Hero text in light-weight display type on the glass-1 container; orb and ring motifs behind; three call-to-action buttons use primary, accent and secondary styles; statistics row as glass-2 pills
/demo and /demo/*	Same system; DemoBanner in amber; ledger as the dark contrast card
/login and /signup/*	Follow the image 3 login card: glass-2 card, pill field with icon chip for any existing field, wallet connect as a black pill with arrow chip, role choice as two pill toggles; no new fields
/app/poster/* and /app/bidder/*	Dashboards use glass-2 stat cards; tables and wizards as in the component table

Route	Notes
/tasks, /agents, /leaderboard	Public pages use the same cards and chips; leaderboard rank 1 to 3 get orange, amber and peach accents
/settings and profile	Pill form fields and glass-2 sections
/admin	Same system, with a warning-tinted banner for controls that affect everyone

6. Ambient background layer (no new DOM)

Glass needs something colorful behind it. The orbs and rings are drawn with CSS only, using the body pseudo-elements, so no element is added to the page.

```
body {
  background: linear-gradient(160deg, #FBF7F2 0%, #F3EAE1 55%, #E9DCCF 100%);
}
body::before {
  content: '';
  position: fixed;
  inset: 0;
  z-index: -1;
  pointer-events: none;
  background:
    radial-gradient(circle at 88% 6%, rgba(255, 122, 26, 0.95) 0, rgba(255,
122, 26, 0) 34%),
    radial-gradient(circle at 6% 88%, rgba(255, 154, 69, 0.85) 0, rgba(255,
154, 69, 0) 36%),
    radial-gradient(circle at 92% 92%, rgba(255, 196, 122, 0.8) 0, rgba(255,
196, 122, 0) 30%);
  filter: blur(30px);
}
```

Ring shapes use a radial-gradient with a hard inner stop to make a torus-like outline, softly blurred. Optional slow drift is a 30 to 60 second background-position animation, off under prefers-reduced-motion. Antigravity must verify that no parent creates a stacking context that hides the layer and that the layer never intercepts clicks.

7. Typography details

- Display: 300 weight, size unchanged from today, letter spacing minus 0.02em.
- Headings: 500 weight. Body: 400. Buttons and labels: 500.
- Captions: ink-600, size unchanged.
- Sentence case across the app, as in the references. Text content is not edited; where text currently uses a different case, only the CSS case may change if it does not alter wrapping.

8. Layout-neutral rules (the DOM guarantee)

Allowed (paint)	Forbidden (layout)
color, background, background-image, opacity	display, position, top, left, right, bottom, inset
border-color, border-radius, outline, outline-offset	border-width, border-style changes that alter size
box-shadow, text-shadow, filter, backdrop-filter	width, height, min and max sizes, aspect-ratio
font-family, font-weight, letter-spacing, font-variant	font-size, line-height, text-wrap changes
transition and animation of paint properties	margin, padding, gap, space-between utilities
cursor, selection color, scrollbar color	flex, grid, order, align, justify, float, overflow
pseudo-element decoration that is absolutely positioned and non-interactive	z-index changes on existing elements, any added or removed element

Where a design calls for a thicker outline, use box-shadow or outline so layout is unchanged. Rounding corners never moves content, but check for clipped text or overflow after increasing radius, and fix with paint-only changes.

9. Accessibility and performance

- Text contrast at least 4.5 to 1, large text and controls at least 3 to 1, checked on the real rendered backgrounds, not just flat tokens.

- Visible keyboard focus everywhere; hit areas unchanged.
- prefers-reduced-motion disables drift and non-essential animation.
- A solid translucent fallback when backdrop-filter is not supported.
- No more than about six simultaneously visible blurred layers on one screen; blur radius at most 24px; no blur on large scrolling tables.
- Use next/font so fonts are self-hosted and do not block rendering; no layout shift from font loading (fallback metrics adjusted automatically).

10. Implementation protocol

Work on a new branch called ui-redesign and commit after every step.

Step A. Baseline capture (before any change)

Capture the current state so it can be compared later. Use Playwright at two viewports (1440 by 900 and 390 by 844) for every route, in the demo and in a signed-in state, using a seeded demo run so data is the same every time.

For each route, store a screenshot and a JSON file of element boxes:

```
const sel = 'a,button,input,select,textarea,h1,h2,h3,table,th,td,img,svg,
[role],[data-testid]';
const boxes = await page.evaluate((s) =>
[...document.querySelectorAll(s)].map((el, i) => {
  const b = el.getBoundingClientRect();
  return { i, tag: el.tagName, id: el.id, tid: el.getAttribute('data-
testid'),
           text: (el.textContent || '').trim().slice(0, 30),
           x: Math.round(b.x), y: Math.round(b.y + window.scrollY),
           w: Math.round(b.width), h: Math.round(b.height) };
}), sel);
```

Also record the existing functional test results and a full demo run (post, bid, select, submit, verify, pay) as the functional baseline.

Step B. Foundations

Add tokens, glass utilities, the font, the ambient background and focus and selection styles in the global stylesheet only. No component edits yet.

Step C. Primitives

Restyle buttons, inputs, selects, cards, chips, tables, modals, toasts and the navigation by changing paint classes in place (or in shared component styles) without touching layout classes.

Step D. Screens

Apply in this order: landing, demo, login and signup, poster workspace, bidder workspace, marketplace and public pages, settings, admin.

Step E. Verification

Run every check in section 11.

Step F. Polish

Hover and focus states, empty and loading states, and reduced-motion and fallback checks.

Prompt for Antigravity (paste at the start of each step)

> You are restyling the Bounty Board web app for a warm glass theme. Follow the document Bounty Board: UI and UX Redesign exactly. Only change paint properties (color, background, border-color, radius, shadow, blur, font family and weight, letter spacing). Do not change any layout property, font size, element order, element count, id, data attribute, text, route, handler, or any file outside apps/web. Do not use purple, violet, indigo, lilac or magenta anywhere. Before editing, list the files you plan to change and which paint classes you will replace. After editing, run the layout comparison and functional tests and report any element that moved more than the tolerance.

11. Regression guard

1. **File guard:** the branch may change only files under apps/web. A check such as the one below fails the build otherwise.

```
changed=$(git diff --name-only main...HEAD | grep -v '^apps/web/' || true)
if [ -n "$changed" ]; then echo 'Changes outside apps/web:'; echo "$changed";
exit 1; fi
```

2. **Class guard:** a small script reads the git diff of className strings and flags any added or removed utility that matches layout patterns: flex, grid, block, inline, hidden, absolute, relative, fixed, sticky, order, col, row, gap, space, p and m utilities, w, h, min, max, top, left, right, bottom, inset, z, overflow, justify, items, self, basis, grow, shrink, and font-size and line-height utilities. Any hit must be reverted or explained.
3. **Position test:** re-run the Step A capture and compare to the baseline. Elements must keep the same order and nesting. Position and size may differ by at most 6px (to allow for font metrics) and wrapped text may differ by at most one line only where the font change explains it. Anything larger is a failure.
4. **Visual review:** side-by-side screenshots of every route at both viewports.
5. **Functional test:** existing automated tests plus the full demo run and a real-mode run (signup, post, bid, select, submit, verify, pay, withdraw) must behave exactly as before.
6. **Palette check:** a search across apps/web for purple, violet, indigo, fuchsia, pink and magenta classes, and for hex values in the purple and magenta range, must return nothing.
7. **Accessibility check:** automated contrast and keyboard-focus checks on every route.

12. Acceptance checklist

- Every route uses the new theme, with no screen left in the old style.
- No purple, violet, lilac or magenta gradient or color appears anywhere.
- Layout comparison passes within tolerance for all routes and both viewports.
- All functional tests and both full flows behave exactly as before.
- No file outside apps/web changed.
- Contrast and keyboard focus checks pass.
- Reduced-motion and no-backdrop-filter fallbacks work.
- The demo and real mode look identical in style, differing only by the demo banner.

13. Questions for you (with my recommended default)

1. **Theme:** light warm theme only (recommended), or a light and dark toggle?

2. **Font:** Manrope (recommended, closest to image 2) or Urbanist (closer to image 3)?
3. **Logo:** a simple text wordmark (recommended), or do you have a logo file to use?
4. **Orbs and rings:** pure CSS gradients (recommended, free and light), or rendered 3D images like image 1 (you would have to supply or generate them)?
5. **Ambient motion:** slow drifting orbs with reduced-motion respected (recommended), or fully static?
6. **Status colors:** green, coral red, amber and slate blue for pass, fail, dispute and info (recommended). Is that acceptable?
7. **Text changes:** none (recommended), or may I also suggest microcopy edits as a separate list?
8. **Testing tools:** can Playwright be installed in the project (recommended and free), and does a functional test suite already exist?
9. **Route list:** please send the final list of routes and screens in the app so the capture covers all of them.
10. **Styling method:** do you know whether colors in the current code live in Tailwind classes inside the JSX or in shared tokens? If not, Antigravity can answer this with a quick audit and you can send me the result.