1. Record the workbook structure

List all 10 sheet names and understand which sheets contain project data versus reference information.

1. SEERA Dataset the main dataset this contains information about all the other sheets/tabs
2. General information sheet/tab
3. Size sheet/tab
4. Effort sheet/tab
5. Environment sheet/tab
6. Users sheet/tab
7. Developers sheet/tab
8. Project sheet/tab
9. Product sheet/tab
10. Percentage transformation scale sheet/tab

2. Investigate the transformation scale

Open Percentage Transformation Scale. Inspect its headings, example values, and explanations.

	H	I	J	K	L	M	N	O	P	Q	R	S	T
1	Benefits	Levels of scale		Top man	Levels of scale		Developn	Levels of scale		Degree o	risk management		
2	0	5		0	5		0	4		0	3		
3	1	4		1	4		1	3		1	2		
4	2	3		2	3		2	2		2	1		
5	3	2		3	2		3	1					
6	4	1		4	1								
7													

Attribute	Values shown
Benefits	0–4, mapped to scale levels 5–1
Top management	0–4, mapped to scale levels 5–1
Developer-related attribute	0–3, mapped to scale levels 4–1
Degree of risk management	0–2, mapped to scale levels 3–1

These appear to be coded values and their corresponding scale levels. However, the screenshot alone doesn't explain what each level means or how the transformation should be applied.

We shouldn't assume that a higher code always means better performance. We'll need the relevant attribute definitions or dataset documentation to confirm that.

3. Inspect the duration and effort fields

Find Estimated Duration, Actual Duration, Estimated Effort, and Actual Effort. Record sample values and their definitions.

Column	Field	What it represents
A	`projID`	Project identifier
B	Estimated duration	Estimated project duration
C	Team size	Team size
D	Dedicated team members	Dedicated team members
E	Daily working hours	Daily working hours
F	Monthly working hours	Monthly working hours
G	Estimated Effort (Main)	Estimated project effort
H	Actual Duration	Actual project duration
I	Actual effort (Main)	Actual project effort

4. Check record counts and missing values

Investigating why General Information and Environment have different reported row counts. Verified the rows count.
The Environment sheet contains 120 project records. LibreOffice Calc reported 36 occurrences of `?` and 168 occurrences of `N/A`. Both values appear across multiple rows and columns. Their meanings and appropriate treatment remain to be verified.

We've established that:

- The main dataset contains 120 records.
- You verified 120 project IDs in General Information.
- You verified 120 records in Environment.
- `?` represents missing data, while `N/A` is not considered missing data.

That is sufficient to record our preliminary findings. We don't need to keep searching individual cells manually.