ISAPUR
INDUSTRIAL PARK

BRAND KIT, VERSION 1.0

ISAPUR Industrial Park

The groundwork for growth. Everything needed to make, check and post on-brand work: rules on the left, assets next to them, files ready to download.

Contents

01 Brand story and positioning

02 Logo system

03 Logo usage and misuse

04 Colour system

05 Typography

06 Voice and tone

07 Photography and imagery

08 Iconography

09 Graphic elements and sunburst

10 Layout and grid

11 Applications: stationery, ID and workwear

12 Signage, hoardings and poles

13 Social media guidelines

14 Digital and web presence

15 Motion

16 Assets and file formats

17 Park facts sheet

18 Governance, claims and updates

19 Research behind this kit

01 Brand story and positioning DRAFT

Isapur Industrial Park is a modern industrial address on the Hapur-Modinagar Road for local manufacturers who want a clear, legal, well laid plot without noise.

POSITIONING

For factory owners and small industrial buyers along the Hapur-Modinagar Road, IIP is the industrial park that says less and shows more: wide roads, clean papers, a name you can read from a moving vehicle.

PROMISE

Plots you can verify. Facilities we can show. One number to call.

TAGLINE

A Modern Industrial Address.

AUDIENCE

Primary: local factory owners and small industrial buyers. Secondary candidates (owner to confirm): warehouse and logistics operators, investors, brokers.

PERSONALITY

Calm, exact, modern, trustworthy. A planner, not a salesman.

WHAT MAKES US DIFFERENT HERE

Competitor boards on this road use navy, gold or red, dense copy, stamps and rendered townships. IIP uses white space, one logo and one line, so it is read first and remembered.

> DRAFT Story, promise and personality are proposed from the owner's decisions. Please confirm or edit. Registered company name and developer entity are still unknown.

02 Logo system HAVE

The badge is never changed, recoloured or redrawn. Every lockup uses the same badge, the Montserrat ExtraBold wordmark and the red accent line.

CONSTRUCTION

- **Brand mark**: the rosette badge (sunburst, IiP monogram, circuit dots).
- **Logotype**: IiP monogram alone.
- **Wordmark**: ISAPUR over INDUSTRIAL PARK.
- **Accent line**: red rule beside INDUSTRIAL PARK.

RULES OF THUMB

- Clear space: a quarter of the badge width on every side.
- Minimum size: full lockup 30 mm in print, 120 px on screen. Badge alone 16 px.
- Source: no vector original exists. The badge is a traced vector of the supplied artwork, good up to hoarding size. Find the designer's original for very large or very close print.



Primary lockup (vertical)

Default. Badge over ISAPUR over INDUSTRIAL PARK with red accent line.



Horizontal lockup

Wide spaces: letterhead, web header, hoarding corners.



Badge only

Icon, favicon, social avatar, helmet, stamps.



Badge, one colour (deep green)

Traced from the supplied dark green emblem. For embossing, single colour print, stamps.



Mono black

Newspaper, fax, one colour print.



Reversed on charcoal

Dark backgrounds.



Clear space guide

Keep X (a quarter of the badge width) free on every side.

03 Logo usage and misuse HAVE

DO

- Use approved lockups only.
- Keep clear space and minimum size.
- Use brand colours as per the palette.
- Use Montserrat for headlines, Inter for body.
- Put the logo on white, mist gray or charcoal.



Clear space guide

Keep X (a quarter of the badge width) free on every side.

DO NOT

- Change the logo colours.
- Distort, stretch or rotate the logo.
- Add outlines, shadows or effects.
- Place it on low contrast or busy backgrounds.
- Rebuild the wordmark in another typeface.

04 Colour system PARTIAL

White first, charcoal for text, yellow for highlight, red as a thin accent, deep green as the quiet secondary. The badge keeps its own measured colours (yellow #FEF102, red #EE1D23, green #00A54F) and is never retinted.

White

`#FFFFFF`

RGB 255, 255, 255
CMYK about 0 / 0 / 0 / 0

On white 1.0:1 · on charcoal 17.7:1

Primary board and page background

Charcoal

`#111827`

RGB 17, 24, 39
CMYK about 56 / 38 / 0 / 85

On white 17.7:1 · on charcoal 1.0:1

Text, contrast, wordmark

Yellow

`#FFD600`

RGB 255, 214, 0
CMYK about 0 / 16 / 100 / 0

On white 1.4:1 · on charcoal 12.6:1

Highlight, stripe, CTA (the badge artwork keeps its own #FEF102)

Red

`#E53935`

RGB 229, 57, 53
CMYK about 0 / 75 / 77 / 10

On white 4.2:1 · on charcoal 4.2:1

Accent line and highlight only

Green

`#0F4D3A`

RGB 15, 77, 58
CMYK about 81 / 0 / 25 / 70

On white 9.8:1 · on charcoal 1.8:1

Secondary: stripe, sustainability badge

Mist

`#F2F4F6`

RGB 242, 244, 246
CMYK about 2 / 1 / 0 / 4

On white 1.1:1 · on charcoal 16.1:1

Surfaces, panels, subtle sunburst

Gray

`#6B7280`

RGB 107, 114, 128
CMYK about 16 / 11 / 0 / 50

On white 4.8:1 · on charcoal 3.7:1

Secondary text

Line

`#E5E7EB`

RGB 229, 231, 235
CMYK about 3 / 2 / 0 / 8

On white 1.2:1 · on charcoal 14.3:1

Hairlines

SUPPORTING NEUTRALS

Pure white

`#FFFFFF`

RGB 255, 255, 255
CMYK about 0 / 0 / 0 / 0

On white 1.0:1 · on charcoal 17.7:1

Backgrounds

Light gray

`#E6E8EB`

RGB 230, 232, 235
CMYK about 2 / 1 / 0 / 8

On white 1.2:1 · on charcoal 14.5:1

Hairlines, panels

Gray

`#C9CED6`

RGB 201, 206, 214
CMYK about 6 / 4 / 0 / 16

On white 1.6:1 · on charcoal 11.2:1

Disabled, borders

Dark gray

`#6B7280`

RGB 107, 114, 128
CMYK about 16 / 11 / 0 / 50

On white 4.8:1 · on charcoal 3.7:1

Secondary text

Black

`#000000`

RGB 0, 0, 0
CMYK about 0 / 0 / 0 / 100

On white 21.0:1 · on charcoal 1.2:1

Mono print only

PROPORTION GUIDE DRAFT

About 70% white and mist, 20% charcoal, 6% yellow, 2% red, 2% green. Red is a line, not a block.

> CMYK values are a simple conversion for planning. Ask the printer for a colour proof and tune from the proof. Contrast ratios are computed (WCAG), text needs 4.5:1 or more.

05 Typography HAVE

Two free families (SIL Open Font License, free for commercial use).

Aa

MONTSERRAT

ISAPUR Industrial Park

Headlines, signage, advertising. ExtraBold 800 for wordmark and headlines, SemiBold 600 for tagline and subheads.

Aa

INTER

Plots from 300 sq.yards

Subheads, body, digital. Regular 400, Medium 500, SemiBold 600.

SCALE (PRINT) DRAFT

ROLE	FONT	SIZE RULE
Hoarding headline	Montserrat 800	Cap height readable at 100 m: about 1 ft per 100 ft viewing distance
Pole board tagline	Montserrat 600	Max 7 words, 3 lines
Phone numbers	Montserrat 800	Biggest element after the logo
Stat value	Montserrat 700	40 px on the poster grid
Stat label, body	Inter 500 / 400	25 px on the poster, 9 to 11 pt in documents

06 Voice and tone DRAFT

Plain English, short sentences, numbers instead of adjectives. We state what is true and what we can show.

WE SOUND

- ✓ Clear and direct.
- ✓ Confident, never loud.
- ✓ Specific: 50 ft roads, not great roads.
- ✓ Local and practical, English only.

WE AVOID

- × Superlatives we cannot prove: best, world class, premium.
- × Dream, luxury, lifestyle language.
- × Hindi mixed into English copy (owner decision).
- × Claims without a document on file (see Governance).
- × Random word strings (owner rejected 'Plug in. Build up.').

WORDS TO USE

plots, approved, wide roads, power, drainage, street lighting, greenery, expressway, site visit, call.

TAGLINES: ADAPTIVE, NOT FIXED

Two approved lines. Pick the one that fits the creative, never print both together.

LINE	BEST FOR
A Modern Industrial Address.	Identity first: boards, gate, hoarding, letterhead, profile covers. Says what and where.
The groundwork for growth.	Benefit first: plot offers, infrastructure posts, investor and owner messages, social captions. Says why. Works with roads, drainage, lights, greenery.
Neither	Pure fact posts (distance, road width, site visit) can stand with just the logo and phones.

Parked, not in use: Where Industry Moves Forward. Built for Business. Designed for Growth. The Next Address of Industry. Space for What's Next. Rejected: Plug in. Build up.

EXAMPLES DRAFT

WHERE	LINE
Pole board	A Modern Industrial Address. Call 9837057800 | 9219549800
WhatsApp status	Industrial plots available. Visit the site this week.
Social caption	50 ft wide RCC roads, street lighting and planted greenery. IIP, Hapur-Modinagar Road.

WHERE	LINE
Reply to a lead	Thank you for your interest. We will share the layout map and plot list. When can you visit the site?

07 Photography and imagery PARTIAL

Real photos of the real park, in neutral daylight. No warm filters, no glow, no AI softness. Photos can be cropped into the sunburst shape.

STYLE

- ✓ Real site photos, neutral hazy daylight, true colours.
- ✓ Wide roads, gate, drainage, street lights, trees, plots staked.
- ✓ Clean crops, level horizon, no heavy grade.
- ✓ People only with consent (workers in safety gear).

TODAY'S GAP

The warehouse picture on the pole board and poster is AI generated, not IIP. It must not imply buildings that do not exist. Replace it with real site photos.

SHOT LIST FOR THE NEXT SHOOT DRAFT

SHOT	WHY
Gate and signage, straight on and from the road	Recognition from a moving vehicle
50 ft road, long lens	Proves the road width
Street lights lit at dusk	Proves street lighting
Tree-lined edge and plantation	Proves planted greenery
Drainage line and the naala outfall	Proves drainage
Plots with boundary pegs, wide	Shows the product
Drone view with the expressway side	Shows location
Pole board and hoarding in place	Proof of presence



Image mask (photos)

08 Iconography HAVE

Line icons on a 48 unit grid: 2.6 stroke, round caps and joins, charcoal on white. One icon per fact.

BASE SET



Industrial Plots



Wide Roads



Power Supply



Water Supply



Connectivity



Sustainable



Secure



Business Support



Plug And Play



Growth

PARK CLAIMS (ADDED)



Expressway

Added for the park claims shown on the poster.



Highway and trucks

Added for the park claims shown on the poster.



Waste water drainage

Added for the park claims shown on the poster.



Street lighting

Added for the park claims shown on the poster.



Planted greenery

Added for the park claims shown on the poster.




Section 80 compliance

Added for the park claims shown on the poster.


09 Graphic elements and sunburst HAVE

The sunburst comes from the badge. It works as an outline, a solid shape, a ring, a pattern, a photo mask and a badge. Yellow, red and green appear together as a stripe.




Sunburst outline

Base shape. Subtle background element, corner crop.



Sunburst solid

Filled badge and highlight shape.



Sunburst ring

Border or frame made of the red and yellow diamonds.

Repeating pattern

Very subtle background texture.



Tri-colour stripe

Yellow, red, green. Dividers, tags, call to action.

Diagonal panels

Layer or section divider.



Call to action badges

Plots Available Now, Growth Ready, Strategic Location, Sustainable Development.

SUNBURST AS AN ASSET TYPE (REFERENCE)



Image mask (photos)




Feature badge (icon + text)



CTA badge



Colour variations



Sunburst asset type board

The finalised board supplied by the owner (raster reference).

10 Layout and grid PARTIAL

One logo, one line, lots of white. Safe margin 6% of the shorter side. Maximum seven words on a board.

FORMAT	SIZE	LAYOUT RULE
Pole board	20 × 32 in (5:8)	Lockup top, tagline right aligned, phones bottom. Same size as competitor boards.
Hoarding	40 × 20 ft or 40 × 15 ft	Lockup left, one line right, phones big.
Poster	1827 × 2290 px master	3 × 2 facts grid, hero picture, 6 facility icons in a row.
Social	1:1, 4:5, 9:16	Lockup top, line, phones, stripe at the foot.
Stationery	Card 3.5 × 2 in, A4	Lockup and stripe, generous margins

POSTER (PRINT MASTER)



Isapur Industrial Park poster

Facts grid, facilities row. Claims shown must match the claims table in Governance.

11 Applications: stationery, ID and workwear HAVE

Editable templates and reference mockups (raster) for stationery, ID and safety gear.




Business card, front

3.5 × 2 in




Business card, back

Deep green back.



Letterhead

A4



ID card

54 × 86 mm

REFERENCE MOCKUPS



Stationery



Business card



ID card



Safety helmet




Safety vest



Wall sign



Envelope with sunburst



Brand kit extended board

The finalised board supplied by the owner (raster reference).

12 Signage, hoardings and poles PARTIAL

Boards are sized to match the competitors on the road so IIP is read as an equal, then won by white space.




Pole board, clean

20 × 32 in, matches competitor boards. No photo.



Pole board with photo

Replace the AI placeholder with a real site photo.



Street pole board 2:3

24 × 36 in



Hoarding 40 × 20 ft

Confirm panel size with the media owner.



Hoarding 40 × 15 ft

Wide format.

IN CONTEXT



Street pole board



Hoarding



Gate fascia



Boundary wall



Hoarding next to competitors

Realistic composite on the real road, exact artwork, no AI drawn text.

Hoarding and pole sizes are recommendations. Confirm exact panel size, bleed and material with the media owner before print. Ask the printer for a colour proof.



Final brand kit board

The finalised board supplied by the owner (raster reference).

13 Social media guidelines NEW

Starter kit for the next phase. One profile picture everywhere, the same colours and lines, one clear call to action: call or visit.



Profile picture

Badge on white, circle safe.



Profile picture, sunburst

Badge on a soft sunburst.



Cover banner 3:1

X header, LinkedIn and Facebook with safe crops.



Post 4:5

Instagram and Facebook portrait.



Post 1:1

Square.



WhatsApp status and story 9:16

Also Instagram story and reel cover.

SIZES BY PLATFORM (TYPICAL, RE-CHECK BEFORE UPLOAD)

PLATFORM	ITEM	SIZE	NOTE
Instagram	Profile picture	320 × 320 shown, upload 1080 × 1080	Circle crop. Use the badge only.

PLATFORM	ITEM	SIZE	NOTE
Instagram	Feed post	1080 × 1350 (4:5) or 1080 × 1080	Portrait takes the most screen.
Instagram	Story, reel cover	1080 × 1920 (9:16)	Keep text out of the top and bottom 250 px.
Facebook	Profile picture	170 × 170 shown, upload 1080 × 1080	Circle crop.
Facebook	Cover	820 × 312 on desktop (upload 1640 × 624)	Phones crop the sides, keep the logo central.
LinkedIn	Company logo	300 × 300	Square.
LinkedIn	Company cover	1128 × 191	Very wide and short, use the horizontal lockup only.
YouTube	Avatar and banner	800 × 800 and 2560 × 1440 (safe area 1546 × 423)	Everything important inside the safe area.
X	Avatar and header	400 × 400 and 1500 × 500	Header is 3:1, use cover-3to1.
WhatsApp Business	Profile, status	640 × 640 and 1080 × 1920	Status is the cheapest reach for local buyers.
Google Business Profile	Logo and cover	720 × 720 and 16:9 photo	Add real site photos. The map pin is the most seen asset.

CONTENT PILLARS DRAFT

- Site proof: roads, lights, greenery, drainage, dated photos.
- Location: expressway, Modinagar, Hapur (with the distance type stated).
- Approvals and papers (only documented ones).
- Plot offers and site visit days.
- Industry owners and neighbours (with consent).

CAPTION FORMULA DRAFT

1 fact, 1 proof, 1 action. Example: 50 ft wide RCC roads laid across the park. See them yourself, visit this week. Call 9837057800.

HASHTAGS DRAFT

#IsapurIndustrialPark #IIP #IndustrialPlots #ModinagarIndustrial #HapurModinagarRoad

RULES

- ✓ Tagline is adaptive: A Modern Industrial Address. or The groundwork for growth. Choose per post, never both.
- ✓ Profile picture is the badge only, on white.
- ✓ Never post a claim that is not VERIFIED or accepted in writing by the owner.
- ✓ Say 'straight-line' when a distance is straight-line.
- ✓ Reply to every call and message the same day.
- ✓ Real photos beat renders. Label renders as renders.

> Handles, website and email are UNKNOWN today. Send them and they are added to the knowledge file and this page.

14 Digital and web presence DRAFT

Where a buyer looks after seeing the board: map, phone, WhatsApp, then a web page. Each place carries the same badge, line and numbers.

CHANNEL	WHAT IT NEEDS	STATUS
Google Business Profile	Name, category (industrial park), address, phones, real photos, map pin on the gate	to set up
WhatsApp Business	Profile picture, catalogue of plots, greeting message, quick replies	to set up
Website, one page	Hero, facts grid, location map with distances, plot list, documents, call button	to build
Email signature	Horizontal lockup, name, two phones, address	to do
QR code	Opens the map pin or the WhatsApp chat, printed on boards and card	to do
Online listings	Consistent name, address and phone everywhere	to do

DRAFT Proposed structure. Domain, handles and platforms are the owner's choice.

15 Motion DRAFT

Calm and exact, like the brand. Motion is optional and always simple.

RULE	SPEC
Style	Fade and slide, no bounce, no spin
Timing	200 to 400 ms, ease out
Logo	Badge fades in, wordmark follows, accent line draws left to right
Sunburst	Slow scale or rotate under 10 degrees, background only
Video end card	White, lockup, tagline, phones, 3 seconds
Sound	None required

DRAFT Proposed. No motion assets exist yet.

16 Assets and file formats PARTIAL

Every asset in the kit is a file you can open. SVG editable files need the fonts installed. SVG outlined files and PDFs have text converted to shapes and are safe for print shops.

FOLDER	WHAT	OPEN WITH
live/	SVG with real text	Illustrator, Inkscape, Figma, Affinity, CorelDRAW
outlined/	SVG with text as shapes	Anything, safe for printers
export/pdf/	Vector PDFs at true size	Print shop
export/png/	PNG previews	Local only
editable-pptx/	PowerPoint versions	PowerPoint, Keynote, Canva import
tokens/	brand.tokens.json and content.json	Text editor
fonts/	Montserrat and Inter	Install

> Images shown on this page are WEBP. Masters stay local. Original badge vector from the designer would replace the trace.

17 Park facts sheet HAVE

The facts every post, board and reply should use. Distances are straight-line from an approximate pin (about 200 m) until a driven distance is measured.

IDENTITY

ITEM	VALUE
Name	ISAPUR INDUSTRIAL PARK (IIP)
Address line	Hapur-Modinagar Road, Yusufpur Isapur, Ghaziabad, UP 201022
Phones	9837057800 | 9219549800
Language	English only
Tagline	A Modern Industrial Address.

DISTANCES

TO	STRAIGHT-LINE	DRIVING
Delhi-Meerut Expressway (nearest point)	3.9 km	not measured
Bhojpur exit (expressway)	4.3 km	not measured
Modinagar town centre	9.3 km	not measured
Hapur town centre	13.0 km	not measured
Shri Haridas Industrial Park (SHD)	about 0.54 km	not measured
CKS Industrial Park	about 0.69 km	not measured
Atom Industrial Park	about 3.1 km	not measured

COMPETITORS ON THE ROAD

PARK	WHERE	WHAT WE SEE
Shri Balaji Industrial Park	Sarawa bus stand	Blue gradient and gold type, rendered township, approval stamp, two numbers
Shri Haridas (SHD)	Ishapur, Bhojpur	White and navy, Hindi headline, rendered gate, road widths, two numbers
Shivansh Industrial Park	not stated	Navy and gold, red phone bar, all plot sizes

PARK	WHERE	WHAT WE SEE
CKS Industrial Park	Hapur-Modinagar Road	Not photographed. Listings quote price per yard
Atom Industrial Park	Ishapur	Not photographed
Mahamaya	same road (owner)	Unknown

> Full detail, sources and change history live in the central knowledge file `00_ISAPUR_KNOWLEDGE.md` .

18 Governance, claims and updates DRAFT

Nothing goes on a printed board unless its proof is on file or the owner accepts the risk in writing.

CLAIM	STATUS	PROOF TO FILE
100+ acres	OWNER	Registry area statement or layout plan
Plots from 300 sq.yards	OWNER	Approved price and plot list
Approved by Zilla Panchayat	OWNER	Sanctioned map with stamp and number
Section 80, legally compliant	OWNER	Document that names Section 80, its authority and date
50 ft. wide RCC roads	OWNER	Layout plan with road widths, dated road photo
4 km to Delhi-Meerut Expressway	COMPUTED	Straight-line from an approximate pin. Needs a dated driven distance
Waste water drainage (naala at the back)	OWNER	Dated naala photo, outfall on the plan, pollution board consent
Reliable power supply	OWNER	Connection or sanctioned load letter
Street lighting	OWNER	Dated photo of the lit road
Planted greenery	OWNER	Dated site photos
Warehouse picture on boards	NOT REAL	AI generated, not IIP. Replace with a real photo before print

APPROVALS DRAFT

- Owner approves every new asset and claim.
- Claims checked against the table above before print.
- Printer proof signed before bulk print.

VERSIONING

- This kit is v1.0, 2026-11-06.
- Words, phones, address: edit tokens/content.json and rebuild.
- Colours and fonts: edit tokens/brand.tokens.json and rebuild.
- All decisions are logged in the central knowledge file.

19 Research behind this kit HAVE

What a complete brand kit contains, from public guides, and how IIP covers each part. Sources agree on 15 to 17 sections. Findings are reported from search results, not full page reviews.

SECTION	WHY	CONTAINS	IIP	SOURCES
Brand story, mission and positioning	Everything else (voice, imagery, claims) is judged against it. Guides open with it.	Why the park exists, who it is for (local factory owners, SME manufacturers), what it promises, one-line positioning	NEW	source source source
Logo system	The most copied and most misused asset.	Primary lockup, horizontal and stacked, badge-only, wordmark, mono and reversed	HAVE	source source source
Logo do and do not	Minimum set of any guide: stops stretching, recolouring, effects.	Wrong colours, stretch, outline, shadow, low-contrast backgrounds	HAVE	source source source
Colour system	Recognition from afar; printers need exact codes.	Primary, secondary, neutral, HEX, RGB	PARTIAL	source source source
Typography	Keeps every page and post looking like one brand.	Headline and body fonts, weights, type scale, fallback fonts, licence	HAVE	source source source
Voice and tone	Most skipped section, most needed once several people post.	Personality, words we use and avoid, tone by situation, example captions, English only rule	NEW	source source source
Photography and imagery	Sets the look of every photo; stock and AI treatment rules.	Subjects, light, framing, real vs AI imagery, do and do not	PARTIAL	source source source
Iconography and illustration	Fast scanning on boards and posts.	Line style, stroke, grid, full set, usage	HAVE	source source
Graphic elements and patterns	Brand device that works when the logo is small.	Sunburst, tri-colour stripe, accent line, diagonal panels, pattern	HAVE	source source
Layout and grid	Lets non designers build on brand pages.	Margins, grid, hierarchy, max words per board, safe areas	PARTIAL	source source
Applications	Shows rules in real use.	Pole board, hoarding, gate, stationery, ID	HAVE	source source source
Signage and site hoarding specs	Park specific: sizes, materials, illumination.	Sizes, materials, viewing distance, entry totem, directory board	PARTIAL	source source source
Social media guidelines	Next phase. Platform consistency.	Profile image, cover sizes, post templates, hashtags, emoji	NEW	source source source

SECTION	WHY	CONTAINS	IIP	SOURCES
Digital and web presence	Google profile, website, WhatsApp need the same identity.	Favicon, Google Business profile, WhatsApp profile, email signature, link in bio	NEW	source source
Motion	Rare but growing; for reels and status videos.	Timing, easing, logo reveal, transitions	NEW	source
File formats and asset library	People must find the right file.	SVG, PDF, PNG, WEBP, source files	PARTIAL	source source
Governance and updates	Prevents drift after handover.	Owner, approval, change log, contact, who may use the logo (brokers	NEW	source source source

No published industrial park brand manual with hoarding specs was found. Signage guidance above is adapted from general signage manuals and the owner's field photos.