ISAPUR
INDUSTRIAL PARK

BRAND KIT, VERSION 1.1

Isapur Industrial Park

The Groundwork for Growth. Everything needed to make, check and post on-brand work: rules on the left, assets next to them, files ready to download.

Contents

01 Brand story and positioning

02 Logo system

03 Logo usage: space, size and misuse

04 Colour system and print colours

05 Typography

06 Voice and tone

07 Photography direction and shoot plan

08 Iconography

09 Graphic elements and sunburst

10 Layout and grid

11 Print guide: bleed, trim, safe zone and file prep

12 Applications: stationery, ID and workwear

13 Signage, hoardings and poles

14 Social media guidelines

15 Digital and web presence

16 Motion

17 Assets and file formats

18 Park facts sheet

19 Governance, claims and updates

20 Research behind this kit

01 Brand story and positioning READY

Isapur Industrial Park is a modern industrial address on the Hapur-Modinagar Road for local manufacturers who want a clear, legal, well laid plot without noise.

NAME

The name is **Isapur Industrial Park**, short form **IIP**. The developer is not named in any public material.

POSITIONING

For factory owners and small industrial buyers along the Hapur-Modinagar Road, IIP is the industrial park that says less and shows more: wide roads, clean papers, a name you can read from a moving vehicle.

PROMISE

Plots you can verify. Facilities we can show. One number to call.

TAGLINES, ADAPTIVE

A Modern Industrial Address.

AUDIENCE

Primary: local factory owners and small industrial buyers. Secondary candidates: warehouse and logistics operators, investors, brokers.

PERSONALITY

Calm, exact, modern, trustworthy. A planner, not a salesman.

WHAT MAKES US DIFFERENT ON THIS ROAD

Competitor boards use navy, gold or red, dense copy, stamps and rendered townships. IIP uses white space, one logo and one line, so it is read first and remembered.

The Groundwork for Growth.

02 Logo system READY

The badge is never changed, recoloured or redrawn. Every lockup uses the same badge and the Montserrat ExtraBold wordmark.

CONSTRUCTION

- **Brand mark**: the rosette badge (sunburst, IiP monogram, circuit dots).
- **Logotype**: the IiP monogram alone.
- **Wordmark**: ISAPUR over INDUSTRIAL PARK.
- **Accent line**: the red rule beside INDUSTRIAL PARK in the vertical lockup.

SOURCE

No vector original exists. The badge is a traced vector of the supplied artwork, good up to hoarding size. Find the designer's original for very large or very close print.

Primary lockup (vertical)

Default. Badge over ISAPUR over INDUSTRIAL PARK with the red accent line.

Horizontal lockup

Badge, rule, ISAPUR over INDUSTRIAL PARK. Wide spaces: letterhead, web header, hoarding corners.

Badge only

Icon, favicon, social avatar, helmet, stamps.

MONOTONE USE

For one colour jobs: newspaper, stamp, embossing, engraving, a single colour print, or a dark background.

Mono black

Newspaper, fax, one colour print.

Reversed on charcoal

Dark backgrounds.

Badge, one colour (deep green)

Traced from the supplied emblem. Stamps, embossing, one colour print.



Monotone use sheet

Black, deep green and white versions.

03 Logo usage: space, size and misuse READY

Keep the logo clear, readable and untouched.

DO

- ✓ Use approved lockups only.
- ✓ Keep clear space and minimum size.
- ✓ Use brand colours as per the palette.
- ✓ Use Montserrat for headlines, Inter for body.
- ✓ Put the logo on white, mist gray or charcoal.

DO NOT

- × Change the logo colours.
- × Distort, stretch or rotate the logo.
- × Add outlines, shadows or effects.
- × Place it on low contrast or busy backgrounds.
- × Rebuild the wordmark in another typeface.

CLEAR SPACE, VERTICAL LOCKUP

X = one quarter of the badge width

Keep this zone free of text, edges, photos and other logos.
Red line: edge of the logo. Green dashed line: edge of the clear space.

Clear space, vertical

Keep X free, X is a quarter of the badge width.

CLEAR SPACE, HORIZONTAL LOCKUP

X = one quarter of the badge width

Keep this zone free of text, edges, photos and other logos.
Red line: edge of the logo. Green dashed line: edge of the clear space.

Clear space, horizontal

Same X rule.



Minimum size

Print and screen limits.



Misuse

What not to do.

04 Colour system and print colours READY

White first, charcoal for text, yellow for highlight, red as a thin accent, deep green as the quiet secondary. The badge keeps its own measured colours (yellow #FEF102, red #EE1D23, green #00A54F) and is never retinted.



Proportion guide: about 70% white, 6% mist, 14% charcoal, 6% yellow, 2% red, 2% green. Red is a line, not a block.

CORE PALETTE: SCREEN COLOUR AND HOW IT PRINTS

White

`#FFFFFF`

RGB 255, 255, 255

CMYK 0 / 0 / 0 / 0

close match

Primary board and page

Charcoal

`#111827`

RGB 17, 24, 39

CMYK 7 / 8 / 6 / 99

noticeably duller on press, ask for a proof

Yellow

`#FFD600`

RGB 255, 214, 0

CMYK 1 / 12 / 96 / 1

close match

Highlight, stripe, call to action

Red

`#E53935`

RGB 229, 57, 53

CMYK 1 / 97 / 91 / 2

close match

Accent line and highlight only

Green

`#0F4D3A`

RGB 15, 77, 58

CMYK 71 / 39 / 61 / 58

noticeably duller on press, ask for a proof

Secondary: stripe, back of

Mist

`#F2F4F6`

RGB 242, 244, 246

CMYK 5 / 3 / 3 / 0

close match

Surfaces, panels, subtle sunburst

background	Text, contrast, wordmark			cards, sustainability	

Each swatch shows two chips: the screen colour (left) and its approximate look on press (right), converted through the US Web Coated SWOP profile. CMYK values are a starting point for the printer. Yellow, red and the badge colours print close to screen. Charcoal and deep green print darker and duller, so approve a printer proof and tune from it.

SUPPORTING NEUTRALS

Light Gray

`#E6E8EB`

RGB 230, 232, 235

CMYK 8 / 5 / 4 / 0

close match

Hairlines, panels

Dark Gray

`#6B7280`

RGB 107, 114, 128

CMYK 52 / 38 / 23 / 21

slightly duller on press

Secondary text

Gray

`#6B7280`

RGB 107, 114, 128

CMYK 52 / 38 / 23 / 21

slightly duller on press

Disabled, borders

BADGE COLOURS (NEVER RETINT)

Badge Yellow

`#FEF102`

RGB 254, 241, 2

CMYK 2 / 0 / 98 / 0

close match

Badge artwork

Badge Red

`#EE1D23`

RGB 238, 29, 35

CMYK 0 / 100 / 97 / 2

close match

Badge artwork

Badge Green

`#00A54F`

RGB 0, 165, 79

CMYK 81 / 1 / 91 / 1

close match

Badge artwork

COLOUR PAIRS

Aa

charcoal on white

17.7:1, Text and large

Aa

charcoal on yellow

12.6:1, Text and large

Aa

charcoal on mist

16.1:1, Text and large

Aa

white on charcoal

17.7:1, Text and large

Aa

white on green

9.8:1, Text and large

Aa

yellow on charcoal

12.6:1, Text and large

Aa

yellow on green

6.9:1, Text and large

Aa

red on white

4.2:1, Large text only

Aa

white on red

4.2:1, Large text only

PRINT RULES

- Small black text: 100% K only, never four colour black.
- Large dark areas (hoarding background): rich black, for example C60 M50 Y40 K100, ask the printer.
- Deep green is a murky CMYK mix. For stationery ask for a spot match.
- Always approve a printed proof before bulk print.
- Flex, vinyl and paper print each colour a little differently.

SCREEN RULES

- Use the hex values on screens.
- Charcoal text on white passes contrast (about 17:1).
- White on red is for large text only.
- Yellow needs charcoal text, never white.

05 Typography READY

Two free families (SIL Open Font License, free for commercial use).

Aa

MONTSERRAT

ISAPUR Industrial Park
ABCDEFGHIJKLMNOPQRSTU
0123456789

Headlines, signage, advertising. ExtraBold 800 for wordmark and headlines, SemiBold 600 for taglines and subheads.

Aa

INTER

Plots from 300 sq.yards
abcdefghijklmnopqrstuvwxyz
0123456789

Subheads, body, digital. Regular 400, Medium 500, SemiBold 600.

HIERARCHY EXAMPLE

INDUSTRIAL PLOTS

The Groundwork for Growth.

50 ft wide RCC roads, street lighting and planted greenery on the Hapur-Modinagar Road.

9837057800 | 9219549800

SCALE (PRINT)

ROLE	FONT	SIZE RULE
Hoarding headline	Montserrat 800	Cap height readable at 100 m: about 1 ft per 100 ft viewing distance
Pole board tagline	Montserrat 600	Max 7 words, 3 lines
Phone numbers	Montserrat 800	Biggest element after the logo
Stat value	Montserrat 700	40 px on the poster grid
Stat label, body	Inter 500 / 400	25 px on the poster, 9 to 11 pt in documents

06 Voice and tone READY

Plain English, short sentences, numbers instead of adjectives. We state what is true and what we can show.

WE SOUND

- ✓ Clear and direct.
- ✓ Confident, never loud.
- ✓ Specific: 50 ft roads, not great roads.
- ✓ Local and practical, English only.

WE AVOID

- × Superlatives we cannot prove: best, world class, premium.
- × Dream, luxury, lifestyle language.
- × Hindi mixed into English copy (owner decision).
- × Claims without a document on file (see Governance).
- × Random word strings (owner rejected one earlier line).

WORDS TO USE

plots, approved, wide roads, power, drainage, street lighting, greenery, expressway, site visit, call.

TAGLINES: ADAPTIVE, NOT FIXED

Two approved lines. Pick the one that fits the creative, never print both together.

LINE	BEST FOR
A Modern Industrial Address.	Identity first: boards, gate, hoarding, letterhead, profile covers. Says what and where.
The Groundwork for Growth.	Benefit first: plot offers, infrastructure posts, owner and investor messages, captions. Says why. Works with roads, drainage, lights, greenery.
Neither	Pure fact posts (distance, road width, site visit) can stand with just the logo and phones.

Parked, not in use: Where Industry Moves Forward. Built for Business. Designed for Growth. The Next Address of Industry. Space for What's Next.

EXAMPLES

WHERE	LINE
Pole board	The Groundwork for Growth. Call 9837057800 | 9219549800
WhatsApp status	Industrial Plot Available. Visit the site this week.
Social caption	50 ft wide RCC roads, street lighting and planted greenery. IIP, Hapur-Modinagar Road.
Reply to a lead	Thank you for your interest. We will share the layout map and plot list. When can you visit the site?

07 Photography direction and shoot plan READY

There is no photography yet. This is the plan for the first shoot: real photos of the real park, in neutral daylight. No warm filters, no glow, no AI softness. Photos can be cropped into the sunburst shape.

STYLE

- ✓ Real site photos, neutral hazy daylight, true colours.
- ✓ Wide roads, gate, drainage, street lights, trees, plots staked.
- ✓ Clean crops, level horizon, no heavy grade.
- ✓ People only with consent (workers in safety gear).

UNTIL THEN

Boards and posts use the logo, sunburst, stripe and type only. No building or warehouse picture is used, because none of it exists yet.

SHOT LIST FOR THE FIRST SHOOT

SHOT	WHY
Gate and signage, straight on and from the road	Recognition from a moving vehicle
50 ft road, long lens	Proves the road width
Street lights lit at dusk	Proves street lighting
Tree-lined edge and plantation	Proves planted greenery
Drainage line and the naala outfall	Proves drainage
Plots with boundary pegs, wide	Shows the product
Drone view with the expressway side	Shows location
Pole board and hoarding in place	Proof of presence

08 Iconography READY

Line icons on a 48 unit grid: 2.4 stroke, round caps and joins, charcoal on white, at most two detail strokes. One icon per fact. All 24 icons share one drawing style.

Industrial plots

Wide roads

Power supply

Water supply

Connectivity

Sustainable

Secure

Business support

Plug and play

Growth

Expressway

Highway and trucks

Waste water drainage

Street lighting

Planted greenery

Section 80

Acres

Zilla Panchayat

Plot layers

Manufacturing

Warehouse

Location

Phone

Site visit

09 Graphic elements and sunburst READY

The sunburst comes from the badge. It works as an outline, a solid shape, a ring, a pattern and a badge. Yellow, red and green appear together as a stripe. Every element is an independent SVG, and all assets are also in one master file.



Sunburst outline

Base shape. Subtle background element, corner crop.



Sunburst solid

Filled badge and highlight shape.



Sunburst ring

Border or frame made of the red and yellow diamonds.



Repeating pattern

Very subtle background texture.



Tri-colour stripe

Yellow, red, green. Dividers, tags, call to action.

Diagonal panels

Layer or section divider.

Call to action badges

Plots Available Now, Growth Ready, Strategic Location, Sustainable Development.

10 Layout and grid READY

One logo, one line, lots of white. Safe margin 6% of the shorter side. Maximum seven words on a board. Diagrams with trim, bleed and safe markings for every format are in the Print guide that follows.

FORMAT	SIZE	LAYOUT RULE
Pole board	20 × 32 in (5:8)	Lockup top, tagline right aligned, phones bottom. Same size as competitor boards.
Hoarding	40 × 20 ft or 40 × 15 ft	Lockup left, one line right, phones big.
Poster	1827 × 2290 px master	3 × 2 facts grid, 6 facility icons in a row.
Social	1:1, 4:5, 9:16	Lockup top, line, phones, stripe at the foot.
Stationery	Card 3.5 × 2 in, A4	Lockup and stripe, generous margins

POSTER (PRINT MASTER)

Isapur Industrial Park poster

Facts grid and facilities row. Claims shown must match the claims table in Governance.

11 Print guide: bleed, trim, safe zone and file prep NEW

Read this before sending any file to a printer. It explains bleed and the other terms in plain English, with marked diagrams for every IIP format.

Print is not like a screen. A file that looks perfect on your phone can still print with a white edge, cut-off text or dull colours. This guide teaches the few ideas that prevent this. Read it once, then use the checklist every time.

> **Truth labels.** Numbers marked with a number in brackets come from public printer guides (reported, see Sources). Our default bleed and safe sizes are recommendations. **Your printer's numbers always win.** Ask for their template before you finish a file.

1. THE FOUR WORDS YOU MUST KNOW



ıtting is never perfect. The cut can move 1 to 2 mm. Bleed hides the white edge, the safe zone saves your text.

Bleed, trim, safe zone, crop marks

Shown on a 3.5 × 2 in business card. The same ideas apply to a 40 ft hoarding, only the sizes change.

- ✓ **Bleed**: extra picture or colour past the cut. Without it, a thin white line can show at the edge.
- ✓ **Trim**: the final size after cutting. Cards are 3.5 × 2 in after trim.
- ✓ **Safe zone**: a border inside the trim. Logos and text stay inside it.
- ✓ **Crop marks**: tiny corner lines that mark the cut. Most online printers add them for you, so do not add them unless asked.
- ✓ **6% design margin**: our own rule. Keep content at least 6% of the shorter side inside the trim. Use the bigger of the safe zone and the 6% margin.

Bleed amounts vary by printer: 3 mm to 5 mm for paper, 0.125 in is common for US banners, 0.5 in for some hanging banners, and one outdoor banner printer adds 50 mm each side[1][12][13]. Cards: 0.125 in bleed and 0.125 in safe is a common template[6], but 3 mm bleed and 3 to 5 mm safe is also widely quoted[5][6].

2. OUR DEFAULT NUMBERS, FORMAT BY FORMAT



FORMAT	TRIM SIZE	BLEED	SAFE ZONE	6% MARGIN	FILE SIZE WITH BLEED	NOTES
Pole board	20 × 32 in	1 in	1.5 in	1.2 in	22 × 34 in	Competitor size. Confirm hem or frame with the media owner.
Street pole board	24 × 36 in	1 in	1.5 in	1.44 in	26 × 38 in	2:3 shape.
Hoarding	40 × 20 ft	3 in	6 in	14.4 in	40 ft 6 in x 20 ft 6 in	Allow a hem and eyelet strip of about 1 to 1.25 in inside the bleed[13].
Hoarding, wide	40 × 15 ft	3 in	6 in	10.8 in	40 ft 6 in x 15 ft 6 in	Same as above.

FORMAT	TRIM SIZE	BLEED	SAFE ZONE	6% MARGIN	FILE SIZE WITH BLEED	NOTES
Business card	3.5 × 2 in	3 mm	5 mm	3 mm	94.9 × 56.8 mm	Use 5 mm because it is the bigger one.
Letterhead	A4 210 × 297 mm	3 mm	5 mm	12.6 mm	216 × 303 mm	10 mm clear if office printed.
Poster	1827 × 2290 px master	3 mm (18 px at 150 dpi)	10 mm (59 px)	110 px	1863 × 2326 px	Raster size. Larger prints need vector.

Default hoarding numbers are recommendations. The sources we found do not state a 3 in hoarding bleed, so ask the printer. Rigid ACP or board panels may need less bleed than a flex that gets hemmed.



Pole board 20 × 32 in

File size with bleed: 22 × 34 in. Matches competitor boards. 4 column grid.



Street pole board 24 × 36 in

File size with bleed: 26 × 38 in. 2:3 shape.



Hoarding 40 × 20 ft

File size with bleed: 40 ft 6 in x 20 ft 6 in. Bleed and safe are drawn 9 times bigger so you can see them. Dots show the eyelet and hem strip inside the bleed. 12 column grid.



Hoarding 40 × 15 ft

File size with bleed: 40 ft 6 in x 15 ft 6 in. Same enlarged drawing. Wide format, lockup left, one line right.



Business card 3.5 × 2 in

File size with bleed: 94.9 × 56.8 mm. Keep text 5 mm inside the trim (bigger than the 6% rule).



Letterhead A4

File size with bleed: 216 × 303 mm. If printed on an office printer, keep 10 mm clear on all sides.



Poster 1827 × 2290 px

Master is 1827 × 2290 px. At 150 dpi that prints about 12.2 × 15.3 in. For bigger prints use the vector poster file, not this raster size. 3 column grid, as in the facts grid.

> The grid columns, logo zone and 6% margin are layout guides for designers. The printer only cares about bleed, trim and safe zone.

3. COLOUR: SCREEN COLOUR IS NOT PRINT COLOUR

RGB is light (screens). **CMYK** is ink (cyan, magenta, yellow, black). RGB can show very bright yellows, greens and reds that CMYK cannot. When you convert, bright colours look duller. Convert early and check.

BLACK, RICH BLACK

Small black text: use 100% K only (C0 M0 Y0 K100). Layers of ink can misalign and blur small text[7].

Our colours: Yellow #FFD600, Red #E53935, Deep green #0F4D3A, Charcoal #111827. The CMYK values in this kit are simple conversions. **Always get a printed proof**.

Deep green and charcoal are dark. On flex they can print muddy or look almost the same. Test them side by side.

Big black areas: printers often use a rich black, black plus other inks. One common mix is C60 M40 Y40 K100[7]. Mixes differ, so ask your printer for theirs.

Spot vs process: process colour builds every colour from the four CMYK inks. A spot colour is one special premixed ink (for example Pantone). It costs more and is for exact brand colours. IIP uses process colour by default.

Overprint: when one ink prints on top of another instead of cutting a hole. It is fine for black text. It is wrong for white objects or coloured logos. Turn on *Overprint Preview* in your design app and look.

4. RESOLUTION, VECTOR AND RASTER

- ✓ **Vector** (SVG, PDF, AI): made of shapes and lines. Prints sharp at any size. Use it for logos, icons, text, patterns.
- ✓ **Raster** (photos, WEBP, JPG, PNG): made of pixels. Gets soft or blocky when enlarged.
- ✓ Keep the logo, icons, text and sunburst as vector in the final file.

How many dots? Sources disagree, so treat these as starting points. Helloprint suggests 200 dpi for banners seen from 3 to 6 ft and 75 dpi for very large outdoor displays[1]. PSPrint asks for 300 dpi at a 1:12 scale for banners of 50 ft or more[2]. Some banner templates ask for about 150 dpi at final size. Printers may give you one number for the hoarding size, so ask.

A photo at 4800 pixels wide stretched to a 40 ft hoarding is only about 10 dpi at full size. That is normal for far viewing, but confirm with the printer. Never enlarge a small web photo for a hoarding.

> Images online in this kit are WEBP. For print, supply the original photo (JPG or TIFF at full quality), not a website

copy.

5. FONTS AND PDF FILES

- ✓ **Outline the fonts** (convert text to shapes) before sending. Then no font can go missing or swap at the printer. The outlined SVG and PDF files in this kit are already outlined.
- ✓ Keep the live (editable) file for yourself. Send the outlined one.
- ✓ **Embed images** or send them with the file.

PDF/X is a strict print PDF. PDF/X-1a is the safe old standard and some printers require it[8]. PDF/X-4 also allows transparency. Use the one your printer asks for. In your PDF settings, tick *use document bleed*.

Do not send a screenshot, a photo of a screen, or a WhatsApp-compressed image to a printer.

6. MATERIALS: WHAT CHANGES IN THE FILE

MATERIAL	USED FOR	WHAT TO KNOW
Flex (PVC banner, star flex, backlit flex)	Roadside hoardings, pole boards	Flexible, light, cheap. Printers list standard, star flex and backlit types[4]. Edges are hemmed and get eyelets, so keep content away from them[13][12]. Ask for the hem width.
Vinyl (self-adhesive)	Stuck on ACP, board, glass, wall	Needs a flat surface. Cut and stick tolerance is small, so bleed matters. Ask about lamination and outdoor life.
ACP (aluminium composite panel)	Gate fascia, pole boards that must stay flat	Rigid and flat, cut to exact size, no hem. We found no printer guide for ACP file setup, so confirm the bleed and any mounting holes with your sign shop.
Paper and card	Cards, letterhead, brochures	Use 300 dpi, 3 mm bleed, CMYK, PDF/X. Thick or uncoated paper changes colour, so ask for a paper sample.

7. VIEWING DISTANCE: HOW BIG MUST LETTERS BE?

Letters must grow with distance. Sources give different rules, so here are all three:

- **1 inch of letter height per 10 ft** of distance[9] (the strict, easy-to-read rule).
- **1 inch per 25 ft**[10] (LED signs).
- **1 inch per 30 ft**[11] (road sign average, the loosest rule).

LETTER HEIGHT	STRICT (1 IN : 10 FT)	LED RULE (1 IN : 25 FT)	LOOSE (1 IN : 30 FT)
1.5 in (phone numbers on a small card)	15 ft	37 ft	45 ft
3 in	30 ft	75 ft	90 ft
6 in	60 ft	150 ft	180 ft
12 in (pole board tagline)	120 ft	300 ft	360 ft
24 in (hoarding headline)	240 ft	600 ft	720 ft

Use the strict column for roadside work. Lighting, font and contrast matter, and a driver has only a few seconds[15]. Keep one main message of about six short words[15]. Our rule in this kit is a maximum of 7 words on a board. **Test it:** print the layout at small size, stick it on a wall and step back, or view the file full size from the real distance.

8. COLOUR PROOFING

- ✓ Ask for a **hard copy proof** on the real material, or at least a small test piece.
- ✓ Look at it in daylight, outdoors, at the real distance.
- ✓ Check the yellow, the deep green and the charcoal. These move the most.
- ✓ Sign and date the proof. Keep a photo. Bulk print must match it.
- ✗ Do not approve colour from a phone or a PDF on screen.
- ✗ Do not approve a proof printed on a different paper or flex.
- ✗ Do not let the printer change colours without telling you.

9. PREFLIGHT CHECKLIST (TICK EVERY LINE BEFORE SENDING)

- ✓ Size is correct at 100%, trim plus bleed.
- ✓ Logo is an approved file, never stretched, never recoloured.

- ✓ Bleed is added on all four sides and art reaches the bleed edge.
- ✓ All text and logos are inside the safe zone and the 6% margin.
- ✓ Text is converted to outlines (or fonts are embedded).
- ✓ Colour mode is CMYK. Small black text is 100% K.
- ✓ Images are placed at a suitable dpi for the viewing distance and are embedded.
- ✓ Phone numbers are 9837057800 and 9219549800, spelled right.
- ✓ Every claim on the board has proof on file (see Governance).
- ✓ No crop marks or colour bars unless the printer asked.
- ✓ Exported as PDF/X (or the type the printer wants). Checked at 100% zoom.
- ✓ File named with size and version, for example pole-20×32-v3.pdf.

10. ASK YOUR PRINTER (COPY THIS LIST)

1. What is the exact trim size and the exact file size with bleed?
2. How much bleed do you need on each side? Do you want crop marks?
3. How wide are the hem, eyelet and pole-pocket areas? Where do eyelets go?
4. What file type do you want: PDF/X-1a, PDF/X-4, TIFF?
5. What dpi at full size do you want for photos? What is the largest file you can take?
6. Which colour profile (ICC) and which black do you use? Do you want spot colours?
7. Which material and finish (flex type, vinyl, ACP, lamination)? How long does it last outdoors?
8. Can I see a printed proof or a small test strip? How long does that take?
9. Who mounts the board? Do you need a frame size or fixing holes from me?
10. What is the cost, the minimum order, the turnaround and the reprint policy?

SOURCES

1. Helloprint, how to set up a file for a large banner
2. PSPrint, banner file setup
3. 4over4, large format printing quick guide: file prep basics
4. IndiaMART, hoarding printing service (material and price listings)
5. Vistaprint, business card file prep

6. 4over4, business card outline with bleed, trim and safe zone
7. Spoon Graphics, how to prepare a business card design for print (rich black)
8. Stationery HQ, file setup (PDF/X-1a)
9. Signs.com, letter height and viewing distance
10. Daktronics, optimal viewing distance (1 inch per 25 ft)
11. AdQuick, standard billboard creative specs (1 inch per 30 ft)
12. Cloudprinter, how to design an outdoor banner
13. SmartPress, hanging banners template (hem, grommets)
14. Namebadge, how to design a print-ready banner
15. Macmyths, designing a billboard readable at highway speed

All sources are public printer and sign guides read through search results on 2026-11-06 (reported, not fully verified). Indian practice is mostly from vendor listings, which give materials and prices but few file specs, so your local printer's template is the final word. The 3 in hoarding bleed, 1 in pole bleed and the default safe zones are our recommendations.

12 Applications: stationery, ID and workwear READY

Every piece is an editable vector file at true size. Business cards come in two wordmark styles: vertical and horizontal.

Business card front, vertical lockup

3.5 × 2 in

Business card front, horizontal lockup

3.5 × 2 in



Business card back

Deep green back



Letterhead

A4



Envelope DL

220 × 110 mm

Envelope C5

229 × 162 mm



ID card front

54 × 86 mm



ID card back

54 × 86 mm

Notepad cover

A5

Folder cover

A4

Quotation and invoice header

Strip



Email signature

600 px



Helmet decals

Badge decal sizes

Safety vest layout

Chest badge and back lockup

WhatsApp catalogue cover

1080 × 1080

FLAT LAY

Stationery set

Exact artwork on a neutral surface

13 Signage, hoardings and poles READY

Boards are sized to match the competitors on the road so IIP is read as an equal, then won by white space. Two tagline variants for each major board. No photographs, because none exist yet.

Pole board A

20 × 32 in, tagline A Modern Industrial Address.

Pole board B

20 × 32 in, tagline The Groundwork for Growth.

Street pole board

24 × 36 in

Hoarding 40 × 20 ft, A

Confirm panel size with the media owner

Hoarding 40 × 20 ft, B

Tagline B

Hoarding 40 × 15 ft

Wide format



Gate fascia

4:1

Pole board A, print file

1 in bleed and crop marks

Hoarding A, print file

3 in bleed and crop marks

IN CONTEXT



Street pole board

Concept reference from the owner's board

Hoarding

Concept reference from the owner's board

Gate fascia

Concept reference from the owner's board

Gate Fascia

Exact artwork composited on the real road

Hoarding Beside Competitors

Exact artwork composited on the real road

Hoarding Roadside A

Exact artwork composited on the real road

Hoarding Roadside B

Exact artwork composited on the real road

Pole Boards On Real Poles

Exact artwork composited on the real road

Street Pole Row

Exact artwork composited on the real road

Hoarding and pole sizes are recommendations. Confirm exact panel size, bleed and material with the media owner before print. Ask the printer for a colour proof.

14 Social media guidelines NEW

Starter kit for the next phase. One profile picture everywhere, the same colours and lines, one clear call to action: call or visit.

Profile picture

Badge on white, circle safe.

Profile picture, sunburst

Badge on a soft sunburst.

Cover banner 3:1

X header, LinkedIn and Facebook with safe crops.

Post 4:5

Instagram and Facebook portrait.

SIZES BY PLATFORM (TYPICAL, RE-CHECK BEFORE UPLOAD)

PLATFORM	ITEM	SIZE	NOTE
Instagram	Profile picture	320 × 320 shown, upload 1080 × 1080	Circle crop. Use the badge only.
Instagram	Feed post	1080 × 1350 (4:5) or 1080 × 1080	Portrait takes the most screen.
Instagram	Story, reel cover	1080 × 1920 (9:16)	Keep text out of the top and bottom 250 px.

PLATFORM	ITEM	SIZE	NOTE
Facebook	Profile picture	170 × 170 shown, upload 1080 × 1080	Circle crop.
Facebook	Cover	820 × 312 on desktop (upload 1640 × 624)	Phones crop the sides, keep the logo central.
LinkedIn	Company logo	300 × 300	Square.
LinkedIn	Company cover	1128 × 191	Very wide and short, use the horizontal lockup only.
YouTube	Avatar and banner	800 × 800 and 2560 × 1440 (safe area 1546 x 423)	Everything important inside the safe area.
X	Avatar and header	400 × 400 and 1500 × 500	Header is 3:1, use cover-3to1.
WhatsApp Business	Profile, status	640 × 640 and 1080 × 1920	Status is the cheapest reach for local buyers.
Google Business Profile	Logo and cover	720 × 720 and 16:9 photo	Add real site photos. The map pin is the most seen asset.

CONTENT PILLARS TO DECIDE

To be decided after the corrections, with ChatGPT's help. Candidates: site proof, location, approvals, plot offers, neighbours.

HASHTAGS TO RESEARCH

Open todo: research with an Apify actor, then choose. The owner supplies the API key as an environment variable. Nothing is chosen yet.

RULES

- ✓ Tagline is adaptive: choose one line per post, never both.
- ✓ Profile picture is the badge only, on white.
- ✓ Never post a claim that is not verified or accepted in writing by the owner.
- ✓ Say straight-line or driving when you give a distance.

- ✔ Reply to every call and message the same day.
- ✔ Real photos only once they exist. Never show an AI picture as the park.

15 Digital and web presence NEXT PHASE

All online presence is to be built in the next phase. This section only lists where it will live.

CHANNEL	PLAN
Google Business Profile	Next phase
WhatsApp Business	Next phase
Website, one page	Next phase
Social profiles	Next phase, handles to be confirmed
Email signature and QR code	Template ready in the stationery set, set up in the next phase

16 Motion PARKED

Calm and exact, like the brand. Motion is optional and always simple. Experiments are parked until the owner has a free day.

RULE	SPEC
Style	Fade and slide, no bounce, no spin
Timing	200 to 400 ms, ease out
Logo	Badge fades in, wordmark follows, accent line draws left to right
Sunburst	Slow scale or rotate under 10 degrees, background only
Video end card	White, lockup, tagline, phones, 3 seconds

17 Assets and file formats READY

Every asset is a file you can open. Editable SVG files need the fonts installed. Outlined SVG files and PDFs have text converted to shapes and are safe for print shops. Each asset is an independent file, and one master file holds all of them.

FOLDER	WHAT	OPEN WITH
live/	SVG with real text	VectorCraft (free, open source, ArtCraft family), Inkscape, Figma, Affinity, Illustrator, CorelDRAW
outlined/	SVG with text as shapes	VectorCraft, Inkscape or any browser, safe for printers
IIP-master-assets.svg	Every SVG asset in one file	VectorCraft, Inkscape, Illustrator, Figma
export/pdf/	Vector PDFs at true size	Print shop, any PDF viewer, VectorCraft
editable-pptx/	PowerPoint versions	PowerPoint, Keynote, Canva import
tokens/	brand.tokens.json and content.json	Text editor
fonts/	Montserrat and Inter	Install

> Images shown on this page are WEBP. Masters stay local. An original badge vector from the designer would replace the trace.

18 Park facts sheet READY

The facts every post, board and reply should use. Driving distances come from Google Maps (2026-11-06, live traffic, from an approximate pin). Straight-line distances are shown for reference.

IDENTITY

ITEM	VALUE
Name	Isapur Industrial Park (IIP)
Address line	Hapur-Modinagar Road, Yusufpur Isapur, Ghaziabad, UP 201022
Phones	9837057800 | 9219549800
Language	English only
Taglines	A Modern Industrial Address. / The Groundwork for Growth.

DISTANCES

TO	DRIVING	STRAIGHT-LINE
Delhi-Meerut Expressway on-ramp (NE 3, Bhojpur)	4.7 km, about 8 min	3.9 km
Modinagar bus stand	11.4 km, about 28 min	9.3 km
Hapur bus stand	13.4 km, about 31 min	13.0 km
Meerut City railway station	29.3 km, about 56 min (NE 3, tolls)	
Ghaziabad railway station	34.7 km, about 47 min (NE 3, tolls)	
Anand Vihar ISBT, Delhi	46.0 km, about 89 min (NE 3, tolls)	

TO	DRIVING	STRAIGHT-LINE
Shri Haridas (SHD) Industrial Park	0.65 km, 2 min	0.54 km
CKS Industrial Park	0.7 km, 1 min	0.69 km
Atom Industrial Park	3.1 km, 4 min	3.1 km

COMPETITORS ON THE ROAD

PARK	WHERE	WHAT WE SEE
Shri Balaji Industrial Park	Sarawa bus stand	Blue gradient and gold type, rendered township, approval stamp, two numbers
Shri Haridas (SHD)	Ishapur, Bhojpur	White and navy, Hindi headline, rendered gate, road widths, two numbers
Shivansh Industrial Park	not stated	Navy and gold, red phone bar, all plot sizes
CKS Industrial Park	Hapur-Modinagar Road	Not photographed. Listings quote price per yard
Atom Industrial Park	Ishapur	Not photographed
Mahamaya	same road (owner)	Unknown

> Full detail, sources and change history live in the central knowledge file `00_ISAPUR_KNOWLEDGE.md` .

19 Governance, claims and updates READY

Nothing goes on a printed board or post unless its proof is on file or the owner accepts the risk in writing.

CLAIM	STATUS	PROOF TO FILE
100+ acres	OWNER	Registry area statement or layout plan
Plots from 300 sq.yards	OWNER	Approved price and plot list
Approved by Zilla Panchayat	OWNER	Sanctioned map with stamp and number
Section 80, legally compliant	OWNER	Document that names Section 80, its authority and date
50 ft. wide RCC roads	OWNER	Layout plan with road widths, dated road photo
4.7 km by road to the Delhi-Meerut Expressway on-ramp	MEASURED	Google Maps driving, 2026-11-06. Poster still says 4 km (straight-line), update to match
Waste water drainage (naala at the back)	OWNER	Dated naala photo, outfall on the plan, pollution board consent
Reliable power supply	OWNER	Connection or sanctioned load letter
Street lighting	OWNER	Dated photo of the lit road
Planted greenery	OWNER	Dated site photos
Any warehouse or building picture	NOT REAL	No photos exist yet. Never show an AI picture as the park

APPROVALS

- Owner approves every new asset and claim.

VERSIONING

- This kit is v1.1, 2026-11-07.

- Claims checked against the table above before print.
- Printer proof signed before bulk print.

- Words, phones, address, taglines: edit tokens/content.json and rebuild.
- Colours and fonts: edit tokens/brand.tokens.json and rebuild.
- All decisions are logged in the central knowledge file, open work in TODOS.md.

USE OF AI

The kit is deliberately hand-crafted so it keeps a distinct character that generic AI tools cannot easily copy. AI generated assets are a later phase (phase 3) and live in their own folder, never mixed into the kit. Logo and text are always composited from the real vector files, never drawn by a model.

20 Research behind this kit READY

What a complete brand kit contains, from public guides, and how IIP covers each part. Sources agree on 15 to 17 sections. Findings are reported from search results, not full page reviews.

SECTION	WHY	CONTAINS	IIP	SOURCES
Brand story, mission and positioning	Everything else (voice, imagery, claims) is judged against it. Guides open with it.	Why the park exists, who it is for (local factory owners, SME manufacturers), what it promises, one-line positioning	NEW	source source source
Logo system	The most copied and most misused asset.	Primary lockup, horizontal and stacked, badge-only, wordmark, mono and reversed	HAVE	source source source
Logo do and do not	Minimum set of any guide: stops stretching, recolouring, effects.	Wrong colours, stretch, outline, shadow, low-contrast backgrounds	HAVE	source source source
Colour system	Recognition from afar; printers need exact codes.	Primary, secondary, neutral, HEX, RGB	PARTIAL	source source source
Typography	Keeps every page and post looking like one brand.	Headline and body fonts, weights, type scale, fallback fonts, licence	HAVE	source source source
Voice and tone	Most skipped section, most needed once several people post.	Personality, words we use and avoid, tone by situation, example captions, English only rule	NEW	source source source
Photography and imagery	Sets the look of every photo; stock and AI treatment rules.	Subjects, light, framing, real vs AI imagery, do and do not	PARTIAL	source source source
Iconography and illustration	Fast scanning on boards and posts.	Line style, stroke, grid, full set, usage	HAVE	source source

SECTION	WHY	CONTAINS	IIP	SOURCES
Graphic elements and patterns	Brand device that works when the logo is small.	Sunburst, tri-colour stripe, accent line, diagonal panels, pattern	HAVE	source source
Layout and grid	Lets non designers build on brand pages.	Margins, grid, hierarchy, max words per board, safe areas	PARTIAL	source source
Applications	Shows rules in real use.	Pole board, hoarding, gate, stationery, ID	HAVE	source source source
Signage and site hoarding specs	Park specific: sizes, materials, illumination.	Sizes, materials, viewing distance, entry totem, directory board	PARTIAL	source source source
Social media guidelines	Next phase. Platform consistency.	Profile image, cover sizes, post templates, hashtags, emoji	NEW	source source source
Digital and web presence	Google profile, website, WhatsApp need the same identity.	Favicon, Google Business profile, WhatsApp profile, email signature, link in bio	NEW	source source
Motion	Rare but growing; for reels and status videos.	Timing, easing, logo reveal, transitions	NEW	source
File formats and asset library	People must find the right file.	SVG, PDF, PNG, WEBP, source files	PARTIAL	source source
Governance and updates	Prevents drift after handover.	Owner, approval, change log, contact, who may use the logo (brokers	NEW	source source source

No published industrial park brand manual with hoarding specs was found. Signage guidance is adapted from general signage manuals and the owner's field photos.