Academic Year: 2026-2027			
Program: Computer Engineering			
Year of Study	Second Year	Semester	III
Course Name	Skill Based Lab - III (Web Technology II)	Course Code	CMLOR2VS201
Name	Tanmay Nilesh Shinde	Roll No	67
Class & Div & Batch	SYCM1-B	PRN No.	126BTCM2008

Experiment No: 1	
Aim	Develop a form with validation using JavaScript and local Storage.
Learning Outcome	Apply Validations to forms by storing data locally using Javascript and local storage.

Program	<!DOCTYPE html>
	<html>
	
	<head>
	<title>Student Registration Form</title>
	</head>
	
	<body>
	
	 Student Registration Form
	
	<form id="myForm">
	Name: <input type="text" id="name">
	
	Email: <input type="email" id="email">
	
	Password: <input type="password" id="password">
	
	<button type="submit">Submit</button>
	</form>
	
	<script>
	document.getElementById("myForm").onsubmit = function (event) {
	event.preventDefault();

```
        var name = document.getElementById("name").value.trim();
        var email = document.getElementById("email").value.trim();
        var password = document.getElementById("password").value;

        if (name == "" || email == "" || password == "") {
            alert("All fields are required!");
        }
        else if (password.length < 6) {
            alert("Password must be at least 6 characters!");
        }
        else {
            localStorage.setItem("name", name);
            localStorage.setItem("email", email);
            localStorage.setItem("password", password);


            document.getElementById("result").innerHTML =
                "Registration Successful!<br>" +
                "Name: " + name + "<br>" +
                "Email: " + email;


            alert("Data stored successfully!");
        }
    };
</script>

</body>

</html>
```

Output





Review Questions

Q1. Accept two numbers and swap them without using a third variable.

Ans :

```
<!DOCTYPE html>
<html>

<head>
   <title>Swap Numbers</title>
</head>

<body>

   <h2>Swap Two Numbers</h2>

   <input type="number" id="a" placeholder="Enter first number">
   <input type="number" id="b" placeholder="Enter second number">

   <button onclick="swap()">Swap</button>
```

```
  <p id="result"></p>

  <script>
    function swap() {
      var a = Number(document.getElementById("a").value);
      var b = Number(document.getElementById("b").value);

      a = a + b;
      b = a - b;
      a = a - b;

      document.getElementById("result").innerHTML =
        "First Number: " + a + "<br>" +
        "Second Number: " + b;
    }
  </script>

</body>

</html>
```



Swap Two Numbers

3 | 45 | Swap

First Number: 45
Second Number: 3

Q2. Write a function that takes an array of numbers and returns the largest number in the array.

Ans :

```
<!DOCTYPE html>
<html>
<head>
  <title>Largest Number</title>
</head>

<body>
  <h2>Find Largest Number</h2>

  <input type="text" id="numbers" placeholder="Enter numbers separated by
```

```
commas" style="width:350px; padding:5px;">

  <button onclick="findLargest()">Find Largest</button>

  <p id="result"></p>

  <script>
    function findLargest() {
      var arr =
document.getElementById("numbers").value.split(",").map(Number);

      var largest = arr[0];

      for (var i = 1; i < arr.length; i++) {
        if (arr[i] > largest) {
          largest = arr[i];
        }
      }

      document.getElementById("result").innerHTML =
        "Largest Number: " + largest;
    }
  </script>
</body>
</html>
```



Find Largest Number

23,55,12,44,33,16,45,63,6,3 Find Largest

Largest Number: 63

Conclusion	Successfully developed a form using JavaScript with input validation and Local Storage to store user data. Also implemented JavaScript programs for swapping numbers and finding the largest element in an array.