

# Assignment-2

**Submitted by: Tanmay Vig**

**Roll Number: 19BCS061**

**Batch: 2<sup>nd</sup> year CSE**

**Exercise 5:** Exercise on deleting the records in the table.

- Delete all the salesman from the Salesman\_Master whose salaries are equal to 3500.
- Delete all products from Product\_Master where the QtyOnHand is equal to 100.
- Delete from Client where the column state = 'Tamil Nadu'.

**Answer:**

**a.**

```
mysql> DELETE FROM Salesman_Master
-> WHERE SalAmt = 3500;
```

Query OK, 1 row affected (0.01 sec)

```
mysql> SELECT * FROM Salesman_Master;
```

| SalesmanNo | SalesmanName | Address1 | Address2 | City | PinCode | State       | SalAmt | TgttoGet | YtdSales | Remarks |
|------------|--------------|----------|----------|------|---------|-------------|--------|----------|----------|---------|
| S00001     | Aman         | A/14     | Worli    | Pune | 400002  | Maharashtra | 3000   | 100      | 50       | Good    |
| S00002     | Omkar        | 65       | Nariman  | Pune | 400001  | Maharashtra | 3000   | 200      | 100      | Good    |
| S00003     | Raj          | P-7      | Bandra   | Pune | 400032  | Maharashtra | 3000   | 200      | 100      | Good    |

**b.**

```
mysql> DELETE FROM Product_Master
-> WHERE QtyOnHand = 100;
```

Query OK, 3 rows affected (0.01 sec)

```
mysql> SELECT * FROM Product_Master;
```

| ProductNo | ProductName | Quantity | Piece | QtyOnHand | Tax | CostPrice | SellPrice |
|-----------|-------------|----------|-------|-----------|-----|-----------|-----------|
| P0001     | T-shirts    | 5.00     | Piece | 200       | 50  | 350       | 250       |
| P0345     | Shirts      | 6.00     | Piece | 150       | 50  | 500       | 350       |
| P07868    | Trousers    | 2.00     | Piece | 150       | 50  | 950       | 550       |
| P07885    | Pull Overs  | 2.50     | Piece | 150       | 50  | 850       | 550       |
| P07868    | Lycra Tops  | 5.00     | Piece | 70        | 30  | 300       | 175       |
| P07868    | Skirts      | 5.00     | Piece | 75        | 30  | 450       | 300       |

**c.**

```
mysql> DELETE FROM Client_Master
-> WHERE State = 'Tamil Nadu';
```

Query OK, 1 row affected (0.01 sec)

```
mysql> SELECT * FROM Client_Master;
```

| ClientNo | Name          | Address1 | Address2 | City      | PinCode | State       | BalDue |
|----------|---------------|----------|----------|-----------|---------|-------------|--------|
| C00001   | Ivan Bayross  | Address1 | Address2 | Mumbai    | 400001  | Maharashtra | 1000   |
| C00003   | Chhaya Bankar | Address1 | Address2 | Mumbai    | 400057  | Maharashtra | 5000   |
| C00004   | Ashwini Joshi | Address1 | Address2 | Bangalore | 560001  | Karnataka   | 0      |
| C00005   | Hansei Colaco | Address1 | Address2 | Bangalore | 400060  | Maharashtra | 2000   |
| C00006   | Deepak Sharma | Address1 | Address2 | Mangalore | 560050  | Karnataka   | 0      |

**Exercise 6:** Exercise on altering the table structure.

- Add a column called 'Telephone' of data type 'number' and size '10' to the Client\_Master table.
- Change the size ODF SellPrice column Product\_Master to 10.2.

**Answer:**

**d.**

```
mysql> ALTER TABLE Client_Master
-> ADD COLUMN Telephone INT;
```

Query OK, 0 rows affected (0.05 sec)

Records: 0 Duplicates: 0 Warnings: 0

```
mysql> DESC Client_Master;
```

| Field    | Type        | Null | Key | Default | Extra |
|----------|-------------|------|-----|---------|-------|
| ClientNo | varchar(6)  | YES  |     | NULL    |       |
| Name     | varchar(20) | YES  |     | NULL    |       |
| Address1 | varchar(30) | YES  |     | NULL    |       |
| Address2 | varchar(30) | YES  |     | NULL    |       |
| City     | varchar(15) | YES  |     | NULL    |       |
| PinCode  | int         | YES  |     | NULL    |       |

|           |             |     |  |      |  |  |
|-----------|-------------|-----|--|------|--|--|
| State     | varchar(15) | YES |  | NULL |  |  |
| BalDue    | int         | YES |  | NULL |  |  |
| Telephone | int         | YES |  | NULL |  |  |

e.

```
mysql> ALTER TABLE Product_Master
-> MODIFY SellPrice DECIMAL(10,2);
Query OK, 6 rows affected (0.08 sec)
Records: 6 Duplicates: 0 Warnings: 0
```

```
mysql> DESC Product_Master;
```

| Field       | Type          | Null | Key | Default | Extra |
|-------------|---------------|------|-----|---------|-------|
| ProductNo   | varchar(6)    | YES  |     | NULL    |       |
| ProductName | varchar(15)   | YES  |     | NULL    |       |
| Quantity    | decimal(3,2)  | YES  |     | NULL    |       |
| Piece       | char(10)      | YES  |     | NULL    |       |
| QtyOnHand   | int           | YES  |     | NULL    |       |
| Tax         | int           | YES  |     | NULL    |       |
| CostPrice   | int           | YES  |     | NULL    |       |
| SellPrice   | decimal(10,2) | YES  |     | NULL    |       |

**Exercise 7:** Exercise on deleting the table structure.

f) Destroy table Client\_Master along with its data.

**Answer:**

f.

```
mysql> DROP TABLE Client_Master;
Query OK, 0 rows affected (0.03 sec)
```

```
mysql> SHOW TABLES;
```

|                 |
|-----------------|
| Tables_in_lab   |
| product_master  |
| salesman_master |

**Exercise 8:** Exercise on renaming the table.

g) Change the name of the Salesman\_Master to sman\_mast.

**Answer:**

g.

```
mysql> RENAME TABLE Salesman_Master TO sman_mast;
Query OK, 0 rows affected (0.04 sec)
```

```
mysql> SHOW TABLES;
```

|                |
|----------------|
| Tables_in_lab  |
| product_master |
| sman_mast      |