

Warning: Never expose this VM to an untrusted network!

Contact: msfdev[at]metasploit.com

Login with msfadmin/msfadmin to get started

metasploitable login: msfadmin

msPassword:

Last login: Tue Dec 23 01:49:00 EST 2025 on tty1

Linux metasploitable 2.6.24-16-server #1 SMP Thu Apr 10 13:58:00 UTC 2008 i686

The programs included with the Ubuntu system are free software;
the exact distribution terms for each program are described in the
individual files in /usr/share/doc/*/copyright.

Ubuntu comes with ABSOLUTELY NO WARRANTY, to the extent permitted by
applicable law.

To access official Ubuntu documentation, please visit:

<http://help.ubuntu.com/>

No mail.

msfadmin@metasploitable:~\$ _

metasploitable2 login page

```
msfadmin@metasploitable:~$ ifconfig
eth0      Link encap:Ethernet  HWaddr 00:0c:29:0f:6a:69
          inet addr:192.168.159.128  Bcast:192.168.159.255  Mask:255.255.255.0
          inet6 addr: fe80::20c:29ff:fe0f:6a69/64 Scope:Link
          UP BROADCAST RUNNING MULTICAST  MTU:1500  Metric:1
          RX packets:74 errors:0 dropped:0 overruns:0 frame:0
          TX packets:69 errors:0 dropped:0 overruns:0 carrier:0
          collisions:0 txqueuelen:1000
          RX bytes:6475 (6.3 KB)  TX bytes:7390 (7.2 KB)
          Interrupt:17 Base address:0x2000

lo        Link encap:Local Loopback
          inet addr:127.0.0.1  Mask:255.0.0.0
          inet6 addr: ::1/128 Scope:Host
          UP LOOPBACK RUNNING  MTU:16436  Metric:1
          RX packets:100 errors:0 dropped:0 overruns:0 frame:0
          TX packets:100 errors:0 dropped:0 overruns:0 carrier:0
          collisions:0 txqueuelen:0
          RX bytes:23481 (22.9 KB)  TX bytes:23481 (22.9 KB)
```

ip of metasploitable2

```
msfadmin@metasploitable:~$ sudo adduser tj
[sudo] password for msfadmin:
Sorry, try again.
[sudo] password for msfadmin:
Sorry, try again.
[sudo] password for msfadmin:
Adding user `tj' ...
Adding new group `tj' (1006) ...
Adding new user `tj' (1006) with group `tj' ...
Creating home directory `/home/tj' ...
Copying files from `/etc/skel' ...
Enter new UNIX password:
Retype new UNIX password:
passwd: password updated successfully
Changing the user information for tj
Enter the new value, or press ENTER for the default
    Full Name []: tanmay
    Room Number []:
    Work Phone []:
    Home Phone []:
    Other []:
Is the information correct? [y/N] y
```

creating of new user tj

```
msfadmin@metasploitable:~$ cat /etc/passwd | grep tj  
tj:x:1006:1006:tanmay,,,:/home/tj:/bin/bash
```

checking of new user

```
root@metasploitable:/home/msfadmin# /etc/init.d/apache2 start
* Starting web server apache2
httpd (pid 5136) already running
```

[OK]

```
root@metasploitable:/home/msfadmin# /etc/init.d/mysql start
* Starting MySQL database server mysqld
root@metasploitable:/home/msfadmin#
```

[OK]

starting of apache2 and mysql

```
captured-data.php
captured-data.txt
change-log.htm
classes
closedb.inc
config.inc
credits.php
dns-lookup.php
documentation
favicon.ico
footer.php
framer.html
framing.php
header.php
home.php
html5-storage.php
images
inc
includes
index.php
installation.php
javascript
login.php
log-visit.php
passwords
pen-test-tool-lookup.php
php-errors.php
phpinfo.php
phpMyAdmin.php
process-commands.php
process-login-attempt.php
redirectandlog.php
register.php
rene-magritte.php
robots.txt
secret-administrative-pages.php
set-background-color.php
set-up-database.php
show-log.php
site-footer-xss-discussion.php
source-viewer.php
styles
text-file-viewer.php
usage-instructions.php
user-info.php
user-poll.php
view-someones-blog.php
root@metasploitable:/var/www/mutillidae#
```

checking list of mutillidae



Mutillidae: Born to be Hacked

Version: 2.1.19 Security Level: 0 (Hosed) Hints: Disabled (0 - I try harder) Not Logged In

[Home](#) [Login/Register](#) [Toggle Hints](#) [Toggle Security](#) [Reset DB](#) [View Log](#) [View Captured Data](#)

Core Controls ▶

OWASP Top 10 ▶

Others ▶

Documentation ▶

Resources ▶



Site hacked...err...quality-tested with Samurai WTF, Backtrack, Firefox, Burp-Suite, Netcat, and [these Mozilla Add-ons](#)



@webpwnized

Mutillidae: Deliberately Vulnerable PHP Scripts Of OWASP Top 10

Latest Version / Installation

- [Latest Version](#)
- [Installation Instructions](#)
- [Usage Instructions](#)
- [Get rid of those pesky PHP errors](#)
- [Change Log](#)
- [Notes](#)

Samurai WTF and Backtrack contains all the tools needed or you may build your own collection



backtrack



Samurai Web Testing Framework



BUILT ON
eclipse



php



MySQL



Toad



HACKERS FOR CHARITY
www.hackersforcharity.org

viewing mutillidae from windows device

192.168.159.128 says

No PHP or MySQL errors were detected when resetting the database.

Click OK to proceed or Cancel to stay on this page.

OK

Cancel

No database error