

MAD and PWA Lab

Name: Tanmay Bhosale

Class: D15A

Roll no:08

Experiment - 7

Aim: To write meta data of your Ecommerce PWA in a Web app manifest file to enable add to home screen feature.

Theory:

Regular Web App

A regular web app is a website that is designed to be accessible on all mobile devices such that the content gets fit as per the device screen. It is designed using a web technology stack (HTML, CSS, JavaScript, Ruby, etc.) and operates via a browser. They offer various native-device features and functionalities. However, it entirely depends on the browser the user is using. In other words, it might be possible that you can access a native-device feature on Chrome but not on Safari or Mozilla Firefox because the browsers are incompatible with that feature.

Progressive Web App

Progressive Web App (PWA) is a regular web app, but some extras enable it to deliver an excellent user experience. It is a perfect blend of desktop and mobile application experience to give both platforms to the end-users.

Difference between PWAs vs. Regular Web Apps:

A Progressive Web is different and better than a Regular Web app with features like:

1. Native Experience

Though a PWA runs on web technologies (HTML, CSS, JavaScript) like a Regular web app, it gives user experience like a native mobile application. It can use most native device features, including push notifications, without relying on the browser or any other entity. It offers a seamless and integrated user experience that it is quite tough for one to differentiate between a PWA and a Native application by considering its look and feel.

2. Ease of Access

Unlike other mobile apps, PWAs do not demand longer download time and make memory space available for installing the applications. The PWAs can be shared and installed by a link, which cuts down the number of steps to install and use. These applications can easily keep an app icon on the user's home screen, making the app easily accessible to the users and helps the brands remain in the users' minds, and improving the chances of interaction.

3. Faster Services

PWAs can cache the data and serve the user with text stylesheets, images, and other web content even before the page loads completely. This lowers the waiting time for the end-users and helps the

brands improve the user engagement and retention rate, which eventually adds value to their business.

4. Engaging Approach

As already shared, the PWAs can employ push notifications and other native device features more efficiently. Their interaction does not depend on the browser user uses. This eventually improves the chances of notifying the user regarding your services, offers, and other options related to your brand and keeping them hooked to your brand. In simpler words, PWAs let you maintain the user engagement and retention rate.

5. Updated Real-Time Data Access

Another plus point of PWAs is that these apps get updated on their own. They do not demand the end-users to go to the App Store or other such platforms to download the update and wait until installed. In this app type, the web app developers can push the live update from the server, which reaches the apps residing on the user's devices automatically. Therefore, it is easier for the mobile app developer to provide the best of the updated functionalities and services to the end-users without forcing them to update their app.

The main features are:

Progressive — They work for every user, regardless of the browser chosen because they are built at the base with progressive improvement principles.

Responsive — They adapt to the various screen sizes: desktop, mobile, tablet, or dimensions that can later become available.

App-like — They behave with the user as if they were native apps, in terms of interaction and navigation.

Updated — Information is always up-to-date thanks to the data update process offered by service workers.

Secure — Exposed over HTTPS protocol to prevent the connection from displaying information or altering the contents.

Searchable — They are identified as “applications” and are indexed by search engines.

Reactivable — Make it easy to reactivate the application thanks to capabilities such as web notifications.

Code:

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
```

<meta http-equiv="X-UA-Compatible" content="IE=edge">

<meta name="viewport" content="width=device-width, initial-scale=1.0">

```

<!-- CSS LINK -->
<link rel="stylesheet" href="style.css">
<!-- Fontawesome -->
<link rel="stylesheet" href="https://cdnjs.cloudflare.com/ajax/libs/font-awesome/6.1.1/css/all.min.css"
integrity="sha512-
KfkfwYDsLkIlwQp6LFnl8zNdLGxu9YAA1QvwINks4PhcElQSwqcyVLLD9aMhXd13uQjoXtEKNosOWaZq
Xgel0g==" crossorigin="anonymous" referrerpolicy="no-referrer" />
<title>Cok Sayfali Web Sitesi | Nizami Sevindi</title>
</head>
<!-- Google tag (gtag.js) -->
<script async src="https://www.googletagmanager.com/gtag/js?id=G-PX8CKQHBTF"></script>
<script>
window.dataLayer = window.dataLayer || [];
function gtag(){dataLayer.push(arguments);}
gtag('js', new Date());

gtag('config', 'G-PX8CKQHBTF');
</script>
<body>
<!-- _____HEADER SECTION_>
<header class="header" >
<a href="#" class="logo">

</a>
<nav class="navbar">
<a href="./index.html" class="active">home</a>
<a href="./about.html">about</a>
<a href="./menu.html">menu</a>
<a href="./products.html">products</a>
<a href="./review.html">review</a>
<a href="./contact.html">contact</a>
<a href="./blog.html">blog</a>
</nav>
<div class="buttons">
<button id="search-btn">
<i class="fas fa-search"></i>
</button>
<button id="cart-btn">
<i class="fas fa-shopping-cart"></i>
</button>
<button id="menu-btn">
<i class="fas fa-bars"></i>
</button>
</div>
<div class="search-form">
<input type="text" class="search-input" id="search-box" placeholder="Search">
<i class="fas fa-search"></i>
</div>
<div class="cart-items-container">

```

```
<div class="cart-item">  
  <i class="fas fa-times"></i>  
  
```

```

    <div class="content">
      <h3>cart item 01</h3>
      <div class="price">$15.99 </div>
    </div>
  </div>
  <div class="cart-item">
    <i class="fas fa-times"></i>
    
    <div class="content">
      <h3>cart item 02</h3>
      <div class="price">$16.99 </div>
    </div>
  </div>
  <div class="cart-item">
    <i class="fas fa-times"></i>
    
    <div class="content">
      <h3>cart item 03</h3>
      <div class="price">$13.99 </div>
    </div>
  </div>
  <div class="cart-item">
    <i class="fas fa-times"></i>
    
    <div class="content">
      <h3>cart item 04</h3>
      <div class="price">$12.99 </div>
    </div>
  </div>
  <a href="#" class="btn">check out </a>
</div>
</header>
<!--_____HEADER SECTION_>

<!--_____HOME SECTION_>
<section class="home" id="home">
  <div class="content">
    <h3>Fast Food Delivery</h3>
    <p>Lorem ipsum dolor sit amet consectetur adipisicing elit. Incidunt preferendis obcaecati iste voluptatum, quaerat nihil magnam numquam sint? </p>
    <a href="#" class="btn">order now</a>
  </div>
</section>
<!--_____HOME SECTION _>

<!--_____MENU SECTION _>
<section class="menu" id="menu">
  <h1 class="heading">our <span>menu</span></h1>
  <div class="box-container">

```

```
<div class="box">
```

```
  <div class="box-head">
```



```
        
        <span class="menu-category">Pizza</span>
        <h3>6 Mini Pizzas</h3>
        <div class="price">$104.99 <span>$119.99</span></div>
    </div>
    <div class="box-bottom">
        <a href="#" class="btn">add to cart</a>
    </div>
</div>
<div class="box">
```

```
    <div class="box-head">
        
        <span class="menu-category">Burger</span>
        <h3>5 Mini Burgers</h3>
        <div class="price">$99.99 <span>$105.99</span></div>
    </div>
    <div class="box-bottom">
        <a href="#" class="btn">add to cart</a>
    </div>
</div>
<div class="box">
```

```
    <div class="box-head">
        
        <span class="menu-category">Pizza</span>
        <h3>2 Mixed Pizzas</h3>
        <div class="price">$49.99 <span>$59.99</span></div>
    </div>
    <div class="box-bottom">
        <a href="#" class="btn">add to cart</a>
    </div>
</div>
<div class="box">
```

```
    <div class="box-head">
        
        <span class="menu-category">Burger</span>
        <h3>3 Meatball Burgers</h3>
        <div class="price">$79.99 <span>$99.99</span></div>
    </div>
    <div class="box-bottom">
        <a href="#" class="btn">add to cart</a>
    </div>
</div>
```

```
</div>
</section>
```

```
<!_____MENU SECTION_>
```

```
<!_____PRODUCTS SECTION_>
<section class="products" id="products">
  <h1 class="heading">our <span>products</span> </h1>
```

```
<div class="box-container">
  <div class="box">
    <div class="box-head">
      <span class="title">mini burger</span>
      <a href="#" class="name">Bacon Burger</a>
    </div>
    <div class="image">
      
    </div>
    <div class="box-bottom">
      <div class="info">
        <b class="price">$6.00</b>
        <span class="amount">110gr / 300 Cal</span>
      </div>
      <div class="product-btn">
        <a href="#">
          <i class="fas fa-plus"></i>
        </a>
      </div>
    </div>
  </div>
  <div class="box">
    <div class="box-head">
      <span class="title">cheese burger</span>
      <a href="#" class="name">cheese Burger</a>
    </div>
    <div class="image">
      
    </div>
    <div class="box-bottom">
      <div class="info">
        <b class="price">$12.00</b>
        <span class="amount">140gr / 2500 Cal</span>
      </div>
      <div class="product-btn">
        <a href="#">
          <i class="fas fa-plus"></i>
        </a>
      </div>
    </div>
  </div>
  <div class="box">
    <div class="box-head">
      <span class="title">Double burger</span>
      <a href="#" class="name">Double Burger</a>
    </div>
    <div class="image">
      
    </div>
```

```
<div class="box-bottom">  
  <div class="info">  
    <b class="price">$24.00</b>
```

```

        <span class="amount">440gr / 600 Cal</span>
    </div>
    <div class="product-btn">
        <a href="#">
            <i class="fas fa-plus"></i>
        </a>
    </div>
</div>
</div>
</div>
</section>
<!--PRODUCTS SECTION-->

<!--ABOUT US SECTION-->
<section class="about" id="about">
    <h1 class="heading">about <span>us</span> </h1>

    <div class="row">
        <div class="image">
            
        </div>
        <div class="content">
            <h3>What is the secret receipe of our burgers</h3>
            <div class="paragraph">
                <p>Lorem ipsum, dolor sit amet consectetur adipisicing elit. Quia officia id et, corrupti
assumenda.</p>
                <p>Lorem ipsum, dolor sit amet consectetur adipisicing elit. Quia officia id et, corrupti
assumenda.</p>
                <p>Lorem ipsum, dolor sit amet consectetur adipisicing elit. Quia officia id et, corrupti
assumenda.</p>
            </div>
            <a href="#" class="btn">Learn More</a>
        </div>
    </div>
</section>
<!--ABOUT US SECTION-->

<!--REVIEW SECTION -->
<section class="review" id="review">
    <h1 class="heading">customer's <span>review</span> </h1>
    <div class="box-container">
        <div class="box">
            
            <p> Dicta totam suscipit vero praesentium excepturi facilis, fuga at architecto dolor tempora
molestias quam dignissimos sit. Molestiae temporibus ratione quas placeat possimus!</p>
            
            <h3>Patrick Hellinger</h3>
            <div class="stars">
                <i class="fas fa-star"></i>

```

<i class="fas fa-star"></i>

<i class="fas fa-star"></i>

<i class="fas fa-star"></i>

```

        <i class="fas fa-star-half-alt"></i>
    </div>
</div>
<div class="box">
    
    <p>Lorem ipsum dolor sit amet consectetur adipisicing elit. Fuga at architecto dolor tempora molestias quam dignissimos sit. Molestiae temporibus ratione quas placeat possimus!</p>
    
    <h3>Serena Williams</h3>
    <div class="stars">
        <i class="fas fa-star"></i>
        <i class="fas fa-star"></i>
        <i class="fas fa-star"></i>
        <i class="fas fa-star"></i>
        <i class="fas fa-star-half-alt"></i>
    </div>
</div>
<div class="box">
    
    <p>Lorem ipsum dolor sit amet consectetur adipisicing elit. Dicta totam suscipit vero praesentium excepturi facilis, fuga at architecto dolor tempora molestias quam dignissimos possimus!</p>
    
    <h3>Helen Marks</h3>
    <div class="stars">
        <i class="fas fa-star"></i>
        <i class="fas fa-star"></i>
        <i class="fas fa-star"></i>
        <i class="fas fa-star"></i>
        <i class="fas fa-star-half-alt"></i>
    </div>
</div>
</div>
</section>
<!-- REVIEW SECTION -->
<!-- CONTACT SECTION -->
<section class="contact" id="contact">
    <h1 class="heading">contact <span>us</span> </h1>
    <div class="row">
        <iframe class="map"
src="https://www.google.com/maps/embed?pb=!1m18!1m12!1m3!1d983.3235940970079!2d8.540719273659763!3d47.3713194174677!2m3!1f0!2f0!3f0!3m2!1i1024!2i768!4f13.1!3m3!1m2!1s0x47900a00aa1e1d17%3A0x278f576acdd580f5!2sStorchen%20Z%C3%BCrich%20-%20Lifestyle%20Boutique%20Hotel!5e0!3m2!1sde!2sch!4v1658505945506!5m2!1sde!2sch"
allowfullscreen="" loading="lazy" referrerpolicy="no-referrer-when-downgrade"></iframe>
        <form>
            <h3>get in touch</h3>
            <div class="inputBox">

```

```
    <i class="fas fa-user"></i>
    <input type="text" placeholder="name">
</div>
<div class="inputBox">
```



```

        <i class="fas fa-envelope"></i>
        <input type="email" placeholder="email">
    </div>
    <div class="inputBox">
        <i class="fas fa-phone"></i>
        <input type="number" placeholder="number">
    </div>
    <input type="submit" class="btn" value="contact now">
</form>
</div>
</section>
<!--CONTACT SECTION-->

<!--BLOG SECTION-->
<section class="blog" id="blog">
    <h1 class="heading">our <span>blog</span> </h1>
    <div class="box-container">
        <div class="box-full">
            <div class="image">
                
            </div>
            <div class="content">
                <a href="#" class="title">how to make burgers</a>
                <span>by admin / 10st may, 2020</span>
                <p>Lorem ipsum dolor sit amet, consectetur adipisicing elit. Minus eos esse nesciunt cupiditate expedita.</p>
                <a href="#" class="btn">read more</a>
            </div>
        </div>
        <div class="box-full">
            <div class="image">
                
            </div>
            <div class="content">
                <a href="#" class="title">how to make burgers</a>
                <span>by admin / 10st may, 2020</span>
                <p>Lorem ipsum dolor sit amet, consectetur adipisicing elit. Minus eos esse nesciunt cupiditate expedita.</p>
                <a href="#" class="btn">read more</a>
            </div>
        </div>
        <div class="box-full">
            <div class="image">
                
            </div>
            <div class="content">

```

[how to make burgers](#)

by admin / 10st may, 2020

Lorem ipsum dolor sit amet, consectetur adipisicing elit. Minus eos esse nesciunt cupiditate expedita.

```

        <a href="#" class="btn">read more</a>
    </div>
</div>
</div>
</section>
<!--_____BLOG SECTION_>


<!--_____FOOTER SECTION_>
<section class="footer">
    <div class="search">
        <input type="text" class="search-input" placeholder="Search">
        <button class="btn btn-primary">search</button>
    </div>
    <div class="share">
        <a href="#" class="fab fa-facebook"></a>
        <a href="#" class="fab fa-twitter"></a>
        <a href="#" class="fab fa-instagram"></a>
        <a href="#" class="fab fa-linkedin"></a>
        <a href="#" class="fab fa-pinterest"></a>
    </div>
    <div class="links">
        <a href="#home">home</a>
        <a href="#about">about</a>
        <a href="#menu">menu</a>
        <a href="#products">products</a>
        <a href="#review">review</a>
        <a href="#contact">contact</a>
        <a href="#blog">blog</a>
    </div>
    <div class="credit">
        creaated by <span>Nizami Sevindi</span> | all rights reserved!
    </div>
</section>
<!--_____FOOTER SECTION_>

<script src="./script.js"></script>
</body>
</html>


```

Open folder in VS code and click go live at bottom right corner

Open your hosted site on Microsoft Edge



Click on 3
dots click on
Apps
select install app option



Click on Install

Install this site as an app



Cok Sayfali Web Sitesi | Nizami Sevindi

[Edit](#)

This site can be installed as an application. It will open in its own focused window, and you can pin it to your taskbar for quick access.

Install

Not now



App installed

Publisher: ...arva089s-projects.vercel.app

Cok Sayfali Web Sitesi | Nizami Sevindi has been installed as an app on your device and will safely run in its own window. Launch it from the Start menu, Windows taskbar or your Desktop.

Allow this app to


- ☒ Pin to taskbar
- ☒ Pin to Start
- ☒ Create Desktop shortcut
- ☐ Auto-start on device login

Allow


Don't allow

App icon will appear at the bottom

Output:



Desktop App Created Successfully.
Open Desktop App:



Conclusion:

In this experiment, we have successfully created a basic progressive web app of our web page and installed it in our desktop successfully.