

[OVERVIEW](#) [PACKAGE](#) [CLASS](#) [TREE](#) [DEPRECATED](#) [INDEX](#) [HELP](#)[PREV CLASS](#) [NEXT CLASS](#) [FRAMES](#) [NO FRAMES](#) [ALL CLASSES](#)[SUMMARY: NESTED](#) | [FIELD](#) | [CONSTR](#) | [METHOD](#) [DETAIL: FIELD](#) | [CONSTR](#) | [METHOD](#)

Products

Class CoffeeItem

```
java.lang.Object
  Products.Item
    Products.DrinkItem
      Products.CoffeeItem
```

```
public class CoffeeItem
  extends DrinkItem
```

The CoffeeItem class defines the characteristics of any coffee item that can be purchased using this software. Calculates the cost based on the drink's size, temperature, and if they add milk. Contains a toString that formats the string nicely in a modern receipt format.

Since:

- 2019-03-17

Field Summary

Fields

Modifier and Type	Field and Description
protected java.lang.String	specialInstructions
protected java.lang.String	temperature

Fields inherited from class [Products.DrinkItem](#)

[flavor](#), [milk](#), [size](#), [sweetness](#)

Fields inherited from class [Products.Item](#)

[cost](#), [name](#)

Constructor Summary

Constructors

Constructor and Description

CoffeeItem()

```
CoffeeItem(java.lang.String drinkName, java.lang.String drinkSize,  
java.lang.String drinkFlavor, java.lang.String drinkSweetness,  
java.lang.String drinkMilk, java.lang.String coffeeTemperature,  
java.lang.String coffeeSpecialInstructions)
```

Method Summary

All Methods **Instance Methods** **Concrete Methods**

Modifier and Type	Method and Description
void	calculateCost()
java.lang.String	toString()

Methods inherited from class [Products.DrinkItem](#)

[getCost](#), [getFlavor](#), [getMilk](#), [getSize](#), [getSweetness](#), [setFlavor](#), [setMilk](#), [setSize](#), [setSweetness](#)

Methods inherited from class [Products.Item](#)

[getName](#), [setCost](#), [setName](#)

Methods inherited from class [java.lang.Object](#)

[clone](#), [equals](#), [finalize](#), [getClass](#), [hashCode](#), [notify](#), [notifyAll](#), [wait](#), [wait](#), [wait](#)

Field Detail

temperature

protected java.lang.String temperature

specialInstructions

protected java.lang.String specialInstructions

Constructor Detail

CoffeelItem

```
public CoffeeItem()
```

CoffeeItem

```
public CoffeeItem(java.lang.String drinkName,  
                  java.lang.String drinkSize,  
                  java.lang.String drinkFlavor,  
                  java.lang.String drinkSweetness,  
                  java.lang.String drinkMilk,  
                  java.lang.String coffeeTemperature,  
                  java.lang.String coffeeSpecialInstructions)
```

Method Detail

calculateCost

```
public void calculateCost()
```

Overrides:

`calculateCost` in class `DrinkItem`

toString

```
public java.lang.String toString()
```

Overrides:

`toString` in class `DrinkItem`

[OVERVIEW](#) [PACKAGE](#) [CLASS](#) [TREE](#) [DEPRECATED](#) [INDEX](#) [HELP](#)

[PREV CLASS](#) [NEXT CLASS](#) [FRAMES](#) [NO FRAMES](#) [ALL CLASSES](#)

[SUMMARY: NESTED](#) | [FIELD](#) | [CONSTR](#) | [METHOD](#) [DETAIL: FIELD](#) | [CONSTR](#) | [METHOD](#)