

How the Web Works

In this lab, you'll be working with a partner to explore a little more about the internet, the web, requests, responses and more. You'll be reading and writing about concepts as well as practicing some of the commands that we saw during the lecture earlier.

Topic 1: The Internet and the World Wide Web

- 1) What is the internet? (hint: [here](#))

The Internet is a worldwide network of networks that uses the Internet protocol suite (also named TCP/IP from its two most important protocols).

- 2) What is the world wide web? (hint: [here](#))

an interconnected system of public webpages accessible through the [Internet](#).


- 3) Partner One: read [this page](#) on how the internet works, Partner Two: read [this page](#) on how the world wide web works. When you're done reading, come back together and answer the following questions

- a) What are networks? **Group of computer machines**
- b) What are servers? **Host Machines that serve requests**
- c) What are routers? **They connect machines together, and help**
- d) What are packets? **Bits of data**

- 4) Come up with a metaphor for the internet and the web, you can do a single one if you think of one that puts them together or two separate ones (feel free to use one you've heard today or read about if you can't think of a new one, but spend at least 10 minutes trying to think of something different before you resort to that)

The internet is like the postal service where ips are like home addresses, and packets are like boxes. Local Areas are like streets where a set of ip addresses are hosted.

- 5) Draw out a diagram of the infrastructure of the internet and how a request and response travel using your metaphor (like the map and letters we saw during the lecture). Insert the drawing into this document (can be a picture of a physical drawing, a Google Drawing, a Figma drawing, etc)



Topic 2: IP Addresses and Domains

- 1) What is the difference between an IP address and a domain name?

Ip is the long form of the networking address its like the home address, the domain name is a nickname/ shorthand way of referencing the ip address

- 2) What's devmountain.com's IP address? (Hint: use 'ping' in the terminal) **172.66.40.149:**

- 3) Try to access devmountain.com by its IP address. It shouldn't work because we have our sites protected by a service called CloudFlare. Why might it be important to not let users access your site directly at the IP address?

Keeps people from doing cyber attack stuff, and it works as a proxy so you're not talking to the real machine, but the proxy machine.

- 4) How do our browsers know the IP address of a website when we type in its domain name? (If you need a refresher, go read [this comic](#) linked in the handout from this lecture)

There are tables and lists of IP address's linked with domain names like a phone book, with someone's name and phone number.

Topic 3: How a web page loads into a browser

The steps of how a web page is requested and sent are in the table below. However, **they are out of order**. Unscramble them and explain your thinking/reasoning in the second two columns of the table.

Steps Scrambled	Steps in Correct Order	Why did you put this step in this position?
<i>Example: Here is an example step</i>	<i>Here is an example step</i>	- I put this step first because ____ - I put this step before/after ____ because ____
Request reaches app server	2	I put this second, because once you call a web page it has to reach the web page.
HTML processing finishes	5	After the HTML processing begins, the next step needs to be for it to finish processing.
App code finishes execution	3	The web page's code needs to run in order for it to begin to handle your request.
Initial request (link clicked, URL visited)	1	I put this step first, because the first step has to be to call to the web page.
Page rendered in browser	6	The final step is for the web page to render it's final output.
Browser receives HTML, begins processing	4	Now the webpage is sending it's information to your browser in the form of html.

Topic 4: Requests and Responses

Setup

- Download the folder for this exercise from Frodo.
- Make sure you unzip it.
- Open it in VS Code
- Run `npm i` in the terminal (make sure you're in the web-works folder you just downloaded).
 - You'll know it was successful if you see a node_modules folder in the web-works folder.
- Run `node server.js` in the terminal (also in the web-works folder) and you should see a log to the terminal saying 'serving up port 4500'
- You'll be using this file to figure out what will happen when you make requests to this server, so read it over to see what's going on. We'll be getting into the two GET functions and the POST function.

Part A: GET /

- You'll start by looking at the function that runs when we make a get request to /, which looks like this: <http://localhost:4500/> or <http://localhost:4500/>

- You'll use the curl command to make a request and read the response in your terminal

1) Predict what you'll see as the body of the response:

Content-Type: text/html; charset=utf-8

2) Predict what the content-type of the response will be:

- Open a terminal window and run `curl -i http://localhost:4500`

-

Content-Type: text/html; charset=utf-8

3) Were you correct about the body? If yes, how/why did you make your prediction? If not, what was it and why?

Yes we saw that there was a h2 that would say "journaling your journies" `h2>Journaling your journies</h2>`

4) Were you correct about the content-type of the response? If yes, how/why did you make your prediction? If not, what was it and why?

We were correct that the information would be a html/text.

Part B: GET /entries

- Now look at the next function, the one that runs on get requests to /entries.
- You'll use the curl command again. This time, you'll need to figure out how to modify it to get the response that you need.

1) Predict what you'll see as the body of the response:

We will see the data that is found on the server

2) Predict what the content-type of the response will be:

- In your terminal, run a curl command to get request this server for /entries

we will see a Json object

- 3) Were you correct about the body? If yes, how/why did you make your prediction? If not, what was it and why?

Content-Type: application/json; charset=utf-8

- 4) Were you correct about the content-type of the response? If yes, how/why did you make your prediction? If not, what was it and why?

We were correct that the information would be a html/text.

Part C: POST /entry

- Last, read over the function that runs a post request.
- 1) At a base level, what is this function doing? (There are four parts to this)

The function takes in a post request and produces a Json response object that gets stored into an object called entries.

- 2) To get this function to work, we need to send a body object with our request. Looking at the function in server.js, what properties do you know you'll need to include on that body object? And what data types will they be (hint: look at the objects in the entries array)?

Id, date, content

- 3) Plan the object that you'll send with your request. Remember that it needs to be written as a JSON object inside strings. JSON objects properties/keys and values need to be in **double quotes** and separated by commas.

'{"id":"globalid", "date":"September 27th", "content":"dogs"}'

- 4) What URL will you be making this request to?

<http://localhost:4500/entry>

- 5) Predict what you'll see as the body of the response:

It will display the type of content response of Json Object

- 6) Predict what the content-type of the response will be:
- In your terminal, enter the curl command to make this request. It should look something like the example below, with the information you decided on in steps 3 and 4 instead of the ALL CAPS WORDS.
 - `curl -i -X POST -H 'Content-type: application/json' -d JSONOBJECT URL`

```
curl -X POST -H 'Content-type: application/json' -d '{"id":"globalid", "date":"September 27th", "content":"dogs"}' http://localhost:4500/entry
```

- 7) Were you correct about the body? If yes, how/why did you make your prediction? If not, what was it and why?

Yes, it displayed the whole list of entrie objects that have been posted.

- 8) Were you correct about the content-type of the response? If yes, how/why did you make your prediction? If not, what was it and why?

We made the prediction based on the post function found within the script. When looking at the function we saw that it made a json object.

Submission

1. Save this document as a PDF
2. Go to Github and create a new repository. (Click the little + in the upper right hand corner.)
3. Name your repository "web-works" (or something like that).
4. Click "uploading an existing file" under the "Quick setup heading".
5. Choose your web works PDF document to upload.
6. Add "commit message" under the heading "Commit changes". A good commit message would be something like "Adding web works problems."
7. Click commit changes.

Further Study: More curl

Visit [this link](#) and do the exercises using the website provided. Keep track of the commands you used in this document. (Don't forget to resubmit to GitHub when you complete this section)