

Project Presentation of CO-OP Project at Industry (Module-2) (22CS421)

On

Burnout in Young Adults

Psychological Causes and Coping Mechanisms

Tannishtha Jain

2210990903

Supervised By

Preeti Saini


Department of Computer Science and Engineering,
Chitkara University, Punjab

The escalating crisis of psychological fatigue in the 18–30 age demographic.

Burnout, conceptualized by Freudenberger (1974) and Maslach (1981), is a psychophysiological syndrome defined by three key dimensions:

- **Emotional Exhaustion:** Depletion of psychological resources and energy.
- **Depersonalization:** Cynicism and detachment from roles/responsibilities.
- **Reduced Accomplishment:** Decline in feelings of competence and achievement.
- While once seen as an occupational risk for "helping professionals", it has now permeated students and entry-level workers globally.

Burnout Prevalence Across Age Groups



The 24–26 age cohort represents peak vulnerability due to concurrent role demands: career entry, financial independence, and identity formation.

Core Psychological Drivers



Academic Overload

Primary precursor in students (28%). Demand persistently exceeds available cognitive resources.



Perfectionism

Self-imposed mandate for flawless performance (22%). Self-critical rumination drives exhaustion.



Social Media

Social comparison and feared negative evaluation (7%). Technostress in digitally native populations.



Social Isolation

Reduction in the buffering capacity of support networks (18%), often perpetuated by digital communication.



Identity Crisis

Erikson's "Identity vs. Role Confusion" in the 18–30 demographic. Unresolved diffusion leads to collapse.



Financial Stress

Precarity and education debt (10%). Adds neurobiological stress load via cortisol dysregulation.


- ✓ **Design:** Narrative Review following PRISMA 2020 guidelines.
- ✓ **Scope:** Synthesized evidence from 25 peer-reviewed studies (1990–2024).
- ✓ **Sample:** Combined data from >45,000 participants aged 18–30 years.
- ✓ **Analysis Tools:** NVivo 12 (Thematic Coding), SPSS v25 (Statistical Synthesis).
- ✓ **Reliability:** Inter-rater reliability confirmed at Cohen's $\kappa = 0.81$.

A proposed Integrated Burnout Assessment and Coping (IBAC) Framework operationalizes intervention:


- ✓ **Tier 1:** Multi-domain psychological assessment (MBI, PHQ-9).
- ✓ **Tier 2:** Causal profiling across 6 identified psychological domains.
- ✓ **Tier 3:** Individualized, evidence-based recovery plan.

Composite Burnout Risk (CBR):

$$\text{CBR} = \alpha (EE) + \beta (DP) + \gamma (PA^{-1}) + \delta (SM) + \varepsilon (FI)$$



Effectiveness of Coping Mechanisms



CBT and Mindfulness demonstrate the highest post-intervention effectiveness scores. Combined multi-modal interventions outperform single-strategy approaches.



Cognitive Behavioral Therapy

Addresses maladaptive cognitive schemas: catastrophizing, overgeneralization, and all-or-nothing thinking.

Reduces Depersonalization by 51%



Mindfulness (MBSR)

Physiological down-regulation of the HPA-axis. Enhances interoceptive awareness and reduces emotional fatigue.

Reduces Exhaustion by 41%

Thank You