↑ High

Registration with empty fields

Negative

Priority Behavior Type Milestone

Security

Automation Status

Not automated Actual

| Step | 1 |
|-----------------|--|
| | |
| Action | Open the app Help a Paw Test |
| Input data | |
| Expected result | App is opened |
| | |
| Step | 2 |
| Action | Tap the Hamburger menu and tap on Log in |
| Input data | |
| Expected result | New Screen is opened |
| | |
| Step | 3 |
| Action | Tap on Register |
| Input data | |
| Expected result | New screen is opened |
| 6. | |
| Step | 4 |
| Action | Leave the fields empty and scroll down |
| Input data | |
| Expected result | |
| | |
| Step | 5 |
| Action | Click on Register |
| Input data | |
| Expected result | User cannot be registered |
| | |

Registration with name only in the field Name

PriorityBehaviorTypeMilestone↑ HighNegativeSecurity-

Automation Status

Not automated Actual

| Step | 1 |
|-----------------|--|
| Action | Open the app Help a Paw Test |
| Input data | |
| Expected result | The app is opened |
| | |
| Step | 2 |
| Action | Tap the hamburger menu |
| Input data | |
| Expected result | New screen is opened |
| | |
| Step | 3 |
| Action | Tap Log in |
| Input data | |
| Expected result | New screen is opened |
| Class | |
| Step | 4 |
| Action | Tap on Register |
| Input data | |
| Expected result | New screen is opened |
| | |
| Step | 5 |
| Action | Type Vani Bayanova in the field "Name" |
| Input data | |
| Expected result | |
| | |

| Step | 6 |
|-----------------|--|
| Action | Leave the other fields blank |
| Input data | |
| Expected result | |
| Step | 7 |
| Action | Tap on Register |
| Input data | |
| Expected result | Sign for filling the other fields is displayed |

↑ High

Registration with a very long password

Negative

Priority Behavior Type Milestone

Security

AutomationStatusNot automatedActual

| Step | 1 |
|-----------------|--|
| Action | Open app Help a Paw Test |
| Input data | |
| Expected result | App is opened |
| Step | 2 |
| | |
| Action | Tap on the hamburger menu |
| Input data | |
| Expected result | |
| | |
| Step | 3 |
| Action | Tap Log in |
| Input data | |
| Expected result | |
| | |
| Step | 4 |
| Action | Tap on Register |
| Input data | |
| Expected result | New screen is opened |
| St | |
| Step | 5 |
| Action | Type "1" 200 times in the Password field |
| Input data | |
| Expected result | |
| | |

| Step | 6 |
|-----------------|-------------------------|
| Action | Tap on Register |
| Input data | |
| Expected result | User cannot be register |

Successful registration with valid mandatory details

PriorityBehaviorTypeMilestone↑ HighPositiveFunctional-

Automation Status

Not automated Actual

| Step | 1 |
|-----------------|--|
| | |
| Action | Open the app Help a Paw Test |
| Input data | |
| Expected result | App is opened |
| | |
| Step | 2 |
| Action | Tap on hamburger menu |
| Input data | |
| Expected result | New screen is opened |
| Step | 3 |
| Action | Tap on Log in |
| Input data | |
| Expected result | New screen is opened |
| Step | 4 |
| Action | Tap on Register |
| Input data | |
| Expected result | New screen is opened |
| Step | 5 |
| Action | Fill in all the mandatory fields with a valid data |
| Input data | |
| Expected result | Fields are filled |
| | |

| Step | 6 |
|-----------------|----------------------------|
| Action | Tap on Register |
| Input data | |
| Expected result | Registration is successful |

Step

6

User is able to login with a valid email and valid password

Priority Behavior Type Milestone

↑ High Positive Functional -

Automation Status

Not automated Actual

| Step | 1 |
|-----------------|--|
| Action | Open the app Help a Paw Test |
| Input data | |
| Expected result | the app is opened |
| Step | 2 |
| Action | Tap on the hamburger menu |
| Input data | |
| Expected result | New screen is displayed |
| Step | 3 |
| Action | Tap on Login |
| Input data | |
| Expected result | New screen is displayed |
| Step | 4 |
| Action | Fill in valid email "air48282@zslsz.com" |
| Input data | |
| Expected result | |
| Step | 5 |
| Action | Fill in valid password "123456789" |
| Input data | |
| Expected result | |
| | |

| Action | Click on LOGIN |
|-----------------|--------------------------------|
| Input data | |
| Expected result | User is logged in successfully |

User cannot login with a valid email and an invalid password

Priority Behavior Type Milestone

↑ High Negative Functional -

AutomationStatusNot automatedActual

| Step | 1 |
|-----------------|---|
| Action | Open the app Help a Paw Test |
| Input data | |
| Expected result | |
| Ston | 2 |
| Step | |
| Action | Tap to hamburger menu |
| Input data | |
| Expected result | New screen is displayed |
| | |
| Step | 3 |
| Action | Fill in valid email "air48282@zslsz.com" |
| Input data | |
| Expected result | |
| Step | 4 |
| | |
| Action | Fill in invalid password "12345909" |
| Input data | |
| Expected result | |
| | |
| Step | 5 |
| Action | Tap on LOGIN |
| Input data | |
| Expected result | Entering the app is unsuccessful and error message is displayed |

Step

User cannot login with blank fields both email and password

PriorityBehaviorTypeMilestone↑ HighNegativeFunctional-

Automation Status

Not automated Actual

Steps to reproduce

| Step | 1 |
|-----------------|--------------------------------|
| Action | Open the app Help a Paw Test |
| Input data | |
| Expected result | |
| | |
| Step | 2 |
| Action | Tap on the hamburger menu |
| Input data | |
| Expected result | |
| Chan | 3 |
| Step | 3 |
| Action | Tap on Log in |
| Input data | |
| Expected result | |
| Chan | 4 |
| Step | 4 |
| Action | Leave the field email blank |
| Input data | |
| Expected result | |
| | |
| Step | 5 |
| Action | Leave the field password blank |
| Input data | |
| Expected result | |
| | |

6

| Action | Click on LOGIN |
|-----------------|---|
| Input data | |
| Expected result | Red Sign to fill in the fields is displayed |

Working functionality "Forgot password?"

Priority Behavior Type Milestone

↑ High Negative Functional -

AutomationStatusNot automatedActual

Steps to reproduce

Step 1

Action Open the app Help a Paw Test

Input data

Expected result

Step 2

Action Tap on hamburger menu

Input data

Expected result

Step 3

Action Tap on Log in

Input data

Expected result

Step 4

Action Fill in the valid email "air48282@zslsz.com"

Input data

Expected result

Step 5

Action Leave the field password blank

Input data

Expected result

Step 6

| Action | Click on "Forgot password" |
|-----------------|--|
| Input data | |
| Expected result | A message to continue is displayed |
| Step | 7 |
| Action | Click on "Yes" |
| Input data | |
| Expected result | A confirmation message for sent email with a link is displayed |

User cannot login with a invalid email and an valid password

PriorityBehaviorTypeMilestone↑ HighNegativeFunctional-

AutomationStatusNot automatedActual

| Step | 1 |
|-----------------|--|
| Action | Open the app Help a Paw Test |
| Input data | |
| Expected result | |
| | |
| Step | 2 |
| Action | Tap on Log in |
| Input data | |
| Expected result | |
| | |
| Step | 3 |
| Action | Fill in invalid email "yt@bg.com" |
| Input data | |
| Expected result | |
| | |
| Step | 4 |
| Action | Fill in valid password"123456789" |
| Input data | |
| Expected result | |
| | |
| Step | 5 |
| Action | Tap on LOGIN |
| Input data | |
| Expected result | Entering the site is unsuccessful and error message is displayed |
| | |

↑ High

User tries to register with an existing username

Negative

Priority **Behavior** Milestone Type Functional

Automation Status Not automated Actual

| Step | 1 |
|-----------------|---|
| Action | Open the app Help a Paw Test |
| Input data | |
| Expected result | The app is opened |
| Step | 2 |
| Action | Tap on Log in |
| Input data | |
| Expected result | New screen is displayed |
| Step | 3 |
| Action | Tap on Register |
| Input data | |
| Expected result | |
| Step | 4 |
| Action | Fill in the field "Email" with already registered email: air48282@zslsz.com |
| Input data | |
| Expected result | |
| Step | 5 |
| Action | Fill in the field "Password" with already used one with registered email: "123456789" |
| Input data | |
| Expected result | |

| Step | 6 |
|-----------------|--|
| Action | Fill in the field "Confirm Password" with already used one with registered email : "123456789" |
| Input data | |
| Expected result | |
| Step | 7 |
| Action | Fill in the field "Name" with already used one with the registered email "Vani" |
| Input data | |
| Expected result | |
| Step | 8 |
| Action | Tap on Register |
| Input data | |
| Expected result | Error message that a user with this email exists is displayed |

User is able to logout

Priority Behavior Type Milestone

↑ High Positive Functional -

AutomationStatusNot automatedActual

Steps to reproduce

Step 1

Action Open the app Help a Paw Test

Input data

Step 2

Action Tap on the hamburger menu

Input data

Expected result New screen is displayed

Step 3

Action Tap on Log in

Input data

Expected result New screen is displayed

Step 4

Action Fill in valid email

Input data

Expected result

Step 5

Action Fill in valid password

Input data

Expected result

Step 6

| Action | Tap on LOGIN | | |
|-----------------|-----------------------------------|--|--|
| Input data | | | |
| Expected result | User is logged in | | |
| Step | 7 | | |
| Action | Tap on Profile | | |
| Input data | | | |
| Expected result | Screen with the Profile is opened | | |
| Step | 8 | | |
| Action | Tap on the button LOG OUT | | |
| Input data | | | |
| Expected result | Account exit is successful | | |

↑ High

Registration with invalid email

Negative

Priority Behavior Type Milestone

Security

Automation Status

Not automated Actual

| | Open the app Help a Paw Test |
|-----------------|---|
| Action | Open the app Help a Paw Test |
| | |
| Input data | |
| Expected result | The app is opened |
| Step | 2 |
| Action | Tap the hamburger menu |
| Input data | |
| Expected result | New screen is opened |
| Step | 3 |
| Action | Tap Log in |
| Input data | |
| Expected result | New screen is opened |
| Step | 4 |
| Action | Tap on Register |
| Input data | |
| Expected result | New screen is opened |
| Step | 5 |
| Action | Type nevaliden@ahj.com in the field "Email" |
| Input data | |
| Expected result | |

| Step | 6 |
|-----------------|--|
| Action | Leave the other fields blank |
| Input data | |
| Expected result | |
| Step | 7 |
| Action | Tap on Register |
| Input data | |
| Expected result | Sign for filling the other fields is displayed |

Registration with a blank "Confirm Password" field

Priority Behavior Type Milestone

↑ High Negative Security -

Automation Status

Not automated Actual

| Step | 1 |
|-----------------|---|
| Action | Open the app Help a Paw Test |
| Input data | |
| Expected result | The app is opened |
| Step | 2 |
| Action | Tap the hamburger menu |
| Input data | |
| Expected result | New screen is opened |
| Step | 3 |
| Action | Tap Log in |
| Input data | |
| Expected result | New screen is opened |
| Step | 4 |
| Action | Tap on Register |
| Input data | |
| Expected result | New screen is opened |
| Step | 5 |
| Action | Fill in all the fields and leave"Confirm Password " field blank |
| Input data | |
| Expected result | |

| Step | 6 |
|-----------------|---|
| Action | Tap on Register |
| Input data | |
| Expected result | Sign for filling the "Confirm password"field is displayed |

Registration with a blank "Phone Number" field

PriorityBehaviorTypeMilestone↑ HighNegativeSecurity-

Automation Status

Not automated Actual

| Input data Expected result The app is opened Step 2 Action Tap the hamburger menu Input data Expected result New screen is opened Step 3 | | |
|---|-----------------|---|
| Input data Expected result The app is opened Step 2 Action Tap the hamburger menu Input data Expected result New screen is opened Step 3 Action Tap Log in Input data Expected result New screen is opened Step 4 Action Tap on Register Input data Expected result New screen is opened Step 4 Action Tap on Register Input data Expected result New screen is opened Step 5 Action Fill in all the fields and leave"Phone Number " field blank Input data | Step | 1 |
| Expected result The app is opened Step 2 Action Tap the hamburger menu Input data Expected result New screen is opened Step 3 Action Tap Log in Input data Expected result New screen is opened Step 4 Action Tap on Register Input data Expected result New screen is opened Step 4 Action Tap on Register Input data Expected result New screen is opened Step 5 Action Fill in all the fields and leave "Phone Number " field blank Input data | Action | Open the app Help a Paw Test |
| Step 2 Action Tap the hamburger menu Input data Expected result New screen is opened Step 3 Action Tap Log in Input data Expected result New screen is opened Step 4 Action Tap on Register Input data Expected result New screen is opened Step 4 Action Tap on Register Input data Expected result New screen is opened Step 5 Action Fill in all the fields and leave "Phone Number " field blank Input data | Input data | |
| Action Tap the hamburger menu Input data Expected result New screen is opened Step 3 Action Tap Log in Input data Expected result New screen is opened Step 4 Action Tap on Register Input data Expected result New screen is opened Step 4 Action Tap on Register Input data Expected result New screen is opened Step 5 Action Fill in all the fields and leave "Phone Number " field blank Input data | Expected result | The app is opened |
| Input data Expected result New screen is opened Step 3 Action Tap Log in Input data Expected result New screen is opened Step 4 Action Tap on Register Input data Expected result New screen is opened Step 4 Action Tap on Register Input data Expected result New screen is opened Step 5 Action Fill in all the fields and leave "Phone Number " field blank Input data | Step | 2 |
| Expected result New screen is opened Step 3 Action Input data Expected result New screen is opened Step 4 Action Tap on Register Input data Expected result New screen is opened Step 5 Action Fill in all the fields and leave "Phone Number " field blank Input data | Action | Tap the hamburger menu |
| Step 3 Action Tap Log in Input data Expected result New screen is opened Step 4 Action Tap on Register Input data Expected result New screen is opened Step 5 Action Fill in all the fields and leave "Phone Number " field blank Input data | Input data | |
| Action Tap Log in Input data Expected result New screen is opened Step 4 Action Tap on Register Input data Expected result New screen is opened Step 5 Action Fill in all the fields and leave "Phone Number " field blank Input data | Expected result | New screen is opened |
| Input data Expected result New screen is opened Step 4 Action Tap on Register Input data Expected result New screen is opened Step 5 Action Fill in all the fields and leave "Phone Number " field blank Input data | Step | 3 |
| Expected result New screen is opened 4 Action Tap on Register Input data Expected result New screen is opened Step 5 Action Fill in all the fields and leave "Phone Number " field blank Input data | Action | Tap Log in |
| Step 4 Action Tap on Register Input data Expected result New screen is opened Step 5 Action Fill in all the fields and leave "Phone Number " field blank Input data | Input data | |
| Action Tap on Register Input data Expected result New screen is opened Step 5 Action Fill in all the fields and leave "Phone Number " field blank Input data | Expected result | New screen is opened |
| Input data Expected result New screen is opened Step 5 Action Fill in all the fields and leave "Phone Number " field blank Input data | Step | 4 |
| Expected result New screen is opened Step 5 Action Fill in all the fields and leave "Phone Number " field blank Input data | Action | Tap on Register |
| Step 5 Action Fill in all the fields and leave "Phone Number " field blank Input data | Input data | |
| Action Fill in all the fields and leave "Phone Number " field blank Input data | Expected result | New screen is opened |
| Input data | Step | 5 |
| | Action | Fill in all the fields and leave"Phone Number " field blank |
| Expected result | Input data | |
| | Expected result | |

| Step | 6 |
|-----------------|---------------------------------|
| Action | Tap on Register |
| Input data | |
| Expected result | User is successfully registered |

Registration with maximum number of characters accepted for each field

| Priority | Behavior | Туре | Milestone |
|---------------|----------|----------|-----------|
| ↑ High | Negative | Security | - |
| Automation | Status | | |
| Not automated | Actual | | |
| | | | |

| Step | 1 |
|-----------------|--|
| Action | Open app Help a Paw Test |
| Input data | |
| Expected result | App is opened |
| Step | 2 |
| Action | Tap on the hamburger menu |
| Input data | |
| Expected result | New screen is opened |
| Step | 3 |
| Action | Tap Log in |
| Input data | |
| Expected result | New screen is opened |
| Step | 4 |
| Action | Tap on Register |
| Input data | |
| Expected result | New screen is opened |
| Step | 5 |
| Action | Type in Email max <i>characters</i> incl @ |
| Input data | |
| Expected result | |

| Step | 6 |
|-----------------|---|
| Action | Type in Password max characters |
| Input data | |
| Expected result | |
| Step | 7 |
| Action | Type in Confirm Password max characters |
| Input data | |
| Expected result | |
| Step | 8 |
| Action | Type in Name max <i>characters</i> |
| Input data | |
| Expected result | |
| Step | 9 |
| Action | Tap on Register |
| Input data | |
| Expected result | Registration request should be accepted |
| | |

Registration with minimum number of characters for each field

PriorityBehaviorTypeMilestone↑ HighNegativeSecurity-AutomationStatus-Not automatedActual

| Step | 1 |
|-----------------|--|
| Action | Open app Help a Paw Test |
| Input data | |
| Expected result | App is opened |
| Step | 2 |
| Action | Tap on the hamburger menu |
| Input data | |
| Expected result | New screen is opened |
| Step | 3 |
| Action | Tap Log in |
| Input data | |
| Expected result | New screen is opened |
| Step | 4 |
| Action | Tap on Register |
| Input data | |
| Expected result | New screen is opened |
| Step | 5 |
| Action | Type in Email <i>1 characters</i> -q@g.com |
| Input data | |
| Expected result | |

| 6 |
|---|
| Type in Password <i>minimum character 1</i> |
| |
| Error message for too short password is displayed |
| 7 |
| Type in Confirm Password <i>minimum character 1</i> |
| |
| Error message for too short password is displayed |
| 8 |
| Type in Name <i>minimum character "A"</i> |
| |
| |
| 9 |
| Tap on Register |
| |
| Registration request is not accepted |
| |

Registration with special characters for each field

Priority Behavior Type Milestone

↑ High Negative Security -

Automation Status

Not automated Actual

| Step | 1 |
|-----------------|----------------------------|
| Action | Open app Help a Paw Test |
| Input data | |
| Expected result | App is opened |
| Step | 2 |
| Action | Tap on the hamburger menu |
| Input data | |
| Expected result | New screen is opened |
| | |
| Step | 3 |
| Action | Tap Log in |
| Input data | |
| Expected result | New screen is opened |
| Step | 4 |
| Action | Tap on Register |
| Input data | |
| Expected result | New screen is opened |
| Step | 5 |
| Action | Type in Email valid entry- |
| Input data | |
| Expected result | |

| Step | 6 |
|-----------------|---|
| Action | Type in Password " `\~! @#\$%^&*()-=_+[]{}\ ;'"<>/? " |
| Input data | |
| Expected result | |
| Step | 7 |
| Action | Type in Confirm Password " `\~! @#\$%^&*()-=_+[]{}\ ;'"<>/? " |
| Input data | |
| Expected result | |
| | |
| Step | 8 |
| Action | Type in Name " `\~! @#\$%^&*()-=_+[]{}\\;'"<>/? " |
| Input data | |
| Expected result | |
| | |
| Step | 9 |
| Action | Tap on Register |
| Input data | |
| Expected result | Registration request should not be accepted |

Delete the User

PriorityBehaviorTypeMilestone↑ HighPositiveFunctional-

AutomationStatusNot automatedActual

Steps to reproduce

| Step | 1 |
|-----------------|------------------------------|
| Action | Open the app Help a Paw Test |
| Input data | |
| Expected result | The app is opened |
| | |
| Step | 2 |
| Action | Tap on the hamburger menu |
| Input data | |
| Expected result | New screen is displayed |
| Step | 3 |
| Action | Tap on Log in |
| Input data | |
| Expected result | New screen is displayed |
| Step | 4 |
| Action | Fill in valid email |
| Input data | |
| Expected result | |
| Chan | _ |
| Step | 5 |
| Action | Fill in valid password |
| Input data | |
| Expected result | |
| C) | |

6

Step

| Action | Tap on LOGIN |
|-----------------|-----------------------------------|
| Input data | |
| Expected result | User is logged in |
| Step | 7 |
| Action | Tap on Profile |
| Input data | |
| Expected result | Screen with the Profile is opened |
| Step | 8 |
| Action | Tap on the button DELETE ACCOUNT |
| Input data | |
| Expected result | Pop up message is displayed |
| Step | 9 |
| Action | Tap on the DELETE |
| Input data | |
| Expected result | Account is deleted successful |
| | |

Installing the application

Priority Behavior Type Milestone

↑ High Positive Security

Automation Status

Not automated Actual

| Step | 1 |
|-----------------|---|
| Action | Open https://play.google.com/apps/testing/org.helpapaw.helpapaw |
| Input data | |
| Expected result | Google play is opened |
| Step | 2 |
| Action | Tap on "BECOME A TESTER" |
| Input data | |
| Expected result | New screen is opened |
| Step | 3 |
| Action | Download the app |
| Input data | |
| Expected result | |
| Step | 4 |
| Action | Tap on Open |
| Input data | |
| Expected result | App is opened |

Delete the User

PriorityBehaviorTypeMilestone↑ HighPositiveFunctional-

AutomationStatusNot automatedActual

Steps to reproduce

| Step | 1 |
|-----------------|------------------------------|
| Action | Open the app Help a Paw Test |
| Input data | |
| Expected result | The app is opened |
| | |
| Step | 2 |
| Action | Tap on the hamburger menu |
| Input data | |
| Expected result | New screen is displayed |
| Step | 3 |
| | |
| Action | Tap on Log in |
| Input data | |
| Expected result | New screen is displayed |
| Step | 4 |
| Action | Fill in valid email |
| | riii in valid emali |
| Input data | |
| Expected result | |
| Step | 5 |
| | |
| Action | Fill in valid password |
| Input data | |
| Expected result | |
| | |

6

Step

| Action | Tap on LOGIN |
|-----------------|-----------------------------------|
| Input data | |
| Expected result | User is logged in |
| Step | 7 |
| Action | Tap on Profile |
| Input data | |
| Expected result | Screen with the Profile is opened |
| Step | 8 |
| Action | Tap on the button DELETE ACCOUNT |
| Input data | |
| Expected result | Pop up message is displayed |
| Step | 9 |
| Action | Tap on the DELETE |
| Input data | |
| Expected result | Account is deleted successful |
| | |

Registration with deleted account

Priority Behavior Type Milestone

↑ High Negative Security -

Automation Status

Not automated Actual

| Step | 1 |
|-----------------|---|
| Action | Open the app Help a Paw Test |
| Input data | |
| Expected result | The app is opened |
| Step | 2 |
| | |
| Action | Tap the hamburger menu |
| Input data | |
| Expected result | New screen is opened |
| | |
| Step | 3 |
| Action | Tap Log in |
| Input data | |
| Expected result | New screen is opened |
| Step | 4 |
| Action | Tap on Register |
| Input data | |
| | |
| Expected result | New screen is opened |
| Step | 5 |
| Action | Type the deleted email in the field "Email" |
| Input data | |
| Expected result | |

| Step | 6 |
|-----------------|--|
| Action | Type the old password in the field "Password" |
| Input data | |
| Expected result | |
| Step | 7 |
| Action | Type the old password in the field "Confirm Password" |
| Input data | |
| Expected result | |
| Step | 8 |
| Action | Type the name in the field"Name" |
| Input data | |
| Expected result | |
| Step | 9 |
| Action | Tap on Register |
| Input data | |
| Expected result | Confirmation message for successfull registration is displayed |

Log in with Facebook account

Priority Behavior Type Milestone

↓ Low Positive Functional -

Automation Status

Not automated Actual

| Step | 1 |
|-----------------|--|
| Action | Open the app Help a Paw Test |
| Input data | |
| Expected result | The app is opened |
| Step | 2 |
| Action | Tap the hamburger menu |
| Input data | |
| Expected result | New screen is opened |
| | |
| Step | 3 |
| Action | Tap Log in |
| Input data | |
| Expected result | New screen is opened |
| Step | 4 |
| Action | Tap on Continue with Facebook |
| Input data | |
| Expected result | New screen is opened |
| Step | 5 |
| Action | Tap on "Continue as" |
| Input data | |
| Expected result | New screen with privacy policy is opened |

| Step | 6 |
|-----------------|-----------------------------|
| Action | Tap on Accept |
| Input data | |
| Expected result | Successful login to the app |