Primary System Organ Class Reported Term for the Adverse Event	Overall N = 306[1]	Placebo N = 86[1]	Xanomeline High Dose N = 72[1]	Xanomeline Low Dose N = 96[1]
Treatment Emergent AEs	217 (71%)	65 (76%)	68 (94%)	84 (88%)
GENERAL DISORDERS AND ADMINISTRATION SITE CONDITIONS	108 (35%)	21 (24%)	36 (50%)	51 (53%)
APPLICATION SITE PRURITUS	50 (16%)	6 (7.0%)	21 (29%)	23 (24%)
APPLICATION SITE ERYTHEMA	30 (9.8%)	3 (3.5%)	14 (19%)	13 (14%)
APPLICATION SITE DERMATITIS	21 (6.9%)	5 (5.8%)	7 (9.7%)	9 (9.4%)
APPLICATION SITE IRRITATION	21 (6.9%)	3 (3.5%)	9 (13%)	9 (9.4%)
APPLICATION SITE VESICLES	11 (3.6%)	1 (1.2%)	5 (6.9%)	5 (5.2%)
FATIGUE	11 (3.6%)	1 (1.2%)	5 (6.9%)	5 (5.2%)
OEDEMA PERIPHERAL	5 (1.6%)	2 (2.3%)	2 (2.8%)	1 (1.0%)
APPLICATION SITE SWELLING	3 (1.0%)	0 (0%)	2 (2.8%)	1 (1.0%)
APPLICATION SITE URTICARIA	3 (1.0%)	0 (0%)	1 (1.4%)	2 (2.1%)
CHILLS	3 (1.0%)	1 (1.2%)	1 (1.4%)	1 (1.0%)
MALAISE	3 (1.0%)	0 (0%)	2 (2.8%)	1 (1.0%)
PYREXIA	3 (1.0%)	2 (2.3%)	0 (0%)	1 (1.0%)
APPLICATION SITE PAIN	2 (0.7%)	0 (0%)	2 (2.8%)	0 (0%)

[1] n (%)

Primary System Organ Class Reported Term for the Adverse Event	Overall N = 306[1]	Placebo N = 86[1]	Xanomeline High Dose N = 72[1]	Xanomeline Low Dose N = 96[1]
APPLICATION SITE PERSPIRATION	2 (0.7%)	0 (0%)	2 (2.8%)	0 (0%)
APPLICATION SITE REACTION	2 (0.7%)	1 (1.2%)	1 (1.4%)	0 (0%)
ASTHENIA	2 (0.7%)	1 (1.2%)	0 (0%)	1 (1.0%)
CHEST DISCOMFORT	2 (0.7%)	0 (0%)	1 (1.4%)	1 (1.0%)
CHEST PAIN	2 (0.7%)	0 (0%)	2 (2.8%)	0 (0%)
OEDEMA	2 (0.7%)	0 (0%)	0 (0%)	2 (2.1%)
PAIN	2 (0.7%)	0 (0%)	1 (1.4%)	1 (1.0%)
APPLICATION SITE BLEEDING	1 (0.3%)	0 (0%)	0 (0%)	1 (1.0%)
APPLICATION SITE DESQUAMATION	1 (0.3%)	0 (0%)	0 (0%)	1 (1.0%)
APPLICATION SITE DISCHARGE	1 (0.3%)	0 (0%)	1 (1.4%)	0 (0%)
APPLICATION SITE DISCOLOURATION	1 (0.3%)	0 (0%)	0 (0%)	1 (1.0%)
APPLICATION SITE INDURATION	1 (0.3%)	1 (1.2%)	0 (0%)	0 (0%)
APPLICATION SITE WARMTH	1 (0.3%)	0 (0%)	0 (0%)	1 (1.0%)
FEELING ABNORMAL	1 (0.3%)	0 (0%)	1 (1.4%)	0 (0%)
FEELING COLD	1 (0.3%)	0 (0%)	1 (1.4%)	0 (0%)

[1] n (%)

Primary System Organ Class Reported Term for the Adverse Event	Overall N = 306[1]	Placebo N = 86[1]	Xanomeline High Dose N = 72[1]	Xanomeline Low Dose N = 96[1]
INFLAMMATION	1 (0.3%)	0 (0%)	0 (0%)	1 (1.0%)
SECRETION DISCHARGE	1 (0.3%)	0 (0%)	0 (0%)	1 (1.0%)
SUDDEN DEATH	1 (0.3%)	0 (0%)	0 (0%)	1 (1.0%)
SWELLING	1 (0.3%)	0 (0%)	0 (0%)	1 (1.0%)
ULCER	1 (0.3%)	0 (0%)	0 (0%)	1 (1.0%)
SKIN AND SUBCUTANEOUS TISSUE DISORDERS	98 (32%)	20 (23%)	39 (54%)	39 (41%)
PRURITUS	54 (18%)	8 (9.3%)	25 (35%)	21 (22%)
ERYTHEMA	36 (12%)	8 (9.3%)	14 (19%)	14 (15%)
RASH	26 (8.5%)	5 (5.8%)	8 (11%)	13 (14%)
HYPERHIDROSIS	14 (4.6%)	2 (2.3%)	8 (11%)	4 (4.2%)
SKIN IRRITATION	14 (4.6%)	3 (3.5%)	5 (6.9%)	6 (6.3%)
BLISTER	6 (2.0%)	0 (0%)	1 (1.4%)	5 (5.2%)
RASH PRURITIC	3 (1.0%)	0 (0%)	2 (2.8%)	1 (1.0%)
PRURITUS GENERALISED	2 (0.7%)	0 (0%)	1 (1.4%)	1 (1.0%)
URTICARIA	2 (0.7%)	0 (0%)	1 (1.4%)	1 (1.0%)

[1] n (%)

Primary System Organ Class Reported Term for the Adverse Event	Overall N = 306[1]	Placebo N = 86[1]	Xanomeline High Dose N = 72[1]	Xanomeline Low Dose N = 96[1]
ACTINIC KERATOSIS	1 (0.3%)	0 (0%)	1 (1.4%)	0 (0%)
ALOPECIA	1 (0.3%)	1 (1.2%)	0 (0%)	0 (0%)
COLD SWEAT	1 (0.3%)	1 (1.2%)	0 (0%)	0 (0%)
DERMATITIS CONTACT	1 (0.3%)	0 (0%)	0 (0%)	1 (1.0%)
DRUG ERUPTION	1 (0.3%)	1 (1.2%)	0 (0%)	0 (0%)
RASH ERYTHEMATOUS	1 (0.3%)	0 (0%)	0 (0%)	1 (1.0%)
RASH MACULO-PAPULAR	1 (0.3%)	0 (0%)	1 (1.4%)	0 (0%)
SKIN EXFOLIATION	1 (0.3%)	0 (0%)	0 (0%)	1 (1.0%)
SKIN ODOUR ABNORMAL	1 (0.3%)	0 (0%)	1 (1.4%)	0 (0%)
SKIN ULCER	1 (0.3%)	1 (1.2%)	0 (0%)	0 (0%)
NERVOUS SYSTEM DISORDERS	53 (17%)	8 (9.3%)	23 (32%)	22 (23%)
DIZZINESS	21 (6.9%)	2 (2.3%)	10 (14%)	9 (9.4%)
HEADACHE	11 (3.6%)	3 (3.5%)	5 (6.9%)	3 (3.1%)
SYNCOPE	7 (2.3%)	0 (0%)	2 (2.8%)	5 (5.2%)
SOMNOLENCE	6 (2.0%)	2 (2.3%)	1 (1.4%)	3 (3.1%)

[1] n (%)

Primary System Organ Class Reported Term for the Adverse Event	Overall N = 306[1]	Placebo N = 86[1]	Xanomeline High Dose N = 72[1]	Xanomeline Low Dose N = 96[1]
TRANSIENT ISCHAEMIC ATTACK	3 (1.0%)	0 (0%)	1 (1.4%)	2 (2.1%)
BURNING SENSATION	2 (0.7%)	0 (0%)	2 (2.8%)	0 (0%)
LETHARGY	2 (0.7%)	0 (0%)	1 (1.4%)	1 (1.0%)
AMNESIA	1 (0.3%)	0 (0%)	1 (1.4%)	0 (0%)
BALANCE DISORDER	1 (0.3%)	0 (0%)	0 (0%)	1 (1.0%)
COGNITIVE DISORDER	1 (0.3%)	0 (0%)	1 (1.4%)	0 (0%)
COMPLEX PARTIAL SEIZURES	1 (0.3%)	0 (0%)	0 (0%)	1 (1.0%)
COORDINATION ABNORMAL	1 (0.3%)	0 (0%)	0 (0%)	1 (1.0%)
HEMIANOPIA HOMONYMOUS	1 (0.3%)	0 (0%)	0 (0%)	1 (1.0%)
HYPERSOMNIA	1 (0.3%)	0 (0%)	1 (1.4%)	0 (0%)
PARAESTHESIA	1 (0.3%)	0 (0%)	1 (1.4%)	0 (0%)
PARAESTHESIA ORAL	1 (0.3%)	0 (0%)	0 (0%)	1 (1.0%)
PARKINSON'S DISEASE	1 (0.3%)	1 (1.2%)	0 (0%)	0 (0%)
PAROSMIA	1 (0.3%)	0 (0%)	1 (1.4%)	0 (0%)
PARTIAL SEIZURES WITH SECONDARY GENERALISATION	1 (0.3%)	0 (0%)	1 (1.4%)	0 (0%)

[1] n (%)

Primary System Organ Class Reported Term for the Adverse Event	Overall N = 306[1]	Placebo N = 86[1]	Xanomeline High Dose N = 72[1]	Xanomeline Low Dose N = 96[1]
PSYCHOMOTOR HYPERACTIVITY	1 (0.3%)	1 (1.2%)	0 (0%)	0 (0%)
STUPOR	1 (0.3%)	0 (0%)	0 (0%)	1 (1.0%)
SYNCOPE VASOVAGAL	1 (0.3%)	0 (0%)	1 (1.4%)	0 (0%)
GASTROINTESTINAL DISORDERS	51 (17%)	17 (20%)	19 (26%)	15 (16%)
DIARRHOEA	17 (5.6%)	9 (10%)	3 (4.2%)	5 (5.2%)
VOMITING	13 (4.2%)	3 (3.5%)	6 (8.3%)	4 (4.2%)
NAUSEA	12 (3.9%)	3 (3.5%)	6 (8.3%)	3 (3.1%)
ABDOMINAL PAIN	5 (1.6%)	1 (1.2%)	1 (1.4%)	3 (3.1%)
SALIVARY HYPERSECRETION	4 (1.3%)	0 (0%)	4 (5.6%)	0 (0%)
DYSPEPSIA	2 (0.7%)	1 (1.2%)	0 (0%)	1 (1.0%)
ABDOMINAL DISCOMFORT	1 (0.3%)	0 (0%)	1 (1.4%)	0 (0%)
CONSTIPATION	1 (0.3%)	1 (1.2%)	0 (0%)	0 (0%)
DYSPHAGIA	1 (0.3%)	0 (0%)	0 (0%)	1 (1.0%)
FLATULENCE	1 (0.3%)	1 (1.2%)	0 (0%)	0 (0%)
GASTROINTESTINAL HAEMORRHAGE	1 (0.3%)	0 (0%)	1 (1.4%)	0 (0%)

[1] n (%)

Primary System Organ Class Reported Term for the Adverse Event	Overall N = 306[1]	Placebo N = 86[1]	Xanomeline High Dose N = 72[1]	Xanomeline Low Dose N = 96[1]
GASTROOESOPHAGEAL REFLUX DISEASE	1 (0.3%)	1 (1.2%)	0 (0%)	0 (0%)
GLOSSITIS	1 (0.3%)	1 (1.2%)	0 (0%)	0 (0%)
HIATUS HERNIA	1 (0.3%)	1 (1.2%)	0 (0%)	0 (0%)
RECTAL HAEMORRHAGE	1 (0.3%)	0 (0%)	0 (0%)	1 (1.0%)
STOMACH DISCOMFORT	1 (0.3%)	0 (0%)	1 (1.4%)	0 (0%)
CARDIAC DISORDERS	40 (13%)	12 (14%)	14 (19%)	14 (15%)
SINUS BRADYCARDIA	17 (5.6%)	2 (2.3%)	8 (11%)	7 (7.3%)
MYOCARDIAL INFARCTION	10 (3.3%)	4 (4.7%)	4 (5.6%)	2 (2.1%)
ATRIAL FIBRILLATION	5 (1.6%)	1 (1.2%)	2 (2.8%)	2 (2.1%)
SUPRAVENTRICULAR EXTRASYSTOLES	3 (1.0%)	1 (1.2%)	1 (1.4%)	1 (1.0%)
VENTRICULAR EXTRASYSTOLES	3 (1.0%)	0 (0%)	1 (1.4%)	2 (2.1%)
ATRIAL FLUTTER	2 (0.7%)	0 (0%)	1 (1.4%)	1 (1.0%)
ATRIOVENTRICULAR BLOCK FIRST DEGREE	2 (0.7%)	1 (1.2%)	0 (0%)	1 (1.0%)
BUNDLE BRANCH BLOCK RIGHT	2 (0.7%)	1 (1.2%)	0 (0%)	1 (1.0%)
PALPITATIONS	2 (0.7%)	0 (0%)	0 (0%)	2 (2.1%)

[1] n (%)

Primary System Organ Class Reported Term for the Adverse Event	Overall N = 306[1]	Placebo N = 86[1]	Xanomeline High Dose N = 72[1]	Xanomeline Low Dose N = 96[1]
ATRIAL HYPERTROPHY	1 (0.3%)	1 (1.2%)	0 (0%)	0 (0%)
ATRIOVENTRICULAR BLOCK SECOND DEGREE	1 (0.3%)	1 (1.2%)	0 (0%)	0 (0%)
BRADYCARDIA	1 (0.3%)	1 (1.2%)	0 (0%)	0 (0%)
BUNDLE BRANCH BLOCK LEFT	1 (0.3%)	1 (1.2%)	0 (0%)	0 (0%)
CARDIAC DISORDER	1 (0.3%)	0 (0%)	1 (1.4%)	0 (0%)
CARDIAC FAILURE CONGESTIVE	1 (0.3%)	1 (1.2%)	0 (0%)	0 (0%)
SINUS ARRHYTHMIA	1 (0.3%)	1 (1.2%)	0 (0%)	0 (0%)
SUPRAVENTRICULAR TACHYCARDIA	1 (0.3%)	0 (0%)	0 (0%)	1 (1.0%)
TACHYCARDIA	1 (0.3%)	1 (1.2%)	0 (0%)	0 (0%)
VENTRICULAR HYPERTROPHY	1 (0.3%)	1 (1.2%)	0 (0%)	0 (0%)
WOLFF-PARKINSON-WHITE SYNDROME	1 (0.3%)	0 (0%)	0 (0%)	1 (1.0%)
INFECTIONS AND INFESTATIONS	38 (12%)	16 (19%)	13 (18%)	9 (9.4%)
NASOPHARYNGITIS	12 (3.9%)	2 (2.3%)	6 (8.3%)	4 (4.2%)
UPPER RESPIRATORY TRACT INFECTION	10 (3.3%)	6 (7.0%)	3 (4.2%)	1 (1.0%)
INFLUENZA	3 (1.0%)	1 (1.2%)	1 (1.4%)	1 (1.0%)

[1] n (%)

Primary System Organ Class Reported Term for the Adverse Event	Overall N = 306[1]	Placebo N = 86[1]	Xanomeline High Dose N = 72[1]	Xanomeline Low Dose N = 96[1]
URINARY TRACT INFECTION	3 (1.0%)	2 (2.3%)	1 (1.4%)	0 (0%)
CYSTITIS	2 (0.7%)	1 (1.2%)	1 (1.4%)	0 (0%)
EAR INFECTION	2 (0.7%)	2 (2.3%)	0 (0%)	0 (0%)
BRONCHITIS	1 (0.3%)	1 (1.2%)	0 (0%)	0 (0%)
CELLULITIS	1 (0.3%)	0 (0%)	0 (0%)	1 (1.0%)
CERVICITIS	1 (0.3%)	1 (1.2%)	0 (0%)	0 (0%)
GASTROENTERITIS VIRAL	1 (0.3%)	1 (1.2%)	0 (0%)	0 (0%)
HORDEOLUM	1 (0.3%)	0 (0%)	1 (1.4%)	0 (0%)
LOCALISED INFECTION	1 (0.3%)	1 (1.2%)	0 (0%)	0 (0%)
LOWER RESPIRATORY TRACT INFECTION	1 (0.3%)	0 (0%)	1 (1.4%)	0 (0%)
PNEUMONIA	1 (0.3%)	0 (0%)	0 (0%)	1 (1.0%)
RHINITIS	1 (0.3%)	0 (0%)	1 (1.4%)	0 (0%)
VAGINAL MYCOSIS	1 (0.3%)	1 (1.2%)	0 (0%)	0 (0%)
VIRAL INFECTION	1 (0.3%)	0 (0%)	0 (0%)	1 (1.0%)
PSYCHIATRIC DISORDERS	28 (9.2%)	10 (12%)	7 (9.7%)	11 (11%)

[1] n (%)

Primary System Organ Class Reported Term for the Adverse Event	Overall N = 306[1]	Placebo N = 86[1]	Xanomeline High Dose N = 72[1]	Xanomeline Low Dose N = 96[1]
CONFUSIONAL STATE	6 (2.0%)	2 (2.3%)	1 (1.4%)	3 (3.1%)
AGITATION	5 (1.6%)	2 (2.3%)	0 (0%)	3 (3.1%)
INSOMNIA	4 (1.3%)	2 (2.3%)	2 (2.8%)	0 (0%)
ANXIETY	3 (1.0%)	0 (0%)	0 (0%)	3 (3.1%)
DELUSION	2 (0.7%)	1 (1.2%)	1 (1.4%)	0 (0%)
IRRITABILITY	2 (0.7%)	1 (1.2%)	0 (0%)	1 (1.0%)
COMPLETED SUICIDE	1 (0.3%)	1 (1.2%)	0 (0%)	0 (0%)
DELIRIUM	1 (0.3%)	0 (0%)	1 (1.4%)	0 (0%)
DEPRESSED MOOD	1 (0.3%)	0 (0%)	0 (0%)	1 (1.0%)
DISORIENTATION	1 (0.3%)	1 (1.2%)	0 (0%)	0 (0%)
HALLUCINATION	1 (0.3%)	0 (0%)	1 (1.4%)	0 (0%)
HALLUCINATION, VISUAL	1 (0.3%)	0 (0%)	1 (1.4%)	0 (0%)
LIBIDO DECREASED	1 (0.3%)	0 (0%)	1 (1.4%)	0 (0%)
LISTLESS	1 (0.3%)	0 (0%)	1 (1.4%)	0 (0%)
NIGHTMARE	1 (0.3%)	0 (0%)	1 (1.4%)	0 (0%)

[1] n (%)

Primary System Organ Class Reported Term for the Adverse Event	Overall N = 306[1]	Placebo N = 86[1]	Xanomeline High Dose N = 72[1]	Xanomeline Low Dose N = 96[1]
RESTLESSNESS	1 (0.3%)	0 (0%)	0 (0%)	1 (1.0%)
RESPIRATORY, THORACIC AND MEDIASTINAL DISORDERS	27 (8.8%)	8 (9.3%)	10 (14%)	9 (9.4%)
COUGH	11 (3.6%)	1 (1.2%)	5 (6.9%)	5 (5.2%)
NASAL CONGESTION	7 (2.3%)	3 (3.5%)	3 (4.2%)	1 (1.0%)
DYSPNOEA	3 (1.0%)	1 (1.2%)	1 (1.4%)	1 (1.0%)
EPISTAXIS	3 (1.0%)	0 (0%)	2 (2.8%)	1 (1.0%)
PHARYNGOLARYNGEAL PAIN	2 (0.7%)	0 (0%)	1 (1.4%)	1 (1.0%)
RHINORRHOEA	2 (0.7%)	0 (0%)	1 (1.4%)	1 (1.0%)
ALLERGIC GRANULOMATOUS ANGIITIS	1 (0.3%)	0 (0%)	1 (1.4%)	0 (0%)
DYSPHONIA	1 (0.3%)	0 (0%)	0 (0%)	1 (1.0%)
EMPHYSEMA	1 (0.3%)	1 (1.2%)	0 (0%)	0 (0%)
HAEMOPTYSIS	1 (0.3%)	1 (1.2%)	0 (0%)	0 (0%)
PHARYNGEAL ERYTHEMA	1 (0.3%)	0 (0%)	1 (1.4%)	0 (0%)
POSTNASAL DRIP	1 (0.3%)	1 (1.2%)	0 (0%)	0 (0%)
PRODUCTIVE COUGH	1 (0.3%)	0 (0%)	1 (1.4%)	0 (0%)

[1] n (%)

Primary System Organ Class Reported Term for the Adverse Event	Overall N = 306[1]	Placebo N = 86[1]	Xanomeline High Dose N = 72[1]	Xanomeline Low Dose N = 96[1]
RALES	1 (0.3%)	1 (1.2%)	0 (0%)	0 (0%)
RESPIRATORY TRACT CONGESTION	1 (0.3%)	0 (0%)	1 (1.4%)	0 (0%)
INVESTIGATIONS	22 (7.2%)	10 (12%)	5 (6.9%)	7 (7.3%)
ELECTROCARDIOGRAM ST SEGMENT DEPRESSION	5 (1.6%)	4 (4.7%)	0 (0%)	1 (1.0%)
ELECTROCARDIOGRAM T WAVE INVERSION	4 (1.3%)	2 (2.3%)	1 (1.4%)	1 (1.0%)
BLOOD GLUCOSE INCREASED	2 (0.7%)	0 (0%)	1 (1.4%)	1 (1.0%)
ELECTROCARDIOGRAM T WAVE AMPLITUDE DECREASED	2 (0.7%)	1 (1.2%)	0 (0%)	1 (1.0%)
BIOPSY	1 (0.3%)	0 (0%)	1 (1.4%)	0 (0%)
BIOPSY PROSTATE	1 (0.3%)	0 (0%)	1 (1.4%)	0 (0%)
BLOOD ALKALINE PHOSPHATASE INCREASED	1 (0.3%)	1 (1.2%)	0 (0%)	0 (0%)
BLOOD CHOLESTEROL INCREASED	1 (0.3%)	0 (0%)	1 (1.4%)	0 (0%)
BLOOD CREATINE PHOSPHOKINASE INCREASED	1 (0.3%)	1 (1.2%)	0 (0%)	0 (0%)
BLOOD URINE PRESENT	1 (0.3%)	1 (1.2%)	0 (0%)	0 (0%)
BODY TEMPERATURE INCREASED	1 (0.3%)	0 (0%)	0 (0%)	1 (1.0%)
CYSTOSCOPY	1 (0.3%)	1 (1.2%)	0 (0%)	0 (0%)

[1] n (%)

Primary System Organ Class Reported Term for the Adverse Event	Overall N = 306[1]	Placebo N = 86[1]	Xanomeline High Dose N = 72[1]	Xanomeline Low Dose N = 96[1]
HEART RATE INCREASED	1 (0.3%)	1 (1.2%)	0 (0%)	0 (0%)
HEART RATE IRREGULAR	1 (0.3%)	1 (1.2%)	0 (0%)	0 (0%)
NASAL MUCOSA BIOPSY	1 (0.3%)	0 (0%)	0 (0%)	1 (1.0%)
WEIGHT DECREASED	1 (0.3%)	0 (0%)	0 (0%)	1 (1.0%)
MUSCULOSKELETAL AND CONNECTIVE TISSUE DISORDERS	18 (5.9%)	4 (4.7%)	7 (9.7%)	7 (7.3%)
BACK PAIN	5 (1.6%)	1 (1.2%)	3 (4.2%)	1 (1.0%)
ARTHRALGIA	4 (1.3%)	1 (1.2%)	1 (1.4%)	2 (2.1%)
SHOULDER PAIN	3 (1.0%)	1 (1.2%)	0 (0%)	2 (2.1%)
MUSCLE SPASMS	2 (0.7%)	0 (0%)	1 (1.4%)	1 (1.0%)
ARTHRITIS	1 (0.3%)	0 (0%)	1 (1.4%)	0 (0%)
FLANK PAIN	1 (0.3%)	0 (0%)	1 (1.4%)	0 (0%)
MUSCULAR WEAKNESS	1 (0.3%)	0 (0%)	0 (0%)	1 (1.0%)
MYALGIA	1 (0.3%)	0 (0%)	1 (1.4%)	0 (0%)
PAIN IN EXTREMITY	1 (0.3%)	1 (1.2%)	0 (0%)	0 (0%)
INJURY, POISONING AND PROCEDURAL COMPLICATIONS	14 (4.6%)	4 (4.7%)	5 (6.9%)	5 (5.2%)

[1] n (%)

Primary System Organ Class Reported Term for the Adverse Event	Overall N = 306[1]	Placebo N = 86[1]	Xanomeline High Dose N = 72[1]	Xanomeline Low Dose N = 96[1]
CONTUSION	4 (1.3%)	1 (1.2%)	2 (2.8%)	1 (1.0%)
EXCORIATION	4 (1.3%)	2 (2.3%)	1 (1.4%)	1 (1.0%)
FALL	4 (1.3%)	1 (1.2%)	1 (1.4%)	2 (2.1%)
HIP FRACTURE	3 (1.0%)	1 (1.2%)	2 (2.8%)	0 (0%)
SKIN LACERATION	3 (1.0%)	1 (1.2%)	0 (0%)	2 (2.1%)
FACIAL BONES FRACTURE	1 (0.3%)	0 (0%)	1 (1.4%)	0 (0%)
JOINT DISLOCATION	1 (0.3%)	0 (0%)	0 (0%)	1 (1.0%)
WOUND	1 (0.3%)	0 (0%)	0 (0%)	1 (1.0%)
RENAL AND URINARY DISORDERS	10 (3.3%)	4 (4.7%)	3 (4.2%)	3 (3.1%)
MICTURITION URGENCY	3 (1.0%)	1 (1.2%)	1 (1.4%)	1 (1.0%)
DYSURIA	2 (0.7%)	1 (1.2%)	0 (0%)	1 (1.0%)
NEPHROLITHIASIS	2 (0.7%)	1 (1.2%)	1 (1.4%)	0 (0%)
CALCULUS URETHRAL	1 (0.3%)	0 (0%)	1 (1.4%)	0 (0%)
INCONTINENCE	1 (0.3%)	0 (0%)	0 (0%)	1 (1.0%)
POLLAKIURIA	1 (0.3%)	1 (1.2%)	0 (0%)	0 (0%)

[1] n (%)

Primary System Organ Class Reported Term for the Adverse Event	Overall N = 306[1]	Placebo N = 86[1]	Xanomeline High Dose N = 72[1]	Xanomeline Low Dose N = 96[1]
METABOLISM AND NUTRITION DISORDERS	9 (2.9%)	6 (7.0%)	2 (2.8%)	1 (1.0%)
DECREASED APPETITE	2 (0.7%)	1 (1.2%)	1 (1.4%)	0 (0%)
FOOD CRAVING	2 (0.7%)	1 (1.2%)	0 (0%)	1 (1.0%)
INCREASED APPETITE	2 (0.7%)	1 (1.2%)	1 (1.4%)	0 (0%)
DEHYDRATION	1 (0.3%)	1 (1.2%)	0 (0%)	0 (0%)
DIABETES MELLITUS	1 (0.3%)	1 (1.2%)	0 (0%)	0 (0%)
HYPONATRAEMIA	1 (0.3%)	1 (1.2%)	0 (0%)	0 (0%)
VASCULAR DISORDERS	7 (2.3%)	3 (3.5%)	1 (1.4%)	3 (3.1%)
HYPOTENSION	3 (1.0%)	2 (2.3%)	0 (0%)	1 (1.0%)
HYPERTENSION	2 (0.7%)	1 (1.2%)	0 (0%)	1 (1.0%)
HOT FLUSH	1 (0.3%)	0 (0%)	0 (0%)	1 (1.0%)
ORTHOSTATIC HYPOTENSION	1 (0.3%)	1 (1.2%)	0 (0%)	0 (0%)
WOUND HAEMORRHAGE	1 (0.3%)	0 (0%)	1 (1.4%)	0 (0%)
EYE DISORDERS	5 (1.6%)	2 (2.3%)	1 (1.4%)	2 (2.1%)
VISION BLURRED	2 (0.7%)	0 (0%)	1 (1.4%)	1 (1.0%)

[1] n (%)

Primary System Organ Class Reported Term for the Adverse Event	Overall N = 306[1]	Placebo N = 86[1]	Xanomeline High Dose N = 72[1]	Xanomeline Low Dose N = 96[1]
CONJUNCTIVAL HAEMORRHAGE	1 (0.3%)	0 (0%)	0 (0%)	1 (1.0%)
CONJUNCTIVITIS	1 (0.3%)	1 (1.2%)	0 (0%)	0 (0%)
EYE ALLERGY	1 (0.3%)	1 (1.2%)	0 (0%)	0 (0%)
EYE PRURITUS	1 (0.3%)	1 (1.2%)	0 (0%)	0 (0%)
EYE SWELLING	1 (0.3%)	1 (1.2%)	0 (0%)	0 (0%)
SURGICAL AND MEDICAL PROCEDURES	5 (1.6%)	2 (2.3%)	2 (2.8%)	1 (1.0%)
CATARACT OPERATION	2 (0.7%)	1 (1.2%)	0 (0%)	1 (1.0%)
ACROCHORDON EXCISION	1 (0.3%)	0 (0%)	1 (1.4%)	0 (0%)
EYE LASER SURGERY	1 (0.3%)	1 (1.2%)	0 (0%)	0 (0%)
SKIN LESION EXCISION	1 (0.3%)	0 (0%)	1 (1.4%)	0 (0%)
EAR AND LABYRINTH DISORDERS	4 (1.3%)	1 (1.2%)	1 (1.4%)	2 (2.1%)
VERTIGO	2 (0.7%)	0 (0%)	1 (1.4%)	1 (1.0%)
CERUMEN IMPACTION	1 (0.3%)	0 (0%)	0 (0%)	1 (1.0%)
EAR PAIN	1 (0.3%)	1 (1.2%)	0 (0%)	0 (0%)
CONGENITAL, FAMILIAL AND GENETIC DISORDERS	3 (1.0%)	0 (0%)	2 (2.8%)	1 (1.0%)

[1] n (%)

Primary System Organ Class Reported Term for the Adverse Event	Overall N = 306[1]	Placebo N = 86[1]	Xanomeline High Dose N = 72[1]	Xanomeline Low Dose N = 96[1]
VENTRICULAR SEPTAL DEFECT	3 (1.0%)	0 (0%)	2 (2.8%)	1 (1.0%)
NEOPLASMS BENIGN, MALIGNANT AND UNSPECIFIED (INCL CYSTS AND POLYPS)	3 (1.0%)	0 (0%)	1 (1.4%)	2 (2.1%)
COLON CANCER	1 (0.3%)	0 (0%)	0 (0%)	1 (1.0%)
MALIGNANT FIBROUS HISTIOCYTOMA	1 (0.3%)	0 (0%)	0 (0%)	1 (1.0%)
PROSTATE CANCER	1 (0.3%)	0 (0%)	1 (1.4%)	0 (0%)
REPRODUCTIVE SYSTEM AND BREAST DISORDERS	3 (1.0%)	2 (2.3%)	1 (1.4%)	0 (0%)
BENIGN PROSTATIC HYPERPLASIA	2 (0.7%)	1 (1.2%)	1 (1.4%)	0 (0%)
PELVIC PAIN	1 (0.3%)	1 (1.2%)	0 (0%)	0 (0%)
HEPATOBILIARY DISORDERS	1 (0.3%)	1 (1.2%)	0 (0%)	0 (0%)
HYPERBILIRUBINAEMIA	1 (0.3%)	1 (1.2%)	0 (0%)	0 (0%)
IMMUNE SYSTEM DISORDERS	1 (0.3%)	0 (0%)	0 (0%)	1 (1.0%)
HYPERSENSITIVITY	1 (0.3%)	0 (0%)	0 (0%)	1 (1.0%)
SOCIAL CIRCUMSTANCES	1 (0.3%)	0 (0%)	1 (1.4%)	0 (0%)
ALCOHOL USE	1 (0.3%)	0 (0%)	1 (1.4%)	0 (0%)

[1] n (%)