QSpiders | JSpiders | PySpiders, NOIDA

B-4, Block-B, Sector-3, Noida

TOP 150 Programming Questions by Shambhu Sir

javac_java

Monday, 11 August 2025

kumarsam07

SHAMBHU KUMAR QSpiders | JSpiders | PySpiders, NOIDA

Q1

Topic: Number

a) WAJP to swap two numbers using a third variable.

b) WAJP to swap two numbers without using a third variable.

Q:2 Topic: Number

qspiders_jspiders_noida

a) Type of Triangle

b) WAP to check the given year is a Leap Year or NOT.

Q:3 Topic: Number

qspiders_jspiders_noida

a) WAP to reverse the given number.

b) WAP to check whether the given number is a palindrome number or NOT.

c) Mirror Distance of an Integer

Q:4 Topic: Number

qspiders_jspiders_noida

a) Maximum Product of Two Digits

b) Add Digits

c) Number of Steps to Reduce a Number to Zero

Q:5 Topic: Number

qspiders_jspiders_noida

a) Water Bottles

b) Water Bottles II

c) Wrapper Exchange Problem:

Problem Statement: Rohan has X rupees. He wants to buy chocolates from a shop. Each chocolate costs Y rupees. Every chocolate comes with one wrapper. The shopkeeper has a special offer: Exchange Z wrappers for 1 free chocolate. Every free chocolate also gives one wrapper, which can be used in future exchanges. Find the maximum number of chocolates Rohan can eat.

i/p: money = 15 cost = 1 wrappersNeeded = 3

o/p: 22

Q:6 Topic: Number

qspiders_jspiders_noida

a) Problem Statement:

You are given an amount of money N (in rupees) and different coin denominations. Determine how many coins of each denomination are required to represent the given amount using the minimum number of coins.

i/p:

amount = 98 denominations = [50, 25, 20, 10, 5, 1]

o/p: 50 -> 1 25 -> 1 20 -> 1 10 -> 0

5 -> 0 1 -> 3

Q:7 Topic: Number

qspiders_jspiders_noida

a) Write an optimized program to check whether the given number is a prime number or NOT.

b) Print and count all prime numbers in a range.

c) Print nth prime number.

d) Store first 100 prime numbers in a list/array.

Q:8 Topic: Number

qspiders_jspiders_noida

a) WAP to generate n terms of Fibonacci series.

b) Fibonacci Number

Q:9 Topic: Number

qspiders_jspiders_noida

a) WAP to check whether the given number is an Armstrong number or NOT.

b) Print and count all Armstrong numbers in a range.

c) WAP to take user input and print whether the number is dissarium number or not.

d) WAP to print and count all the dissarium numbers in a range.

Q:10 Topic: Pattern

Print Pattern:

```
Enter the no of Rows:
7
*
* *
* * *
* * * *
* * * * *
* * * * * *
* * * * * * *
```

```
Enter the no of Rows:
7
* * * * * * *
* * * * * *
* * * * *
* * * *
* * *
* *
*
```

```
Enter the Row:
7
*
* *
* * *
* * * *
* * *
* *
*
```

```
Enter the Row:
9
* * * * *
* * * *
* * *
* *
*
* *
* * *
* * * *
* * * * *
```

```
Enter the no of Rows:
7
            *
          * *
        * * *
      * * * *
    * * * * *
  * * * * * *
* * * * * * *
```

```
Enter the no of Rows:
7
* * * * * * *
  * * * * * *
    * * * * *
      * * * *
        * * *
          * *
            *
```

```
Enter the number of Rows:
7
              *
            *   *
          *   *   *
        *   *   *   *
      *   *   *   *   *
    *   *   *   *   *   *
  *   *   *   *   *   *   *
*   *   *   *   *   *   *   *
```

Q:11 Topic: Pattern

qspiders_jspiders_noida

Print Pattern:

```
Enter the number of Rows:
7
            *
          * * *
        * * * * *
      * * * * * * *
    * * * * * * * * *
  * * * * * * * * * * *
* * * * * * * * * * * * *
```

```
Enter the number of Rows:
7
* * * * * * * * * * * * * *
  * * * * * * * * * * * *
    * * * * * * * * * *
      * * * * * * * *
        * * * * * *
          * * * *
            * *
```

```
Enter the number of Rows:
7
*   *   *   *   *   *   *
  *   *   *   *   *   *
    *   *   *   *   *
      *   *   *   *
        *   *   *
          *   *
            *
```

```
Enter the Number of Rows:
9
          *
        * *
      * * *
    * * * *
* * * * *
    * * * *
      * * *
        * *
          *
```

```
Enter the Number of Rows:
7
          *
        *   *
      *   *   *
    *   *   *   *
  *   *   *   *   *
    *   *   *   *
      *   *   *
        *   *
          *
```

javac_java

kumarsam07

Q:12 Topic: Pattern

qspiders_jspiders_noida

Print Pattern:

```
Enter the Number of Rows:
7
        *
      * * *
    * * * * *
  * * * * * * *
    * * * * *
      * * *
        *
```

```
Enter the Number of Rows:
7
        *
      * * *
    * * * * *
  * * * * * * *
    * * * * *
      * * *
```

```
Enter the Row:
9
* * * * *
  * * * *
    * * *
      * *
        *
      * *
    * * *
  * * * *
* * * * *
```

```
Enter the Number of Rows:
7
* * * * * * *
  * * * * *
    * * *
      *
    * * *
  * * * * *
* * * * * * *
```

javac_java

kumarsam07

Q:13 Topic: Pattern

Print Pattern:

```
Enter the Number of Rows:
7
*              *
* *          * *
* * *      * * *
* * * *  * * * *
* * *      * * *
* *          * *
*              *
```

```
Enter the Number of Rows:
9
        *
      *   *
    *       *
  *           *
*               *
  *           *
    *       *
      *   *
        *
```

```
Enter the Number of Rows:
9
          *
        * * *
      *   *   *
    *       *       *
* * * * * * * * * * *
    *       *       *
      *   *   *
        * * *
          *
```

```
Enter the Number of Rows:
9
* * * * * * * * *
* * * *   * * * *
* * *       * * *
* *           * *
*               *
* *           * *
* * *       * * *
* * * *   * * * *
* * * * * * * * *
```

```
Enter the Row:
7
*                       *
* *                   * *
* * *               * * *
* * * *           * * * *
* * * * *       * * * * *
* * * * * *   * * * * * *
* * * * * * * * * * * * *
```

```
Enter the Row:
7
* * * * * * * * * * * * * *
* * * * * *   * * * * * *
* * * * *       * * * * *
* * * *           * * * *
* * *               * * *
* *                   * *
*                       *
```

Q:14 Topic: Pattern

Print Pattern:

```
Enter the Number of Rows:
5
            1
          1 2 1
        1 2 3 2 1
      1 2 3 4 3 2 1
    1 2 3 4 5 4 3 2 1
```

```
Enter the Number of Rows:
5
            5
          5 4 5
        5 4 3 4 5
      5 4 3 2 3 4 5
    5 4 3 2 1 2 3 4 5
```

```
Enter the Number of Rows:
5
            5
          4 5 4
        3 4 5 4 3
      2 3 4 5 4 3 2
    1 2 3 4 5 4 3 2 1
```

```
Enter the Number of Rows:
5
            1
          2 1 2
        3 2 1 2 3
      4 3 2 1 2 3 4
    5 4 3 2 1 2 3 4 5
```

Q:15 Topic: Pattern

qspiders_jspiders_noida

Print Pattern:

```
Enter the number of Rows:
5
                    1
                2   3   2
            4   5   6   5   4
        7   8   9   10  9   8   7
11  12  13  14  15  14  13  12  11
```

```
Enter the Number of Rows:
7
        1
    2   2   2
3   3   3   3   3
4   4   4   4   4   4   4
3   3   3   3   3
    2   2   2
        1
```

```
Enter the Number of Rows:
7
        4
    3   3   3
2   2   2   2   2
1   1   1   1   1   1   1
2   2   2   2   2
    3   3   3
        4
```

Q:16 Topic: Pattern

qspiders_jspiders_noida

Print Pattern:

```
Enter the Number of Rows:
7
          1
        1   2   1
      1   2   3   2   1
1   2   3   4   3   2   1
      1   2   3   2   1
        1   2   1
          1
```

```
Enter the Number of Rows:
7
          1
        2   1   2
      3   2   1   2   3
4   3   2   1   2   3   4
      3   2   1   2   3
        2   1   2
          1
```

```
Enter the Number of Rows:
7
        A
      A B A
    A B C B A
A B C D C B A
    A B C B A
      A B A
        A
```

```
Enter the Number of Rows:
7
        A
      B A B
    C B A B C
D C B A B C D
    C B A B C
      B A B
        A
```

Q:17 Topic: Pattern

qspiders_jspiders_noida

1. Print Pattern:

```
ENter n:
7
4  4  4  4  4  4  4
4  3  3  3  3  3  4
4  3  2  2  2  3  4
4  3  2  1  2  3  4
4  3  2  2  2  3  4
4  3  3  3  3  3  4
4  4  4  4  4  4  4
```

2. Print the below Series:

a) 2 6 12 20 30 42

b) 2 5 11 23 47 95 191 383 767 1535

c) 3 5 9 17 33

d) 1 2 5 26 677

e) 0 1 1 2 3 5 8 13 21 [Fibonacci Series]

f) 0 1 1 2 4 7 13 24 [Tribonacci Series]

Q:18 Topic: Number

qspiders_jspiders_noida

a) WAP to calculate permutation or total number of ways of arrangements of n things taken r at a time. $n_{P_r} = \frac{n!}{(n-r)!}$

b) WAP to calculate combination or total number of ways of selecting r things at a time from n things. $n_{C_r} = \frac{n!}{r!*(n-r)!}$

Q:19 Topic: Number

qspiders_jspiders_noida

a) 119. Pascal's Triangle II

b) 118. Pascal's Triangle

c) Generate Pascal’s Triangle:

```
Enter the nth Row:
7
                1
              1   1
            1   2   1
          1   3   3   1
        1   4   6   4   1
      1   5   10  10  5   1
    1   6   15  20  15  6   1
1   7   21  35  35  21  7   1
```

Q:20

Topic: Array

qspiders_jspiders_noida

a) **WAP to swap two index values of the array.**

Swap index 1 and 5 elements:

Original array:	10	20	30	40	50	60	70
Swapped array:	10	60	30	40	50	20	70

b) **to print max and min element of array.**

c) **For the given array of Strings, print the largest string.**

Q:21 Topic: Array

qspiders_jspiders_noida

a) WAP to get sum of all elements of array.

b) WAP to get average of all elements of array.

c) WAP to get average of all elements at even index of array.

d) Difference Between Element Sum and Digit Sum of an Array

Q:22

Topic: Array

qspiders_jspiders_noida

a) WAP to print and count all prime number elements of array.

b) Maximum Prime Difference

c) WAJP to print and count all palindrome number elements of array.

Q:23 Topic: Array

qspiders_jspiders_noida

a) Monotonic Array

b) You are given an integer array coins representing coins of different denominations and an integer amount representing a total amount of money. Write a function to compute the fewest number of coins that you need to make up that amount. You must return the count of each specific denomination used.

i/p: coins = [100, 50, 10, 5, 2, 1], amount = 371

o/p: [3, 1, 2, 0, 0, 1]

Q:24 Topic: Array

qspiders_jspiders_noida

a) Two Sum

Q:25

Topic: Array

qspiders_jspiders_noida

a) Max Consecutive Ones

Q:26

Topic: Array

qspiders_jspiders_noida

a) WAP to find Second distinct biggest element of the array.

```
int[] a= {80, 80, 43, 50, 38, 63, 58, 80};
```

o/p

63

b) Largest and Second Largest Practice Problem in Arrays

c) Maximum Product of Two Elements in an Array

Q:27 Topic: Array

qspiders_jspiders_noida

a) WAP to print Second Smallest element of the array.

```
int[] a= {80, 80, 43, 50, 38, 63, 38, 80};
```

o/p

38

b) WAP to print Second distinct Smallest element of the array.

```
int[] a= {80, 80, 43, 50, 38, 63, 38, 80};
```

o/p

43

Q:28 Topic: Array

qspiders_jspiders_noida

a) Third Maximum Number

Q:29

Topic: Array

qspiders_jspiders_noida

a) Sunlight Problem:

In left side we have sun and array contains height of buildings. How many buildings will get sun light?

i/p:[4, 2, 6, 8, 5, 7, 12, 6]

o/p: 4

b) Sunlight Problem:

In left side we have sun and array contains height of buildings. Get index of all buildings which will get sun light?

i/p:[4, 2, 6, 8, 5, 7, 12, 6]

o/p: [0, 2, 3, 6]

Q:30 Topic: Array

qspiders_jspiders_noida

a) Oceanview Problem:

In right side we have Ocean and array contains height of buildings. How many buildings will get Ocean view?

i/p:[4, 2, 6, 18, 5, 7, 12, 6]

o/p: 3

b) Oceanview Problem:

In right side we have Ocean and array contains height of buildings. Get all the index of buildings which will get Ocean view?

i/p:[4, 2, 6, 18, 5, 7, 12, 6]

o/p: [3,6,7]

Q:31

Topic: Array

qspiders_jspiders_noida

a) Missing Number

b) Smallest Index With Digit Sum Equal to Index

Q:32

Topic: Array

qspiders_jspiders_noida

a) WAP to remove an element from the certain position of the array.

Original array:

10	20	30	40	50	60	70

Updated array:

10	20	40	50	60	70

b) WAP to insert an element at the certain position of the array.

Original array:

10	20	30	40	50	60	70

Updated array:

10	20	30	35	40	50	60	70

Q:33

Topic: Array

qspiders_jspiders_noida

a) Best Time to Buy and Sell Stock

b) Best Time to Buy and Sell Stock II

c) Best Time to Buy and Sell Stock with Transaction Fee

d) Best Time to Buy and Sell Stock III

e) Best Time to Buy and Sell Stock IV

Q:34 Topic: Array, Prefix Sum

qspiders_jspiders_noida

a) Running Sum of 1d Array

b) WAP for below requirements:

Sum except itself:

Original array:	2	5	4	3	6
Resultant array:	18	15	16	17	14

c) Product of Array Except Self

d) Find Pivot Index

Q:35 Topic: Array, Prefix Sum

qspiders_jspiders_noida

a) WAP to generate n terms of Fibonacci series.

b) Fibonacci Number

c) WAP to generate n terms of Tribonacci series.

d) 1137. N-th Tribonacci Number

e) 209. Minimum Size Subarray Sum

Q:36 Topic: Array, Two Pointers

qspiders_jspiders_noida

a) WAJP to reverse each element of the array.

Original array:	10	20	30	40	50	60	70
Reversed array:	70	60	50	40	30	20	10

b) Reverse String

c) WAJP to reverse 1st half and 2nd half elements of array.

Original array:	10	20	30	40	50	60	70
Reversed array:	40	30	20	10	70	60	50

Q:37 Topic: Array, Two Pointers

qspiders_jspiders_noida

a) Rotate Array

b) WAJP to rotate all the elements of array k position to its left.

array[] = {1, 2, 3, 4, 5, 6, 7}

k = 2

Output: {3, 4, 5, 6, 7, 1, 2}

Q:38 Topic: Array, Two Pointers

qspiders_jspiders_noida

a) Rotate Array

b) WAJP to rotate all the elements of array k position to its left.

array[] = {1, 2, 3, 4, 5, 6, 7}

k = 2

Output: {3, 4, 5, 6, 7, 1, 2}

Q:39 Topic: Array, Two Pointers

qspiders_jspiders_noida

a) Move Zeroes

b) WAJP to shift all 0's to left and all 1's to the right(Without Sorting).

i/p: [0, 1, 1, 0, 0, 1, 0, 0]

o/p: [0, 0, 0, 0, 0, 1, 1, 1]

c) Sort Colors [implement Dutch National Flag Algorithm]

Q:40 Topic: Array, Two Pointers

qspiders_jspiders_noida

a) Two Sum II - Input Array Is Sorted

b) Remove Duplicates from Sorted Array

c) Remove Element

Q:41 Topic: Array, Two Pointers

qspiders_jspiders_noida

a) Container With Most Water

b) Trapping Rain Water

Q:42

Topic: Array, Hashing

qspiders_jspiders_noida

a) WAP to print the frequency of each element of the array.

b) WAP to remove all duplicates from array.

c) Sum of Unique Elements

Q:43

Topic: Array, Hashing

qspiders_jspiders_noida

a) WAP to print the element and its frequency which has appeared for the maximum time in the array.

b) Find The Least Frequent Digit

c) Most Frequent Even Element

Q:44

Topic: Array, Hashing

qspiders_jspiders_noida

a) Design a method to return the index of the first non-repeating element in an array otherwise return -1 if no such element is found.

b) Kth Largest Element in an Array

c) Two Sum

Q:45 Topic: Array, Hashing

qspiders_jspiders_noida

a) First Missing Positive

b) Count Primes

c) Check if The Number is Fascinating

Q:46

Topic: Array, Hashing

qspiders_jspiders_noida

a) Majority Element

b) Majority Element II

Q:47 Topic: Array, Kaden's

qspiders_jspiders_noida

a) Maximum Subarray

b) Maximum Product Subarray

Q:48

Topic: Array, Sorting

qspiders_jspiders_noida

a) WAP to sort the array elements in ascending order by implementing **Bubble sort** algorithm.

Q:49

Topic: Array, Sorting

qspiders_jspiders_noida

a) WAP to sort the array elements in ascending order by implementing Selection sort algorithm.

Q:50

Topic: Array, Sorting

qspiders_jspiders_noida

a) WAP to sort the array elements in ascending order by implementing Insertion sort algorithm.

Q:51

Topic: Array, Sorting



a) WAP to sort the array elements in ascending order by implementing Count Sort algorithm.

Q:52

Topic: Array, Sorting

qspiders_jspiders_noida

a) Merge two sorted array in sorted manner.

i/p:

arr1 = {20, 30, 50, 60}

arr2 = {2, 28, 32, 35, 42}

merged: {2, 20, 28, 30, 32, 35, 42, 50, 60}

b) Merge Sorted Array

Q:53

Topic: Array, Sorting

qspiders_jspiders_noida

a) WAP to sort the array elements in ascending order by implementing Merge sort algorithm.

Q:54

Topic: Array, Sorting



a) WAP to sort the array elements in ascending order by implementing Quick sort algorithm.

Q:55

Topic: Array, Sorting

qspiders_jspiders_noida

a) WAP to sort the array elements in ascending order by implementing **Heap sort** algorithm.

b) Sort an Array

Q:56

Topic: Array, Searching



a) Implement binary search algorithm.

Binary Search

b) Search Insert Position





Q:57

Topic: Array, Searching

qspiders_jspiders_noida

a) Sqrt(x)

b) Valid Perfect Square

Q:58 Topic: Array, Searching

qspiders_jspiders_noida

a) Find Minimum in Rotated Sorted Array

b) Find Minimum in Rotated Sorted Array II

c) Find Peak Element

d) Search in Rotated Sorted Array

Q:59

Topic: Array, Searching



a) Find Minimum in Rotated Sorted Array

b) Find Minimum in Rotated Sorted Array II

c) Find Peak Element

d) Search in Rotated Sorted Array

Q:60

Topic: String

qspiders_jspiders_noida

a) WAP to take a String input and segregate alphabets and numeric digits while maintaining the order of characters.

i/p: “a4cdx37d2b”

o/p: “acdxdb4372”

b) Reverse of the String.

Q:61

Topic: String

qspiders_jspiders_noida

a) 344. Reverse String

b) Check a string is a palindrome string or not.

c) 125. Valid Palindrome

Q:62

Topic: String

qspiders_jspiders_noida

a) 151. Reverse Words in a String

b) 557. Reverse Words in a String III

String based Programming

Q63

Merge Strings Alternately:

https://leetcode.com/problems/merge-strings-alternately/description/



String based Programming

Q64

A password manager wants to create new passwords using two strings given by the user, then combined to create a harder-to- guess combination. Given two strings, interleave the characters of the strings to create a new string. Beginning with an empty string, alternately append a character from string a and from string b. If one of the strings is exhausted before the other, append the remaining letters from the other string all at once. The result is the new password.

Example :

If a = 'hackerrank' and b = 'mountain',

The result is hmaocuknetrariannk.



String based Programming

Q65

Zigzag Conversion



String based Programming

Q66

WAJP to take a String input and print the sum of all the numeric characters in the String.



String based Programming

Q67

WAJP to take a String input and print sum of all the even numeric characters in the String.

String based Programming

Q68

WAJP to take a String input and remove all the duplicate characters.

i/p: abcaxbdacdptx

o/p: abcxdpt



String based Programming

Q69

WAJP to take a String input and count total number of words in the String(Without using split method)



String based Programming

Q70

WAJP to take a String input and count total number of words in the String(Using split method)



String based Programming

Q71

Write a java program to print the biggest numeric character from the given string.

Return -1 if there is no numeric characters.

String based Programming

Q72

Second largest Number in String:

https://leetcode.com/problems/second-largest-digit-in-a-string/description/



String based Programming

Q73

WAJP to print all the character of the String exactly once(consider only alphabets in Uppercase)



String based Programming

Q74

WAJP to print all the character of the String exactly once(consider only alphabets in lowercase)



String based Programming

Q75

WAJP to print all the character of the String exactly once.



String based Programming

Q76

WAJP to print the frequency of each character of the String.



String based Programming

Q77

WAJP to print all the character which has appeared exactly once in the String.



String based Programming

Q78

WAJP to print all the character which has appeared more than once in the String.



String based Programming

Q79

Design a method which will return the index of first non-repeating character of the String. Return -1 if no such character is found.

https://leetcode.com/problems/first-unique-character-in-a-string/descript



String based Programming

Q80

Given a string of Size N containing digits from 1 to N+1 where any one digit is missing.

Print the missing digit.

String s="36521";

Output: 4



String based Programming

Q81

WAJP to find weather a string is ANAGRAM or not?

https://leetcode.com/problems/valid-anagram/description/



String based Programming

Q82

Q16. WAJP to find weather a string is PANAGRAM or not?

https://leetcode.com/problems/check-sentence-is-pangram/description/



String based Programming

Q83

Largest Number:

https://leetcode.com/problems/largest-number/description/?envType=problem-list-v2&envId=array

String based Programming

Q84

WAJP To Check If A String Is Substring Of Another String or NOT.

String based Programming

Q85

Longest Substring Without Repeating Characters



String based Programming

Q86

Longest Palindromic Substring



String based Programming

Q87

Backspace String Compare:

https://leetcode.com/problems/backspace-string-compare/description/

String based Programming

Q88

Adding Spaces to a String:

https://leetcode.com/problems/adding-spaces-to-a-string/description/

String based Programming

Q89

Rearrange Spaces Between Words:

https://leetcode.com/problems/rearrange-spaces-between-words/description/

String based Programming

Q90

WAJP for below requirements:

i/p: “ab cdef g hi jklm”

o/p: “ml kjih g fe dcba”

String based Programming

Q91

Reverse Only Letters

String based Programming

Q92

Word Break:

https://leetcode.com/problems/word-break/description/

String based Programming

Q93

Expand Compressed String

Input: A string s in the format: alternating characters and numbers (e.g., A4B2C3).

Output: A string where each character is repeated the n of times specified.

Example:Input: "A4B2C3“

Output: "AAAABBCCC"



String based Programming

Q94

Decode String



String based Programming

Q95

WAJP to get sum of all numbers available in the String:

i/p: ab45cde20xyz5pq40dd.

o/p: 110 (45+20+5+40)



String based Programming

Q96

WAJP take a String input and print and count all the words which has even number of characters.



String based Programming

Q97

WAJP take a String input and print and count all the words which has odd number of characters.

String based Programming

Q98

WAJP take a String input and print the largest word in the String.



String based Programming

Q99

Sort Characters By Frequency

https://leetcode.com/problems/sort-characters-by-frequency/description/

String based Programming

Q100

https://leetcode.com/problems/check-if-all-characters-have-equal-number-of-occurrences/description/

String based Programming

Q101

WAJP to print the frequency of each words in a string.

String based Programming

Q102

WAJP to print the frequency of each word in the string.

String based Programming

Q103

WAJP to print and count all the words which has appeared only once in the String.

Input: mohan is coming and sohan is coming
Output:
mohan
coming
and
sohan

Total words: 4

String based Programming

Q104

WAJP to print the word which has appeared for maximum times in the String.

Input: mohan is coming and sohan is coming is good

Output:

is



String based Programming

Q105

WAJP to remove duplicate words from the String.

Input: mohan is coming and sohan is coming

Output: mohan is coming and sohan

String based Programming

Q106

WAJP to perform sorting for a group of Strings.

String[] str={“mohan”, “john”, “rohan”, “sohan”};

String based Programming

Q107

WAP to arrange all the words of a string in a sorted manner.

i/p: mohan, john and jack are here.

o/p: and are jack john here mohan

String based Programming

Q108

Simplify Path:

https://leetcode.com/problems/simplify-path/description/



String based Programming

Q109

Valid Parentheses:

https://leetcode.com/problems/valid-parentheses/description/



String based Programming

Q110

Valid Email or NOT.

String based Programming

Q111

Valid Password or NOT.

String based Programming

Q112

WAJP to Find All the Permutations of a String.

Input: abc

Output:

abc
acb
bac
bca
cab
cba

QSpiders|JSpiders|PySpiders, NOIDA

B-4, Block-B, Sector-3, Noida

LinkedList Programming Questions by Shambhu Sir

@javac_java

Monday, 11 August 2025

@kumarsam07

SHAMBHU KUMAR QSpiders |JSpiders | PySpiders, NOIDA

Q113

Design a method to Print all node values of LinkedList.

Important
Don't leave it..!!

LinkedList based Programming

Q:114

Design a method to Get node value at middle position of LinkedList.



LinkedList based Programming

Q:115

876. Middle of the Linked List

LinkedList based Programming

Q:116

2095. Delete the Middle Node of a Linked List

LinkedList based Programming

Q:117

Design a method to get nth node value of LinkedList from the start.

LinkedList based Programming

Q:118

Design a method to get nth node value of LinkedList from the end.

LinkedList based Programming

Q:119

19. Remove Nth Node From End of List

LinkedList based Programming

Q:120

Linked List Cycle



LinkedList based Programming

Q:121

142. Linked List Cycle II



LinkedList based Programming

Q:122

206. Reverse Linked List



LinkedList based Programming

Q:123

2. Add Two Numbers



LinkedList based Programming

Q:124

92. Reverse Linked List II



LinkedList based Programming

Q:125

21. Merge Two Sorted Lists



LinkedList based Programming

Q:126

148. Sort List



LinkedList based Programming

Q:127

147. Insertion Sort List



LinkedList based Programming

Q:128

61. Rotate List



LinkedList based Programming

Q:129

Design Linked List



LinkedList based Programming

Q:130

Remove Duplicates from Sorted List

LinkedList based Programming

Q:131

Delete Node in a Linked List

QSpiders|JSpiders|PySpiders, NOIDA

B-4, Block-B, Sector-3, Noida

Stack Programming Questions by Shambhu Sir



Monday, 11 August 2025



SHAMBHU KUMAR QSpiders |JSpiders | PySpiders, NOIDA

Q132

2390. Removing Stars From a String

Stack based Programming

Q:133

Backspace String Compare

Stack based Programming

Q:134

Remove All Adjacent Duplicates In String

Stack based Programming

Q:135

Make The String Great

Stack based Programming

Q:136

Valid Parentheses



Stack based Programming

Q:137

921. Minimum Add to Make Parentheses Valid

Stack based Programming

Q:138

Remove Outermost Parentheses

QSpiders|JSpiders|PySpiders, NOIDA

B-4, Block-B, Sector-3, Noida

Dynamic Programming Questions by Shambhu Sir



Monday, 11 August 2025



SHAMBHU KUMAR QSpiders |JSpiders | PySpiders, NOIDA

Q139

WAP to print each elements of array from start.

Dynamic Programming

Q:140

WAP to print each elements of array from end.

Dynamic Programming

Q:141

WAP to find biggest element of array.



Dynamic Programming

Q:142

WAP to find nth term of Fibonacci by using Tabulation (Bottom-Up DP).

Fibonacci Number

Dynamic Programming

Q:143

WAP to find nth term of Fibonacci by using DP technique/Memoization (Top-Down DP).

Dynamic Programming

Q:144

Fibonacci Pattern DP Questions:

1. **Climbing Stairs**
2. **House Robber**
3. **Min Cost Climbing Stairs**

70. Climbing Stairs

Dynamic Programming

Q:145

198. House Robber

Dynamic Programming

Q:146

322. Coin Change

Dynamic Programming

Q:147

62. Unique Paths

Dynamic Programming

Q:148

416. Partition Equal Subset Sum

Dynamic Programming

Q:149

300. Longest Increasing Subsequence

Dynamic Programming

Q:150

1143. Longest Common Subsequence