HTML Hyper lines

- *It defines <a> tag element which is called Hyperlink*
- *The most important attribute for <a> tag is "href"*

.
**

*Google *

(or)

* contact *

How do we know whether the link clicked or not?

Unvisited = underline & blue
Visited = underline & purple

There is one more special attribute is <a>?

"Target"

_blank => new window top

_self => Which web page open the same tab

_parent => parent window

_top => Full body of the window

<image as link >
< a href ="Sample .HTML ">
< image Src ="---------- .spg " alt ="HTML">
< /a >
Mail to -
< a href = "mail to : sample @ gmail.com">
*Send .email *

Button link -

<button on click = "document .location = ' index . php '">
Open </button>
Titles -

< a herf = "------" title = "alt tent in link ">
          *Sample *

Input tag => { type = text , password , date , e-mail , radio , checkbox }

Button tag => type => { button subject }

Dev section => Block elements
 Wrapper section of two group of elements .

OUTPUT -

---

about us Go to Google page Visistedtext [image]text Send Query Call Download Image

Enter Name   Submit
Login
Email   Submit
register

There are two versions in a tag -

1. absolute

2. Relative

Special Attribute => Target

1._blank:

2._self:

3._parent

4._top

links color by action

unvisited: underline and blue

visited: underline and purple

Input tags types

1. type="text"

2. type="email"

3. type="password"

4. type="number"

5. type="date"

6. type="radio"

7. type="checkbox"

<textarea></textarea>