

```

<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <title>Tanushree Mohanty</title>
  <link rel="stylesheet" href="style.css">
  <!-- BOOTSTRAP CSS LINK -->
  <link
href="https://cdn.jsdelivr.net/npm/bootstrap@5.3.3/dist/css/bootstrap.min.css"
rel="stylesheet" integrity="sha384-
QWTKZyjpPEjISv5WaRU90FeRpok6YctnYmDr5pNlyT2bRjXh0JMhY6hW+ALEwIH"
crossorigin="anonymous">
</head>
<body>
  <!-- NAVBAR -->
  <nav class="navbar navbar-expand-lg sticky-top">
    <div class="container-fluid">
      <a class="navbar-brand" href="index.html">Tanushree Mohanty</a>
      <button class="navbar-toggler" type="button" data-bs-toggle="collapse"
data-bs-target="#navbarNav" aria-controls="navbarNav" aria-expanded="false" aria-
label="Toggle navigation">
        <span class="navbar-toggler-icon"></span>
      </button>
      <div class="collapse navbar-collapse" id="navbarNav">
        <ul class="navbar-nav">
          <li class="nav-item">
            <a class="nav-link active" aria-current="page"
href="#home">Home</a>
          </li>
          <li class="nav-item">
            <a class="nav-link" href="#about">About</a>
          </li>
          <li class="nav-item">
            <a class="nav-link" href="#skills">Skills</a>
          </li>
          <li class="nav-item">
            <a class="nav-link" href="#qualifications">Qualifications</a>
          </li>
          <li class="nav-item">
            <a class="nav-link" href="#projects">Projects</a>
          </li>
          <li class="nav-item">
            <a class="nav-link" href="#contact">Contact Me</a>
          </li>
        </ul>
      </div>
    </div>
  </nav>

```

```

        </ul>
      </div>
    </div>
  </nav>

  <!-- HOME -->
  <div class="container text-center" id="home">
    <div class="row align-items-center">
      <div class="col-sm"></div>
      <div class="col-sm">
        <h1>Welcome, I'm Tanushree</h1>
        <h2>I am a Frontend Developer</h2>
        <p>I specialize in creating user-friendly websites and
applications. I love turning ideas into digital reality!</p>
        <a href="#contact"><button type="button" class="btn">CONTACT ME
</button></a>
      </div>
    </div>
  </div>

  <!-- ABOUT -->
  <div class="container text-center col-sm-8" id="about">
    <h2 class="section-heading">About Me</h2>
    <p class="sub-heading">My Introduction</p>
    <p>Hello! 🙋 I'm Tanushree Mohanty, a 19-year-old BTech student deeply
immersed in the realms of web development and UI/UX design. I'm fascinated by the
endless possibilities of coding and the art of creating seamless user
experiences. With a hunger for innovation and a heart for design, I'm on a
mission to craft digital masterpieces that resonate with users on a profound
level. Let's collaborate and unleash our creativity to build something truly
remarkable! ✨</p>

    <a href="Resume Tanushree Mohanty.pdf" target="_blank" ><button
type="button" class="btn btn-outline-light" style="background-color:
#BA68C8;">RESUME </button></a>
  </div>

  <!-- SKILLS -->
  <div class="container text-center" id="skills">
    <h2 class="section-heading">Skills</h2>
    <p class="sub-heading">My Technical Expertise</p>
    <div class="accordion" id="accordionPanelsStayOpenExample">
      <div class="row">

```

```

<div class="col-sm">
  <div class="accordion-item">
    <h2 class="accordion-header">
      <button class="accordion-button" type="button" data-bs-
toggle="collapse" data-bs-target="#panelsStayOpen-collapseOne" aria-
expanded="true" aria-controls="panelsStayOpen-collapseOne">
        Languages
      </button>
    </h2>
    <div id="panelsStayOpen-collapseOne" class="accordion-
collapse collapse show">
      <div class="accordion-body">
        <!-- HTML -->
        <p class="progress-name">  HTML</p>
        <div class="progress" role="progressbar" aria-
label="Animated striped example" aria-valuenow="75" aria-valuemin="0" aria-
valuemax="100">
          <div class="progress-bar progress-bar-striped
progress-bar-animated " style="width: 95%; background-color: #BA68C8;"></div>
        </div>
        <!-- CSS -->
        <p class="progress-name">  CSS</p>
        <div class="progress" role="progressbar" aria-
label="Animated striped example" aria-valuenow="75" aria-valuemin="0" aria-
valuemax="100">
          <div class="progress-bar progress-bar-striped
progress-bar-animated " style="width: 95%; background-color: #BA68C8;"></div>
        </div>
        <!-- JS -->
        <p class="progress-name">  Javascript</p>
        <div class="progress" role="progressbar" aria-
label="Animated striped example" aria-valuenow="75" aria-valuemin="0" aria-
valuemax="100">
          <div class="progress-bar progress-bar-striped
progress-bar-animated " style="width: 95%; background-color: #BA68C8;"></div>
        </div>
        <!-- C Language -->
        <p class="progress-name">  C Language</p>
        <div class="progress" role="progressbar" aria-
label="Animated striped example" aria-valuenow="75" aria-valuemin="0" aria-
valuemax="100">

```

```

        <div class="progress-bar progress-bar-striped
progress-bar-animated " style="width: 95%; background-color: #BA68C8;"></div>
    </div>
    <!-- Python -->
    <p class="progress-name">  Python</p>
    <div class="progress" role="progressbar" aria-
label="Animated striped example" aria-valuenow="75" aria-valuemin="0" aria-
valuemax="100">
        <div class="progress-bar progress-bar-striped
progress-bar-animated " style="width: 95%; background-color: #BA68C8;"></div>
    </div>
</div>
</div>
<div class="col-sm">
    <div class="accordion-item">
        <h2 class="accordion-header">
            <button class="accordion-button collapsed"
type="button" data-bs-toggle="collapse" data-bs-target="#panelsStayOpen-
collapseTwo" aria-expanded="false" aria-controls="panelsStayOpen-collapseTwo">
                Frameworks
            </button>
        </h2>
        <div id="panelsStayOpen-collapseTwo" class="accordion-
collapse collapse">
            <div class="accordion-body">
                <!-- Bootstrap -->
                <p class="progress-name">  Bootstrap</p>
                <div class="progress" role="progressbar" aria-
label="Animated striped example" aria-valuenow="75" aria-valuemin="0" aria-
valuemax="100">
                    <div class="progress-bar progress-bar-striped
progress-bar-animated " style="width: 95%; background-color: #BA68C8;"></div>
                </div>
            </div>
        </div>
    </div>
</div>
<div class="col-sm">
    <div class="accordion-item">
        <h2 class="accordion-header">

```

```

        <button class="accordion-button collapsed"
type="button" data-bs-toggle="collapse" data-bs-target="#panelsStayOpen-
collapseThree" aria-expanded="false" aria-controls="panelsStayOpen-
collapseThree">
            Tools
        </button>
    </h2>
    <div id="panelsStayOpen-collapseThree" class="accordion-
collapse collapse">
        <div class="accordion-body">
            <!-- Git -->
            <p class="progress-name">  Git</p>
            <div class="progress" role="progressbar" aria-
label="Animated striped example" aria-valuenow="75" aria-valuemin="0" aria-
valuemax="100">
                <div class="progress-bar progress-bar-striped
progress-bar-animated " style="width: 95%; background-color: #BA68C8;"></div>
            </div>
            <!-- GitHub -->
            <p class="progress-name">  GitHub</p>
            <div class="progress" role="progressbar" aria-
label="Animated striped example" aria-valuenow="75" aria-valuemin="0" aria-
valuemax="100">
                <div class="progress-bar progress-bar-striped
progress-bar-animated " style="width: 95%; background-color: #BA68C8;"></div>
            </div>
        </div>
    </div>
</div>
</div>
</div>

<!-- Qualifications -->
<div class="container text-center" id="qualifications">
    <h2 class="section-heading">Qualifications</h2>
    <p class="sub-heading">My Educational Journey & Career Highlights</p>
    <!-- TIMELINE -->
    <div class="container">
        <div class="row">
            <div class="col-md-12">
                <div class="card-body">

```

```

        <div id="content">
          <ul class="timeline">
            <li class="event" data-date="2022-2026">
              <h3>BTech Computer Science
                Engineering</h3>
                <p>SGT University <br>Sem 2: 9.53
                SGPA</p>
              </li>
            <li class="event" data-date="2021-2022">
              <h3>Senior Secondary School</h3>
              <p>OPG World School <br> 12 <sup>th</sup></p>
              Grade: 87%</p>
            </li>
            <li class="event" data-date="2019-2020">
              <h3>Secondary School</h3>
              <p>OPG World School <br> 10<sup>th</sup></p>
              Grade: 84%</p>
            </li>
          </ul>
        </div>
      </div>
    </div>
  </div>
</div>
<!-- Projects -->
<div class="container text-center" id="projects">
  <h2 class="section-heading">Projects</h2>
  <p class="sub-heading">My Skills Implementations</p>
  <div id="carouselExample" class="carousel slide carousel-dark">
    <div class="carousel-inner">
      <div class="carousel-item active">
        <div class="container d-flex justify-content-center align-items-center " >
          <div class="card mb-3" style="max-width: 24rem;">
            
            <div class="card-body">
              <h5 class="card-title">Temperature Converter</h5>
              <p class="card-text">An online tool providing instant conversion between Fahrenheit, Celsius, and Kelvin temperatures.</p>
              <a href="https://tanushreemohanty.github.io/Temperature-Convertor-Bharat-Intern-Tanushree-Mohanty/" target="_blank" rel="noopener noreferrer"><button type="button" class="btn">View</button></a>
            </div>
          </div>
        </div>
      </div>
    </div>
  </div>

```

```

        </div>
    </div>
</div>
<div class="carousel-item">
    <div class="container d-flex justify-content-center align-items-
center" >
        <div class="card mb-3" style="max-width: 24rem;">
            
            <div class="card-body">
                <h5 class="card-title">My Portfolio website</h5>
                <p class="card-text">Crafting digital experiences through
innovative design and technology – showcasing a portfolio of creativity and
expertise.</p>
                <a href="index.html" target="_blank" rel="noopener
norereferrer"><button type="button" class="btn">View</button></a>
            </div>
        </div>
    </div>
</div>
<button class="carousel-control-prev" type="button" data-bs-
target="#carouselExample" data-bs-slide="prev">
    <span class="carousel-control-prev-icon" aria-hidden="true"></span>
    <span class="visually-hidden">Previous</span>
</button>
<button class="carousel-control-next" type="button" data-bs-
target="#carouselExample" data-bs-slide="next">
    <span class="carousel-control-next-icon" aria-hidden="true"></span>
    <span class="visually-hidden">Next</span>
</button>
</div>
</div>

<!-- Contact Me -->
<div class="container" id="contact">
    <h2 class="section-heading">Contact Me</h2>
    <p class="sub-heading">Get in touch with me</p>
    <div class="container">
        <div class="row align-items-center justify-content-center">
            <div class="col-sm-6 text-center"> <!-- Updated class to center align
the image -->
                
                <div class="mt-3">

```

```

        <a href="https://www.linkedin.com/in/tanushree-mohanty-69353323b/"
class="me-3" target="_blank"></i></a>
<!-- LinkedIn icon -->
        <a href="https://github.com/TanushreeMohanty" class="me-3"
target="_blank"></a> <!-- GitHub
icon -->
    </div>
</div>
<div class="col-sm-6">
    <form class="row g-3">
        <div class="mb-3">
            <label for="name" class="form-label">Name</label>
            <input type="text" class="form-control" id="name"
placeholder="Tanushree Mohanty" required>
        </div>
        <div class="mb-3">
            <label for="email" class="form-label">Email address</label>
            <input type="email" class="form-control" id="email"
placeholder="abc@example.com" required>
        </div>
        <div class="mb-3">
            <label for="message" class="form-label">Message</label>
            <textarea class="form-control" id="message" rows="3"
required></textarea>
        </div>

        <div class="col-12">
            <button class="btn" type="submit">Submit</button>
        </div>
    </form>
</div>
</div>
</div>
</div>

<footer class="footer mt-4 py-3">
    <div class="container text-center">
        <p>Made with &hearts; by <a
href="https://www.linkedin.com/in/tanushree-mohanty-69353323b/" target="_blank"
style="text-decoration: none; color: white;">Tanushree Mohanty</a> </p>
        <p>>Copyright &copy; 2024 All rights reserved.</p>
    </div>
</footer>

```



```
<script src="script.js"></script>
<!-- BOOTSTRAP JS LINK -->
<script
src="https://cdn.jsdelivr.net/npm/bootstrap@5.3.3/dist/js/bootstrap.bundle.min.js
" integrity="sha384-
YvpcrYf0tY3lHB60NNkmXc5s9fDVZLESaAA55NDz0xhy9GkcIdslK1eN7N6jIeHz"
crossorigin="anonymous"></script>
</body>
</html>
```