

OPENING REINFORCEMENT  
AS PER CODE OR AS  
SPECIFIED

1/2" (13mm)  
GYPSUM BOARD

1 1/2" (38mm)  
MIN. COVER

NUDURA 8" (203mm)  
STANDARD FORM UNIT

VAPOR BARRIER LAPPED  
& SEALED TO FRAME

JAMB EXTENSION OR  
GYPSUM BOARD RETURN

WOOD, VINYL, STEEL, ETC.  
BUCK MATERIAL FASTENED  
TO CONCRETE  
w/ EMBEDDED SPIRAL  
NAILS, BOLTS, SCREWS IN  
STAGGERED PATTERN, OR  
AS PER MANUFACTURERS  
SPECIFICATIONS

CONTINUOUS CAULKING  
AROUND FRAME AT  
CONTACT TO MASONRY

HORIZ/VERT  
REINFORCEMENT  
AS PER CODE OR  
AS SPECIFIED

BRICK VENEER c/w 1"  
(25mm) AIR SPACE AND  
BRICK TIES

JAMB TRIM FLASHING TAPE  
SEALED TO EPS FOAM BEHIND  
FINISH AS PER CODE OR AS SPECIFIED

**DISCLAIMER NOTICE:**  
SPECIFIC INFORMATION  
REQUIRED FOR COMPLIANCE  
WITH LOCAL CODES IS THE  
RESPONSIBILITY OF THE  
DESIGNER



NUDURA 8" (203mm) FORM UNIT  
WINDOW JAMB DETAIL  
PARTIAL DEPTH WOOD ROUGH BUCK  
BRICK VENEER FINISH

REV. NO.  
000

DATE:  
SEPT 2010

DRAWN BY:  
K. STILL

DWG NO.

E8A05

SCALE:  
1 : 8