

Name:- Taniya

Roll NO:-2401010033

Section:-B Course:-

B.tech Cse Core

Assignment: 3

❖ Aim:

To design and develop a full-stack quiz web application using HTML, CSS, Python, and Flask.

❖ Tasks:

- Setup Flask app
- Create quiz data
- Design HTML templates
- Process form submission
- Apply CSS styling

❖ Techniques Used:

- Flask Framework (Python Web Development)
- HTML (Web Page Structure)
- CSS (Styling and Layout)

❖ Code :

› HTML CODE :

1.Index.html

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <title>Quiz Master - Home</title>
  <link rel="stylesheet" href="{{ url_for('static', filename='style.css') }}">
</head>
<body>
  <div class="container">
    <div class="home-card">
      <div class="logo"><img alt="Quiz Master Logo" data-bbox="305 388 335 408"/></div>
      <h1 class="title">Quiz Master</h1>
      <p class="subTitle">Test your Web Development Knowledge!</p>
      <div class="info-grid">
        <div class="info-box">
          <span class="info-icon"><img alt="Icon of a notepad and pencil" data-bbox="385 475 415 495"/></span>
          <span>10 Questions</span>
        </div>
        <div class="info-box">
          <span class="info-icon"><img alt="Icon of a clock" data-bbox="385 545 415 565"/></span>
          <span>Timed Quiz</span>
        </div>
        <div class="info-box">
          <span class="info-icon"><img alt="Icon of a shuffle button" data-bbox="385 615 415 635"/></span>
          <span>Shuffled</span>
        </div>
        <div class="info-box">
          <span class="info-icon"><img alt="Icon of a trophy" data-bbox="385 685 415 705"/></span>
          <span>Scored</span>
        </div>
      </div>
      <div class="settings-section">
        <h3><img alt="Gear icon" data-bbox="225 775 255 795"/> Quiz Settings</h3>
        <div class="setting-item">
          <label for="time_limit"><img alt="Clock icon" data-bbox="385 815 415 835"/> Time per question (seconds):</label>
          <select id="time_limit">
            <option value="15">15 seconds</option>
            <option value="30" selected>30 seconds</option>
            <option value="45">45 seconds</option>
            <option value="60">60 seconds</option>
          </select>
        </div>
        <div class="setting-item checkbox-item">
          <label>
            <input type="checkbox"/>
          </label>
        </div>
      </div>
    </div>
  </div>
```

```

        <input type="checkbox" id="negaOve_marking">
        — Enable NegaOve Marking (-0.25 per wrong answer)
    </label>
</div>
</div>
<button class="btn-start" onclick="startQuiz()">
    🚀 Start Quiz
</button>
<p class="hint">Questions are randomly shuffled each time!</p>
</div>
</div>
</body>
<script>
    function startQuiz() {
        const time = document.getElementById('time_limit').value;
        const negaOve = document.getElementById('negaOve_marking').checked;
        window.location.href = `/start?time=${time}&negaOve=${negaOve}`;
    }
</script>
</body>
</html>

```

2. quiz.html

```

<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="UTF-8">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <title>Quiz Master - Question {{ current }}</title>
    <link rel="stylesheet" href="{{ url_for('static', filename='style.css') }}">
</head>
<body>
    <div class="container">
        <div class="quiz-card">
            <!-- Header -->
            <div class="quiz-header">
                <div class="question-counter">Question {{ current }} of {{ total }}</div>
                <div class="timer-box" id="timerBox">
                    ⌚ <span id="timer">{{ time_limit }}</span> s
                </div>
            </div>
            {% if negaOve %}
            <div class="negaOve-notification">⚠️ NegaOve marking enabled: -0.25 per wrong answer</div>
            {% endif %}
            <!-- Progress Bar -->
            <div class="progress-bar-outer">
                <div class="progress-bar-inner" style="width: {{ (current / total * 100) | int }}%"></div>
            </div>
            <!-- Question -->
            <div class="question-box">
                <p class="question-text">{{ question.question }}</p>
            </div>

```

```

<!-- OpOons -->
<form method="POST" id="quizForm">
  <div class="opOons-grid">
    {% for opOon in opOons %}
      <label class="opOon-label" onclick="selectOpOon(this)">
        <input type="radio" name="answer" value="{{ opOon }}" required>
        <span class="opOon-text">{{ opOon }}</span>
      </label>
    {% endfor %}
  </div>
  <button type="submit" class="btn-submit" id="submitBtn">
    {% if current == total %}
      🎯 Submit Quiz
    {% else %}
      Next QuesOon →
    {% endif %}
  </button>
</form>
</div>
</div>
<script>
  let OmeLet = {{ Ome_limit }};
  const OmerEl = document.getElementById('Omer');
  const OmerBox = document.getElementById('OmerBox');
  const countdown = setInterval(() => {
    OmeLet--;
    OmerEl.textContent = OmeLet;

    if (OmeLet <= 10) {
      OmerBox.classList.add('Omer-warning');
    }
    if (OmeLet <= 5) {
      OmerBox.classList.add('Omer-danger');
    }
    if (OmeLet <= 0) {
      clearInterval(countdown);
      // Auto-submit with no answer selected
      const form = document.getElementById('quizForm');
      // Add a hidden input for unanswered
      const hidden = document.createElement('input');
      hidden.type = 'hidden';
      hidden.name = 'answer';
      hidden.value = '__TIMEOUT__';
      form.appendChild(hidden);
      form.submit();
    }
  }, 1000);
  funcOon selectOpOon(label) {
    document.querySelectorAll('.opOon-label').forEach(l => l.classList.remove('selected'));
    label.classList.add('selected');
  }

  document.getElementById('quizForm').addEventListener('submit', () => {
    clearInterval(countdown);
  });
</script>
</body>
</html>

```

```

<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <title>Quiz Master - Results</title>
  <link rel="stylesheet" href="{{ url_for('static', filename='style.css') }}">
</head>
<body>
  <div class="container">
    <div class="result-card">
      <h1 class="result-title">Quiz Completed! 🎉</h1>

      <div class="score-circle {{ level }}">

        <div class="score-number">{{ (score, 0) | max }} / {{ total }}</div>
        <div class="score-label">Score</div>
      </div>

      <div class="feedback-banner {{ level }}">
        {{ feedback }}
      </div>

      <div class="stats-row">
        <div class="stat-box correct-stat">
          <div class="stat-num">{{ result_data | selectattr('is_correct') | list | length }}</div>
          <div class="stat-label">✅ Correct</div>
        </div>
        <div class="stat-box wrong-stat">
          <div class="stat-num">{{ result_data | rejectattr('is_correct') | list | length }}</div>
          <div class="stat-label">❌ Wrong</div>
        </div>
        <div class="stat-box percent-stat">
          <div class="stat-num">{{ (((score, 0) | max) / total) * 100 | int }}%</div>
          <div class="stat-label">📊 Accuracy</div>
        </div>
      </div>

      <!-- Detailed Review -->
      <div class="review-section">
        <h3>📋 Detailed Review</h3>
        {% for item in result_data %}
          <div class="review-item {{ 'correct-item' if item.is_correct else 'wrong-item' }}">

            <p class="review-q"><strong>Q{{ loop.index }}:</strong> {{ item.question }}</p>
            <p class="review-ans">
              Your Answer:
              <span class="{{ 'correct-text' if item.is_correct else 'wrong-text' }}">
                {{ item.selected }}
                {{ '✅' if item.is_correct else '❌' }}
              </span>
            </p>
            {% if not item.is_correct %}
              <p class="review-correct">Correct Answer: <span class="correct-text">{{ item.correct_answer }}</span>
            </p>
          </div>
        {% endfor %}
      </div>
    </div>
  </div>
</body>
</html>

```

```

✓</span></p>
    {% endif %}
</div>
    {% endfor %}
</div>

<div class="acOon-buhons">
    <a href="/restart" class="btn-restart"><img alt="refresh icon" data-bbox="473 198 498 218"/> Restart Quiz</a>

    <a href="/" class="btn-home"><img alt="home icon" data-bbox="418 223 443 243"/> Home</a>
</div>
</div>
</div>
</body>
</html>

```

CSS CODE :

```

/* ===== Base Reset & Variables ===== */
* {
    margin: 0;
    padding: 0;
    box-sizing: border-box;
}

:root {
    --primary: #6c63ff;
    --primary-dark: #4b44cc;
    --secondary: #ff6584;
    --success: #2ecc71;
    --danger: #e74c3c;
    --warning: #f39c12;
    --bg: #f0f2ff;
    --card-bg: #ffffff;
    --text: #2d3436;
    --text-light: #636e72;
    --border: #dfe6e9;
    --shadow: 0 10px 40px rgba(108, 99, 255, 0.15);
}

body {
    font-family: 'Segoe UI', Tahoma, Geneva, Verdana, sans-serif;
    background: linear-gradient(135deg, #667eea 0%, #764ba2 100%);
    min-height: 100vh;
    display: flex;
    align-items: center;
    justify-content: center;
    padding: 20px;
}

.container {
    width: 100%;
    max-width: 680px;
}

/* ===== HOME PAGE ===== */

```

```

.home-card {
  background: var(--card-bg);
  border-radius: 24px;
  padding: 48px 40px;
  box-shadow: var(--shadow);
  text-align: center;
}

.logo {
  font-size: 72px;
  margin-bohom: 12px;
  animaOon: bounce 1.5s infinite;
}

@keyframes bounce {
  0%, 100% { transform: translateY(0); }
  50% { transform: translateY(-10px); }
}

.Otle {
  font-size: 2.5rem;
  font-weight: 800;
  color: var(--primary);
  margin-bohom: 8px;
  leher-spacing: -1px;
}

.subOtle {
  color: var(--text-light);
  font-size: 1.1rem;
  margin-bohom: 32px;
}

.info-grid {
  display: grid;
  grid-template-columns: repeat(4, 1fr);
  gap: 12px;
  margin-bohom: 32px;
}

.info-box {
  background: #f8f7ff;
  border: 2px solid #ece9ff;
  border-radius: 12px;
  padding: 14px 8px; font-size: 0.82rem; font-weight: 600;
  color: var(--primary);
  display: flex; flex-direction: column; align-items: center;
  gap: 6px;
}

.info-icon {
  font-size: 1.4rem;
}

```

```

/* Se_ngs */
.se_ngs-secOon {
  background: #f8f7ff;
  border-radius: 16px;
  padding: 24px;
  margin-bohom: 28px;
  text-align: let;
}

.se_ngs-secOon h3 {
font-size: 1rem;
color: var(--primary);
margin-bohom: 16px;
font-weight: 700;
}

.se_ng-item {
  margin-bohom: 14px;
}

.se_ng-item label {
  font-size: 0.9rem;
  color: var(--text);
  font-weight: 500;
  display: block;
  margin-bohom: 6px;
}

.se_ng-item select {
  width: 100%;
  padding: 10px 14px;
  border: 2px solid var(--border);
  border-radius: 10px;
  font-size: 0.9rem;
  background: white;
  color: var(--text);
  cursor: pointer;
  outline: none;
  transiOon: border-color 0.2s;
}

.se_ng-item select:focus {
  border-color: var(--primary);
}

.checkbox-item label {
  display: flex;
  align-items: center;
  gap: 10px;
  cursor: pointer;
  margin-bohom: 0;
}

.checkbox-item input[type="checkbox"] {
  width: 18px;
  height: 18px;
  accent-color: var(--primary);
  cursor: pointer;
}

```



```
}
```

```
.btn-start {  
  width: 100%;  
  padding: 16px;  
  background: linear-gradient(135deg, var(--primary), var(--primary-dark));  
  color: white;  
  border: none;  
  border-radius: 14px;  
  font-size: 1.15rem;  
  font-weight: 700;  
  cursor: pointer;  
  letter-spacing: 0.5px;  
  transition: transform 0.2s, box-shadow 0.2s;  
  box-shadow: 0 4px 20px rgba(108,99,255,0.4);  
  margin-bottom: 16px;  
}
```

```
.btn-start:hover {  
  transform: translateY(-2px);  
  box-shadow: 0 8px 28px rgba(108,99,255,0.5);  
}
```

```
.hint {  
  color: var(--text-light);  
  font-size: 0.85rem;  
}
```

```
/* ===== QUIZ PAGE ===== */  
.quiz-card {  
  background: var(--card-bg);  
  border-radius: 24px;  
  padding: 36px 36px;  
  box-shadow: var(--shadow);  
}
```

```
.quiz-header {  
  display: flex;  
  justify-content: space-between;  
  align-items: center;  
  margin-bottom: 16px;  
}
```

```
.question-counter {  
  font-size: 0.9rem;  
  font-weight: 700;  
  color: var(--primary);  
  background: #f0e6ff;  
  padding: 6px 14px;  
  border-radius: 20px;  
}
```

```
.Omer-box {  
  font-size: 0.9rem;  
  font-weight: 700;  
  color: var(--success);  
  background: #e8faf0;  
  padding: 6px 14px;
```

```

border-radius: 20px;
border: 2px solid #b2dfdb;
transiOon: all 0.3s;
}

.Omer-warning {
color: var(--warning) !important;
background: #fff8e1 !important; border-
color: var(--warning) !important;
}

.Omer-danger {
color: var(--danger) !important;
background: #fdecea !important;
border-color: var(--danger) !important;
animaOon: pulse 0.5s infinite;
}

@keyframes pulse {
0%, 100% { transform: scale(1); }
50% { transform: scale(1.05); }
}

.negaOve-noOce {
background: #fff3cd;
border: 1px solid #ffc107;
color: #856404;
border-radius: 8px;
padding: 8px 14px;
font-size: 0.82rem;
font-weight: 600;
margin-bohom: 14px;
}

.progress-bar-outer {
background: #e2e3e5;
border-radius: 10px;
height: 8px;
margin-bohom: 28px;
overflow: hidden;
}

.progress-bar-inner {
background: linear-gradient(90deg, var(--primary), var(--secondary));
height: 100%;
border-radius: 10px;
transiOon: width 0.4s ease;
}

.quesOon-box {
background: linear-gradient(135deg, #f8f7ff, #fff0f5);
border-let: 5px solid var(--primary);
border-radius: 0 14px 14px 0;
padding: 20px 22px;
margin-bohom: 24px;
}

.quesOon-text {

```

```

font-size: 1.1rem;
font-weight: 600;
color: var(--text);
line-height: 1.6;
}

.opOons-grid {
display: grid;
grid-template-columns: 1fr 1fr;
gap: 12px;
margin-bohom: 24px;
}

.opOon-label {
display: flex;
align-items: center;
gap: 12px;
padding: 14px 18px;
border: 2px solid var(--border);
border-radius: 12px;
cursor: pointer;
transiOon: all 0.2s;
background: #fafafa;
}

.opOon-label:hover {
border-color: var(--primary);
background: #f0eeff;
transform: translateY(-1px);
}

.opOon-label.selected {
border-color: var(--primary);
background: #f0eeff;
box-shadow: 0 0 0 3px rgba(108,99,255,0.15);
}

.opOon-label input[type="radio"] {
accent-color: var(--primary);
width: 18px;
height: 18px;
flex-shrink: 0;
}

.opOon-text {
font-size: 0.9rem;
font-weight: 500;
color: var(--text);
}

.btn-submit {
width: 100%;
padding: 15px;
background: linear-gradient(135deg, var(--primary), var(--primary-dark));
color: white;
border: none;
border-radius: 12px;
font-size: 1rem;

```

```

font-weight: 700;
cursor: pointer;
transition: transform 0.2s, box-shadow 0.2s;
box-shadow: 0 4px 16px rgba(108,99,255,0.35);
}

.btn-submit:hover {
transform: translateY(-2px);
box-shadow: 0 6px 20px rgba(108,99,255,0.45);
}

/* ===== RESULT PAGE ===== */
.result-card {
background: var(--card-bg);
border-radius: 24px;
padding: 40px 36px;
box-shadow: var(--shadow);
text-align: center;
}

.result-Title {
font-size: 2rem;
font-weight: 800;
color: var(--text);
margin-bottom: 28px;
}

.score-circle {
width: 140px;
height: 140px;
border-radius: 50%;
display: flex;
flex-direction: column;
align-items: center;
justify-content: center;
margin: 0 auto 24px;
border: 6px solid;
}

.score-circle.perfect { background: #fff9e6; border-color: #f39c12; }
.score-circle.excellent { background: #e8faf0; border-color: var(--success); }
.score-circle.good { background: #f0e6ff; border-color: var(--primary); }
.score-circle.fair { background: #fff3cd; border-color: var(--warning); }
.score-circle.poor { background: #fdecea; border-color: var(--danger); }

.score-number {
font-size: 2rem;
font-weight: 900;
color: var(--text);
}

.score-label {
font-size: 0.8rem;
color: var(--text-light);
font-weight: 600;
}

.feedback-banner {

```

```

padding: 14px 24px;
border-radius: 50px;
font-size: 1.1rem;
font-weight: 700;
margin-bohom: 28px;
display: inline-block;
}

.feedback-banner.perfect { background: #fff9e6; color: #c87f0a; }
.feedback-banner.excellent { background: #e8faf0; color: #1e8449; }
.feedback-banner.good { background: #f0eeff; color: var(--primary); }
.feedback-banner.fair { background: #fff3cd; color: #856404; }
.feedback-banner.poor { background: #fdecea; color: #c0392b; }

.stats-row {
  display: grid;
  grid-template-columns: repeat(3, 1fr);
  gap: 14px;
  margin-bohom: 32px;
}

.stat-box {
  border-radius: 14px;
  padding: 18px 10px;
}

.correct-stat { background: #e8faf0; }
.wrong-stat { background: #fdecea; }
.percent-stat { background: #f0eeff; }

.stat-num {
  font-size: 1.8rem;
  font-weight: 900;
  color: var(--text);
}

.stat-label {
  font-size: 0.8rem;
  color: var(--text-light);
  font-weight: 600;
  margin-top: 4px;
}

/* Review SecOon */
.review-secOon {
  text-align: left;
  margin-bohom: 28px;
}

.review-secOon h3 {
  font-size: 1.1rem;
  color: var(--primary);
  font-weight: 700;
  margin-bohom: 14px;
  padding-bohom: 8px;
  border-bohom: 2px solid #ece9ff;
}

```

```

.review-item {
  border-radius: 12px;
  padding: 14px 16px;
  margin-bottom: 10px;
  border-left: 4px solid;
}

.correct-item { background: #00ff4; border-color: var(--success); }
.wrong-item { background: #ff5f5; border-color: var(--danger); }

.review-q {
  font-size: 0.88rem;
  color: var(--text);
  margin-bottom: 6px;
  line-height: 1.5;
}

.review-ans, .review-correct {
  font-size: 0.85rem;
  color: var(--text-light);
  margin-top: 4px;
}

.correct-text { color: var(--success); font-weight: 700; }
.wrong-text { color: var(--danger); font-weight: 700; }

.acOon-buhons {
  display: flex;
  gap: 14px;
}

.btn-restart, .btn-home {
  flex: 1;
  padding: 14px;
  border-radius: 12px;
  font-size: 1rem;
  font-weight: 700;
  text-decoration: none;
  text-align: center;
  transition: transform 0.2s, box-shadow 0.2s;
}

.btn-restart {
  background: linear-gradient(135deg, var(--primary), var(--primary-dark));
  color: white;
  box-shadow: 0 4px 16px rgba(108,99,255,0.35);
}

.btn-home {
  background: #f0f2ff;
  color: var(--primary);
  border: 2px solid #e0e0ff;
}

.btn-restart:hover, .btn-home:hover {
  transform: translateY(-2px);
  box-shadow: 0 6px 20px rgba(108,99,255,0.3);
}

```

```

/*===== Responsive ===== */
@media (max-width: 520px) {
    .home-card, .quiz-card, .result-card { padding: 28px 20px; }
    .info-grid { grid-template-columns: repeat(2, 1fr); }
    .opOons-grid { grid-template-columns: 1fr; }
    .stats-row { grid-template-columns: repeat(3, 1fr); }
    .Otle { font-size: 2rem; }
}

) app.pyCODE :

```

```

from flask import Flask, render_template, request, session, redirect, url_for
import random

```

```

app = Flask(__name__)
app.secret_key = 'quizmaster_secret_key_2024'

```

```

QUESTIONS = [
    {
        "id": 1,
        "quesOon": "Which language is used for web scripOng on the client side?",
        "opOons": ["Python", "Java", "JavaScript", "C++"],
        "answer": "JavaScript"
    },
    {
        "id": 2,
        "quesOon": "What does HTML stand for?",
        "opOons": [
            "Hyper Text Markup Language",
            "High Tech Modern Language",
            "Hyper Transfer Markup Language",
            "Home Tool Markup Language"
        ],
        "answer": "Hyper Text Markup Language"
    },
    {
        "id": 3,
        "quesOon": "Which Python framework is used to build web applicaOons?",
        "opOons": ["Django only", "Flask only", "Both Flask and Django", "Neither"],
        "answer": "Both Flask and Django"
    },
    {
        "id": 4,
        "quesOon": "What does CSS stand for?",
        "opOons": [
            "Computer Style Sheets",
            "Cascading Style Sheets",
            "CreaOve Style Sheets",
            "Colorful Style Sheets"
        ],
        "answer": "Cascading Style Sheets"
    },
    {
        "id": 5,
        "quesOon": "Which HTTP method is used to submit a form?",
        "opOons": ["GET", "POST", "PUT", "DELETE"],
        "answer": "POST"
    }
]

```

```

},
{
    "id": 6,
    "quesOon": "What is the correct file extension for Python files?",
    "opOons": [".pt", ".pyt", ".py", ".python"],
    "answer": ".py"
},
{
    "id": 7,
    "quesOon": "Which tag is used to create a hyperlink in HTML?",
    "opOons": ["<link>", "<href>", "<a>", "<url>"],
    "answer": "<a>"
},
{
    "id": 8,
    "quesOon": "In Flask, which decorator is used to define a route?",
    "opOons": ["@app.url()", "@app.route()", "@app.path()", "@app.view()"],
    "answer": "@app.route()"
},
{
    "id": 9,
    "quesOon": "What does JSON stand for?",
    "opOons": [
        "JavaScript Object NotaOon",
        "Java Scripted Object Names",
        "JavaScript Output Node",
        "Java Simple Object NotaOon"
    ],
    "answer": "JavaScript Object NotaOon"
},
{
    "id": 10,
    "quesOon": "Which of the following is NOT a valid CSS property?",
    "opOons": ["color", "font-size", "text-weight", "margin"],
    "answer": "text-weight"
}
]

```

```

def get_feedback(score, total):
    percentage = (score / total) * 100
    if percentage == 100:
        return 🏆 "Perfect Score! Outstanding!", "perfect"
    elif percentage >= 80:
        return 🌟 "Excellent! Great job!", "excellent"
    elif percentage >= 60:
        return 👍 "Good work! Keep it up!", "good"
    elif percentage >= 40:
        return 📖 "Fair ahempt. More pracOce needed.", "fair"
    else:
        return 💪 "Don't give up! Try again!", "poor"

```

```

@app.route('/')
def index():

```



```
return render_template('index.html')
```

```
@app.route('/start')
```

```
def start():
```

```
    quesOons = QUESTIONS.copy()
```

```
    random.shuffle(quesOons)
```

```
    session['quesOons'] = quesOons
```

```
    session['current'] = 0
```

```
    session['score'] = 0
```

```
    session['answers'] = []
```

```
    session['negaOve'] = request.args.get('negaOve', 'false') == 'true'
```

```
    session['Ome_limit'] = int(request.args.get('Ome', 30))
```

```
    return redirect(url_for('quiz'))
```

```
@app.route('/quiz', methods=['GET', 'POST'])
```

```
def quiz():
```

```
    if 'quesOons' not in session:
```

```
        return redirect(url_for('index'))
```

```
    quesOons = session['quesOons']
```

```
    current = session['current']
```

```
    if request.method == 'POST':
```

```
        selected = request.form.get('answer')
```

```
        correct_answer = quesOons[current]['answer']
```

```
        answers = session.get('answers', [])
```

```
        if selected == correct_answer:
```

```
            session['score'] = session.get('score', 0) + 1
```

```
            answers.append({'selected': selected, 'correct': True})
```

```
        else:
```

```
            if session.get('negaOve'):
```

```
                session['score'] = session.get('score', 0) - 0.25
```

```
            answers.append({'selected': selected, 'correct': False, 'correct_ans': correct_answer})
```

```
    session['answers'] = answers
```

```
    session['current'] = current + 1
```

```
    current = session['current']
```

```
    if current >= len(quesOons):
```

```
        return redirect(url_for('result'))
```

```
    return redirect(url_for('quiz'))
```

```
if current >= len(quesOons):
```

```
    return redirect(url_for('result'))
```

```
q = quesOons[current]
```

```
opOons = q['opOons'].copy()
```

```
random.shuffle(opOons)
```

```
return render_template(
```

```
    'quiz.html',
```

```
    quesOon=q,
```

```
    opOons=opOons,
```

```
    current=current + 1,
```

```
    total=len(quesOons),
```

```

    Ome_limit=session.get('Ome_limit', 30),
    negaOve=session.get('negaOve', False)
)

@app.route('/result')
def result():
    if 'quesOons' not in session:
        return redirect(url_for('index'))

    score=session.get('score', 0)
    total=len(session.get('quesOons', []))
    answers=session.get('answers', [])
    quesOons=session.get('quesOons', [])
    feedback,level=get_feedback(max(score, 0), total)

    result_data = []
    for i,q in enumerate(quesOons):
        ans=answers[i] if i<len(answers) else {}
        result_data.append({
            'quesOon':q['quesOon'],
            'selected':ans.get('selected', 'Not answered'),
            'correct_ans':q['answer'],
            'is_correct':ans.get('correct', False)
        })



    return render_template(
        'result.html',
        score=score,
        total=total,
        feedback=feedback,
        level=level,
        result_data=result_data
    )

@app.route('/restart')
def restart():
    session.clear()
    return redirect(url_for('index'))

if __name__ == '__main__':
    app.run(debug=True)

```

› Output :



Quiz Completed! 🎉

0.0/10

Score

👉 Don't give up! Try again!

2

✅ Correct

8

❌ Wrong

0%

📊 Accuracy

📖 Detailed Review

Q1: What is the correct file extension for Python files?

Your Answer: `.pyt` ❌

Correct Answer: `.py` ✅

Q2: What does JSON stand for?

Your Answer: `JavaScript Object Notation` ✅

Q3: Which of the following is NOT a valid CSS property?

Your Answer: `margin` ❌

Correct Answer: `Both Flask and Django` ✅

Q5: What does HTML stand for?

Your Answer: `High Tech Modern Language` ❌

Correct Answer: `Hyper Text Markup Language` ✅

Q6: Which language is used for web scripting on the client side?

Your Answer: `C++` ❌

Correct Answer: `JavaScript` ✅

Q7: In Flask, which decorator is used to define a route?

Your Answer: `@app.route()` ✅

Q8: Which tag is used to create a hyperlink in HTML?

Your Answer: `<href>` ❌

Correct Answer: `<a>` ✅

Q9: What does CSS stand for?

Your Answer: `Creative Style Sheets` ❌

Correct Answer: `Cascading Style Sheets` ✅

Q10: Which HTTP method is used to submit a form?

Your Answer: `PUT` ❌

Correct Answer: `POST` ✅

🔄 Restart Quiz

🏠 Home