



Oracle® Labor Distribution

Technical Reference Manual

Release 11i

CAUTION!

This document contains proprietary,
confidential information that is the exclusive
property of Oracle Corporation.

**See back cover for
important information.**

**KEEP
UNDER
LOCK &
KEY**

L



Oracle® Labor Distribution Technical Reference Manual

RELEASE 11*i*

August 2000

ORACLE®

Oracle® Labor Distribution Technical Reference Manual
Release 11i

To order this book, ask for Part No. A85310-01

Copyright © 1998, 2000. Oracle Corporation. All rights reserved.

Author: Julianna Litwin

Contributors: Frank Bishop, Mohan Chalagalla, Ravindra Cheruvu, Vijay Cirigiri, Robin Inglis-Arkell, Ann Kuchins, Yi-Lu Liou, Subbarao Padmanabhuni, Subha Ramachandran, Kumares Sankarasubbaian, Bijoy Sarkar

This Technical Reference Manual (TRM) in any form, software or printed matter, contains proprietary information of Oracle Corporation; it is provided under an Oracle Corporation agreement containing restrictions on use and disclosure and is also protected by copyright, patent, and other intellectual property law. Restrictions applicable to this TRM include, but are not limited to: (a) exercising either the same degree of care to safeguard the confidentiality of this TRM as you exercise to safeguard the confidentiality of your own most important Confidential Information or a reasonable degree of care, whichever is greater; (b) maintaining agreements with your employees and agents that protect the Confidential Information of third parties such as Oracle Corporation and instructing such employees and agents of these requirements for this TRM; (c) restricting disclosure of this TRM to those of your employees who have a "need to know" consistent with the purposes for which this TRM was disclosed to you; (d) maintaining this TRM at all times on your premises; (e) not removing or destroying any proprietary or confidential legends or markings placed upon this TRM in whatever form, software or printed matter; and (f) not reproducing or transmitting this TRM in any form or by any means, electronic or mechanical, for any purpose, without the express written permission of Oracle Corporation. You should not use this TRM in any form, software or printed matter, to create software that performs the same or similar functions as any Oracle Corporation products.

The information in this TRM is subject to change without notice. If you find any problems in the TRM in any form, software or printed matter, please report them to us in writing. Oracle Corporation does not warrant that this TRM is error-free. This TRM is provided to customer "as-is" with no warranty of any kind. This TRM does not constitute Documentation as that term is defined in Oracle's agreements.

Reverse engineering of the Programs (software and documentation) associated with this TRM are prohibited. The Programs associated with this TRM are not intended for use in any nuclear, aviation, mass transit, medical, or other inherently dangerous applications. It shall be licensee's responsibility to take all appropriate fail-safe, back-up, redundancy and other measures to ensure the safe use of such applications if the Programs are used for such purposes, and Oracle disclaims liability for any damages caused by such use of the Programs.

Restricted Rights Legend

This TRM and the Programs associated with this TRM delivered subject to the DOD FAR Supplement are 'commercial computer software' and use, duplication and disclosure of the TRM and the Programs associated with this TRM shall be subject to the licensing restrictions set forth in the applicable Oracle license agreement. Otherwise, this TRM and the Programs associated with this TRM delivered subject to the Federal Acquisition Regulations are 'restricted computer software' and use, duplication and disclosure of the TRM and the Programs associated with this TRM shall be subject to the restrictions in FAR 52.227-14, Rights in Data — General, including Alternate III (June 1987). Oracle Corporation, 500 Oracle Parkway, Redwood City, CA 94065.

Oracle is a registered trademark, and CASE*Exchange, Enabling the Information Age, Hyper*SQL, NLS*Workbench, Oracle7, Oracle8, Oracle 8i, Oracle Access, Oracle Application Object Library, Oracle Discoverer, Oracle Financials, Oracle Quality, Oracle Web Customers, Oracle Web Employees, Oracle Work in Process, Oracle Workflow, PL/SQL, Pro*Ada, Pro*C, Pro*COBOL, Pro*FORTRAN, Pro*Pascal, Pro*PL/I, SmartClient, SQL*Connect, SQL*Forms, SQL*Loader, SQL*Menu, SQL*Net, SQL*Plus, and SQL*Report are trademarks or registered trademarks of Oracle Corporation. Other names may be trademarks of their respective owners.



CAUTION

This Technical Reference Manual in any form — software or printed matter — contains proprietary, confidential information that is the exclusive property of Oracle Corporation. If you do not have a valid contract with Oracle for the use of this Technical Reference Manual or have not signed a non-disclosure agreement with Oracle covering this Technical Reference Manual, then you received this document in an unauthorized manner and are not legally entitled to possess or read it.

Use, duplication, and disclosure are subject to restrictions stated in your contract with Oracle Corporation.

L



Contents

| | | |
|----------------------|---|------------------|
| Chapter 1 | Introduction | 1 – 1 |
| | Lack of Support | 1 – 7 |
| | Program Interdependencies | 1 – 7 |
| | Lack of Upgrade Compatibility | 1 – 7 |
| | Entity | 1 – 8 |
| | Relationship | 1 – 8 |
| | Database Diagram | 1 – 8 |
| | Summary Database Diagram | 1 – 8 |
| | Module | 1 – 8 |
| | Application Building Block | 1 – 9 |
| | QuickCodes | 1 – 9 |
| | Form | 1 – 9 |
| | Oracle Labor Distribution Documentation | 1 – 10 |
| | Related Oracle Documentation | 1 – 10 |
| | Oracle Applications Documentation | 1 – 12 |
| | Education | 1 – 14 |
| | Oracle Support Services | 1 – 14 |
| Chapter 2 | High-Level Design | 2 – 1 |
| | Database Diagrams | 2 – 2 |
| | Table Lists | 2 – 2 |
| | View Lists | 2 – 3 |
| | Module List | 2 – 4 |
| | Methodology | 2 – 4 |
| | Public Table List | 2 – 15 |



| | |
|---|--------|
| Oracle Public Sector General Ledger | 2 – 15 |
| Oracle Grants Accounting | 2 – 15 |
| Oracle Human Resources | 2 – 15 |
| Oracle Payroll | 2 – 16 |
| Oracle Projects | 2 – 17 |
| Oracle Labor Distribution | 2 – 17 |
| Forms and Table View List | 2 – 21 |
| Internal View List | 2 – 23 |
| Module List | 2 – 25 |

Chapter 3

| | |
|----------------------------------|--------------|
| Detailed Design | 3 – 1 |
| Overview | 3 – 2 |
| Table and View Definitions | 3 – 2 |
| Foreign Keys | 3 – 3 |
| QuickCodes Columns | 3 – 3 |
| Column Descriptions | 3 – 3 |
| Indexes | 3 – 5 |
| Sequences | 3 – 5 |
| Database Triggers | 3 – 5 |
| View Derivation | 3 – 5 |

Index



CHAPTER

1

Introduction

This chapter introduces the *Oracle Labor Distribution Technical Reference Manual* and explains how to use it. It includes the following topics:

- overview
- introduction
- about this manual
- finding the latest information
- audience
- how this manual is organized
- how to use this manual
- restrictions
- Oracle Application Object Library
- terminology
- additional documentation
- Oracle services



- [about Oracle](#)
- [reader comments](#)



Overview

The *Oracle Labor Distribution Technical Reference Manual* contains detailed information about the underlying structure of Oracle Labor Distribution. It describes the Oracle Applications Release 11i data model and database objects used by Oracle Labor Distribution. This information is useful for converting existing applications data, integrating existing applications with Oracle Labor Distribution, and writing custom reports for Oracle Labor Distribution.

Introduction

Oracle designs and builds applications using Designer/2000, a systems design technology that provides a complete environment to support developers through all stages of a system's life cycle. Because Oracle uses a repository-based design toolset, all the information regarding the underlying structure and processing of Oracle applications is available online. Using Designer/2000, Oracle can present this information in the form of a technical reference manual.

The *Oracle Labor Distribution Technical Reference Manual* contains detailed, up-to-date information about the underlying structure of Oracle Labor Distribution. As Oracle designs and builds new releases of Oracle Labor Distribution, the Designer/2000 repository is updated to reflect enhancements. As a result, Oracle can always provide an *Oracle Labor Distribution Technical Reference Manual* that contains the very latest technical information.

About this Manual

This manual describes the Oracle Applications Release 11i data model, as used by Oracle Labor Distribution. It discusses the database included with a fresh install of Oracle Applications Release 11i. Organizations that have not yet upgraded to Release 11i may have databases that differ from the database documented in this manual.

Organizations that have upgraded from a previous release might find it helpful to use this manual with the appropriate *Oracle Applications Product Update Notes* manual. The product update notes list database changes and seed data changes in Oracle Labor Distribution between releases. The *Oracle Applications Product Update Notes Release 11* manual describes the changes between Release 10.7 and Release 11, and the

Oracle Applications Product Update Notes Release 11i manual describes the changes between Release 11 and Release 11i.

Finding the Latest Information

The *Oracle Labor Distribution Technical Reference Manual* contains the latest information as of the publication date. For the latest information, readers are encouraged to use *OracleMetaLink* which is accessible through Oracle's Support Web Center (http://www.oracle.com/support/elec_sup).

Audience

The *Oracle Labor Distribution Technical Reference Manual* provides useful guidance and assistance to the following:

- technical end users
- consultants
- systems analysts
- system administrators
- other MIS professionals

This manual assumes a basic understanding of structured analysis and design, and of relational databases. It also assumes familiarity with Oracle Application Object Library and Oracle Labor Distribution. Readers unfamiliar with these products can attend Oracle Education training. For more information on Oracle Education, see the Oracle Services section in this chapter.



How this Manual is Organized

The information in this manual is organized as follows:

Chapter 1, Introduction

This chapter introduces the *Oracle Labor Distribution Technical Reference Manual* and explains how to use it.

Chapter 2, High-Level Design

This chapter includes the database diagrams and lists each database table and view that Oracle Labor Distribution uses. This chapter also includes a list of modules.

Chapter 3, Detailed Design

This chapter contains a detailed description of the Oracle Labor Distribution database design, including information about each database table and views that might be needed for custom reporting or other data requirements.

Index

How to Use This Manual

The *Oracle Labor Distribution Technical Reference Manual* is a single, centralized source for information about the underlying structure and processes of Oracle Labor Distribution. For example, this manual provides the information needed to perform the following tasks:

- convert existing application data
- integrate Oracle Labor Distribution with other applications systems
- write custom reports
- define alerts against Oracle Applications tables
- configure Oracle Self-Service Web Applications
- create views for decision support queries
- create business views for Oracle Discoverer

This manual is not designed to be read from cover to cover. The table of contents and index provide quick access to information.



Restrictions

Do not modify Oracle Applications tables, forms, or reports. Oracle Labor Distribution is designed to support customization without programming and can be integrated with existing applications through interface tables. Interface tables are specialized tables used for transferring data between applications or from an external application.

If program modifications are required, Oracle Support Services can provide a reference to Oracle Consulting Services, the professional consulting organization of Oracle. Their team of experienced applications professionals can make the required modifications while ensuring compatibility with future product releases.

Unless modifications are made by Oracle's consulting organization, Oracle Corporation does not allow modifications to Oracle Applications for the following reasons:

- lack of support
- program interdependencies
- lack of upgrade compatibility

Lack of Support

Do not write data directly into or change data in tables not identified as interface tables using SQL*Plus or other programming tools. Doing so risks corrupting the database and making it difficult to receive support services.

Program Interdependencies

This version of the *Oracle Labor Distribution Technical Reference Manual* does not contain complete information about the dependencies among Oracle Labor Distribution application tables. Therefore, data should be written only into tables identified as interface tables. If data is written into non-interface tables, data integrity may be violated since not all data dependencies in Oracle Labor Distribution can be met.

Organizations are responsible for the support and upgrade of the logic within the procedures that are written, which can be affected by changes between releases of Oracle Applications.

Lack of Upgrade Compatibility

Oracle reserves the right to change the structure of Oracle Labor Distribution application tables and to change the meaning of, add, or delete lookup codes and other data in future releases. Oracle does not guarantee the upward compatibility of the Oracle Labor Distribution application data model. For example, if a report is written that identifies concurrent requests that end in Error status by selecting directly from Oracle Application Object Library tables, Oracle does not guarantee that the report will work properly after an upgrade.



Oracle Application Object Library

Oracle Application Object Library is a collection of prebuilt application components and facilities for building extensions to Oracle Applications. It contains shared components, such as forms, subroutines, concurrent programs, and tables used to build Oracle Applications.



Attention: Oracle does not support any customization of Oracle Application Object Library tables or modules, not even by Oracle consultants. Therefore, this manual does not contain detailed information about most Oracle Application Object Library tables used by Oracle Labor Distribution.

Terminology

The following list provides definitions for terms that are used throughout this manual:

| | |
|---------------------------------|--|
| Entity | An entity is a single thing of significance to the user about which the application keeps information. An entity can be implemented as one or more database tables. Generally, Oracle implements an entity as a single table. Employee and Supplier are examples of entities. |
| Relationship | A relationship describes any significant way in which two entities or two tables can be associated. |
| Database Diagram | A database diagram is a graphic representation of application tables and the relationships between them. |
| Summary Database Diagram | A summary database diagram, if available, shows the most important application tables and the relationships between them. It omits tables and relationships that contribute little to the understanding of the application data model. Typically, a summary database diagram shows tables that contain key reference and transaction data. |
| Module | A module is a program or procedure that implements one or more business functions or parts of a business function within an application. Modules include forms, concurrent programs, and subroutines. |

**Application Building Block**

An application building block is a set of tables and modules, including forms, reports, and concurrent programs, that implements closely related entities and their associated processing. An application building block is a logical unit of an application.

QuickCodes

QuickCodes allow the user to define general purpose, static lists of values for window fields. With QuickCodes, the user can base program logic on lookup codes while displaying user-friendly names in a list of values window. QuickCodes simplify name and language changes by allowing name changes that the end-users see, while the codes in underlying programs remain the same.

Form

A form is a module comprised of closely related windows that are used together to perform a task. For example, the Labor Scheduling form in Oracle Labor Distribution includes the Schedule Lines window, the Copy to window, and the Schedule Summary window among others. The Labor Scheduling window is the main window, and from it, buttons can be used to navigate to other windows in the form. The form name usually corresponds to the main window in the form and is frequently a window that can be opened directly from the Navigator.

Additional Documentation

The following sections list documentation relevant to Oracle Labor Distribution.

Oracle Labor Distribution Documentation

Table 1 – 1 lists additional Oracle Labor Distribution documentation.

| Oracle Labor Distribution Documentation | |
|---|--|
| Document | Description |
| <i>Oracle Labor Distribution User's Guide</i> | describes Oracle Labor Distribution features |
| | describes how to use Oracle Labor Distribution to perform specific tasks |
| | describes Oracle Labor Distribution windows, reports, and listings |
| | describes how to set up Oracle Labor Distribution features |
| | describes how to set up Oracle Applications and Oracle Public Sector Financials to support Oracle Labor Distribution |

Table 1 – 1 Oracle Labor Distribution Documentation

Related Oracle Documentation

Table 1 – 2 lists Oracle documentation that is related to Oracle Public Sector Applications.

| Related Oracle Documentation | |
|---|---|
| Document | Description |
| <i>Oracle Grants Accounting User's Guide</i> | describes Oracle Grants Accounting features |
| <i>Oracle Grants Accounting Technical Reference Manual</i> | describes the underlying structure of Oracle Grants Accounting |
| <i>Oracle Public Sector General Ledger User's Guide</i> | describes Oracle Public Sector General Ledger features |
| <i>Oracle General Ledger Applications Technical Reference Manual</i> | describes the underlying structure of Oracle Public Sector General Ledger |
| <i>Oracle General Ledger Applications Technical Reference Manual Update</i> | describes updates to the underlying structure of Oracle General Ledger |

Table 1 – 2 Related Oracle Documentation (Page 1 of 2)



| Related Oracle Documentation | |
|---|--|
| Document | Description |
| <i>Oracle Projects User's Guide</i> | describes Oracle Projects features |
| <i>Oracle Projects Applications Technical Reference Manual</i> | describes the underlying structure of Oracle Projects |
| <i>Oracle Projects Applications Technical Reference Manual Update</i> | describes updates to the underlying structure of Oracle Projects |
| <i>Oracle Workflow Guide</i> | describes how to define new workflow business processes, as well as customize existing Oracle Applications–embedded workflow processes |
| | describes the complete setup steps necessary for any Oracle Applications product that includes workflow–enabled processes |
| Oracle HRMS Documentation Set | describes Oracle HRMS features |
| <i>Oracle HRMS US Implementation Guide</i> | describes how to set up Oracle HRMS |

Table 1 – 2 Related Oracle Documentation (Page 2 of 2)

Oracle Applications Documentation

Table 1 – 3 lists documentation that provides information on Oracle Applications.

| Oracle Applications Documentation | |
|--|--|
| Document | Description |
| <i>Oracle Application Object Library Reference Manual</i> | describes how to use Oracle Application Object Library to build applications that look and act like Oracle Applications products |
| | describes all Oracle Application Object Library features, such as QuickPick, Flexfields, and concurrent processing |
| <i>Oracle Applications Flexfields Guide</i> | describes Flexfields, their planning and setup for implementation teams and users responsible for ongoing data maintenance |
| | describes how to create custom reports on Flexfields data |
| Oracle Applications Installation Manuals | describes how to install Oracle Applications in specific hardware and operating system software environments |
| <i>Oracle Applications Message Reference Manual</i> | describes numbered error messages in Oracle Applications |
| | describes actions to take if a message is received |
| <i>Oracle Applications System Administrator's Guide</i> | describes planning and reference information for system administrators as well as providing information on how to define security, customize menus, and manage concurrent processing |
| <i>Oracle Applications Upgrade Preparation Manual for UNIX</i> | describes how to prepare Oracle Applications products for an upgrade |
| | describes the upgrade procedure for each product |
| <i>Oracle Applications User's Guide</i> | describes how to navigate through Oracle Applications windows and how to submit Oracle Applications programs, reports, and listings |
| <i>Multiple Organizations in Oracle Applications</i> | describes the Oracle Applications organization model, which defines business units and the relationships between them in a complex enterprise |
| | describes functional and technical aspects of multiple organizations |
| | describes how to set up and implement this feature set in relevant Oracle Applications products |
| <i>Oracle Designer Online Documentation</i> | describes how to use Oracle Designer for development needs |

Table 1 – 3 Oracle Applications Documentation (Page 1 of 2)

| Oracle Applications Documentation | |
|---|--|
| Document | Description |
| <i>Oracle Applications Developer's Guide</i> | describes the coding standards followed by Oracle Applications development staff |
| | describes Oracle Application Object Library components needed to implement the Oracle Applications user interface described in <i>Oracle Applications User Interface Standards</i> |
| | describes information to help build custom Developer forms so they integrate with Oracle Applications |
| <i>Oracle Applications User Interface Standards</i> | describes the user interface standards followed by the Oracle Applications development staff |
| | describes the user interface for the Oracle Applications products and how to apply this user interface to the design of an application built using Oracle Forms 6 |
| <i>Oracle Self-Service Web Applications Online Documentation</i> | describes how Oracle Self-Service Web Applications enable companies to provide a self-service and secure Web interface for employees, customers, and suppliers |
| <i>Oracle Alert User Guide</i> | describes how to define periodic and event alerts to monitor the status of Oracle Applications data |
| <i>Oracle Self-Service Web Applications Implementation Manual</i> | describes the setup steps for Oracle Self-Service Web Applications and the Web Applications Dictionary |

Table 1 – 3 Oracle Applications Documentation (Page 2 of 2)



Oracle Services

Oracle offers its products, along with related consulting, education, and support services, in most countries around the world.

Education

Oracle offers a complete set of formal training courses to help customers understand and quickly reach full productivity with Oracle Labor Distribution. These courses are organized into functional learning paths, so students take only those courses appropriate to their job.

Oracle provides a choice of education environments. Courses are offered at Oracle Education Centers, or Oracle trainers can come to teach at a customer's facility. Oracle consultants can also tailor standard courses or prepare custom courses to meet specific needs. For example, a customer's organization structure, codes, and data can provide the examples used in customized training.

Oracle Support Services

From onsite support to central support, Oracle's team of experienced professionals continually provides customers with whatever help and information they need to keep Oracle Labor Distribution working. This team includes a technical representative, account manager, and Oracle's large staff of consultants and support specialists with expertise in accounting, Oracle database management, and particular hardware and software environments.



About Oracle

Oracle Corporation develops and markets an integrated line of software products for database management, applications development, decision support, and office automation, as well as Oracle Applications, an integrated suite of software modules for financial management, supply chain management, manufacturing, project systems, human resources, and sales and service management.

Oracle products are available for mainframes, minicomputers, personal computers, network computers, and personal digital assistants, allowing organizations to integrate different computers, different operating systems, different networks, and even different database management systems, into a single, unified computing and information resource.

Oracle is the world's leading supplier of software for information management and the world's second largest software company. Oracle offers its database, tools, and applications products, along with related consulting, education, and support services, in over 145 countries around the world.

Reader Comments

We value your comments as a user of Oracle products. As we write, revise, and evaluate our documentation, your opinions are the most important input we receive. Please use the Reader's Comment Form at the back of this manual to tell us what you like and dislike about this manual. Alternatively, you can contact us at the following address:

Documentation Manager
Oracle Public Sector Applications
Oracle Corporation
500 Oracle Parkway, MS 3op7
Redwood Shores, California 94065
Phone: 1.650.506.8968
FAX: 1.650.506.7800
E-mail: gepddoc@us.oracle.com





CHAPTER

2

High-Level Design

This chapter presents the high-level design for Oracle Labor Distribution defined during the strategy and analysis phase of development to satisfy specific business needs. It includes the following topics:

- overview
- database diagramming conventions
- database diagrams
- public table list
- forms and table view list
- internal view list
- module list



Overview

During high-level design, the application components, which consist of tables, views, and modules needed to build the application, are defined. What each application component should do is specified, without specifying the details of how it should be done.

This chapter provides rapid acquaintance with the tables and views that comprise Oracle Labor Distribution. It provides the basis for understanding the detailed design and implementation of Oracle Labor Distribution presented in Chapter 3, Detailed Design.

The following sections are described:

- database diagrams
- table lists
- view lists
- module list

The following introductory information is also provided:

- methodology
- database diagram conventions

Database Diagrams

The Database Diagrams section graphically represents all Oracle Labor Distribution tables and the relationships among them, organized by building block.

Table Lists

The Table List sections list the Oracle Labor Distribution tables.

Note: Because a product might not include at least one table for each type, this Technical Reference Manual might not include each of the following sections:

- public tables
- internal tables

Public Tables

Use the Public Table List section to quickly identify tables.

Internal Tables

This section includes a list of private, internal tables used by Oracle Labor Distribution; Oracle does not provide additional documentation for these tables.



View Lists

The View List sections list the Oracle Labor Distribution views, with one section for each type of view.

Note: Because a product might not include at least one view for each type, this Technical Reference Manual might not include each of the following sections:

- public views
- web views
- forms and table views
- internal views
- single–organization views
- multiple reporting currency views
- multilingual views

Public Views

This section lists views that can be useful for custom reporting or other data requirements. The list includes a description of the view and the page in Chapter 3, Detailed Design that gives detailed information about the public view.

Web Views

This section lists views that can be used to configure Self–Service Web applications. The list includes a description of the view and the page in Chapter 3, Detailed Design that gives detailed information about the web view.

Forms and Table Views

This section lists supplementary views that are not essential to the Release 11i data model, but simplify coding or improve performance for Oracle Developer.

Internal Views

This section includes each private, internal view that Oracle Labor Distribution uses.

Single–Organization Views

This section lists the Oracle Labor Distribution views that were added to take the place of various tables that are now partitioned by operating unit to support multiple sets of books within a single installation of Oracle Labor Distribution.

Multiple Reporting Currency Views

This list includes views created to support the Multiple Reporting Currencies feature.

MultiLingual Views

This section lists views created to allow certain seed data to be available in multiple national languages simultaneously.



Module List

The Module List section briefly describes each of the Oracle Labor Distribution modules. This section lists forms, reports, and concurrent programs.

Form

A form is a module comprised of closely related windows that are used together to perform a task. For example, the Enter Journals form in Oracle Public Sector General Ledger includes the Enter Journals window, the Batch window, and the More Actions window. The Enter Journals window is the main window, and buttons can be used to navigate to other windows in the form. The form name usually corresponds to the main window in the form and is frequently a window that can be opened directly from the Navigator.

Reports and Concurrent Programs

The Reports and Concurrent Programs lists include processes that can be submitted from the Submit Requests window or other windows, as well as processes that are submitted automatically by Oracle Labor Distribution. Refer to the user's guide to learn more about reports and concurrent processes.

Methodology


Use the database diagrams to learn what tables each Oracle Labor Distribution building block uses and how those tables interrelate. Then refer to the Table and View Definitions section of Chapter 3, Detailed Design, for detailed information about each of those tables.

Use the Table Lists to identify the tables of greatest interest. Then refer to the Table and View Definitions section of Chapter 3, Detailed Design, for detailed information about those tables.

Database Diagramming Conventions

Figure 2 – 1
Database Diagramming
Conventions

The following notational conventions are used in database diagrams:





Tables

Tables are the basic unit of storage in the database. A hand symbol preceding the title in the table's title bar indicates that the table is not owned by this application, but shared with another.

Foreign Key Constraint

A foreign key constraint is a type of referential integrity constraint for checking the integrity of data entered in a specific column or set of columns. This specified column or set of columns is known as the foreign key.

Delete Rule Indicator

The delete rule indicator determines the action to be taken when an attempt is made to delete a related row in a join table. A line through the foreign key constraint, as shown on the preceding diagram, indicates that this action is restricted.

Arcs

Arcs specify that, for any given row in a table, a value must be entered in one of the arc columns. The remaining columns within the arc must be null.



Database Diagrams

This section graphically represents most of the significant Oracle Labor Distribution tables and the relationships between them, organized by building block. Use this section to quickly learn what tables each Oracle Labor Distribution building block uses, and how these tables interrelate. Refer to the Table and View Definitions sections of Chapter 3 for more detailed information about each of those tables.

This section contains a database diagram for each of the following Oracle Labor Distribution building blocks:

- Diagram 1: Labor Distribution Setup
- Diagram 2: Payroll Interface
- Diagram 3: Distribution
- Diagram 4: Effort Reporting
- Diagram 5: Encumbrance
- Diagram 6: Auto Population

Some tables, especially important reference tables, appear in more than one database diagram. When several building blocks use a table, that table is shown in each appropriate database diagram.

Labor Distribution Setup

Diagram 1 shows the tables and relationships associated with Oracle Labor Distribution setup.

Payroll Interface

Diagram 2 shows the tables and relationships associated with payroll interfaces to import non-Oracle payroll data and charging instructions created by time management systems.

Distribution

Diagram 3 shows the tables and relationships associated with distribution of labor costs based on labor schedules defined for the employee assignment.

Effort Reporting

Diagram 4 shows the tables and relationships associated with effort reports that summarize labor distributions made over a period of time.



Encumbrance

Diagram 5 shows the tables and relationships associated with encumbering salary and wages and posting the encumbrances.

Auto Population

Diagram 6 shows the tables and relationships associated with auto-population of expenditure type and natural account fields during labor distribution.



Diagram 1: Labor Distribution Setup




Diagram 2: Payroll Interface




Diagram 3: Distribution






Diagram 5: Encumbrance





Diagram 6: Auto Population





Public Table List

This section lists each public database table that Oracle Labor Distribution uses and provides a brief description of each of those tables. The page reference is to the table description in Chapter 3.

Note that public tables are not necessarily intended for write access by custom code; Oracle Corporation supports write access using only standard Oracle Applications forms, reports, and programs, or any SQL write access to tables explicitly documented as API tables. For more information, see Restrictions, Chapter 1.

Oracle Labor Distribution uses Public tables for the following products:

- Oracle Public Sector General Ledger
- Oracle Grants Accounting
- Oracle Human Resources
- Oracle Payroll
- Oracle Projects
- Oracle Labor Distribution

Oracle Public Sector General Ledger

Oracle Labor Distribution uses the following Oracle Public Sector General Ledger tables. Refer to the *Oracle General Ledger Applications Technical Reference Manual*.

| Table Name | Description |
|----------------------|---|
| GL_CODE_COMBINATIONS | Account combinations (No table description) |
| GL_SETS_OF_BOOKS | Set of books definitions (No table description) |

Oracle Grants Accounting

Oracle Labor Distribution uses the following Oracle Grants Accounting table. Refer to the *Oracle Grants Accounting Technical Reference Manual*.

| Table Name | Description |
|----------------|---|
| GMS_AWARDS_ALL | Information about awards (No table description) |

Oracle Human Resources

Oracle Labor Distribution uses the following Oracle Human Resources tables. Refer to the *Oracle HRMS Technical Reference Manual*.

| Table Name | Description |
|---------------------------|--|
| HR_ALL_ORGANIZATION_UNITS | Organization unit definitions (No table description) |
| PER_ALL_ASSIGNMENTS_F | Employee and applicant assignment details (No table description) |

Oracle Proprietary, Confidential Information—Use Restricted by Contract



| Table Name | Description |
|--------------------------|--|
| PER_ALL_PEOPLE_F | DateTracked table holding personal information for employees, applicants and other people (No table description) |
| PER_ALL_POSITIONS | Dual-maintained position definition information (No table description) |
| PER_GRADES | Grade definitions for a business group (No table description) |
| PER_GRADE_DEFINITIONS | Grade key flexfield combinations table (No table description) |
| PER_JOBS | Jobs defined for a business group (No table description) |
| PER_JOB_DEFINITIONS | Job key flexfield combinations table (No table description) |
| PER_POSITION_DEFINITIONS | Combinations of segments stored in the PER_POSITIONS table (No table description) |
| PER_TIME_PERIODS | Time period definitions for payroll processing and Human Resources budget calendars (No table description) |

Oracle Payroll Oracle Labor Distribution uses the following Oracle Payroll tables. Refer to the *Oracle HRMS Technical Reference Manual*.

| Table Name | Description |
|-----------------------------|---|
| PAY_ALL_PAYROLLS_F | Payroll group definitions (No table description) |
| PAY_COSTS | Cost details and values for run results (No table description) |
| PAY_COST_ALLOCATION_KEYFLEX | Cost Allocation key flexfield combinations table (No table description) |
| PAY_ELEMENT_TYPES_F | Element definitions (No table description) |
| PAY_PAYROLL_ACTIONS | Holds information about a payroll process (No table description) |
| PAY_PEOPLE_GROUPS | People group flexfield information (No table description) |



Oracle Projects

Oracle Labor Distribution uses the following Oracle Projects tables.
Refer to the *Oracle Projects Technical Reference Manual*.

| Table Name | Description |
|----------------------|---|
| PA_EXPENDITURE_TYPES | Implementation-defined classifications of expenditures charged to projects and tasks (No table description) |
| PA_PROJECTS_ALL | Information about projects (No table description) |
| PA_TASKS | User-defined subdivisions of project work (No table description) |

Oracle Labor Distribution

Oracle Labor Distribution uses the following tables.

| Table Name | Description |
|------------------------------|---|
| PSP_ADJUSTMENT_CONTROL_TABLE | Stores one record for each batch adjusted (See page 3 – 6) |
| PSP_ADJUSTMENT_LINES | Stores the original lines and the new lines to be transferred (See page 3 – 7) |
| PSP_ADJUSTMENT_LINES_HISTORY | Stores adjusted lines that are successfully transferred (See page 3 – 10) |
| PSP_AUTO_ACCTS | Stores one record for every auto-population expenditure type and General Ledger account segment having defined rules (See page 3 – 13) |
| PSP_AUTO_BYPASS | Stores expenditure types that will be skipped by the auto-population process (See page 3 – 14) |
| PSP_AUTO_FILL_DATES | Contains auto-fill rules for begin and end dates (See page 3 – 15) |
| PSP_AUTO_LOOKUPS | Stores lookup codes and their descriptions used in the auto-population module of Labor Distribution (See page 3 – 16) |
| PSP_AUTO_PARAMS | Stores one record for each parameter for each natural account or expenditure type record used in the auto-population module of Labor Distribution (See page 3 – 17) |
| PSP_AUTO_RULES | Stores rules associated with population of expenditure type or General Ledger account segment (See page 3 – 18) |

| Table Name | Description |
|--------------------------------|--|
| PSP_AUTO_SEGMENTS | Stores Natural Account segment used for auto-population, for each business group and set of books combination (See page 3 – 19) |
| PSP_CLEARING_ACCOUNT | Stores clearing account required by Labor Distribution (See page 3 – 20) |
| PSP_DEFAULT_LABOR_SCHEDULES | Stores default labor schedules to be used when there are no schedules defined for an employee (See page 3 – 21) |
| PSP_DISTRIBUTION_INTERFACE | Contains distribution lines from pre-generated sources, such as timecards (See page 3 – 23) |
| PSP_DISTRIBUTION_LINES | Stores distributed Oracle and non-Oracle payroll sublines not yet transferred to General Ledger or Grants Accounting (See page 3 – 26) |
| PSP_DISTRIBUTION_LINES_HISTORY | Stores distributed Oracle and non-Oracle payroll sublines not yet transferred to General Ledger or Grants Accounting (See page 3 – 28) |
| PSP_EFFORT_ERRORS | Contains data for the Warning Report (See page 3 – 30) |
| PSP_EFFORT_MESSAGES | Contains standard Certify and Review messages (See page 3 – 31) |
| PSP_EFFORT_REPORTS | Contains effort reports for employees for a specified time period (See page 3 – 32) |
| PSP_EFFORT_REPORT_DETAILS | Contains assorted details by charging account for a given effort report (See page 3 – 34) |
| PSP_EFFORT_REPORT_ELEMENTS | Stores elements to be included in effort reports (See page 3 – 35) |
| PSP_EFFORT_REPORT_PERIODS | Contains predefined standard period names (See page 3 – 36) |
| PSP_EFFORT_REPORT_TEMPLATES | Contains effort report criteria and template information (See page 3 – 37) |
| PSP_ELEMENT_GROUPS | Contains element groups defined for Labor Distribution (See page 3 – 39) |
| PSP_ELEMENT_TYPES | Stores element types imported from Oracle HRMS (See page 3 – 41) |

Oracle Proprietary, Confidential Information--Use Restricted by Contract



| Table Name | Description |
|-----------------------------|---|
| PSP_ELEMENT_TYPE_ACCOUNTS | Stores global earnings elements accounts (See page 3 – 43) |
| PSP_ENC_CONTROLS | Stores one record for each time period batch (See page 3 – 45) |
| PSP_ENC_ELEMENTS | Stores information about Earnings, Regular, and Recurring elements (See page 3 – 47) |
| PSP_ENC_END_DATES | Stores information about default encumbrance period end dates (See page 3 – 48) |
| PSP_ENC_LINES | Stores encumbrance lines created by the Create Encumbrance and Update Encumbrance processes (See page 3 – 50) |
| PSP_ENC_LINES_HISTORY | Stores successful encumbrance lines transferred to General Ledger and Grants Accounting (See page 3 – 52) |
| PSP_ENC_PAYROLLS | Stores encumbrance related payrolls (See page 3 – 54) |
| PSP_ENC_PAYROLL_ASSIGNMENTS | Stores all assignments related to an encumbrance payroll (See page 3 – 55) |
| PSP_ENC_SETUP_OPTIONS | Stores all encumbrance related setup options (See page 3 – 56) |
| PSP_ENC_SUMMARY_LINES | Stores summary of all summarized encumbrance lines (See page 3 – 57) |
| PSP_ER_APPROVALS | Contains identifier and password of the supervisor who certifies a given effort report (See page 3 – 60) |
| PSP_GROUP_ELEMENT_LIST | Intersection table of PSP_ELEMENT_GROUPS and PSP_ELEMENT_TYPES (See page 3 – 61) |
| PSP_ORGANIZATION_ACCOUNTS | Stores default and suspense accounts for organizations (See page 3 – 63) |
| PSP_PAYROLL_CONTROLS | Contains information for all imported payroll transactions (See page 3 – 65) |
| PSP_PAYROLL_INTERFACE | Contains non-Oracle payroll sublines information to be imported to Labor Distribution (See page 3 – 67) |

| Table Name | Description |
|--------------------------------|---|
| PSP_PAYROLL_LINES | Contains information on each payroll line imported from Oracle Payroll and non-Oracle payroll sources (See page 3 – 70) |
| PSP_PAYROLL_SOURCES | Stores payroll source codes for payroll source types (See page 3 – 72) |
| PSP_PAYROLL_SUB_LINES | Contains information where payroll amount in a payroll line is split into more than one subline (See page 3 – 73) |
| PSP_PRE_GEN_DIST_LINES | Stores pre-generated distribution lines that are not yet transferred to General Ledger or Grants Accounting (See page 3 – 75) |
| PSP_PRE_GEN_DIST_LINES_HISTORY | Stores pre-generated distribution lines that are successfully transferred to General Ledger and Grants Accounting (See page 3 – 77) |
| PSP_REP_ORG_DLS | Contains data to be displayed in Organizational Default Labor Schedules report (See page 3 – 79) |
| PSP_SCHEDULES | Stores schedules corresponding to assignments in Oracle Human Resources (See page 3 – 80) |
| PSP_SCHEDULE_HIERARCHY | Stores schedule hierarchy level information about the schedule (See page 3 – 81) |
| PSP_SCHEDULE_LINES | Stores schedule lines associated with a particular schedule (See page 3 – 82) |
| PSP_SUB_LINE_REASONS | Stores reasons for creating payroll sublines from payroll lines (See page 3 – 84) |
| PSP_SUMMARY_LINES | Stores summarized distribution lines (See page 3 – 85) |
| PSP_TEMPLATE_AWARDS | Stores multiple awards based on given selection criteria (See page 3 – 88) |
| PSP_TEMPLATE_ORGANIZATIONS | Stores multiple organizations based on given selection criteria (See page 3 – 89) |
| PSP_TEMPLATE_PROJECTS | Stores multiple projects based on given selection criteria (See page 3 – 90) |



Forms and Table View List

This section lists supplementary views that are not essential to the Release 11i data model, but simplify coding or improve performance of Developer. For example, many of these views are used as base tables in Oracle Labor Distribution forms.



Warning: Oracle does not recommend users query or alter data using these views. Furthermore, these views may change dramatically in subsequent minor or major releases of Oracle Labor Distribution.

Oracle Labor Distribution uses the following Forms and Table views:

- PSP_ACCOUNTS_ELEMENTS_V
- PSP_ACCOUNTS_ORGANIZATIONS_V
- PSP_ASSIGNMENTS_V
- PSP_AUTO_ACCTS_V
- PSP_AUTO_FILL_BEGIN_DATES_V
- PSP_AUTO_FILL_END_DATES_V
- PSP_AUTO_PARAMS_V
- PSP_DEFAULT_LABOR_SCHEDULES_V
- PSP_DEFAULT_LABOR_SCH_ENC_V
- PSP_DEST_ACCT_LINES_V
- PSP_DISTRIBUTION_BATCH_NAME_V
- PSP_DISTRIBUTION_INTERFACE_V
- PSP_EFFORT_MESSAGES_V
- PSP_EFFORT_REPORT_ELEMENTS_V
- PSP_EFFORT_REPORT_PERIODS_V
- PSP_ELEMENT_GROUPS_V
- PSP_ELEMENT_GROUP_V
- PSP_ELEMENT_TYPES_V
- PSP_ELEMENT_TYPE_ACCOUNTS_V
- PSP_ELEMENT_TYPE_ACCT_ENC_V
- PSP_ENC_CI_BASE_SUMM_GL_V
- PSP_ENC_CI_BASE_SUMM_OGM_V

- PSP_ENC_EFFECTIVE_DATE_V
- PSP_ENC_ELEMENTS_V
- PSP_ENC_END_DATES_V
- PSP_ENC_END_DATE_ORG_V
- PSP_ENC_PAYROLLS_V
- PSP_ENC_PAYROLL_ASSIGNMENT_V
- PSP_ENC_SETUP_OPTIONS_V
- PSP_ENC_TIME_BASE_SUMM_V
- PSP_GROUP_ELEMENT_LIST_V
- PSP_MATRIX_DRIVER2_V
- PSP_MATRIX_DRIVER3_V
- PSP_MATRIX_DRIVER_V
- PSP_ORGANIZATION_ACCOUNTS_V
- PSP_ORGANIZATION_ACCOUNT_ENC_V
- PSP_ORGANIZATION_SCHEDULES_V
- PSP_ORIG_ACCT_LINES_V
- PSP_PAYROLL_INTERFACE_V
- PSP_PAYROLL_SOURCE_TYPES_V
- PSP_SCHEDULES_V
- PSP_SCHEDULE_HIERARCHY_V
- PSP_SCHEDULE_LINES_ENC_V



Internal View List

This section lists each private, internal view that Oracle Labor Distribution uses.



Warning: Oracle Corporation does not support access to Oracle Applications data using these views, except from standard Oracle Applications forms, reports, and programs.

Oracle Labor Distribution uses the following internal views:

- PSP_ADJUSTMENT_COMBO_V
- PSP_ADJUSTMENT_LINES_V
- PSP_BATCH_NAMES_V
- PSP_DISTRIBUTION_COMBO_V
- PSP_DISTRIBUTION_INTERFACE_V2
- PSP_DISTRIBUTION_LINES_C_V
- PSP_DISTRIBUTION_LINES_D_V
- PSP_EMPLOYEES_V
- PSP_ENC_PERIOD_EXTN_GL_V
- PSP_LOOKUPS
- PSP_PAYROLL_BATCH_NAMES_V
- PSP_PAYROLL_LINES_C_V
- PSP_PAYROLL_LINES_D_V
- PSP_PAYROLL_LINES_V
- PSP_PAYROLL_SUBLINES_C_V
- PSP_PAYROLL_SUBLINES_D_V
- PSP_PAYROLL_SUBLINES_V
- PSP_REP_DA_GRP1_V
- PSP_REP_DEF_CHG_V
- PSP_REP_DIST_ORG_V
- PSP_REP_DIST_PRJ_V
- PSP_REP_DP_GRP1_V
- PSP_REP_ENC_DEF_V
- PSP_REP_ENC_SSP_V



- PSP_REP_ORG_GRP1_V
- PSP_REP_SCH_EMP_V
- PSP_REP_SSP_CHG1_V
- PSP_REP_SSP_CHG_V
- PSP_REP_SUSP_WARN_V
- PSP_SUMMARY_DISTRIB_C_V
- PSP_SUMMARY_DISTRIB_D_V
- PSP_SUMMARY_LINES_C_V
- PSP_SUMMARY_LINES_D_V
- PSP_SUMMARY_LINES_V
- PSP_SUMMARY_PREGEN_C_V
- PSP_SUMMARY_PREGEN_D_V
- PSP_TIME_PERIODS_V



Module List

This section lists each form, report, and concurrent program comprising Oracle Labor Distribution.

Forms

| | |
|----------------|--|
| PSPAUBYP | Bypass Expenditure Types |
| PSPAUSEG | Segment Definition |
| PSPAUTLK | Auto-population Lookups Definition |
| PSPAUTOP | Auto-population Rules Definition |
| PSPENCCO | Encumbrance Creation Options |
| PSPENCES | Encumbrance Earning Elements Selection |
| PSPENCPD | Encumbrance Default Period Definition |
| PSPENCPS | Encumbrance Payroll and Assignment Selection |
| PSPENCSD | Encumbrance Summarization Options |
| PSPERAGI . FMB | Effort Certify Aging Report |
| PSPERCER | Review Effort Report |
| PSPERCRT | Create Effort Report; Create Ad Hoc Report |
| PSPERMES | Effort Report Messages |
| PSPERPRD | Effort Report Periods |
| PSPLDAWD . FMB | Distribution History by Award Report Parameters |
| PSPLDDFA . FMB | Default Account Charge Report Parameters |
| PSPLDORG . FMB | Distribution History by Organization Report Parameters |
| PSPLDPRJ . FMB | Distribution History by Project Report Parameters |
| PSPLDSSA . FMB | Suspense Account Report Parameters |
| PSPLDTRF | Distribution Adjustments |
| PSPLSCHD | Labor Schedules |
| PSPLSCLN | Schedule Lines |
| PSPLSCMS | Monthly Schedule Summary |
| PSPLSCPP | Payroll Period Schedule Summary |
| PSPLSEMP . FMB | Labor Schedules by Employee Report Parameters |

| | |
|--------------|---|
| PSPLSODL.FMB | Employees Using Default Schedules Parameters |
| PSPLSSUM | Schedule Summary |
| PSPPINON.FMB | Non-Oracle Payroll Sublines |
| PSPSCLEA | Labor Distribution Clearing Account |
| PSPSPIPRE | Maintenance of Pre-generated Distribution Lines |
| PSPSUAFB | Auto-Fill Begin Date |
| PSPSUAFE | Auto-Fill End Date |
| PSPSUCU | Create Notification Users |
| PSPSUEFF | Effort Report Element Types |
| PSPSUELT | Element Types |
| PSPSUGLB | Global Earnings Elements |
| PSPSUGRP | Element Groups |
| PSPSUORD | Organization Default Accounts |
| PSPSUORS | Organization Suspense Accounts |
| PSPSUSCH | Organization Default Labor Schedules |
| PSPSUSRC | Payroll Sources |
| PSPTRFRT.FMB | Adjustment History Report Parameters |


Reports

| | |
|--------------|---|
| PSPENCDU | Organization Default Usage Encumbrance Report |
| PSPENCSC | Suspense Charge Encumbrance Report |
| PSPERAGI.RDF | Effort Certification Aging (Status) Report |
| PSPERERR | Effort Report Warning Report |
| PSPERREP | Invoked from PSPERCER Form for Review Effort Report |
| PSPLDAWD.RDF | Labor Distribution History by Award |
| PSPLDDFA.RDF | Default Charge Account Report |
| PSPLDORG.RDF | Distribution History by Organization |
| PSPLDPRJ.RDF | Labor Distribution History by Project |

| | |
|--------------|--|
| PSPLDSSA.RDF | Suspense Account Report |
| PSPLSEMP.RDF | Labor Schedules Report by Employee; Create Distribution History by Employee |
| PSPLSODL.RDF | Organization Default Labor Schedule Report |
| PSPPERTO | Schedules Exceeding 100% |
| PSPRCCLS | Reconciliation Between Distribution Lines and Summary Lines |
| PSPRCLSL | Reconciliation Between Payroll Lines and Sublines |
| PSPRCPGD | Reconciliation Between Pre-generated Distribution Lines and Summarize |
| PSPRCSLD | Reconciliation Between Sublines and Distribution Lines |
| PSPTRFRT.RDF | Distribution Adjustment History |

Concurrent Programs

| | |
|--------------|--|
| PSNONRBK | Rollback of Non-Oracle Payroll |
| PSPENLIQ | Encumbrance Liquidation |
| PSPENLR | Recover Encumbrance Liquidation |
| PSPENNLN | Create Encumbrance Lines |
| PSPENSR | Recover Encumbrance Summarize and Transfer |
| PSPENSTR | Encumbrance Summarize and Transfer |
| PSPENUPD | Update Encumbrance Lines |
| PSPLDACL | Reset Incomplete Distribution Lines |
| PSPLDCLD | Create Distribution Lines |
| PSPLDPREGEN | Import Pre-generated Distribution Lines |
| PSPPINON.PLS | Import Non-Oracle Sublines |
| PSPPIPLI | Import Payroll Transactions |
| PSPRBKPY | Rollback of Imported Payroll Transactions |
| PSPRCADJ | Recover Summarize and Transfer Adjustments |
| PSPRLBDL | Rollback Distribution Lines |
| PSPSTADJ | Summarize and Transfer Adjustments |



| | |
|---------|---|
| PSPSTRB | Recover Summarize and Transfer Payroll Distributions |
| PSPTRST | Summarize and Transfer to General Ledger and Grants Accounting |



CHAPTER

3

Detailed Design

This chapter presents a detailed design for implementing Oracle Labor Distribution. It contains detailed table and view definitions and includes the following topics:

- overview
- table and view definitions

Overview

During the detailed design phase of development, how each application component should work is specified in detail. Detailed definitions of tables, public views, and web views are also prepared.

This chapter provides the detailed understanding of the underlying structure and processes of Oracle Labor Distribution needed to perform the following tasks:

- convert existing application data
- integrate Oracle Labor Distribution with other applications systems
- write custom reports
- define alerts against Oracle Applications tables
- create views for decision support queries
- configure Oracle Self-Service Web Applications

Table and View Definitions

This section contains a detailed description of tables, public views, and web views used by Oracle Labor Distribution. For detailed descriptions of other Oracle Applications tables used by Oracle Labor Distribution, see the technical reference manual for the product. Tables are listed in alphabetical order. Information is provided about the following:

- foreign keys
- QuickCodes columns
- column descriptions
- indexes
- sequences
- database triggers
- view derivation



Attention: Because Oracle does not support customization of Oracle Application Object Library tables, detailed information about them is not provided.



| | | | | | | | |
|----------------------------|---|--------------------|--|----------------|---|---------------------|--|
| Foreign Keys | <p>To help understand the relationships between tables, each foreign key contained in a table is listed. For each foreign key in a table, the primary key table name, its corresponding primary key columns, and the foreign key columns that refer to those primary key columns are also listed.</p> <p>When the primary key table has a composite primary key, each column of the composite key is listed sequentially.</p> <p>If a table contains two or more distinct foreign keys that refer to the same primary key table, the primary key table name is repeated and each of the distinct foreign keys is listed separately.</p> | | | | | | |
| QuickCodes Columns | <p>When a database column contains a QuickCodes value, the QuickCodes type, that is, lookup type, to which the QuickCodes value must belong and a complete list of QuickCodes values and meanings are listed.</p> <p>QuickCodes are implemented using a foreign key to FND_LOOKUPS, MFG_LOOKUPS, or to another lookup table.</p> <p>Some QuickCodes can be user-defined.</p> | | | | | | |
| Column Descriptions | <p>The important characteristics of each column in a table or view is listed. These characteristics include whether the column is part of the table's primary key, whether Oracle requires a value for this column, and the data type of the column. A brief description of how Oracle Labor Distribution uses the column is also supplied.</p> <p>When a column is part of a table's primary key, the notation PK is appended to the name of that column.</p> <p>To help understand which columns Oracle Labor Distribution uses and which columns it does not use, any unused column is indicated. When no module uses a database column, one of the following legends is shown in the Description column:</p> <table><tr><td>Not currently used</td><td>Oracle Labor Distribution does not use this column, although the column might be used in a future release.</td></tr><tr><td>No longer used</td><td>Oracle Labor Distribution no longer uses this column. AutoInstall installs this column. Subsequent versions of Oracle Labor Distribution might not include this column.</td></tr><tr><td>No longer installed</td><td>Oracle Labor Distribution no longer uses this column. Software upgraded from an earlier version may still have this column, depending upon</td></tr></table> | Not currently used | Oracle Labor Distribution does not use this column, although the column might be used in a future release. | No longer used | Oracle Labor Distribution no longer uses this column. AutoInstall installs this column. Subsequent versions of Oracle Labor Distribution might not include this column. | No longer installed | Oracle Labor Distribution no longer uses this column. Software upgraded from an earlier version may still have this column, depending upon |
| Not currently used | Oracle Labor Distribution does not use this column, although the column might be used in a future release. | | | | | | |
| No longer used | Oracle Labor Distribution no longer uses this column. AutoInstall installs this column. Subsequent versions of Oracle Labor Distribution might not include this column. | | | | | | |
| No longer installed | Oracle Labor Distribution no longer uses this column. Software upgraded from an earlier version may still have this column, depending upon | | | | | | |



whether it was deleted during an upgrade process. Newly installed software does not have this column.

Standard Who Columns Most Oracle Labor Distribution tables contain columns to indicate who last updated the row. If a custom program or SQL*Plus command updates or inserts a row in an interface table, each of the following standard Who columns must be populated:

| | |
|-------------------|---|
| LAST_UPDATE_DATE | Date when a user last updated this row |
| LAST_UPDATED_BY | User who last updated this row; foreign key to FND_USER.USER_ID |
| CREATION_DATE | Date when this row was created |
| CREATED_BY | User who created this row; foreign key to FND_USER.USER_ID |
| LAST_UPDATE_LOGIN | Operating system login of user who last updated this row; foreign key to FND_LOGINS.LOGIN_ID. This should be set to NULL, or to 0 if NULL is not allowed. |

Since every table containing Who columns has several foreign keys to the tables FND_USER and FND_LOGINS, the foreign key columns LAST_UPDATED_BY, CREATED_BY, or LAST_UPDATE_LOGIN are not included in a table's list of foreign keys.

Additional Who Columns for Concurrent Programs Some Oracle Labor Distribution tables also contain several additional Who columns to distinguish between changes a user makes with a form and changes a concurrent program makes. When a concurrent program updates or inserts a row in a table, the concurrent program populates the following additional Who columns:

| | |
|------------------------|--|
| REQUEST_ID | Concurrent request ID of program that last updated this row; foreign key to FND_CONCURRENT_REQUESTS.REQUEST_ID |
| PROGRAM_APPLICATION_ID | Application ID of program that last updated this row; foreign key to FND_APPLICATION.APPLICATION_ID |
| PROGRAM_ID | Program ID of program that last updated this row; foreign key to FND_CONCURRENT_PROGRAM.CONCURRENT_PROGRAM_ID |



| | |
|-----------------|---------------------------------------|
| PROGRAM_UPDATE_ | Date when a program last updated this |
| DATE | row |

Since every table containing these additional Who columns has several foreign keys to the tables FND_CONCURRENT_REQUESTS, FND_APPLICATION, and FND_CONCURRENT_PROGRAM, the foreign key columns REQUEST_ID, PROGRAM_APPLICATION_ID, or PROGRAM_ID are not included in a table's list of foreign keys.

Indexes

If an Oracle Labor Distribution table uses an Oracle index, the database columns that comprise that index are listed in sequential order.

Note: The indexes documented in this manual correspond to unique keys specified during product development and testing. In some cases, additional indexes can be added during the porting process to fine-tune performance on specific platforms. Therefore, there can be minor differences between the indexes documented in this book and the indexes for platform-specific versions of Oracle Labor Distribution.

Sequences

Oracle Labor Distribution uses Oracle sequence generators to generate unique integers. If any table column gets its value from an Oracle sequence generator, the name of the corresponding sequence generator and the name of the column that stores the unique integer are listed.

Database Triggers

If a table has one or more active database triggers, a brief explanation of each database trigger and when it fires is provided.

View Derivation

For each public view or web view, the SQL statement that defines or creates a view is supplied. Study this view definition to understand exactly how a view derives its contents.

PSP_ADJUSTMENT_CONTROL_TABLE

PSP_ADJUSTMENT_CONTROL_TABLE stores one record for each batch adjusted.

Foreign Keys

| Primary Key Table | Primary Key Column | Foreign Key Column |
|---------------------------|--------------------|--------------------|
| GL_SETS_OF_BOOKS | SET_OF_BOOKS_ID | SET_OF_BOOKS_ID |
| HR_ALL_ORGANIZATION_UNITS | ORGANIZATION_ID | BUSINESS_GROUP_ID |

Column Descriptions

| Name | Null? | Type | Description |
|----------------------------|----------|----------------|--|
| ADJUSTMENT_BATCH_NAME (PK) | NOT NULL | VARCHAR2(30) | Adjustment batch name |
| REASON_FOR_ADJUSTMENT | NULL | VARCHAR2(150) | Reason for adjustment |
| APPROVER_ID | NULL | NUMBER(15) | Approver identifier |
| COMMENTS | NULL | VARCHAR2(2000) | Adjustment comments |
| BUSINESS_GROUP_ID | NOT NULL | NUMBER(15) | Foreign Key to HR_ALL_ORGANIZATION_UNITS |
| SET_OF_BOOKS_ID | NOT NULL | NUMBER(15) | Foreign key to GL_SETS_OF_BOOKS |
| VOID | NULL | VARCHAR2(1) | Void flag to rollback the rejected records |
| ATTRIBUTE_CATEGORY | NULL | VARCHAR2(30) | Descriptive Flexfield column |
| ATTRIBUTE1 | NULL | VARCHAR2(150) | Descriptive Flexfield column |
| ATTRIBUTE2 | NULL | VARCHAR2(150) | Descriptive Flexfield column |
| ATTRIBUTE3 | NULL | VARCHAR2(150) | Descriptive Flexfield column |
| ATTRIBUTE4 | NULL | VARCHAR2(150) | Descriptive Flexfield column |
| ATTRIBUTE5 | NULL | VARCHAR2(150) | Descriptive Flexfield column |
| ATTRIBUTE6 | NULL | VARCHAR2(150) | Descriptive Flexfield column |
| ATTRIBUTE7 | NULL | VARCHAR2(150) | Descriptive Flexfield column |
| ATTRIBUTE8 | NULL | VARCHAR2(150) | Descriptive Flexfield column |
| ATTRIBUTE9 | NULL | VARCHAR2(150) | Descriptive Flexfield column |
| ATTRIBUTE10 | NULL | VARCHAR2(150) | Descriptive Flexfield column |
| ATTRIBUTE11 | NULL | VARCHAR2(150) | Descriptive Flexfield column |
| ATTRIBUTE12 | NULL | VARCHAR2(150) | Descriptive Flexfield column |
| ATTRIBUTE13 | NULL | VARCHAR2(150) | Descriptive Flexfield column |
| ATTRIBUTE14 | NULL | VARCHAR2(150) | Descriptive Flexfield column |
| ATTRIBUTE15 | NULL | VARCHAR2(150) | Descriptive Flexfield column |
| LAST_UPDATE_DATE | NOT NULL | DATE | Standard Who column |
| LAST_UPDATED_BY | NOT NULL | NUMBER(15) | Standard Who column |
| LAST_UPDATE_LOGIN | NOT NULL | NUMBER(15) | Standard Who column |
| CREATED_BY | NOT NULL | NUMBER(15) | Standard Who column |
| CREATION_DATE | NOT NULL | DATE | Standard Who column |
| GL_POSTING_OVERRIDE_DATE | NULL | DATE | General Ledger override date |
| GMS_POSTING_OVERRIDE_DATE | NULL | DATE | Grants Accounting override date |
| PERSON_ID | NULL | NUMBER(9) | Person identifier |
| ASSIGNMENT_ID | NULL | NUMBER(9) | Assignment identifier |
| ELEMENT_TYPE_ID | NULL | NUMBER(9) | Element type identifier |
| DISTRIBUTION_START_DATE | NULL | DATE | Distribution start date |
| DISTRIBUTION_END_DATE | NULL | DATE | Distribution end date |

Indexes

| Index Name | Index Type | Sequence | Column Name |
|---------------------------|------------|----------|-----------------------|
| PSP_ADJUSTMENT_CONTROL_U1 | UNIQUE | 2 | ADJUSTMENT_BATCH_NAME |

Oracle Proprietary, Confidential Information--Use Restricted by Contract

PSP_ADJUSTMENT_LINES

PSP_ADJUSTMENT_LINES stores the original and the new lines to be transferred.

Foreign Keys

| Primary Key Table | Primary Key Column | Foreign Key Column |
|---------------------------|-------------------------|-----------------------------|
| GL_CODE_COMBINATIONS | CODE_COMBINATION_ID | GL_CODE_COMBINATION_ID |
| GL_SETS_OF_BOOKS | SET_OF_BOOKS_ID | SET_OF_BOOKS_ID |
| GMS_AWARDS_ALL | AWARD_ID | AWARD_ID |
| HR_ALL_ORGANIZATION_UNITS | ORGANIZATION_ID | EXPENDITURE_ORGANIZATION_ID |
| HR_ALL_ORGANIZATION_UNITS | ORGANIZATION_ID | BUSINESS_GROUP_ID |
| PA_EXPENDITURE_TYPES | EXPENDITURE_TYPE | EXPENDITURE_TYPE |
| PA_PROJECTS_ALL | PROJECT_ID | PROJECT_ID |
| PA_TASKS | TASK_ID | TASK_ID |
| PER_ALL_ASSIGNMENTS_F | ASSIGNMENT_ID | ASSIGNMENT_ID |
| PER_ALL_PEOPLE_F | PERSON_ID | PERSON_ID |
| PER_TIME_PERIODS | TIME_PERIOD_ID | TIME_PERIOD_ID |
| PSP_EFFORT_REPORTS | EFFORT_REPORT_ID | EFFORT_REPORT_ID |
| | VERSION_NUM | VERSION_NUM |
| PSP_ELEMENT_TYPES | ELEMENT_TYPE_ID | ELEMENT_TYPE_ID |
| PSP_ORGANIZATION_ACCOUNTS | ORGANIZATION_ACCOUNT_ID | SUSPENSE_ORG_ACCOUNT_ID |
| PSP_PAYROLL_CONTROLS | PAYROLL_CONTROL_ID | PAYROLL_CONTROL_ID |
| PSP_PAYROLL_SOURCES | SOURCE_TYPE | SOURCE_TYPE |
| | SOURCE_CODE | STATUS_CODE |
| PSP_SUMMARY_LINES | SUMMARY_LINE_ID | SUMMARY_LINE_ID |

Column Descriptions

| Name | Null? | Type | Description |
|-------------------------|----------|--------------|---|
| ADJUSTMENT_LINE_ID (PK) | NOT NULL | NUMBER(10) | Unique adjustment line identifier |
| PERSON_ID | NOT NULL | NUMBER(9) | Person identifier |
| ASSIGNMENT_ID | NOT NULL | NUMBER(9) | Assignment identifier |
| ELEMENT_TYPE_ID | NOT NULL | NUMBER(9) | Element type identifier |
| DISTRIBUTION_DATE | NOT NULL | DATE | Distribution date |
| EFFECTIVE_DATE | NOT NULL | DATE | Accounting date for transferring to General Ledger and expenditure item date for transferring to Grants Accounting |
| DISTRIBUTION_AMOUNT | NOT NULL | NUMBER | Distribution amount |
| DR_CR_FLAG | NOT NULL | VARCHAR2(1) | Indicates debit or credit |
| SOURCE_CODE | NOT NULL | VARCHAR2(30) | Source code |
| SOURCE_TYPE | NOT NULL | VARCHAR2(1) | Source type |
| TIME_PERIOD_ID | | NUMBER(15) | Time period identifier |
| BATCH_NAME | NOT NULL | VARCHAR2(30) | Adjustment batch name |
| STATUS_CODE | NOT NULL | VARCHAR2(1) | Indicates status of the pre-generated distribution lines. N indicates New, S indicates Summarized, and A indicates Accepted by General Ledger or Grants Accounting. |
| SET_OF_BOOKS_ID | NOT NULL | NUMBER(15) | Foreign key to GL_SETS_OF_BOOKS |
| GL_CODE_COMBINATION_ID | | NUMBER(15) | General Ledger Code Combination identifier |
| PROJECT_ID | | NUMBER(15) | Project identifier |

Column Descriptions (Continued)

| Name | Null? | Type | Description |
|-----------------------------|----------|---------------|---|
| EXPENDITURE_ORGANIZATION_ID | NULL | NUMBER(15) | Expenditure organization identifier |
| EXPENDITURE_TYPE | NULL | VARCHAR2(30) | Expenditure type |
| TASK_ID | NULL | NUMBER(15) | Task identifier |
| AWARD_ID | NULL | NUMBER(15) | Award identifier |
| SUSPENSE_ORG_ACCOUNT_ID | NULL | NUMBER(9) | Suspense organization identifier |
| SUSPENSE_REASON_CODE | NULL | VARCHAR2(50) | Reason code for using the suspense account |
| EFFORT_REPORT_ID | NULL | NUMBER(15) | Effort report identifier |
| VERSION_NUM | NULL | NUMBER(2) | Effort report version identifier |
| SUMMARY_LINE_ID | NULL | NUMBER(9) | Summary line identifier |
| REVERSAL_ENTRY_FLAG | NULL | VARCHAR2(1) | Y indicates that the record is created for sending balancing transaction to General Ledger. NULL or N indicates that it is a normal distribution line. |
| ORIGINAL_LINE_FLAG | NULL | VARCHAR2(1) | Y indicates original line and N indicates new line. |
| USER_DEFINED_FIELD | NULL | VARCHAR2(30) | User populates this field through user extension. |
| PERCENT | NULL | NUMBER(5,2) | Percentage of distribution |
| ORIG_SOURCE_TYPE | NULL | VARCHAR2(1) | A indicates the line is from Adjustment Lines History, P indicates the line is from Pre-generated History, and D indicates the line is from Distribution Lines History. |
| ORIG_LINE_ID | NULL | NUMBER(10) | Original line identifier |
| ATTRIBUTE_CATEGORY | NULL | VARCHAR2(30) | Descriptive Flexfield column |
| ATTRIBUTE1 | NULL | VARCHAR2(150) | Descriptive Flexfield column |
| ATTRIBUTE2 | NULL | VARCHAR2(150) | Descriptive Flexfield column |
| ATTRIBUTE3 | NULL | VARCHAR2(150) | Descriptive Flexfield column |
| ATTRIBUTE4 | NULL | VARCHAR2(150) | Descriptive Flexfield column |
| ATTRIBUTE5 | NULL | VARCHAR2(150) | Descriptive Flexfield column |
| ATTRIBUTE6 | NULL | VARCHAR2(150) | Descriptive Flexfield column |
| ATTRIBUTE7 | NULL | VARCHAR2(150) | Descriptive Flexfield column |
| ATTRIBUTE8 | NULL | VARCHAR2(150) | Descriptive Flexfield column |
| ATTRIBUTE9 | NULL | VARCHAR2(150) | Descriptive Flexfield column |
| ATTRIBUTE10 | NULL | VARCHAR2(150) | Descriptive Flexfield column |
| ATTRIBUTE11 | NULL | VARCHAR2(150) | Descriptive Flexfield column |
| ATTRIBUTE12 | NULL | VARCHAR2(150) | Descriptive Flexfield column |
| ATTRIBUTE13 | NULL | VARCHAR2(150) | Descriptive Flexfield column |
| ATTRIBUTE14 | NULL | VARCHAR2(150) | Descriptive Flexfield column |
| ATTRIBUTE15 | NULL | VARCHAR2(150) | Descriptive Flexfield column |
| LAST_UPDATE_DATE | NOT NULL | DATE | Standard Who column |
| LAST_UPDATED_BY | NOT NULL | NUMBER(15) | Standard Who column |
| LAST_UPDATE_LOGIN | NOT NULL | NUMBER(15) | Standard Who column |
| CREATED_BY | NOT NULL | NUMBER(15) | Standard Who column |
| CREATION_DATE | NOT NULL | DATE | Standard Who column |
| PAYROLL_CONTROL_ID | NOT NULL | NUMBER(10) | Payroll control identifier |
| BUSINESS_GROUP_ID | NOT NULL | NUMBER(15) | Foreign Key to HR_ALL_ORGANIZATION_UNITS |



Indexes

| <u>Index Name</u> | <u>Index Type</u> | <u>Sequence</u> | <u>Column Name</u> |
|-------------------------|-------------------|-----------------|--------------------|
| PSP_ADJUSTMENT_LINES_N1 | NOT UNIQUE | 1 | PAYROLL_CONTROL_ID |
| PSP_ADJUSTMENT_LINES_U1 | UNIQUE | 2 | ADJUSTMENT_LINE_ID |

Sequences

| <u>Sequence</u> | <u>Derived Column</u> |
|--------------------------|-----------------------|
| PSP_ADJUSTMENT_CONTROL_S | ADJUSTMENT_LINE_ID |

PSP_ADJUSTMENT_LINES_HISTORY

PSP_ADJUSTMENT_LINES_HISTORY stores the adjusted lines that are successfully transferred to General Ledger, Grants Accounting, or Project Accounting.

Foreign Keys

| Primary Key Table | Primary Key Column | Foreign Key Column |
|------------------------------|-------------------------|-----------------------------|
| GL_CODE_COMBINATIONS | CODE_COMBINATION_ID | GL_CODE_COMBINATION_ID |
| GL_SETS_OF_BOOKS | SET_OF_BOOKS_ID | SET_OF_BOOKS_ID |
| GMS_AWARDS_ALL | AWARD_ID | AWARD_ID |
| HR_ALL_ORGANIZATION_UNITS | ORGANIZATION_ID | EXPENDITURE_ORGANIZATION_ID |
| HR_ALL_ORGANIZATION_UNITS | ORGANIZATION_ID | BUSINESS_GROUP_ID |
| PA_EXPENDITURE_TYPES | EXPENDITURE_TYPE | EXPENDITURE_TYPE |
| PA_PROJECTS_ALL | PROJECT_ID | PROJECT_ID |
| PA_TASKS | TASK_ID | TASK_ID |
| PER_TIME_PERIODS | TIME_PERIOD_ID | TIME_PERIOD_ID |
| PSP_ADJUSTMENT_CONTROL_TABLE | ADJUSTMENT_BATCH_NAME | ADJUSTMENT_BATCH_NAME |
| PSP_EFFORT_REPORTS | EFFORT_REPORT_ID | EFFORT_REPORT_ID |
| | VERSION_NUM | VERSION_NUM |
| PSP_ELEMENT_TYPES | ELEMENT_TYPE_ID | ELEMENT_TYPE_ID |
| PSP_ORGANIZATION_ACCOUNTS | ORGANIZATION_ACCOUNT_ID | SUSPENSE_ORG_ACCOUNT_ID |
| PSP_PAYROLL_CONTROLS | PAYROLL_CONTROL_ID | PAYROLL_CONTROL_ID |
| PSP_PAYROLL_SOURCES | SOURCE_CODE | SOURCE_CODE |
| | SOURCE_TYPE | SOURCE_TYPE |
| PSP_SUMMARY_LINES | SUMMARY_LINE_ID | SUMMARY_LINE_ID |

Column Descriptions

| Name | Null? | Type | Description |
|-------------------------|----------|--------------|---|
| ADJUSTMENT_LINE_ID (PK) | NOT NULL | NUMBER(10) | Adjustment line identifier |
| PERSON_ID | NOT NULL | NUMBER(9) | Person identifier |
| ASSIGNMENT_ID | NOT NULL | NUMBER(9) | Assignment identifier |
| ELEMENT_TYPE_ID | NOT NULL | NUMBER(9) | Element type identifier |
| DISTRIBUTION_DATE | NOT NULL | DATE | Distribution date |
| EFFECTIVE_DATE | NOT NULL | DATE | Accounting date for transferring to General Ledger and expenditure item date for transferring to Grants Accounting |
| DISTRIBUTION_AMOUNT | NOT NULL | NUMBER | Distribution amount |
| DR_CR_FLAG | NOT NULL | VARCHAR2(1) | D indicates that the distribution amount is a Debit and C indicates that it is a Credit. |
| PAYROLL_CONTROL_ID | NOT NULL | NUMBER(10) | Payroll control identifier |
| SOURCE_CODE | NOT NULL | VARCHAR2(30) | Source code |
| TIME_PERIOD_ID | | NUMBER(15) | Time period identifier |
| BATCH_NAME | NOT NULL | VARCHAR2(30) | Adjustment batch name |
| STATUS_CODE | NOT NULL | VARCHAR2(1) | Indicates the status of the pre-generated distribution lines. N indicates New, S indicates Summarized, and A indicates Accepted by General Ledger or Grants Accounting. |
| SET_OF_BOOKS_ID | NOT NULL | NUMBER(15) | Foreign key to GL_SETS_OF_BOOKS |
| GL_CODE_COMBINATION_ID | | NUMBER(15) | General Ledger Code Combination identifier |

Oracle Proprietary, Confidential Information--Use Restricted by Contract



Column Descriptions (Continued)

| Name | Null? | Type | Description |
|-----------------------------|----------|---------------|---|
| PROJECT_ID | NULL | NUMBER(15) | Project identifier |
| EXPENDITURE_ORGANIZATION_ID | NULL | NUMBER(15) | Expenditure organization identifier |
| EXPENDITURE_TYPE | NULL | VARCHAR2(30) | Expenditure type |
| TASK_ID | NULL | NUMBER(15) | Task identifier |
| AWARD_ID | NULL | NUMBER(15) | Award identifier |
| SUSPENSE_ORG_ACCOUNT_ID | NULL | NUMBER(9) | Suspense Organization Account identifier |
| SUSPENSE_REASON_CODE | NULL | VARCHAR2(50) | Reason code for using the suspense account |
| INCLUDE_IN_ER_FLAG | NULL | VARCHAR2(1) | Y indicates that the line is to be used in effort reporting. NULL or N indicates that it is not to be used in effort reporting. |
| EFFORT_REPORT_ID | NULL | NUMBER(15) | Effort report identifier |
| VERSION_NUM | NULL | NUMBER(2) | Version number of effort report |
| SUMMARY_LINE_ID | NULL | NUMBER(9) | Summary line identifier |
| REVERSAL_ENTRY_FLAG | NULL | VARCHAR2(1) | Y indicates that the record is created for sending balancing transaction to General Ledger. NULL or N indicates that it is a normal distribution line. |
| ORIGINAL_LINE_FLAG | NULL | VARCHAR2(1) | Y indicates original line and N indicates new line |
| USER_DEFINED_FIELD | NULL | VARCHAR2(30) | User populates this field through user extension |
| ADJUSTMENT_BATCH_NAME | NULL | VARCHAR2(30) | Adjustment batch name |
| PERCENT | NULL | NUMBER(5,2) | Percent of distribution |
| ORIG_SOURCE_TYPE | NULL | VARCHAR2(1) | A indicates line is from Adjustment Lines History, P indicates line is from Pre-generated History, and D indicates line is from Distribution Lines History. |
| ORIG_LINE_ID | NULL | NUMBER(10) | Original line identifier |
| ATTRIBUTE_CATEGORY | NULL | VARCHAR2(30) | Descriptive Flexfield column |
| ATTRIBUTE1 | NULL | VARCHAR2(150) | Descriptive Flexfield column |
| ATTRIBUTE2 | NULL | VARCHAR2(150) | Descriptive Flexfield column |
| ATTRIBUTE3 | NULL | VARCHAR2(150) | Descriptive Flexfield column |
| ATTRIBUTE4 | NULL | VARCHAR2(150) | Descriptive Flexfield column |
| ATTRIBUTE5 | NULL | VARCHAR2(150) | Descriptive Flexfield column |
| ATTRIBUTE6 | NULL | VARCHAR2(150) | Descriptive Flexfield column |
| ATTRIBUTE7 | NULL | VARCHAR2(150) | Descriptive Flexfield column |
| ATTRIBUTE8 | NULL | VARCHAR2(150) | Descriptive Flexfield column |
| ATTRIBUTE9 | NULL | VARCHAR2(150) | Descriptive Flexfield column |
| ATTRIBUTE10 | NULL | VARCHAR2(150) | Descriptive Flexfield column |
| ATTRIBUTE11 | NULL | VARCHAR2(150) | Descriptive Flexfield column |
| ATTRIBUTE12 | NULL | VARCHAR2(150) | Descriptive Flexfield column |
| ATTRIBUTE13 | NULL | VARCHAR2(150) | Descriptive Flexfield column |
| ATTRIBUTE14 | NULL | VARCHAR2(150) | Descriptive Flexfield column |
| ATTRIBUTE15 | NULL | VARCHAR2(150) | Descriptive Flexfield column |
| LAST_UPDATE_DATE | NOT NULL | DATE | Standard Who column |
| LAST_UPDATED_BY | NOT NULL | NUMBER(15) | Standard Who column |
| LAST_UPDATE_LOGIN | NOT NULL | NUMBER(15) | Standard Who column |
| CREATED_BY | NOT NULL | NUMBER(15) | Standard Who column |
| CREATION_DATE | NOT NULL | DATE | Standard Who column |



Column Descriptions (Continued)

| Name | Null? | Type | Description |
|-------------------|----------|-------------|---|
| SOURCE_TYPE | NOT NULL | VARCHAR2(1) | Source type |
| BUSINESS_GROUP_ID | NOT NULL | NUMBER(15) | Foreign Key to HR_ALL_ORGANIZATION_UNITS |

Indexes

| Index Name | Index Type | Sequence | Column Name |
|--------------------------------|------------|----------|-------------------------|
| PSP_ADJUSTMENT_LINES_HISTORY_U | UNIQUE | 1 | ADJUSTMENT_LINE_ID |
| PSP_ADJUSTMENT_LINES_HIST_N1 | NOT UNIQUE | 1 | PAYROLL_CONTROL_ID |
| PSP_ADJUSTMENT_LINES_HIST_N2 | NOT UNIQUE | 2 | SUSPENSE_ORG_ACCOUNT_ID |
| PSP_ADJUSTMENT_LINES_HIST_N3 | NOT UNIQUE | 1 | ASSIGNMENT_ID |
| | | 2 | DISTRIBUTION_DATE |
| PSP_ADJUSTMENT_LINES_HIST_N4 | NOT UNIQUE | 1 | ADJUSTMENT_BATCH_NAME |
| PSP_ADJUSTMENT_LINES_HIST_N5 | NOT UNIQUE | 1 | ORIG_LINE_ID |

PSP_AUTO_ACCTS

PSP_AUTO_ACCTS stores one record for every auto-population expenditure type and General Ledger account segment that have defined rules.

Foreign Keys

| Primary Key Table | Primary Key Column | Foreign Key Column |
|---------------------------|--------------------|--------------------|
| GL_SETS_OF_BOOKS | SET_OF_BOOKS_ID | SET_OF_BOOKS_ID |
| HR_ALL_ORGANIZATION_UNITS | ORGANIZATION_ID | BUSINESS_GROUP_ID |

Column Descriptions

| Name | Null? | Type | Description |
|-------------------|----------|---------------|---|
| ACCT_ID (PK) | NOT NULL | NUMBER(10) | Auto-population account identifier |
| ACCT_SEQ_NUM | NOT NULL | NUMBER(5) | Sequence number of the account identifier |
| ACCT_TYPE | NOT NULL | VARCHAR2(1) | Account type for auto-population |
| PERIOD_TYPE | NOT NULL | VARCHAR2(30) | Payroll period |
| EXPENDITURE_TYPE | NULL | VARCHAR2(30) | Expenditure type identifier |
| SEGMENT_NUM | NULL | NUMBER(3) | Segment number |
| NATURAL_ACCOUNT | NULL | VARCHAR2(150) | Natural account identifier |
| START_DATE_ACTIVE | NOT NULL | DATE | Auto-population activation date |
| END_DATE_ACTIVE | NULL | DATE | Auto-population end date |
| BUSINESS_GROUP_ID | NOT NULL | NUMBER(15) | Foreign key to HR_ALL_ORGANIZATION_UNITS |
| LAST_UPDATE_DATE | NOT NULL | DATE | Standard Who column |
| LAST_UPDATED_BY | NOT NULL | NUMBER(15) | Standard Who column |
| LAST_UPDATE_LOGIN | NULL | NUMBER(15) | Standard Who column |
| CREATED_BY | NOT NULL | NUMBER(15) | Standard Who column |
| CREATION_DATE | NOT NULL | DATE | Standard Who column |
| SET_OF_BOOKS_ID | NOT NULL | NUMBER(15) | Foreign key to GL_SETS_OF_BOOKS |

Indexes

| Index Name | Index Type | Sequence | Column Name |
|-------------------|------------|----------|-------------|
| PSP_AUTO_ACCTS_N1 | NOT UNIQUE | 1 | ACCT_TYPE |
| | | 2 | PERIOD_TYPE |
| PSP_AUTO_ACCTS_U1 | UNIQUE | 1 | ACCT_ID |

PSP_AUTO_BYPASS

PSP_AUTO_BYPASS stores the expenditure types that will be skipped by the auto-population process.

Foreign Keys

| Primary Key Table | Primary Key Column | Foreign Key Column |
|---------------------------|--------------------|--------------------|
| GL_SETS_OF_BOOKS | SET_OF_BOOKS_ID | SET_OF_BOOKS_ID |
| HR_ALL_ORGANIZATION_UNITS | ORGANIZATION_ID | BUSINESS_GROUP_ID |

Column Descriptions

| Name | Null? | Type | Description |
|------------------------|----------|--------------|---|
| EXPENDITURE_TYPE (PK) | NOT NULL | VARCHAR2(30) | Expenditure type when auto-population is active |
| LAST_UPDATE_DATE | NOT NULL | DATE | Standard Who column |
| LAST_UPDATED_BY | NOT NULL | NUMBER(15) | Standard Who column |
| LAST_UPDATE_LOGIN | NULL | NUMBER(15) | Standard Who column |
| CREATED_BY | NOT NULL | NUMBER(15) | Standard Who column |
| CREATION_DATE | NOT NULL | DATE | Standard Who column |
| BUSINESS_GROUP_ID (PK) | NOT NULL | NUMBER(15) | Foreign key to HR_ALL_ORGANIZATION_UNITS |
| SET_OF_BOOKS_ID (PK) | NOT NULL | NUMBER(15) | Foreign key to GL_SETS_OF_BOOKS |

Indexes

| Index Name | Index Type | Sequence | Column Name |
|--------------------|------------|----------|------------------|
| PSP_AUTO_BYPASS_U1 | UNIQUE | 1 | EXPENDITURE_TYPE |

PSP_AUTO_FILL_DATES

PSP_AUTO_FILL_DATES contains auto-fill rules for begin and end dates on the scheduling screen.

Column Descriptions

| Name | Null? | Type | Description |
|-------------------|----------|---------------|---|
| DATE_FILL_OPTION | NOT NULL | NUMBER(1) | Selected auto-fill date option. Possible values are 1, 2, or 3. |
| SET_OF_BOOKS_ID | NOT NULL | NUMBER(15) | Set of Books identifier |
| DATE_TYPE (PK) | NOT NULL | VARCHAR2(1) | Auto-fill description date. Possible values are B for Beginning or E for End. |
| USER_DEFINED_DATE | NULL | DATE | User-selected date when DATE_FILL_OPTION is 2 |
| COMMENTS | NULL | VARCHAR2(255) | User's comments for selected auto-fill date option |
| LAST_UPDATE_DATE | NOT NULL | DATE | Standard Who column |
| CREATED_BY | NOT NULL | NUMBER(15) | Standard Who column |
| CREATION_DATE | NOT NULL | DATE | Standard Who column |
| LAST_UPDATED_BY | NOT NULL | NUMBER(15) | Standard Who column |
| LAST_UPDATE_LOGIN | NOT NULL | NUMBER(15) | Standard Who column |
| BUSINESS_GROUP_ID | NOT NULL | NUMBER(15) | Foreign key to HR_ALL_ORGANIZATION UNITS |

Indexes

| Index Name | Index Type | Sequence | Column Name |
|------------------------|------------|----------|-------------|
| PSP_AUTO_FILL_DATES_U1 | UNIQUE | 1 | DATE_TYPE |

PSP_AUTO_LOOKUPS

PSP_AUTO_LOOKUPS stores lookup codes and their descriptions used in the auto-population module of Labor Distribution.

Foreign Keys

| Primary Key Table | Primary Key Column | Foreign Key Column |
|---------------------------|--------------------|--------------------|
| GL_SETS_OF_BOOKS | SET_OF_BOOKS_ID | SET_OF_BOOKS_ID |
| HR_ALL_ORGANIZATION_UNITS | BUSINESS_GROUP_ID | BUSINESS_GROUP_ID |

Column Descriptions

| Name | Null? | Type | Description |
|-------------------|----------|----------------|--|
| LOOKUP_ID (PK) | NOT NULL | NUMBER(10) | Lookup identifier for auto-population |
| PARAMETER_CLASS | NOT NULL | VARCHAR2(50) | Parameter classification |
| PARAMETER | NOT NULL | VARCHAR2(50) | Auto-population parameters |
| DATATYPE | NOT NULL | VARCHAR2(20) | Datatype of the parameter |
| DYN_SQL_STMT | NOT NULL | VARCHAR2(1000) | Auto-population's dynamic SQL segment |
| BIND_VAR | NULL | VARCHAR2(30) | Auto-population's binding variable |
| VALIDATION_TYPE | NOT NULL | VARCHAR2(1) | Auto-population's validation |
| PARAM_VALUE_SET | NULL | VARCHAR2(1000) | Value set defining values for the parameters |
| LAST_UPDATE_DATE | NOT NULL | DATE | Standard Who column |
| LAST_UPDATED_BY | NOT NULL | NUMBER(15) | Standard Who column |
| LAST_UPDATE_LOGIN | NULL | NUMBER(15) | Standard Who column |
| CREATED_BY | NOT NULL | NUMBER(15) | Standard Who column |
| CREATION_DATE | NOT NULL | DATE | Standard Who column |
| BUSINESS_GROUP_ID | NOT NULL | NUMBER(15) | Foreign key to HR_ALL_ORGANIZATION_UNITS |
| SET_OF_BOOKS_ID | NOT NULL | NUMBER(15) | Foreign key to GL_SETS_OF_BOOKS |

Indexes

| Index Name | Index Type | Sequence | Column Name |
|---------------------|------------|----------|-------------|
| PSP_AUTO_LOOKUPS_U1 | UNIQUE | 1 | LOOKUP_ID |

PSP_AUTO_PARAMS

PSP_AUTO_PARAMS stores one record for each parameter used in the auto-population module of Labor Distribution.

Foreign Keys

| Primary Key Table | Primary Key Column | Foreign Key Column |
|-------------------|--------------------|--------------------|
| PSP_AUTO_ACCTS | ACCT_ID | ACCT_ID |
| PSP_AUTO_LOOKUPS | LOOKUP_ID | LOOKUP_ID |

Column Descriptions

| Name | Null? | Type | Description |
|---------------------|----------|--------------|---|
| ACCT_ID (PK) | NOT NULL | NUMBER(10) | Auto-population parameters account identifier |
| PARAM_LINE_NUM (PK) | NOT NULL | NUMBER(3) | Sequence used in ordering |
| LOOKUP_ID | NOT NULL | NUMBER(10) | Lookup identifier |
| OPERAND | NOT NULL | VARCHAR2(20) | Operand used with parameter |
| USER_VALUE | NULL | VARCHAR2(80) | Value used for comparison with the parameter |
| LAST_UPDATE_DATE | NOT NULL | DATE | Standard Who column |
| LAST_UPDATED_BY | NOT NULL | NUMBER(15) | Standard Who column |
| LAST_UPDATE_LOGIN | NULL | NUMBER(15) | Standard Who column |
| CREATED_BY | NOT NULL | NUMBER(15) | Standard Who column |
| CREATION_DATE | NOT NULL | DATE | Standard Who column |

Indexes

| Index Name | Index Type | Sequence | Column Name |
|--------------------|------------|----------|----------------|
| PSP_AUTO_PARAMS_U1 | UNIQUE | 1 | ACCT_ID |
| | | 2 | PARAM_LINE_NUM |

PSP_AUTO_RULES

PSP_AUTO_RULES stores the rules associated with population of the expenditure type or General Ledger account segment.

Foreign Keys

| Primary Key Table | Primary Key Column | Foreign Key Column |
|-------------------|--------------------|--------------------|
| PSP_AUTO_ACCTS | ACCT_ID | ACCT_ID |

Column Descriptions

| Name | Null? | Type | Description |
|-------------------|----------|----------------|--|
| RULE_ID (PK) | NOT NULL | NUMBER(10) | Auto-population rule identifier |
| ACCT_ID | NOT NULL | NUMBER(10) | Auto-population account identifier |
| CALCULATOR_RULE | NULL | VARCHAR2(1000) | Rule string in terms of parameter expression line numbers and operands |
| RULE_DEFINITION | NULL | VARCHAR2(2000) | Auto-population rule definition |
| LAST_UPDATE_DATE | NOT NULL | DATE | Standard Who column |
| LAST_UPDATED_BY | NOT NULL | NUMBER(15) | Standard Who column |
| LAST_UPDATE_LOGIN | NULL | NUMBER(15) | Standard Who column |
| CREATED_BY | NOT NULL | NUMBER(15) | Standard Who column |
| CREATION_DATE | NOT NULL | DATE | Standard Who column |

Indexes

| Index Name | Index Type | Sequence | Column Name |
|-------------------|------------|----------|-------------|
| PSP_AUTO_RULES_U1 | UNIQUE | 1 | ACCT_ID |
| PSP_AUTO_RULES_U2 | UNIQUE | 1 | RULE_ID |

PSP_AUTO_SEGMENTS

PSP_AUTO_SEGMENTS stores one record for each business group and set of books combination. The segment number is populated automatically.

Foreign Keys

| Primary Key Table | Primary Key Column | Foreign Key Column |
|---------------------------|--------------------|--------------------|
| GL_SETS_OF_BOOKS | SET_OF_BOOKS_ID | SET_OF_BOOKS_ID |
| HR_ALL_ORGANIZATION_UNITS | ORGANIZATION_ID | BUSINESS_GROUP_ID |

Column Descriptions

| Name | Null? | Type | Description |
|------------------------|----------|------------|--|
| SET_OF_BOOKS_ID (PK) | NOT NULL | NUMBER(15) | Foreign key to GL_SETS_OF_BOOKS |
| BUSINESS_GROUP_ID (PK) | NOT NULL | NUMBER(15) | Foreign key to HR_ALL_ORGANIZATION_UNITS |
| SEGMENT_NUMBER (PK) | NOT NULL | NUMBER(3) | Segment number of the Natural Account to be used for auto-population |
| CREATED_BY | NOT NULL | NUMBER(15) | Standard Who column |
| CREATION_DATE | NOT NULL | DATE | Standard Who column |
| LAST_UPDATED_BY | NOT NULL | NUMBER(15) | Standard Who column |
| LAST_UPDATE_DATE | NOT NULL | DATE | Standard Who column |
| LAST_UPDATE_LOGIN | NOT NULL | NUMBER(15) | Standard Who column |

PSP_CLEARING_ACCOUNT

PSP_CLEARING_ACCOUNT stores the clearing account.

Foreign Keys

| Primary Key Table | Primary Key Column | Foreign Key Column |
|---------------------------|---------------------|--------------------|
| GL_CODE_COMBINATIONS | CODE_COMBINATION_ID | REVERSING_GL_CCID |
| HR_ALL_ORGANIZATION_UNITS | ORGANIZATION_ID | BUSINESS_GROUP_ID |

Column Descriptions

| Name | Null? | Type | Description |
|------------------------|----------|---------------|---|
| BUSINESS_GROUP_ID (PK) | NOT NULL | NUMBER(15) | Foreign key to HR_ALL_ORGANIZATION_UNITS |
| SET_OF_BOOKS_ID (PK) | NOT NULL | NUMBER(15) | Foreign key to GL_SETS_OF_BOOKS |
| REVERSING_GL_CCID (PK) | NOT NULL | NUMBER(15) | Adjustment General Ledger Code Combination identifier |
| COMMENTS | NULL | VARCHAR2(240) | Comments |
| LAST_UPDATE_DATE | NOT NULL | DATE | Standard Who column |
| LAST_UPDATED_BY | NOT NULL | NUMBER(15) | Standard Who column |
| LAST_UPDATE_LOGIN | NOT NULL | NUMBER(15) | Standard Who column |
| CREATED_BY | NOT NULL | NUMBER(15) | Standard Who column |
| CREATION_DATE | NOT NULL | DATE | Standard Who column |

Indexes

| Index Name | Index Type | Sequence | Column Name |
|-------------------------|------------|----------|-------------------|
| PSP_CLEARING_ACCOUNT_U1 | UNIQUE | 1 | REVERSING_GL_CCID |

PSP_DEFAULT_LABOR_SCHEDULES

PSP_DEFAULT_LABOR_SCHEDULES stores the default labor schedules to be used when there are no schedules defined for an employee.

Foreign Keys

| Primary Key Table | Primary Key Column | Foreign Key Column |
|---------------------------|---------------------|-----------------------------|
| GL_CODE_COMBINATIONS | CODE_COMBINATION_ID | GL_CODE_COMBINATION_ID |
| GL_SETS_OF_BOOKS | SET_OF_BOOKS_ID | SET_OF_BOOKS_ID |
| GMS_AWARDS_ALL | AWARD_ID | AWARD_ID |
| HR_ALL_ORGANIZATION_UNITS | ORGANIZATION_ID | EXPENDITURE_ORGANIZATION_ID |
| HR_ALL_ORGANIZATION_UNITS | ORGANIZATION_ID | BUSINESS_GROUP_ID |
| PA_EXPENDITURE_TYPES | EXPENDITURE_TYPE | EXPENDITURE_TYPE |
| PA_PROJECTS_ALL | PROJECT_ID | PROJECT_ID |
| PA_PROJECTS_ALL | PROJECT_ID | PROJECT_ID |
| PA_TASKS | TASK_ID | TASK_ID |

Column Descriptions

| Name | Null? | Type | Description |
|-----------------------------|----------|---------------|---|
| ORG_SCHEDULE_ID (PK) | NOT NULL | NUMBER(9) | Default labor schedule identifier |
| BUSINESS_GROUP_ID | NOT NULL | NUMBER(15) | Foreign key to HR_ALL_ORGANIZATION_UNITS |
| SET_OF_BOOKS_ID | NOT NULL | NUMBER(15) | Set of Books |
| GL_CODE_COMBINATION_ID | NULL | NUMBER(15) | Accounting Flexfield |
| PROJECT_ID | NULL | NUMBER(15) | Project identifier |
| EXPENDITURE_ORGANIZATION_ID | NULL | NUMBER(15) | Expenditure organization identifier |
| EXPENDITURE_TYPE | NULL | VARCHAR2(30) | Expenditure type identifier |
| ORGANIZATION_ID | NULL | NUMBER(9) | Organization identifier |
| AWARD_ID | NULL | NUMBER(15) | Award identifier |
| SCHEDULE_PERCENT | NOT NULL | NUMBER(5,2) | Percent of the amount to be allocated to this account |
| COMMENTS | NULL | VARCHAR2(255) | Comments |
| ATTRIBUTE_CATEGORY | NULL | VARCHAR2(30) | Descriptive Flexfield structure defining column |
| ATTRIBUTE1 | NULL | VARCHAR2(150) | Descriptive Flexfield segment column |
| ATTRIBUTE2 | NULL | VARCHAR2(150) | Descriptive Flexfield segment column |
| ATTRIBUTE3 | NULL | VARCHAR2(150) | Descriptive Flexfield segment column |
| ATTRIBUTE4 | NULL | VARCHAR2(150) | Descriptive Flexfield segment column |
| ATTRIBUTE5 | NULL | VARCHAR2(150) | Descriptive Flexfield segment column |
| ATTRIBUTE6 | NULL | VARCHAR2(150) | Descriptive Flexfield segment column |
| ATTRIBUTE7 | NULL | VARCHAR2(150) | Descriptive Flexfield segment column |
| ATTRIBUTE8 | NULL | VARCHAR2(150) | Descriptive Flexfield segment column |
| ATTRIBUTE9 | NULL | VARCHAR2(150) | Descriptive Flexfield segment column |
| ATTRIBUTE10 | NULL | VARCHAR2(150) | Descriptive Flexfield segment column |

Column Descriptions (Continued)

| Name | Null? | Type | Description |
|---------------------|----------|---------------|---|
| ATTRIBUTE11 | NULL | VARCHAR2(150) | Descriptive Flexfield segment column |
| ATTRIBUTE12 | NULL | VARCHAR2(150) | Descriptive Flexfield segment column |
| ATTRIBUTE13 | NULL | VARCHAR2(150) | Descriptive Flexfield segment column |
| ATTRIBUTE14 | NULL | VARCHAR2(150) | Descriptive Flexfield segment column |
| ATTRIBUTE15 | NULL | VARCHAR2(150) | Descriptive Flexfield segment column |
| LAST_UPDATE_DATE | NOT NULL | DATE | Standard Who column |
| LAST_UPDATED_BY | NOT NULL | NUMBER(15) | Standard Who column |
| LAST_UPDATE_LOGIN | NOT NULL | NUMBER(15) | Standard Who column |
| CREATED_BY | NOT NULL | NUMBER(15) | Standard Who column |
| CREATION_DATE | NOT NULL | DATE | Standard Who column |
| TASK_ID | NULL | NUMBER(15) | Task identifier |
| SCHEDULE_BEGIN_DATE | NOT NULL | DATE | First effective date of default schedule line |
| SCHEDULE_END_DATE | NOT NULL | DATE | Last effective date of default schedule line |

Indexes

| Index Name | Index Type | Sequence | Column Name |
|--------------------------------|------------|----------|---------------------|
| PSP_DEFAULT_LABOR_SCHEDULES_N1 | NOT UNIQUE | 1 | ORGANIZATION_ID |
| PSP_DEFAULT_LABOR_SCHEDULES_N2 | NOT UNIQUE | 2 | SCHEDULE_BEGIN_DATE |
| PSP_DEFAULT_LABOR_SCHEDULES_N3 | NOT UNIQUE | 3 | SCHEDULE_END_DATE |
| PSP_DEFAULT_LABOR_SCHEDULES_U1 | UNIQUE | 4 | ORG_SCHEDULE_ID |

Sequences

| Sequence | Derived Column |
|-------------------------|-----------------|
| PSP_DEFAULT_SCHEDULES_S | ORG_SCHEDULE_ID |

PSP_DISTRIBUTION_INTERFACE

PSP_DISTRIBUTION_INTERFACE contains pregenerated labor distribution lines to be summarized and transferred to General Ledger, Grants Accounting, or Project Accounting. Information in this table is used for integrating timecard data with labor distribution data. The data in this table is at the distribution lines level and consists of employee and pay information and financial accounts for particular time periods.

Foreign Keys

| Primary Key Table | Primary Key Column | Foreign Key Column |
|---------------------------|---------------------|-----------------------------|
| GL_CODE_COMBINATIONS | CODE_COMBINATION_ID | GL_CODE_COMBINATION_ID |
| GL_SETS_OF_BOOKS | SET_OF_BOOKS_ID | SET_OF_BOOKS_ID |
| GMS_AWARDS_ALL | AWARD_ID | AWARD_ID |
| HR_ALL_ORGANIZATION_UNITS | ORGANIZATION_ID | EXPENDITURE_ORGANIZATION_ID |
| HR_ALL_ORGANIZATION_UNITS | BUSINESS_GROUP_ID | BUSINESS_GROUP_ID |
| PAY_ALL_PAYROLLS_F | PAYROLL_ID | PAYROLL_ID |
| PA_EXPENDITURE_TYPES | EXPENDITURE_TYPE | EXPENDITURE_TYPE |
| PA_PROJECTS_ALL | PROJECT_ID | PROJECT_ID |
| PA_TASKS | TASK_ID | TASK_ID |
| PER_ALL_ASSIGNMENTS_F | ASSIGNMENT_ID | ASSIGNMENT_ID |
| PER_ALL_PEOPLE_F | PERSON_ID | PERSON_ID |
| PER_TIME_PERIODS | TIME_PERIOD_ID | TIME_PERIOD_ID |
| PSP_ELEMENT_TYPES | ELEMENT_TYPE_ID | ELEMENT_TYPE_ID |
| PSP_PAYROLL_SOURCES | SOURCE_CODE | SOURCE_CODE |

Column Descriptions

| Name | Null? | Type | Description |
|--------------------------------|----------|--------------|--|
| DISTRIBUTION_INTERFACE_ID (PK) | NOT NULL | NUMBER(10) | System-generated primary key |
| PERSON_ID | NOT NULL | NUMBER(9) | Foreign key to PER_PEOPLE_F |
| ASSIGNMENT_ID | NOT NULL | NUMBER(9) | Foreign key to PER_ASSIGNMENTS_F |
| ELEMENT_TYPE_ID | NOT NULL | NUMBER(9) | Foreign key to PSP_ELEMENT_TYPES |
| DISTRIBUTION_DATE | NOT NULL | DATE | Date the amount distributed |
| DISTRIBUTION_AMOUNT | NOT NULL | NUMBER | Distribution amount |
| PAYROLL_ID | NOT NULL | NUMBER(9) | Foreign key to PAY_PAYROLLS_F |
| TIME_PERIOD_ID | NOT NULL | NUMBER(9) | Foreign key to PER_TIME_PERIODS |
| DR_CR_FLAG | NOT NULL | VARCHAR2(1) | Indicates whether distribution amount is debit or credit. D indicates Debit and C indicates Credit amount. |
| SOURCE_CODE | NOT NULL | VARCHAR2(30) | Foreign key to PSP_PAYROLL_SOURCES |
| GL_CODE_COMBINATION_ID | NULL | NUMBER(15) | General Ledger code identifier |
| PROJECT_ID | NULL | NUMBER(15) | Project identifier |
| EXPENDITURE_ORGANIZATION_ID | NULL | NUMBER(15) | Expenditure organization |
| EXPENDITURE_TYPE | NULL | VARCHAR2(30) | Expenditure type |
| TASK_ID | NULL | NUMBER(15) | Task identifier |
| AWARD_ID | NULL | NUMBER(15) | Award identifier |
| STATUS_CODE | NOT NULL | VARCHAR2(1) | Indicates status of current distribution line. N indicates New, V indicates Valid, E indicates Error, and T indicates Transferred. |

Column Descriptions (Continued)

| Name | Null? | Type | Description |
|---------------------------|----------|---------------|---|
| BATCH_NAME | NOT NULL | VARCHAR2(30) | Batch name for current distribution line |
| ERROR_CODE | NULL | VARCHAR2(30) | Indicates error for current distribution line |
| ATTRIBUTE_CATEGORY | NULL | VARCHAR2(30) | Descriptive Flexfield structure defining column |
| ATTRIBUTE1 | NULL | VARCHAR2(150) | Descriptive Flexfield segment column |
| ATTRIBUTE2 | NULL | VARCHAR2(150) | Descriptive Flexfield segment column |
| ATTRIBUTE3 | NULL | VARCHAR2(150) | Descriptive Flexfield segment column |
| ATTRIBUTE4 | NULL | VARCHAR2(150) | Descriptive Flexfield segment column |
| ATTRIBUTE5 | NULL | VARCHAR2(150) | Descriptive Flexfield segment column |
| ATTRIBUTE6 | NULL | VARCHAR2(150) | Descriptive Flexfield segment column |
| ATTRIBUTE7 | NULL | VARCHAR2(150) | Descriptive Flexfield segment column |
| ATTRIBUTE8 | NULL | VARCHAR2(150) | Descriptive Flexfield segment column |
| ATTRIBUTE9 | NULL | VARCHAR2(150) | Descriptive Flexfield segment column |
| ATTRIBUTE10 | NULL | VARCHAR2(150) | Descriptive Flexfield segment column |
| ATTRIBUTE11 | NULL | VARCHAR2(150) | Descriptive Flexfield segment column |
| ATTRIBUTE12 | NULL | VARCHAR2(150) | Descriptive Flexfield segment column |
| ATTRIBUTE13 | NULL | VARCHAR2(150) | Descriptive Flexfield segment column |
| ATTRIBUTE14 | NULL | VARCHAR2(150) | Descriptive Flexfield segment column |
| ATTRIBUTE15 | NULL | VARCHAR2(150) | Descriptive Flexfield segment column |
| LAST_UPDATE_DATE | NOT NULL | DATE | Standard Who column |
| LAST_UPDATED_BY | NOT NULL | NUMBER(15) | Standard Who column |
| LAST_UPDATE_LOGIN | NOT NULL | NUMBER(15) | Standard Who column |
| CREATED_BY | NOT NULL | NUMBER(15) | Standard Who column |
| CREATION_DATE | NOT NULL | DATE | Standard Who column |
| GL_POSTING_OVERRIDE_DATE | NULL | DATE | General Ledger posting date to override |
| GMS_POSTING_OVERRIDE_DATE | NULL | DATE | Grants Accounting posting date to override. For future use. |
| BUSINESS_GROUP_ID | NOT NULL | NUMBER(15) | Foreign key to HR_ALL_ORGANIZATION_UNITS |
| SET_OF_BOOKS_ID | NOT NULL | NUMBER(15) | Foreign key to GL_SETS_OF_BOOKS |

Indexes

| Index Name | Index Type | Sequence | Column Name |
|-------------------------------|------------|----------|---------------------------|
| PSP_DISTRIBUTION_INTERFACE_U1 | UNIQUE | 1 | BATCH_NAME |
| | | 2 | DISTRIBUTION_INTERFACE_ID |
| PSP_DISTRIBUTION_INTERFACE_U2 | NOT UNIQUE | 1 | DISTRIBUTION_INTERFACE_ID |
| PSP_DISTRIBUTION_INTERFACE_U3 | UNIQUE | 5 | BATCH_NAME |
| | | 6 | BUSINESS_GROUP_ID |
| | | 7 | SET_OF_BOOKS_ID |



Sequences

| <u>Sequence</u> | <u>Derived Column</u> |
|------------------------------|---------------------------|
| PSP_DISTRIBUTION_INTERFACE_S | DISTRIBUTION_INTERFACE_ID |

PSP_DISTRIBUTION_LINES

PSP_DISTRIBUTION_LINES stores the distributed Oracle Payroll and non-Oracle payroll sublines that are not yet transferred to General Ledger, Grants Accounting, or Project Accounting.

Foreign Keys

| Primary Key Table | Primary Key Column | Foreign Key Column |
|-----------------------------|---------------------------------|---------------------------------|
| GL_SETS_OF_BOOKS | SET_OF_BOOKS_ID | SET_OF_BOOKS_ID |
| HR_ALL_ORGANIZATION_UNITS | ORGANIZATION_ID | BUSINESS_GROUP_ID |
| PSP_DEFAULT_LABOR_SCHEDULES | ORG_SCHEDULE_ID | ORG_SCHEDULE_ID |
| PSP_EFFORT_REPORTS | EFFORT_REPORT_ID VERSION_NUM | EFFORT_REPORT_ID VERSION_NUM |
| PSP_ELEMENT_TYPE_ACCOUNTS | ELEMENT_ACCOUNT_ID | ELEMENT_ACCOUNT_ID |
| PSP_PAYROLL_SUB_LINES | PAYROLL_SUB_LINE_ID | PAYROLL_SUB_LINE_ID |
| PSP_SCHEDULE_LINES | SCHEDULE_LINE_ID | SCHEDULE_LINE_ID |
| PSP_SUMMARY_LINES | SUMMARY_LINE_ID | SUMMARY_LINE_ID |

Column Descriptions

| Name | Null? | Type | Description |
|---------------------------|----------|--------------|--|
| DISTRIBUTION_LINE_ID (PK) | NOT NULL | NUMBER(10) | Distribution line identifier |
| DISTRIBUTION_DATE | NOT NULL | DATE | Distribution date |
| EFFECTIVE_DATE | NOT NULL | DATE | Accounting date for transferring to General Ledger and expenditure item date for transferring to Grants Accounting |
| DISTRIBUTION_AMOUNT | NOT NULL | NUMBER | Distribution amount |
| STATUS_CODE | NOT NULL | VARCHAR2(1) | Indicates the status of the distribution lines. N indicates New, S indicates Summarized, and A indicates Accepted by General Ledger or Grants Accounting. |
| DEFAULT_REASON_CODE | NULL | VARCHAR2(1) | Reason code for using the default account |
| SUSPENSE_REASON_CODE | NULL | VARCHAR2(50) | Reason code for using the suspense account |
| EFFORT_REPORT_ID | NULL | NUMBER(9) | Effort report identifier |
| PAYROLL_SUB_LINE_ID | NOT NULL | NUMBER(10) | Payroll subline identifier |
| SCHEDULE_LINE_ID | NULL | NUMBER(9) | Schedule line identifier |
| DEFAULT_ORG_ACCOUNT_ID | NULL | NUMBER(9) | Default organization account identifier |
| SUSPENSE_ORG_ACCOUNT_ID | NULL | NUMBER(9) | Suspense organization account identifier |
| ELEMENT_ACCOUNT_ID | NULL | NUMBER(9) | Global earnings element account identifier |
| ORG_SCHEDULE_ID | NULL | NUMBER(9) | Organization schedule identifier |
| GL_PROJECT_FLAG | NULL | VARCHAR2(1) | Indicates whether the distribution line points to a General Ledger or Grants Accounting schedule line. G indicates a General Ledger schedule line and P indicates a Grants Accounting, POETA, schedule line. |



Column Descriptions (Continued)

| Name | Null? | Type | Description |
|-----------------------------|----------|--------------|---|
| REVERSAL_ENTRY_FLAG | NULL | VARCHAR2(1) | Y indicates that the record is created for sending balancing transactions to General Ledger. NULL or N indicates that it is a normal distribution line. |
| PRE_DISTRIBUTION_RUN_FLAG | NULL | VARCHAR2(1) | Y indicates predistribution run and NULL indicates a distribution run. |
| SUMMARY_LINE_ID | NULL | NUMBER(10) | Summary line identifier |
| SET_OF_BOOKS_ID | NOT NULL | NUMBER(15) | Foreign key to GL_SETS_OF_BOOKS |
| VERSION_NUM | NULL | NUMBER(2) | Effort report version number |
| USER_DEFINED_FIELD | NULL | VARCHAR2(30) | User populates this field through user extension. |
| AUTO_EXPENDITURE_TYPE | NULL | VARCHAR2(30) | Expenditure type based on auto-population rules |
| AUTO_GL_CODE_COMBINATION_ID | NULL | NUMBER(15) | General Ledger Code Combination based on auto-population rules |
| BUSINESS_GROUP_ID | NOT NULL | NUMBER(15) | Foreign key to HR_ALL_ORGANIZATION_UNITS |

Indexes

| Index Name | Index Type | Sequence | Column Name |
|---------------------------|------------|----------|-------------------------|
| PSP_DISTRIBUTION_LINES_N1 | NOT UNIQUE | 1 | PAYROLL_SUB_LINE_ID |
| PSP_DISTRIBUTION_LINES_N2 | NOT UNIQUE | 1 | SUMMARY_LINE_ID |
| PSP_DISTRIBUTION_LINES_N3 | NOT UNIQUE | 2 | SUSPENSE_ORG_ACCOUNT_ID |
| PSP_DISTRIBUTION_LINES_U1 | UNIQUE | 1 | DISTRIBUTION_LINE_ID |

Sequences

| Sequence | Derived Column |
|--------------------------|----------------------|
| PSP_DISTRIBUTION_LINES_S | DISTRIBUTION_LINE_ID |

PSP_DISTRIBUTION_LINES_HISTORY

PSP_DISTRIBUTION_LINES_HISTORY stores the distributed Oracle Payroll and non-Oracle payroll sublines that are successfully transferred to General Ledger, Grants Accounting, or Project Accounting.

Foreign Keys

| Primary Key Table | Primary Key Column | Foreign Key Column |
|-----------------------------|---------------------------------|---------------------------------|
| GL_SETS_OF_BOOKS | SET_OF_BOOKS_ID | SET_OF_BOOKS_ID |
| HR_ALL_ORGANIZATION_UNITS | ORGANIZATION_ID | BUSINESS_GROUP_ID |
| PSP_DEFAULT_LABOR_SCHEDULES | ORG_SCHEDULE_ID | SCHEDULE_LINE_ID |
| PSP_EFFORT_REPORTS | EFFORT_REPORT_ID VERSION_NUM | EFFORT_REPORT_ID VERSION_NUM |
| PSP_ELEMENT_TYPE_ACCOUNTS | ELEMENT_ACCOUNT_ID | ELEMENT_ACCOUNT_ID |
| PSP_PAYROLL_SUB_LINES | PAYROLL_SUB_LINE_ID | PAYROLL_SUB_LINE_ID |
| PSP_SCHEDULE_LINES | SCHEDULE_LINE_ID | SCHEDULE_LINE_ID |
| PSP_SUMMARY_LINES | SUMMARY_LINE_ID | SUMMARY_LINE_ID |

Column Descriptions

| Name | Null? | Type | Description |
|---------------------------|----------|--------------|---|
| DISTRIBUTION_LINE_ID (PK) | NOT NULL | NUMBER(10) | Distribution line identifier |
| DISTRIBUTION_DATE | NOT NULL | DATE | Distribution date |
| EFFECTIVE_DATE | NOT NULL | DATE | Accounting date for transferring to General Ledger and expenditure item date for transferring to Grants Accounting |
| DISTRIBUTION_AMOUNT | NOT NULL | NUMBER | Distribution amount |
| STATUS_CODE | NOT NULL | VARCHAR2(1) | Indicates the status of the distribution lines. N indicates New, S indicates Summarized, and A indicates Accepted by General Ledger or Grants Accounting. |
| DEFAULT_REASON_CODE | NULL | VARCHAR2(1) | Reason code for using the default account |
| SUSPENSE_REASON_CODE | NULL | VARCHAR2(50) | Reason code for using the suspense account |
| INCLUDE_IN_ER_FLAG | NULL | VARCHAR2(1) | Y indicates that distribution line can be read by Effort Report process. |
| EFFORT_REPORT_ID | NULL | NUMBER(9) | Effort report identifier |
| VERSION_NUM | NULL | NUMBER(2) | Effort report version number |
| SCHEDULE_LINE_ID | NULL | NUMBER(9) | Schedule line identifier |
| SUMMARY_LINE_ID | NULL | NUMBER(10) | Summary line identifier |
| DEFAULT_ORG_ACCOUNT_ID | NULL | NUMBER(9) | Default organization account identifier |
| SUSPENSE_ORG_ACCOUNT_ID | NULL | NUMBER(9) | Suspense organization account identifier |
| ELEMENT_ACCOUNT_ID | NULL | NUMBER(9) | Global earnings element account identifier |
| ORG_SCHEDULE_ID | NULL | NUMBER(9) | Organization schedule identifier |



Column Descriptions (Continued)

| Name | Null? | Type | Description |
|-----------------------------|----------|--------------|--|
| GL_PROJECT_FLAG | NULL | VARCHAR2(1) | Indicates whether the distribution line points to a General Ledger or Grants Accounting schedule line. G indicates a General Ledger schedule line and P indicates a POETA schedule line. |
| REVERSAL_ENTRY_FLAG | NULL | VARCHAR2(1) | Y indicates record created for sending balancing transactions to General Ledger. NULL or N indicates a normal distribution line. |
| USER_DEFINED_FIELD | NULL | VARCHAR2(30) | User populates this field through user extension |
| ADJUSTMENT_BATCH_NAME | NULL | VARCHAR2(30) | Adjustment batch name |
| SET_OF_BOOKS_ID | NOT NULL | NUMBER(15) | Foreign key to GL_SETS_OF_BOOKS |
| PAYROLL_SUB_LINE_ID | NOT NULL | NUMBER(10) | Payroll subline identifier |
| AUTO_EXPENDITURE_TYPE | NULL | VARCHAR2(30) | Expenditure type based on auto-population rules |
| AUTO_GL_CODE_COMBINATION_ID | NULL | NUMBER(15) | General Ledger Code Combination based on auto-population rules |
| BUSINESS_GROUP_ID | NOT NULL | NUMBER(15) | Foreign key to HR_ALL_ORGANIZATION_UNITS |

Indexes

| Index Name | Index Type | Sequence | Column Name |
|--------------------------------|------------|----------|-------------------------|
| PSP_DISTRIBUTION_LINES_HIST_N1 | NOT UNIQUE | 1 | PAYROLL_SUB_LINE_ID |
| PSP_DISTRIBUTION_LINES_HIST_N2 | NOT UNIQUE | 2 | SUSPENSE_ORG_ACCOUNT_ID |
| PSP_DISTRIBUTION_LINES_HIST_N3 | NOT UNIQUE | 1 | DISTRIBUTION_DATE |
| PSP_DISTRIBUTION_LINES_HIST_N4 | NOT UNIQUE | 1 | ADJUSTMENT_BATCH_NAME |
| PSP_DISTRIBUTION_LINES_HIST_N5 | NOT UNIQUE | 1 | SUMMARY_LINE_ID |
| PSP_DISTRIBUTION_LINES_HIST_U1 | UNIQUE | 2 | DISTRIBUTION_LINE_ID |

PSP Effort Errors

PSP Effort Errors contains the details of the Warning Report for the employees who already have an effort report produced for the requested time period.

Foreign Keys

| Primary Key Table | Primary Key Column | Foreign Key Column |
|-----------------------------|--------------------|--------------------|
| PSP Effort Report Templates | Template_ID | Template_ID |

Column Descriptions

| Name | Null? | Type | Description |
|-----------------------|----------|---------------|---|
| Template_ID | NOT NULL | NUMBER(9) | Primary key of PSP Effort Report Templates |
| Person_ID | NOT NULL | NUMBER(9) | Person identifier number from Human Resources |
| Message | NULL | VARCHAR2(255) | Description of error |
| Prev Effort Report_ID | NULL | NUMBER(9) | Effort report identifier of the already existing effort report for the employee |
| Prev Version_Num | NULL | NUMBER(2) | Version number of the already existing effort report for an employee |

Indexes

| Index Name | Index Type | Sequence | Column Name |
|----------------------|------------|----------|-------------|
| PSP Effort Errors_U1 | UNIQUE | 1 | Template_ID |
| | | 2 | Person_ID |



PSP_EFFORT_MESSAGES

PSP_EFFORT_MESSAGES contains the standard message that appears in the dialog box for accepting and certifying reports. This message is printed on the hard copy of the effort report. This table also contains messages used by the employee when declining an effort report.

Column Descriptions

| Name | Null? | Type | Description |
|---------------------------------|----------|----------------|---|
| MESSAGE_ID (PK) | NOT NULL | NUMBER(5) | System-generated message identifier |
| EFFORT_REPORT_MESSAGE_TYPE (PK) | NOT NULL | VARCHAR2(1) | Message type. Values are Certify or Review. |
| TEXT | NOT NULL | VARCHAR2(2000) | Message description |
| LAST_UPDATE_DATE | NOT NULL | DATE | Standard Who column |
| LAST_UPDATED_BY | NOT NULL | NUMBER(15) | Standard Who Column |
| LAST_UPDATE_LOGIN | NOT NULL | NUMBER(15) | Standard Who Column |
| CREATED_BY | NOT NULL | NUMBER(15) | Standard Who column |
| CREATION_DATE | NOT NULL | DATE | Standard Who column |

Indexes

| Index Name | Index Type | Sequence | Column Name |
|------------------------|------------|----------|-------------|
| PSP_EFFORT_MESSAGES_U1 | UNIQUE | 1 | MESSAGE_ID |

Sequences

| Sequence | Derived Column |
|-----------------------|----------------|
| PSP_EFFORT_MESSAGES_S | MESSAGE_ID |

PSP_EFFORT_REPORTS

PSP_EFFORT_REPORTS can be considered as one header record for each report produced for an employee and for a specified time period.

Foreign Keys

| Primary Key Table | Primary Key Column | Foreign Key Column |
|-----------------------------|--------------------|-----------------------|
| GL_SETS_OF_BOOKS | SET_OF_BOOKS_ID | SET_OF_BOOKS_ID |
| HR_ALL_ORGANIZATION_UNITS | ORGANIZATION_ID | BUSINESS_GROUP_ID |
| PER_ALL_PEOPLE_F | PERSON_ID | PERSON_ID |
| PSP_EFFORT_REPORTS | EFFORT_REPORT_ID | PREV_EFFORT_REPORT_ID |
| PSP_EFFORT_REPORT_TEMPLATES | TEMPLATE_ID | TEMPLATE_ID |

Column Descriptions

| Name | Null? | Type | Description |
|-----------------------|----------|---------------|--|
| EFFORT_REPORT_ID (PK) | NOT NULL | NUMBER(9) | System-generated primary key column |
| VERSION_NUM (PK) | NOT NULL | NUMBER(2) | Version number |
| PERSON_ID | NOT NULL | NUMBER(9) | Person identification number from Human Resources |
| EFFECTIVE_START_DATE | NULL | DATE | Employee's effective start date from PER_PEOPLE_F |
| EFFECTIVE_END_DATE | NULL | DATE | Employee's effective end date from PER_PEOPLE_F |
| VERSION_CREATION_DATE | NOT NULL | DATE | Not currently used |
| VERSION_REASON_CODE | NULL | VARCHAR2(30) | Not currently used |
| MESSAGE_ID | NULL | NUMBER(4) | Reference key to PSP_EFFORT_MESSAGES |
| REPORT_COMMENT | NULL | VARCHAR2(255) | Comment entered by employee when declining report |
| REPORT_CREATION_DATE | NULL | DATE | Date report created |
| STATUS_CODE | NOT NULL | VARCHAR2(1) | Status of effort report. Values include New, Accepted, Certified, or Superseded. |
| PREVIOUS_STATUS_CODE | NULL | VARCHAR2(1) | Status code of effort report when multiple versions of that effort report exist |
| TEMPLATE_ID | NULL | NUMBER(15) | Reference key to PSP_EFFORT_REPORT_TEMPLATES |
| PREV_EFFORT_REPORT_ID | NULL | NUMBER(9) | Previous effort report identifier in case effort report already exists |
| LAST_UPDATE_DATE | NOT NULL | DATE | Standard Who column |
| LAST_UPDATED_BY | NOT NULL | NUMBER(15) | Standard Who column |
| LAST_UPDATE_LOGIN | NOT NULL | NUMBER(15) | Standard Who column |
| CREATED_BY | NOT NULL | NUMBER(15) | Standard Who column |
| CREATION_DATE | NOT NULL | DATE | Standard Who column |
| BUSINESS_GROUP_ID | NOT NULL | NUMBER(15) | Foreign key to HR_ALL_ORGANIZATION_UNITS |
| SET_OF_BOOKS_ID | NOT NULL | NUMBER(15) | Foreign key to GL_SETS_OF_BOOKS_ID |

Indexes

| Index Name | Index Type | Sequence | Column Name |
|-----------------------|------------|----------|------------------|
| PSP_EFFORT_REPORTS_U1 | UNIQUE | 2 | EFFORT_REPORT_ID |
| | | 4 | VERSION_NUM |

Oracle Proprietary, Confidential Information--Use Restricted by Contract



Sequences

| <u>Sequence</u> | <u>Derived Column</u> |
|----------------------|-----------------------|
| PSP_EFFORT_REPORTS_S | EFFORT_REPORT_ID |

PSP_EFFORT_REPORT_DETAILS

PSP_EFFORT_REPORT_DETAILS contains the lines by Charging Account that are detail lines in the effort report.

Foreign Keys

| Primary Key Table | Primary Key Column | Foreign Key Column |
|----------------------------|---------------------|-----------------------------|
| GL_CODE_COMBINATIONS | CODE_COMBINATION_ID | GL_CODE_COMBINATION_ID |
| GMS_AWARDS_ALL | AWARD_ID | AWARD_ID |
| HR_ALL_ORGANIZATION_UNITS | ORGANIZATION_ID | EXPENDITURE_ORGANIZATION_ID |
| PA_EXPENDITURE_TYPES | EXPENDITURE_TYPE | ELEMENT_TYPE_ID |
| PA_PROJECTS_ALL | PROJECT_ID | PROJECT_ID |
| PA_TASKS | TASK_ID | TASK_ID |
| PER_ALL_ASSIGNMENTS_F | ASSIGNMENT_ID | ASSIGNMENT_ID |
| PSP_EFFORT_REPORTS | EFFORT_REPORT_ID | EFFORT_REPORT_ID |
| | VERSION_NUM | VERSION_NUM |
| PSP_EFFORT_REPORT_ELEMENTS | ELEMENT_TYPE_ID | ELEMENT_TYPE_ID |

Column Descriptions

| Name | Null? | Type | Description |
|-----------------------------|----------|--------------|------------------------------------|
| EFFORT_REPORT_ID (PK) | NOT NULL | NUMBER(15) | Reference to PSP_EFFORT_REPORTS |
| VERSION_NUM (PK) | NOT NULL | NUMBER(15) | Reference to PSP_EFFORT_REPORTS |
| EFFORT_REPORT_LINE_NUM (PK) | NOT NULL | NUMBER(15) | Row count number |
| ASSIGNMENT_ID | NOT NULL | NUMBER(9) | Reference to PER_ASSIGNMENTS_F |
| ELEMENT_TYPE_ID | NOT NULL | NUMBER(9) | Reference to PSP_ELEMENT_TYPES |
| GL_CODE_COMBINATION_ID | NULL | NUMBER(15) | General Ledger Flexfield column |
| PROJECT_ID | NULL | NUMBER(15) | Reference key to PA_PROJECTS_ALL |
| EXPENDITURE_ORGANIZATION_ID | NULL | NUMBER(15) | Reference to HR_ORGANIZATION_UNITS |
| EXPENDITURE_TYPE | NULL | VARCHAR2(30) | Not currently used |
| TASK_ID | NULL | NUMBER(15) | Not currently used |
| AWARD_ID | NULL | NUMBER(15) | Reference to GMS_AWARDS |
| TOTAL_AMOUNT | NOT NULL | NUMBER | Total amount for charging account |
| LAST_UPDATE_DATE | NOT NULL | DATE | Standard Who column |
| LAST_UPDATED_BY | NOT NULL | NUMBER(15) | Standard Who column |
| LAST_UPDATE_LOGIN | NOT NULL | NUMBER(15) | Standard Who column |
| CREATED_BY | NOT NULL | NUMBER(15) | Standard Who column |
| CREATION_DATE | NOT NULL | DATE | Standard Who column |

Indexes

| Index Name | Index Type | Sequence | Column Name |
|------------------------------|------------|----------|------------------------|
| PSP_EFFORT_REPORT_DETAILS_U1 | UNIQUE | 2 | EFFORT_REPORT_ID |
| | | 4 | VERSION_NUM |
| | | 6 | EFFORT_REPORT_LINE_NUM |

PSP_EFFORT_REPORT_ELEMENTS

PSP_EFFORT_REPORT_ELEMENTS stores the elements to be included in effort reports.

Foreign Keys

| Primary Key Table | Primary Key Column | Foreign Key Column |
|-------------------|--------------------|--------------------|
| PSP_ELEMENT_TYPES | ELEMENT_TYPE_ID | ELEMENT_TYPE_ID |

Column Descriptions

| Name | Null? | Type | Description |
|-------------------------|----------|---------------|---|
| ELEMENT_TYPE_ID (PK) | NOT NULL | NUMBER(9) | Element type identifier |
| USE_IN_EFFORT_REPORT | NULL | VARCHAR2(1) | Indicates whether included in effort reports. Possible values are Y or N. |
| ATTRIBUTE_CATEGORY | NULL | VARCHAR2(30) | Descriptive Flexfield structure defining column |
| ATTRIBUTE1 | NULL | VARCHAR2(150) | Descriptive Flexfield segment column |
| ATTRIBUTE2 | NULL | VARCHAR2(150) | Descriptive Flexfield segment column |
| ATTRIBUTE3 | NULL | VARCHAR2(150) | Descriptive Flexfield segment column |
| ATTRIBUTE4 | NULL | VARCHAR2(150) | Descriptive Flexfield segment column |
| ATTRIBUTE5 | NULL | VARCHAR2(150) | Descriptive Flexfield segment column |
| ATTRIBUTE6 | NULL | VARCHAR2(150) | Descriptive Flexfield segment column |
| ATTRIBUTE7 | NULL | VARCHAR2(150) | Descriptive Flexfield segment column |
| ATTRIBUTE8 | NULL | VARCHAR2(150) | Descriptive Flexfield segment column |
| ATTRIBUTE9 | NULL | VARCHAR2(150) | Descriptive Flexfield segment column |
| ATTRIBUTE10 | NULL | VARCHAR2(150) | Descriptive Flexfield segment column |
| ATTRIBUTE11 | NULL | VARCHAR2(150) | Descriptive Flexfield segment column |
| ATTRIBUTE12 | NULL | VARCHAR2(150) | Descriptive Flexfield segment column |
| ATTRIBUTE13 | NULL | VARCHAR2(150) | Descriptive Flexfield segment column |
| ATTRIBUTE14 | NULL | VARCHAR2(150) | Descriptive Flexfield segment column |
| ATTRIBUTE15 | NULL | VARCHAR2(150) | Descriptive Flexfield segment column |
| LAST_UPDATE_DATE | NOT NULL | DATE | Standard Who column |
| LAST_UPDATED_BY | NOT NULL | NUMBER(15) | Standard Who column |
| LAST_UPDATE_LOGIN | NOT NULL | NUMBER(15) | Standard Who column |
| CREATED_BY | NOT NULL | NUMBER(15) | Standard Who column |
| CREATION_DATE | NOT NULL | DATE | Standard Who column |
| BASE_NON_BASE_COMP_FLAG | NULL | VARCHAR2(1) | Indicates whether included in base or nonbase compensation |

Indexes

| Index Name | Index Type | Sequence | Column Name |
|-------------------------------|------------|----------|-----------------|
| PSP_EFFORT_REPORT_ELEMENTS_U1 | UNIQUE | 2 | ELEMENT_TYPE_ID |

Oracle Proprietary, Confidential Information--Use Restricted by Contract

PSP_EFFORT_REPORT_PERIODS

PSP_EFFORT_REPORT_PERIODS contains the definition of periods with Begin Date and End Date.

Column Descriptions

| Name | Null? | Type | Description |
|--------------------------------|----------|--------------|---|
| EFFORT_REPORT_PERIOD_NAME (PK) | NOT NULL | VARCHAR2(12) | Effort report period name |
| DESCRIPTION | NOT NULL | VARCHAR2(50) | Brief description of the period name |
| START_DATE_ACTIVE | NOT NULL | DATE | Begin date of the effort report period name |
| END_DATE_ACTIVE | NULL | DATE | End date of the effort report period name |
| EFFORT_REPORT_PERIOD_PREFIX | NULL | VARCHAR2(2) | Two-character, user-defined identifier of the period name |
| EFFORT_REPORT_PERIOD_TYPE | NULL | VARCHAR2(1) | Type of effort report period |
| EFFORT_REPORT_PERIOD_YEAR | NOT NULL | NUMBER(4) | Year of the effort report period |
| EFFORT_REPORT_PERIOD_NUMBER | NOT NULL | NUMBER(3) | Serial number to identify effort report period name |
| LAST_UPDATE_DATE | NOT NULL | DATE | Standard Who column |
| LAST_UPDATED_BY | NOT NULL | NUMBER(15) | Standard Who column |
| CREATED_BY | NOT NULL | NUMBER(15) | Standard Who column |
| CREATION_DATE | NOT NULL | DATE | Standard Who column |
| LAST_UPDATE_LOGIN | NOT NULL | NUMBER(15) | Standard Who column |

Indexes

| Index Name | Index Type | Sequence | Column Name |
|------------------------------|------------|----------|---------------------------|
| PSP_EFFORT_REPORT_PERIODS_U1 | UNIQUE | 2 | EFFORT_REPORT_PERIOD_NAME |
| PSP_EFFORT_REPORT_PERIODS_U2 | UNIQUE | 1 | START_DATE_ACTIVE |
| | | 2 | END_DATE_ACTIVE |

PSP_EFFORT_REPORT_TEMPLATES

PSP_EFFORT_REPORT_TEMPLATES contains the effort report criteria and effort report templates for creating normal and ad hoc effort reports.

Foreign Keys

| Primary Key Table | Primary Key Column | Foreign Key Column |
|---------------------------|---------------------------|---------------------------|
| GL_CODE_COMBINATIONS | CODE_COMBINATION_ID | GL_CODE_COMBINATION_ID |
| GL_SETS_OF_BOOKS | SET_OF_BOOKS_ID | SET_OF_BOOKS_ID |
| GMS_AWARDS_ALL | FUNDING_SOURCE_ID | FUNDING_SOURCE_ID |
| HR_ALL_ORGANIZATION_UNITS | ORGANIZATION_ID | BUSINESS_GROUP_ID |
| PAY_PEOPLE_GROUPS | PEOPLE_GROUP_ID | PEOPLE_GROUP_ID |
| PA_EXPENDITURE_TYPES | EXPENDITURE_TYPE | ELEMENT_TYPE_ID |
| PA_TASKS | TASK_ID | TASK_ID |
| PSP_EFFORT_REPORT_PERIODS | EFFORT_REPORT_PERIOD_NAME | EFFORT_REPORT_PERIOD_NAME |
| PSP_ELEMENT_TYPES | ELEMENT_TYPE_ID | ELEMENT_TYPE_ID |

Column Descriptions

| Name | Null? | Type | Description |
|---------------------------|----------|--------------|---|
| TEMPLATE_ID (PK) | NOT NULL | NUMBER(9) | System-generated internal primary key |
| TEMPLATE_NAME | NOT NULL | VARCHAR2(30) | User-defined template name |
| EFFORT_REPORT_PERIOD_NAME | NOT NULL | VARCHAR2(12) | Reference key to PSP_EFFORT_REPORT_PERIODS |
| BEGIN_DATE | NULL | DATE | Begin date for the effort report to be produced |
| END_DATE | NULL | DATE | End date for the effort report to be produced |
| PEOPLE_GROUP_ID | NULL | NUMBER(9) | Reference key to PAY_PEOPLE_GROUPS |
| PERSON_ID | NULL | NUMBER(9) | Reference key to Human Resources |
| EFFECTIVE_START_DATE | NULL | DATE | Employee's effective start date from PER_PEOPLE_F |
| EFFECTIVE_END_DATE | NULL | DATE | Employee's effective end date from PER_PEOPLE_F |
| SUPERVISOR_ID | NULL | NUMBER(9) | Foreign key to PER_ASSIGNMENTS_F |
| GL_CODE_COMBINATION_ID | NULL | NUMBER(15) | General Ledger code |
| EXPENDITURE_TYPE | NULL | VARCHAR2(30) | Not currently used |
| TASK_ID | NULL | NUMBER(15) | Not currently used |
| PROJECT_TYPE_CLASS_CODE | NULL | VARCHAR2(30) | Project class |
| PROJECT_TYPE | NULL | VARCHAR2(20) | Project type |
| AWARD_TYPE | NULL | VARCHAR2(30) | Award type |
| FUNDING_SOURCE_ID | NULL | NUMBER(15) | Reference key to GMS_AWARDS |
| ELEMENT_TYPE_ID | NULL | NUMBER(9) | Reference key to PAY_ELEMENT_TYPES |
| ENABLE_WORKFLOW_FLAG | NULL | VARCHAR2(1) | Y indicates that Oracle Workflow is enabled for all the effort reports meeting the selected criteria. |
| USER_TEMPLATE_FLAG | NULL | VARCHAR2(1) | Indicates whether current record is a user-defined template or a criteria template |
| REPORT_TYPE | NULL | VARCHAR2(1) | Indicates whether effort report is ad hoc or normal |

Column Descriptions (Continued)

| Name | Null? | Type | Description |
|---------------------|----------|---------------|--|
| REPORT_INITIATOR_ID | NULL | NUMBER(9) | Oracle Application User identifier for the person who initiates the report |
| INITIATOR_APPS_NAME | NULL | VARCHAR2(100) | Oracle Application user name of the person who initiates the report |
| ERROR_DATE_TIME | NULL | DATE | Date time stamp for an employee's warning report |
| ATTRIBUTE_CATEGORY | NULL | VARCHAR2(30) | Descriptive Flexfield structure defining column |
| ATTRIBUTE1 | NULL | VARCHAR2(150) | Descriptive Flexfield column |
| ATTRIBUTE2 | NULL | VARCHAR2(150) | Descriptive Flexfield column |
| ATTRIBUTE3 | NULL | VARCHAR2(150) | Descriptive Flexfield column |
| ATTRIBUTE4 | NULL | VARCHAR2(150) | Descriptive Flexfield column |
| ATTRIBUTE5 | NULL | VARCHAR2(150) | Descriptive Flexfield column |
| ATTRIBUTE6 | NULL | VARCHAR2(150) | Descriptive Flexfield column |
| ATTRIBUTE7 | NULL | VARCHAR2(150) | Descriptive Flexfield column |
| ATTRIBUTE8 | NULL | VARCHAR2(150) | Descriptive Flexfield column |
| ATTRIBUTE9 | NULL | VARCHAR2(150) | Descriptive Flexfield column |
| ATTRIBUTE10 | NULL | VARCHAR2(150) | Descriptive Flexfield column |
| ATTRIBUTE11 | NULL | VARCHAR2(150) | Descriptive Flexfield column |
| ATTRIBUTE12 | NULL | VARCHAR2(150) | Descriptive Flexfield column |
| ATTRIBUTE13 | NULL | VARCHAR2(150) | Descriptive Flexfield column |
| ATTRIBUTE14 | NULL | VARCHAR2(150) | Descriptive Flexfield column |
| ATTRIBUTE15 | NULL | VARCHAR2(150) | Descriptive Flexfield column |
| LAST_UPDATE_DATE | NOT NULL | DATE | Standard Who column |
| LAST_UPDATED_BY | NOT NULL | NUMBER(15) | Standard Who column |
| LAST_UPDATE_LOGIN | NOT NULL | NUMBER(15) | Standard Who column |
| CREATED_BY | NOT NULL | NUMBER(15) | Standard Who column |
| CREATION_DATE | NOT NULL | DATE | Standard Who column |
| BUSINESS_GROUP_ID | NOT NULL | NUMBER(15) | Business Group identifier |
| SET_OF_BOOKS_ID | NOT NULL | NUMBER(15) | Set of Books identifier |

Indexes

| Index Name | Index Type | Sequence | Column Name |
|--------------------------------|------------|----------|-------------|
| PSP_EFFORT_REPORT_TEMPLATES_U1 | UNIQUE | 2 | TEMPLATE_ID |

Sequences

| Sequence | Derived Column |
|-------------------------------|----------------|
| PSP_EFFORT_REPORT_TEMPLATES_S | TEMPLATE_ID |

PSP_ELEMENT_GROUPS

PSP_ELEMENT_GROUPS stores the element groups defined for Labor Distribution. An element group can contain more than one element.

Column Descriptions

| Name | Null? | Type | Description |
|-----------------------|----------|---------------|---|
| ELEMENT_GROUP_ID (PK) | NOT NULL | NUMBER(15) | Element group identifier |
| ELEMENT_GROUP_NAME | NOT NULL | VARCHAR2(30) | Element group name |
| START_DATE_ACTIVE | NOT NULL | DATE | First effective date of element group |
| END_DATE_ACTIVE | NULL | DATE | Last effective date of element group |
| COMMENTS | NULL | VARCHAR2(255) | Comments |
| ATTRIBUTE_CATEGORY | NULL | VARCHAR2(30) | Descriptive Flexfield structure defining column |
| ATTRIBUTE1 | NULL | VARCHAR2(150) | Descriptive Flexfield segment column |
| ATTRIBUTE2 | NULL | VARCHAR2(150) | Descriptive Flexfield segment column |
| ATTRIBUTE3 | NULL | VARCHAR2(150) | Descriptive Flexfield segment column |
| ATTRIBUTE4 | NULL | VARCHAR2(150) | Descriptive Flexfield segment column |
| ATTRIBUTE5 | NULL | VARCHAR2(150) | Descriptive Flexfield segment column |
| ATTRIBUTE6 | NULL | VARCHAR2(150) | Descriptive Flexfield segment column |
| ATTRIBUTE7 | NULL | VARCHAR2(150) | Descriptive Flexfield segment column |
| ATTRIBUTE8 | NULL | VARCHAR2(150) | Descriptive Flexfield segment column |
| ATTRIBUTE9 | NULL | VARCHAR2(150) | Descriptive Flexfield segment column |
| ATTRIBUTE10 | NULL | VARCHAR2(150) | Descriptive Flexfield segment column |
| ATTRIBUTE11 | NULL | VARCHAR2(150) | Descriptive Flexfield segment column |
| ATTRIBUTE12 | NULL | VARCHAR2(150) | Descriptive Flexfield segment column |
| ATTRIBUTE13 | NULL | VARCHAR2(150) | Descriptive Flexfield segment column |
| ATTRIBUTE14 | NULL | VARCHAR2(150) | Descriptive Flexfield segment column |
| ATTRIBUTE15 | NULL | VARCHAR2(150) | Descriptive Flexfield segment column |
| LAST_UPDATE_DATE | NOT NULL | DATE | Standard Who column |
| LAST_UPDATED_BY | NOT NULL | NUMBER(15) | Standard Who column |
| LAST_UPDATE_LOGIN | NOT NULL | NUMBER(15) | Standard Who column |
| CREATED_BY | NOT NULL | NUMBER(15) | Standard Who column |
| CREATION_DATE | NOT NULL | DATE | Standard Who column |

Indexes

| Index Name | Index Type | Sequence | Column Name |
|-----------------------|------------|----------|------------------|
| PSP_ELEMENT_GROUPS_U1 | UNIQUE | 2 | ELEMENT_GROUP_ID |



Sequences

| <u>Sequence</u> | <u>Derived Column</u> |
|----------------------|-----------------------|
| PSP_ELEMENT_GROUPS_S | ELEMENT_GROUP_ID |

PSP_ELEMENT_TYPES

PSP_ELEMENT_TYPES stores the element types imported from Oracle Human Resources.

Foreign Keys

| Primary Key Table | Primary Key Column | Foreign Key Column |
|---------------------|--------------------|--------------------|
| PAY_ELEMENT_TYPES_F | ELEMENT_TYPE_ID | ELEMENT_TYPE_ID |

Column Descriptions

| Name | Null? | Type | Description |
|------------------------|----------|---------------|---|
| ELEMENT_TYPE_ID (PK) | NOT NULL | NUMBER(9) | Element type identifier |
| START_DATE_ACTIVE (PK) | NOT NULL | DATE | First effective date of element type |
| END_DATE_ACTIVE | NULL | DATE | Last effective date of element type |
| COMMENTS | NULL | VARCHAR2(255) | Comments |
| ATTRIBUTE_CATEGORY | NULL | VARCHAR2(30) | Descriptive Flexfield structure defining column |
| ATTRIBUTE1 | NULL | VARCHAR2(150) | Descriptive Flexfield segment column |
| ATTRIBUTE2 | NULL | VARCHAR2(150) | Descriptive Flexfield segment column |
| ATTRIBUTE3 | NULL | VARCHAR2(150) | Descriptive Flexfield segment column |
| ATTRIBUTE4 | NULL | VARCHAR2(150) | Descriptive Flexfield segment column |
| ATTRIBUTE5 | NULL | VARCHAR2(150) | Descriptive Flexfield segment column |
| ATTRIBUTE6 | NULL | VARCHAR2(150) | Descriptive Flexfield segment column |
| ATTRIBUTE7 | NULL | VARCHAR2(150) | Descriptive Flexfield segment column |
| ATTRIBUTE8 | NULL | VARCHAR2(150) | Descriptive Flexfield segment column |
| ATTRIBUTE9 | NULL | VARCHAR2(150) | Descriptive Flexfield segment column |
| ATTRIBUTE10 | NULL | VARCHAR2(150) | Descriptive Flexfield segment column |
| ATTRIBUTE11 | NULL | VARCHAR2(150) | Descriptive Flexfield segment column |
| ATTRIBUTE12 | NULL | VARCHAR2(150) | Descriptive Flexfield segment column |
| ATTRIBUTE13 | NULL | VARCHAR2(150) | Descriptive Flexfield segment column |
| ATTRIBUTE14 | NULL | VARCHAR2(150) | Descriptive Flexfield segment column |
| ATTRIBUTE15 | NULL | VARCHAR2(150) | Descriptive Flexfield segment column |
| LAST_UPDATE_DATE | NOT NULL | DATE | Standard Who column |
| LAST_UPDATED_BY | NOT NULL | NUMBER(15) | Standard Who column |
| LAST_UPDATE_LOGIN | NOT NULL | NUMBER(15) | Standard Who column |
| CREATED_BY | NOT NULL | NUMBER(15) | Standard Who column |
| CREATION_DATE | NOT NULL | DATE | Standard Who column |



Indexes

| Index Name | Index Type | Sequence | Column Name |
|----------------------|------------|----------|-------------------|
| PSP_ELEMENT_TYPES_N1 | NOT UNIQUE | 5 | START_DATE_ACTIVE |
| PSP_ELEMENT_TYPES_N2 | NOT UNIQUE | 5 | END_DATE_ACTIVE |
| PSP_ELEMENT_TYPES_U1 | UNIQUE | 2 | ELEMENT_TYPE_ID |
| | | 4 | START_DATE_ACTIVE |

PSP_ELEMENT_TYPE_ACCOUNTS

PSP_ELEMENT_TYPE_ACCOUNTS stores the global earnings elements accounts.

Foreign Keys

| Primary Key Table | Primary Key Column | Foreign Key Column |
|---------------------------|---------------------|-----------------------------|
| GL_CODE_COMBINATIONS | CODE_COMBINATION_ID | GL_CODE_COMBINATION_ID |
| GL_SETS_OF_BOOKS | SET_OF_BOOKS_ID | SET_OF_BOOKS_ID |
| GMS_AWARDS_ALL | AWARD_ID | AWARD_ID |
| HR_ALL_ORGANIZATION_UNITS | ORGANIZATION_ID | EXPENDITURE_ORGANIZATION_ID |
| PA_EXPENDITURE_TYPES | EXPENDITURE_TYPE | EXPENDITURE_TYPE |
| PA_PROJECTS_ALL | PROJECT_ID | PROJECT_ID |
| PA_TASKS | TASK_ID | TASK_ID |
| PSP_ELEMENT_TYPES | ELEMENT_TYPE_ID | ELEMENT_TYPE_ID |
| | START_DATE_ACTIVE | START_DATE_ACTIVE |

Column Descriptions

| Name | Null? | Type | Description |
|-----------------------------|----------|---------------|---|
| ELEMENT_ACCOUNT_ID (PK) | NOT NULL | NUMBER(9) | Global element identifier |
| ELEMENT_TYPE_ID | NOT NULL | NUMBER(9) | Element type identifier |
| START_DATE_ACTIVE | NOT NULL | DATE | First effective date of global element account |
| END_DATE_ACTIVE | NOT NULL | DATE | Last effective date of global element account |
| SET_OF_BOOKS_ID | NOT NULL | NUMBER(15) | Set of Books |
| GL_CODE_COMBINATION_ID | NULL | NUMBER(15) | Accounting Flexfield |
| PROJECT_ID | NULL | NUMBER(15) | Project identifier |
| EXPENDITURE_ORGANIZATION_ID | NULL | NUMBER(15) | Expenditure organization identifier |
| EXPENDITURE_TYPE | NULL | VARCHAR2(30) | Expenditure type identifier |
| TASK_ID | NULL | NUMBER(15) | Task identifier |
| AWARD_ID | NULL | NUMBER(15) | Award identifier |
| PERCENT | NOT NULL | NUMBER(5,2) | Percent of the amount to be allocated to this account |
| COMMENTS | NULL | VARCHAR2(255) | Comments |
| ATTRIBUTE_CATEGORY | NULL | VARCHAR2(30) | Descriptive Flexfield structure defining column |
| ATTRIBUTE1 | NULL | VARCHAR2(150) | Descriptive Flexfield segment column |
| ATTRIBUTE2 | NULL | VARCHAR2(150) | Descriptive Flexfield segment column |
| ATTRIBUTE3 | NULL | VARCHAR2(150) | Descriptive Flexfield segment column |
| ATTRIBUTE4 | NULL | VARCHAR2(150) | Descriptive Flexfield segment column |
| ATTRIBUTE5 | NULL | VARCHAR2(150) | Descriptive Flexfield segment column |
| ATTRIBUTE6 | NULL | VARCHAR2(150) | Descriptive Flexfield segment column |
| ATTRIBUTE7 | NULL | VARCHAR2(150) | Descriptive Flexfield segment column |
| ATTRIBUTE8 | NULL | VARCHAR2(150) | Descriptive Flexfield segment column |
| ATTRIBUTE9 | NULL | VARCHAR2(150) | Descriptive Flexfield segment column |



Column Descriptions (Continued)

| <u>Name</u> | <u>Null?</u> | <u>Type</u> | <u>Description</u> |
|-------------------|--------------|---------------|---|
| ATTRIBUTE10 | NULL | VARCHAR2(150) | Descriptive Flexfield segment column |
| ATTRIBUTE11 | NULL | VARCHAR2(150) | Descriptive Flexfield segment column |
| ATTRIBUTE12 | NULL | VARCHAR2(150) | Descriptive Flexfield segment column |
| ATTRIBUTE13 | NULL | VARCHAR2(150) | Descriptive Flexfield segment column |
| ATTRIBUTE14 | NULL | VARCHAR2(150) | Descriptive Flexfield segment column |
| ATTRIBUTE15 | NULL | VARCHAR2(150) | Descriptive Flexfield segment column |
| LAST_UPDATE_DATE | NOT NULL | DATE | Standard Who column |
| LAST_UPDATED_BY | NOT NULL | NUMBER(15) | Standard Who column |
| LAST_UPDATE_LOGIN | NOT NULL | NUMBER(15) | Standard Who column |
| CREATED_BY | NOT NULL | NUMBER(15) | Standard Who column |
| CREATION_DATE | NOT NULL | DATE | Standard Who column |
| BUSINESS_GROUP_ID | NOT NULL | NUMBER(15) | Foreign key to HR_ALL_ORGANIZATION_UNITS |

Indexes

| <u>Index Name</u> | <u>Index Type</u> | <u>Sequence</u> | <u>Column Name</u> |
|------------------------------|-------------------|-----------------|--------------------|
| PSP_ELEMENT_TYPE_ACCOUNTS_U1 | UNIQUE | 2 | ELEMENT_ACCOUNT_ID |

Sequences

| <u>Sequence</u> | <u>Derived Column</u> |
|-----------------------------|-----------------------|
| PSP_ELEMENT_TYPE_ACCOUNTS_S | ELEMENT_ACCOUNT_ID |

PSP_ENC_CONTROLS

PSP_ENC_CONTROLS stores one record for each time period batch.

Column Descriptions

| Name | Null? | Type | Description |
|---------------------------|----------|--------------|--|
| ENC_CONTROL_ID (PK) | NOT NULL | NUMBER(9) | System-generated primary key for encumbrance control identifier |
| PAYROLL_ID | NOT NULL | NUMBER(9) | Foreign key to PAY_PAYROLLS_F |
| SET_OF_BOOKS_ID | NOT NULL | NUMBER(15) | Foreign key to GL_SETS_OF_BOOKS |
| TIME_PERIOD_ID | NOT NULL | NUMBER(15) | Foreign key to PER_TIME_PERIODS. Time period in which EFFECTIVE_DATE falls. |
| GL_ENC_PERIOD_EXT_VALUE | NULL | VARCHAR2(1) | Extension beyond default encumbrance period for General Ledger |
| OGM_ENC_PERIOD_EXT_VALUE | NULL | VARCHAR2(1) | Extension beyond default encumbrance period for Grants Accounting |
| ENCUMBRANCE_DATE | NOT NULL | DATE | Encumbrance date |
| CI_SUMMARIZATION_OPTION | NULL | VARCHAR2(1) | Charging instruction base summarization option |
| TIME_SUMMARIZATION_OPTION | NULL | VARCHAR2(1) | Time-based summarization option |
| NUMBER_OF_DR | NULL | NUMBER | Total number of debit transactions for this batch |
| NUMBER_OF_CR | NULL | NUMBER | Total number of credit transactions for this batch |
| TOTAL_DR_AMOUNT | NULL | NUMBER | Total debit amount for this batch |
| TOTAL_CR_AMOUNT | NULL | NUMBER | Total credit amount for this batch |
| GL_DR_AMOUNT | NULL | NUMBER | Total debit amount transferred to General Ledger |
| GL_CR_AMOUNT | NULL | NUMBER | Total credit amount transferred to General Ledger |
| OGM_DR_AMOUNT | NULL | NUMBER | Total debit amount transferred to Grants Accounting |
| OGM_CR_AMOUNT | NULL | NUMBER | Total credit amount transferred to Grants Accounting |
| ACTION_CODE | NOT NULL | VARCHAR2(1) | Status of encumbrance process. N indicates new, P indicates summarized lines and L indicates liquidated lines. |
| LAST_UPDATE_DATE | NOT NULL | DATE | Standard Who column |
| LAST_UPDATED_BY | NOT NULL | NUMBER(15) | Standard Who column |
| LAST_UPDATE_LOGIN | NOT NULL | NUMBER(15) | Standard Who column |
| CREATED_BY | NOT NULL | NUMBER(15) | Standard Who column |
| CREATION_DATE | NOT NULL | DATE | Standard Who column |
| RUN_ID | NULL | NUMBER(10) | Summarize and Transfer process identifier |
| BATCH_NAME | NOT NULL | VARCHAR2(30) | User defined batch name |
| SUMM_GL_DR_AMOUNT | NULL | NUMBER | Summarization of General Ledger debit amount |
| SUMM_GL_CR_AMOUNT | NULL | NUMBER | Summarization of General Ledger credit amount |
| SUMM_OGM_DR_AMOUNT | NULL | NUMBER | Summarization of Grants Accounting debit amount |
| SUMM_OGM_CR_AMOUNT | NULL | NUMBER | Summarization of Grants Accounting credit amount |



Column Descriptions (Continued)

| Name | Null? | Type | Description |
|-------------------|----------|--------------|--|
| BUSINESS_GROUP_ID | NOT NULL | NUMBER(15) | Foreign key to HR_ALL_ORGANIZATION_UNITS |
| ACTION_TYPE | NOT NULL | VARCHAR2(1) | Type of Encumbrance lines. N indicates New and U indicates Update. |
| GL_PHASE | NULL | VARCHAR2(30) | Used by the Encumbrance processes to keep track of the phase |
| GMS_PHASE | NULL | VARCHAR2(30) | Used by the Encumbrance processes to keep track of the phase |

Indexes

| Index Name | Index Type | Sequence | Column Name |
|---------------------|------------|----------|-------------------|
| PSP_ENC_CONTROLS_U1 | NOT UNIQUE | 1 | TIME_PERIOD_ID |
| | | 2 | PAYROLL_ID |
| | | 3 | BUSINESS_GROUP_ID |
| PSP_ENC_CONTROLS_U2 | UNIQUE | 1 | ENC_CONTROL_ID |

PSP_ENC_ELEMENTS

PSP_ENC_ELEMENTS stores information about Earnings, Regular, and Recurring elements.

Column Descriptions

| Name | Null? | Type | Description |
|-----------------------|----------|-------------|---|
| ENC_ELEMENT_ID (PK) | NOT NULL | NUMBER(9) | System-generated primary key for encumbrance element identifier |
| BUSINESS_GROUP_ID | NOT NULL | NUMBER(15) | Foreign key to HR_ALL_ORGANIZATION_UNITS |
| ELEMENT_TYPE_CATEGORY | NULL | VARCHAR2(1) | Element type category |
| ELEMENT_TYPE_ID | NOT NULL | NUMBER(9) | Foreign key to PAY_ELEMENT_TYPES_F |
| LAST_UPDATE_DATE | NOT NULL | DATE | Standard Who column |
| LAST_UPDATED_BY | NOT NULL | NUMBER(15) | Standard Who column |
| LAST_UPDATE_LOGIN | NOT NULL | NUMBER(15) | Standard Who column |
| CREATED_BY | NOT NULL | NUMBER(15) | Standard Who column |
| CREATION_DATE | NOT NULL | DATE | Standard Who column |
| SET_OF_BOOKS_ID | NOT NULL | NUMBER(15) | Foreign key to GL_SETS_OF_BOOKS |

Indexes

| Index Name | Index Type | Sequence | Column Name |
|---------------------|------------|----------|-------------------|
| PSP_ENC_ELEMENTS_N1 | NOT UNIQUE | 1 | BUSINESS_GROUP_ID |
| PSP_ENC_ELEMENTS_U1 | UNIQUE | 1 | ENC_ELEMENT_ID |

PSP_ENC_END_DATES

PSP_ENC_END_DATES stores information about default encumbrance period end dates.

Column Descriptions

| Name | Null? | Type | Description |
|----------------------|----------|---------------|--|
| ENC_END_DATE_ID (PK) | NOT NULL | NUMBER(9) | System-generated primary key for encumbrance end date identifier |
| ORGANIZATION_ID | NOT NULL | NUMBER(15) | Foreign key to HR_ORGANIZATION_UNITS |
| EFF_START_DATE | NOT NULL | DATE | Encumbrance effective start date |
| EFF_END_DATE | NOT NULL | DATE | Encumbrance effective end date |
| DEFAULT_ORG_FLAG | NOT NULL | VARCHAR2(1) | Default organization flag. Y indicates Yes and N indicates No. |
| COMMENTS | NULL | VARCHAR2(255) | Comments |
| ATTRIBUTE_CATEGORY | NULL | VARCHAR2(30) | Descriptive Flexfield structure defining column |
| ATTRIBUTE1 | NULL | VARCHAR2(150) | Descriptive Flexfield segment column |
| ATTRIBUTE2 | NULL | VARCHAR2(150) | Descriptive Flexfield segment column |
| ATTRIBUTE3 | NULL | VARCHAR2(150) | Descriptive Flexfield segment column |
| ATTRIBUTE4 | NULL | VARCHAR2(150) | Descriptive Flexfield segment column |
| ATTRIBUTE5 | NULL | VARCHAR2(150) | Descriptive Flexfield segment column |
| ATTRIBUTE6 | NULL | VARCHAR2(150) | Descriptive Flexfield segment column |
| ATTRIBUTE7 | NULL | VARCHAR2(150) | Descriptive Flexfield segment column |
| ATTRIBUTE8 | NULL | VARCHAR2(150) | Descriptive Flexfield segment column |
| ATTRIBUTE9 | NULL | VARCHAR2(150) | Descriptive Flexfield segment column |
| ATTRIBUTE10 | NULL | VARCHAR2(150) | Descriptive Flexfield segment column |
| ATTRIBUTE11 | NULL | VARCHAR2(150) | Descriptive Flexfield segment column |
| ATTRIBUTE12 | NULL | VARCHAR2(150) | Descriptive Flexfield segment column |
| ATTRIBUTE13 | NULL | VARCHAR2(150) | Descriptive Flexfield segment column |
| ATTRIBUTE14 | NULL | VARCHAR2(150) | Descriptive Flexfield segment column |
| ATTRIBUTE15 | NULL | VARCHAR2(150) | Descriptive Flexfield segment column |
| LAST_UPDATE_DATE | NOT NULL | DATE | Standard Who column |
| LAST_UPDATED_BY | NOT NULL | NUMBER(15) | Standard Who column |
| LAST_UPDATE_LOGIN | NOT NULL | NUMBER(15) | Standard Who column |
| CREATED_BY | NOT NULL | NUMBER(15) | Standard Who column |
| CREATION_DATE | NOT NULL | DATE | Standard Who column |
| BUSINESS_GROUP_ID | NOT NULL | NUMBER(15) | Foreign key to HR_ALL_ORGANIZATION_UNITS |

Oracle Proprietary, Confidential Information--Use Restricted by Contract



Column Descriptions (Continued)

| <u>Name</u> | <u>Null?</u> | <u>Type</u> | <u>Description</u> |
|-----------------|--------------|-------------|-------------------------------------|
| PERIOD_END_DATE | NOT NULL | DATE | Default encumbrance period end date |
| SET_OF_BOOKS_ID | NOT NULL | NUMBER(15) | Foreign key to GL_SETS_OF_BOOKS |

Indexes

| <u>Index Name</u> | <u>Index Type</u> | <u>Sequence</u> | <u>Column Name</u> |
|----------------------|-------------------|-----------------|--------------------|
| PSP_ENC_END_DATES_N2 | NOT UNIQUE | 1 | BUSINESS_GROUP_ID |
| PSP_ENC_END_DATES_U1 | UNIQUE | 1 | ENC_END_DATE_ID |
| PSP_ENC_END_DATES_U2 | UNIQUE | 1 | ORGANIZATION_ID |
| | | 2 | EFF_START_DATE |
| | | 3 | EFF_END_DATE |
| | | 4 | BUSINESS_GROUP_ID |

PSP_ENC_LINES

PSP_ENC_LINES stores the encumbrance lines created by the Create Encumbrance and Update Encumbrance processes.

Foreign Keys

| Primary Key Table | Primary Key Column | Foreign Key Column |
|-----------------------|---------------------|--------------------|
| PSP_ENC_PAYROLLS | ENC_PAYROLL_ID | PAYROLL_ID |
| PSP_ENC_SUMMARY_LINES | ENC_SUMMARY_LINE_ID | ENC_LINE_ID |

Column Descriptions

| Name | Null? | Type | Description |
|-----------------------------|----------|--------------|--|
| ENC_ELEMENT_TYPE_ID | NOT NULL | NUMBER(9) | Foreign key to PSP_ENC_ELEMENTS |
| ENC_LINE_ID (PK) | NOT NULL | NUMBER(9) | System-generated primary key for encumbrance lines |
| BUSINESS_GROUP_ID | NOT NULL | NUMBER(15) | Foreign key to HR_ALL_ORGANIZATION_UNITS |
| ENCUMBRANCE_DATE | NOT NULL | DATE | Encumbrance date |
| DR_CR_FLAG | NOT NULL | VARCHAR2(1) | Debit or Credit flag. D indicates Debit and C indicates Credit. |
| ENCUMBRANCE_AMOUNT | NOT NULL | NUMBER(10,2) | Encumbrance amount |
| ENC_LINE_TYPE | NOT NULL | VARCHAR2(1) | Indicates status of current encumbrance line type. N indicates New and U indicates Update. |
| SCHEDULE_LINE_ID | NULL | NUMBER(9) | Foreign key to PSP_SCHEDULE_LINES |
| ORG_SCHEDULE_ID | NULL | NUMBER(9) | Foreign key to PSP_DEFAULT_LABOR_SCHEDULES |
| DEFAULT_ORG_ACCOUNT_ID | NULL | NUMBER(10) | Foreign key to PSP_ORGANIZATION_ACCOUNTS |
| SUSPENSE_ORG_ACCOUNT_ID | NULL | NUMBER(10) | Foreign key to PSP_ORGANIZATION_ACCOUNTS |
| ELEMENT_ACCOUNT_ID | NULL | NUMBER(10) | Foreign key to PSP_ELEMENT_TYPE_ACCOUNTS |
| GL_PROJECT_FLAG | NOT NULL | VARCHAR2(1) | General Ledger or Projects flag. G indicates General Ledger and P indicates POETA. |
| ENC_SUMMARY_LINE_ID | NULL | NUMBER(9) | Foreign key to Encumbrance Summary Lines |
| PERSON_ID | NOT NULL | NUMBER(9) | Foreign key to PER_PEOPLE_F |
| ASSIGNMENT_ID | NOT NULL | NUMBER(9) | Foreign key to PER_ASSIGNMENTS_F |
| AWARD_ID | NULL | NUMBER(10) | Foreign key to GMS_AWARDS |
| TASK_ID | NULL | NUMBER(10) | Foreign key to PA_TASKS |
| EXPENDITURE_TYPE | NULL | VARCHAR2(30) | Expenditure type reference to PA_ORGANIZATIONS_EXPEND_V |
| EXPENDITURE_ORGANIZATION_ID | NULL | NUMBER(10) | Expenditure organization identifier |
| PROJECT_ID | NULL | NUMBER(10) | Foreign key to PA_PROJECTS |
| GL_CODE_COMBINATION_ID | NULL | NUMBER(15) | Foreign key to GL_CODE_COMBINATIONS |
| TIME_PERIOD_ID | NOT NULL | NUMBER(15) | Foreign key to PER_TIME_PERIODS. |
| PAYROLL_ID | NOT NULL | NUMBER(9) | Foreign key to PAY_PAYROLLS_F |
| SET_OF_BOOKS_ID | NOT NULL | NUMBER(15) | Foreign key to GL_SETS_OF_BOOKS |
| DEFAULT_REASON_CODE | NULL | VARCHAR2(50) | Default reason code |

Oracle Proprietary, Confidential Information--Use Restricted by Contract



Column Descriptions (Continued)

| <u>Name</u> | <u>Null?</u> | <u>Type</u> | <u>Description</u> |
|----------------------|--------------|--------------|---|
| SUSPENSE_REASON_CODE | NULL | VARCHAR2(50) | Suspense reason code |
| LAST_UPDATE_DATE | NOT NULL | DATE | Standard Who column |
| LAST_UPDATED_BY | NOT NULL | NUMBER(15) | Standard Who column |
| LAST_UPDATE_LOGIN | NOT NULL | NUMBER(15) | Standard Who column |
| CREATED_BY | NOT NULL | NUMBER(15) | Standard Who column |
| CREATION_DATE | NOT NULL | DATE | Standard Who column |
| STATUS_CODE | NOT NULL | VARCHAR2(1) | Encumbrance line status. N indicates new. |
| ENC_CONTROL_ID | NOT NULL | NUMBER(10) | Foreign key to PSP_ENC_CONTROLS |

Indexes

| <u>Index Name</u> | <u>Index Type</u> | <u>Sequence</u> | <u>Column Name</u> |
|-------------------|-------------------|-----------------|--------------------|
| PSP_ENC_LINES_N1 | NOT UNIQUE | 1 | ENC_CONTROL_ID |
| PSP_ENC_LINES_U1 | UNIQUE | 1 | ENC_LINE_ID |

PSP_ENC_LINES_HISTORY

PSP_ENC_LINES_HISTORY stores successful encumbrance lines transferred into General Ledger, Grants Accounting, or Project Accounting.

Foreign Keys

| Primary Key Table | Primary Key Column | Foreign Key Column |
|-----------------------|---------------------|--------------------|
| PSP_ENC_SUMMARY_LINES | ENC_SUMMARY_LINE_ID | ENC_LINE_ID |

Column Descriptions

| Name | Null? | Type | Description |
|-----------------------------|----------|--------------|--|
| ENC_LINE_ID (PK) | NOT NULL | NUMBER(9) | Encumbrance line identifier |
| BUSINESS_GROUP_ID | NOT NULL | NUMBER(15) | Foreign key to HR_ALL_ORGANIZATION_UNITS |
| ENC_ELEMENT_TYPE_ID | NOT NULL | NUMBER(9) | Foreign key to PSP_ENC_ELEMENTS |
| ENCUMBRANCE_DATE | NOT NULL | DATE | Encumbrance date |
| DR_CR_FLAG | NOT NULL | VARCHAR2(1) | Debit or Credit flag. D indicates debit and C indicates credit. |
| ENCUMBRANCE_AMOUNT | NOT NULL | NUMBER(10,2) | Encumbrance amount |
| ENC_LINE_TYPE | NOT NULL | VARCHAR2(1) | Indicates status of current encumbrance line type. N indicates New and U indicates Update. |
| SCHEDULE_LINE_ID | NULL | NUMBER(9) | Foreign key to PSP_SCHEDULE_LINES |
| ORG_SCHEDULE_ID | NULL | NUMBER(9) | Foreign key to PSP_DEFAULT_LABOR_SCHEDULES |
| DEFAULT_ORG_ACCOUNT_ID | NULL | NUMBER(10) | Foreign key to PSP_ORGANIZATION_ACCOUNTS |
| SUSPENSE_ORG_ACCOUNT_ID | NULL | NUMBER(10) | Foreign key to PSP_ORGANIZATION_ACCOUNTS |
| ELEMENT_ACCOUNT_ID | NULL | NUMBER(10) | Foreign key to PSP_ELEMENT_TYPE_ACCOUNTS |
| GL_PROJECT_FLAG | NOT NULL | VARCHAR2(1) | General Ledger or Projects flag. G indicates General Ledger and P indicates POETA. |
| ENC_SUMMARY_LINE_ID | NOT NULL | NUMBER(9) | Foreign key to PSP_ENC_SUMMARY_LINES |
| PERSON_ID | NOT NULL | NUMBER(9) | Foreign key to PER_PEOPLE_F |
| ASSIGNMENT_ID | NOT NULL | NUMBER(10) | Foreign key to PER_ASSIGNMENTS_F |
| AWARD_ID | NULL | NUMBER(10) | Foreign key to GMS_AWARDS |
| TASK_ID | NULL | NUMBER(10) | Foreign key to PA_TASKS |
| EXPENDITURE_TYPE | NULL | VARCHAR2(30) | Expenditure type reference to PA_ORGANIZATIONS_EXPEND_V |
| EXPENDITURE_ORGANIZATION_ID | NULL | NUMBER(10) | Expenditure Organization identifier |
| PROJECT_ID | NULL | NUMBER(10) | Foreign key to PA_PROJECTS |
| GL_CODE_COMBINATION_ID | NULL | NUMBER(15) | Foreign key to GL_CODE_COMBINATIONS |
| TIME_PERIOD_ID | NOT NULL | NUMBER(15) | Foreign key to PER_TIME_PERIODS. |
| PAYROLL_ID | NOT NULL | NUMBER(9) | Foreign key to PAY_PAYROLLS_F |
| SET_OF_BOOKS_ID | NOT NULL | NUMBER(15) | Foreign key to GL_SETS_OF_BOOKS |
| DEFAULT_REASON_CODE | NULL | VARCHAR2(50) | Default reason code |
| SUSPENSE_REASON_CODE | NULL | VARCHAR2(50) | Suspense reason code |

Oracle Proprietary, Confidential Information--Use Restricted by Contract



Column Descriptions (Continued)

| Name | Null? | Type | Description |
|-------------------|----------|-------------|---|
| LAST_UPDATE_DATE | NOT NULL | DATE | Standard Who column |
| LAST_UPDATED_BY | NOT NULL | NUMBER(15) | Standard Who column |
| LAST_UPDATE_LOGIN | NOT NULL | NUMBER(15) | Standard Who column |
| CREATED_BY | NOT NULL | NUMBER(15) | Standard Who column |
| CREATION_DATE | NOT NULL | DATE | Standard Who column |
| STATUS_CODE | NOT NULL | VARCHAR2(1) | Indicates status of the encumbrance lines. A indicates accepted by General Ledger or Grants Accounting. |
| ENC_CONTROL_ID | NOT NULL | NUMBER(10) | Foreign key to PSP_ENC_CONTROLS |

Indexes

| Index Name | Index Type | Sequence | Column Name |
|--------------------------|------------|----------|----------------|
| PSP_ENC_LINES_HISTORY_N1 | NOT UNIQUE | 1 | ENC_CONTROL_ID |
| PSP_ENC_LINES_HISTORY_U1 | UNIQUE | 5 | ENC_LINE_ID |

PSP_ENC_PAYROLLS

PSP_ENC_PAYROLLS stores encumbrance related payrolls.

Column Descriptions

| Name | Null? | Type | Description |
|---------------------|----------|---------------|--|
| ENC_PAYROLL_ID (PK) | NOT NULL | NUMBER(9) | System-generated primary key column |
| BUSINESS_GROUP_ID | NOT NULL | NUMBER(15) | Foreign key to HR_ALL_ORGANIZATION_UNITS |
| PAYROLL_ID | NOT NULL | NUMBER(9) | Foreign key to PAY_PAYROLLS_F |
| INC_EXC_FLAG | NOT NULL | VARCHAR2(1) | Include and exclude flag. Y indicates include and N indicates exclude. |
| ATTRIBUTE_CATEGORY | NULL | VARCHAR2(30) | Descriptive Flexfield structure defining column |
| ATTRIBUTE1 | NULL | VARCHAR2(150) | Descriptive Flexfield segment column |
| ATTRIBUTE2 | NULL | VARCHAR2(150) | Descriptive Flexfield segment column |
| ATTRIBUTE3 | NULL | VARCHAR2(150) | Descriptive Flexfield segment column |
| ATTRIBUTE4 | NULL | VARCHAR2(150) | Descriptive Flexfield segment column |
| ATTRIBUTE5 | NULL | VARCHAR2(150) | Descriptive Flexfield segment column |
| ATTRIBUTE6 | NULL | VARCHAR2(150) | Descriptive Flexfield segment column |
| ATTRIBUTE7 | NULL | VARCHAR2(150) | Descriptive Flexfield segment column |
| ATTRIBUTE8 | NULL | VARCHAR2(150) | Descriptive Flexfield segment column |
| ATTRIBUTE9 | NULL | VARCHAR2(150) | Descriptive Flexfield segment column |
| ATTRIBUTE10 | NULL | VARCHAR2(150) | Descriptive Flexfield segment column |
| ATTRIBUTE11 | NULL | VARCHAR2(150) | Descriptive Flexfield segment column |
| ATTRIBUTE12 | NULL | VARCHAR2(150) | Descriptive Flexfield segment column |
| ATTRIBUTE13 | NULL | VARCHAR2(150) | Descriptive Flexfield segment column |
| ATTRIBUTE14 | NULL | VARCHAR2(150) | Descriptive Flexfield segment column |
| ATTRIBUTE15 | NULL | VARCHAR2(150) | Descriptive Flexfield segment column |
| LAST_UPDATE_DATE | NOT NULL | DATE | Standard Who column |
| LAST_UPDATED_BY | NOT NULL | NUMBER(15) | Standard Who column |
| LAST_UPDATE_LOGIN | NOT NULL | NUMBER(15) | Standard Who column |
| CREATED_BY | NOT NULL | NUMBER(15) | Standard Who column |
| CREATION_DATE | NOT NULL | DATE | Standard Who column |
| SET_OF_BOOKS_ID | NOT NULL | NUMBER(15) | Foreign key to GL_SETS_OF_BOOKS |

Indexes

| Index Name | Index Type | Sequence | Column Name |
|---------------------|------------|----------|-------------------|
| PSP_ENC_PAYROLLS_N1 | NOT UNIQUE | 1 | PAYROLL_ID |
| | | 2 | BUSINESS_GROUP_ID |
| PSP_ENC_PAYROLLS_U1 | UNIQUE | 1 | ENC_PAYROLL_ID |

Oracle Proprietary, Confidential Information--Use Restricted by Contract

PSP_ENC_PAYROLL_ASSIGNMENTS

PSP_ENC_PAYROLL_ASSIGNMENTS stores all assignments related to an encumbrance payroll.

Foreign Keys

| Primary Key Table | Primary Key Column | Foreign Key Column |
|-------------------|--------------------|--------------------|
| PSP_ENC_PAYROLLS | ENC_PAYROLL_ID | ENC_PAYROLL_ID |

Column Descriptions

| Name | Null? | Type | Description |
|--------------------------------|----------|------------|--|
| ENC_PAYROLL_ASSIGNMENT_ID (PK) | NOT NULL | NUMBER(9) | System-generated primary key column |
| BUSINESS_GROUP_ID | NOT NULL | NUMBER(15) | Foreign key to HR_ALL_ORGANIZATION_UNITS |
| ENC_PAYROLL_ID | NOT NULL | NUMBER(9) | Foreign key to PSP_ENC_PAYROLLS |
| ASSIGNMENT_ID | NOT NULL | NUMBER(9) | Foreign key to PER_ASSIGNMENTS_F |
| LAST_UPDATE_DATE | NOT NULL | DATE | Standard Who column |
| LAST_UPDATED_BY | NOT NULL | NUMBER(15) | Standard Who column |
| LAST_UPDATE_LOGIN | NOT NULL | NUMBER(15) | Standard Who column |
| CREATED_BY | NOT NULL | NUMBER(15) | Standard Who column |
| CREATION_DATE | NOT NULL | DATE | Standard Who column |
| SET_OF_BOOKS_ID | NOT NULL | NUMBER(15) | Foreign key to GL_SETS_OF_BOOKS |

Indexes

| Index Name | Index Type | Sequence | Column Name |
|--------------------------------|------------|----------|---------------------------|
| PSP_ENC_PAYROLL_ASSIGNMENTS_N1 | NOT UNIQUE | 1 | ENC_PAYROLL_ID |
| | | 2 | BUSINESS_GROUP_ID |
| PSP_ENC_PAYROLL_ASSIGNMENTS_U1 | UNIQUE | 1 | ENC_PAYROLL_ASSIGNMENT_ID |

PSP_ENC_SETUP_OPTIONS

PSP_ENC_SETUP_OPTIONS stores all encumbrance related setup options.

Column Descriptions

| Name | Null? | Type | Description |
|--------------------------|----------|--------------|--|
| ENC_SETUP_OPTION_ID (PK) | NOT NULL | NUMBER(9) | System generated primary key column |
| BUSINESS_GROUP_ID | NOT NULL | NUMBER(15) | Foreign key to HR_ALL_ORGANIZATION_UNITS |
| SETUP_PARAMETER | NOT NULL | VARCHAR2(30) | Encumbrance setup values |
| PARAMETER_VALUE | NOT NULL | VARCHAR2(1) | Encumbrance setup codes |
| LAST_UPDATE_DATE | NOT NULL | DATE | Standard Who column |
| LAST_UPDATED_BY | NOT NULL | NUMBER(15) | Standard Who column |
| LAST_UPDATE_LOGIN | NOT NULL | NUMBER(15) | Standard Who column |
| CREATED_BY | NOT NULL | NUMBER(15) | Standard Who column |
| CREATION_DATE | NOT NULL | DATE | Standard Who column |
| SET_OF_BOOKS_ID | NOT NULL | NUMBER(15) | Foreign key to GL_SETS_OF_BOOKS |

Indexes

| Index Name | Index Type | Sequence | Column Name |
|-------------------------|------------|----------|---------------------|
| PSP_ENC_SETUP_OPTION_U1 | UNIQUE | 1 | ENC_SETUP_OPTION_ID |

PSP_ENC_SUMMARY_LINES

PSP_ENC_SUMMARY_LINES stores the summary of all summarized encumbrance lines.

Foreign Keys

| Primary Key Table | Primary Key Column | Foreign Key Column |
|-------------------|--------------------|---------------------|
| PSP_ENC_CONTROLS | ENC_CONTROL_ID | ENC_SUMMARY_LINE_ID |

Column Descriptions

| Name | Null? | Type | Description |
|-----------------------------|----------|--------------|---|
| ENC_SUMMARY_LINE_ID (PK) | NOT NULL | NUMBER(9) | System-generated primary key column |
| BUSINESS_GROUP_ID | NOT NULL | NUMBER(15) | Foreign key to HR_ALL_ORGANIZATION_UNITS |
| GMS_BATCH_NAME | NULL | VARCHAR2(10) | Interface group defining column required in PA_TRANSACTION_INTERFACE_ALL tables |
| TIME_PERIOD_ID | NOT NULL | NUMBER(15) | Foreign key to PER_TIME_PERIODS |
| PERSON_ID | NULL | NUMBER(9) | Foreign key to PER_PEOPLE_F |
| ASSIGNMENT_ID | NULL | NUMBER(9) | Foreign key to PER_ASSIGNMENTS_F |
| EFFECTIVE_DATE | NOT NULL | DATE | End date for a payroll period or General Ledger calendar period |
| SET_OF_BOOKS_ID | NOT NULL | NUMBER(15) | Foreign key to GL_SETS_OF_BOOKS |
| GL_CODE_COMBINATION_ID | NULL | NUMBER(15) | Foreign key to GL_CODE_COMBINATIONS |
| PROJECT_ID | NULL | NUMBER(15) | Foreign key to PA_PROJECTS |
| EXPENDITURE_ORGANIZATION_ID | NULL | NUMBER(15) | Expenditure organization identifier |
| EXPENDITURE_TYPE | NULL | VARCHAR2(30) | Expenditure type |
| TASK_ID | NULL | NUMBER(15) | Foreign key to PA_TASKS |
| AWARD_ID | NULL | NUMBER(15) | Foreign key to GMS_AWARDS |
| SUMMARY_AMOUNT | NOT NULL | NUMBER | Summary amount |
| DR_CR_FLAG | NOT NULL | VARCHAR2(1) | Debit or credit flag. D indicates debit and C indicates credit. |
| GROUP_ID | NULL | NUMBER(15) | Interface group defining column required in GL_INTERFACE_CONTROLS and GL_INTERFACE tables |
| INTERFACE_STATUS | NULL | VARCHAR2(50) | Status of the record after General Ledger Journal Import or Grants Accounting Transaction Import processes. This field is updated with STATUS from GL_INTERFACE table and TRANSACTION_REJECTION_CODE from PA_TRANSACTION_INTERFACE_ALL. |
| PAYROLL_ID | NOT NULL | NUMBER(9) | Foreign key to PAY_PAYROLLS_F |
| GL_PERIOD_ID | NULL | NUMBER(9) | General Ledger calendar period identifier |
| GL_PROJECT_FLAG | NOT NULL | VARCHAR2(1) | General Ledger or Projects flag. G indicates General Ledger and P indicates POETA. |
| ATTRIBUTE_CATEGORY | NULL | VARCHAR2(30) | Descriptive Flexfield structure defining column |

Oracle Proprietary, Confidential Information--Use Restricted by Contract

Column Descriptions (Continued)

| Name | Null? | Type | Description |
|-------------------|----------|----------------|--------------------------------------|
| ATTRIBUTE1 | NULL | VARCHAR2 (150) | Descriptive Flexfield segment column |
| ATTRIBUTE2 | NULL | VARCHAR2 (150) | Descriptive Flexfield segment column |
| ATTRIBUTE3 | NULL | VARCHAR2 (150) | Descriptive Flexfield segment column |
| ATTRIBUTE4 | NULL | VARCHAR2 (150) | Descriptive Flexfield segment column |
| ATTRIBUTE5 | NULL | VARCHAR2 (150) | Descriptive Flexfield segment column |
| ATTRIBUTE6 | NULL | VARCHAR2 (150) | Descriptive Flexfield segment column |
| ATTRIBUTE7 | NULL | VARCHAR2 (150) | Descriptive Flexfield segment column |
| ATTRIBUTE8 | NULL | VARCHAR2 (150) | Descriptive Flexfield segment column |
| ATTRIBUTE9 | NULL | VARCHAR2 (150) | Descriptive Flexfield segment column |
| ATTRIBUTE10 | NULL | VARCHAR2 (150) | Descriptive Flexfield segment column |
| ATTRIBUTE11 | NULL | VARCHAR2 (150) | Descriptive Flexfield segment column |
| ATTRIBUTE12 | NULL | VARCHAR2 (150) | Descriptive Flexfield segment column |
| ATTRIBUTE13 | NULL | VARCHAR2 (150) | Descriptive Flexfield segment column |
| ATTRIBUTE14 | NULL | VARCHAR2 (150) | Descriptive Flexfield segment column |
| ATTRIBUTE15 | NULL | VARCHAR2 (150) | Descriptive Flexfield segment column |
| ATTRIBUTE16 | NULL | VARCHAR2 (150) | Descriptive Flexfield segment column |
| ATTRIBUTE17 | NULL | VARCHAR2 (150) | Descriptive Flexfield segment column |
| ATTRIBUTE18 | NULL | VARCHAR2 (150) | Descriptive Flexfield segment column |
| ATTRIBUTE19 | NULL | VARCHAR2 (150) | Descriptive Flexfield segment column |
| ATTRIBUTE20 | NULL | VARCHAR2 (150) | Descriptive Flexfield segment column |
| ATTRIBUTE21 | NULL | VARCHAR2 (150) | Descriptive Flexfield segment column |
| ATTRIBUTE22 | NULL | VARCHAR2 (150) | Descriptive Flexfield segment column |
| ATTRIBUTE24 | NULL | VARCHAR2 (150) | Descriptive Flexfield segment column |
| ATTRIBUTE23 | NULL | VARCHAR2 (150) | Descriptive Flexfield segment column |
| ATTRIBUTE26 | NULL | VARCHAR2 (150) | Descriptive Flexfield segment column |
| ATTRIBUTE27 | NULL | VARCHAR2 (150) | Descriptive Flexfield segment column |
| ATTRIBUTE28 | NULL | VARCHAR2 (150) | Descriptive Flexfield segment column |
| ATTRIBUTE29 | NULL | VARCHAR2 (150) | Descriptive Flexfield segment column |
| ATTRIBUTE30 | NULL | VARCHAR2 (150) | Descriptive Flexfield segment column |
| LAST_UPDATE_DATE | NOT NULL | DATE | Standard Who column |
| LAST_UPDATED_BY | NOT NULL | NUMBER (15) | Standard Who column |
| LAST_UPDATE_LOGIN | NOT NULL | NUMBER (15) | Standard Who column |

Oracle Proprietary, Confidential Information--Use Restricted by Contract



Column Descriptions (Continued)

| Name | Null? | Type | Description |
|--------------------|----------|---------------|--|
| CREATED_BY | NOT NULL | NUMBER(15) | Standard Who column |
| CREATION_DATE | NOT NULL | DATE | Standard Who column |
| ATTRIBUTE25 | NULL | VARCHAR2(150) | Descriptive Flexfield segment column |
| REJECT_REASON_CODE | NULL | VARCHAR2(50) | Reason for rejection |
| ENC_CONTROL_ID | NOT NULL | NUMBER(9) | Foreign key to PSP_ENC_CONTROLS |
| STATUS_CODE | NOT NULL | VARCHAR2(1) | Indicates status for summary lines. A indicates Accepted, L indicates Liquidated, and P indicates Processed. |

Indexes

| Index Name | Index Type | Sequence | Column Name |
|--------------------------|------------|----------|---------------------|
| PSP_ENC_SUMMARY_LINES_N1 | NOT UNIQUE | 1 | ENC_CONTROL_ID |
| | | 2 | STATUS_CODE |
| PSP_ENC_SUMMARY_LINES_N2 | NOT UNIQUE | 1 | GMS_BATCH_NAME |
| PSP_ENC_SUMMARY_LINES_U1 | UNIQUE | 1 | ENC_SUMMARY_LINE_ID |

PSP_ER_APPROVALS

PSP_ER_APPROVALS contains the identifier and password of the supervisor who certifies the effort report.

Foreign Keys

| Primary Key Table | Primary Key Column | Foreign Key Column |
|--------------------|---------------------------------|---------------------------------|
| PSP_EFFORT_REPORTS | EFFORT_REPORT_ID VERSION_NUM | EFFORT_REPORT_ID VERSION_NUM |

Column Descriptions

| Name | Null? | Type | Description |
|--------------------------|----------|------------|---|
| EFFORT_REPORT_ID (PK) | NOT NULL | NUMBER(15) | Foreign key to PSP_EFFORT_REPORTS |
| VERSION_NUM (PK) | NOT NULL | NUMBER(15) | Foreign key to PSP_EFFORT_REPORTS |
| APPROVING_PERSON_ID (PK) | NOT NULL | NUMBER(9) | Identifier of supervisor who certified the effort report |
| APPROVED_DATE | NOT NULL | DATE | Approval date |
| LAST_UPDATE_DATE | NOT NULL | DATE | Standard Who column |
| LAST_UPDATED_BY | NOT NULL | NUMBER(15) | Standard Who column |
| LAST_UPDATE_LOGIN | NOT NULL | NUMBER(15) | Standard Who column |
| CREATED_BY | NOT NULL | NUMBER(15) | Standard Who column |
| CREATION_DATE | NOT NULL | DATE | Standard Who column |

Indexes

| Index Name | Index Type | Sequence | Column Name |
|---------------------|------------|----------|---------------------|
| PSP_ER_APPROVALS_U1 | UNIQUE | 1 | EFFORT_REPORT_ID |
| | | 2 | VERSION_NUM |
| | | 3 | APPROVING_PERSON_ID |

PSP_GROUP_ELEMENT_LIST

PSP_GROUP_ELEMENT_LIST is the intersection table of
PSP_ELEMENT_GROUPS and PSP_ELEMENT_TYPES.

Foreign Keys

| Primary Key Table | Primary Key Column | Foreign Key Column |
|-------------------|--------------------------------------|--------------------------------------|
| PSP_ELEMENT_TYPES | ELEMENT_TYPE_ID START_DATE_ACTIVE | ELEMENT_TYPE_ID START_DATE_ACTIVE |

Column Descriptions

| Name | Null? | Type | Description |
|------------------------|----------|---------------|---|
| ELEMENT_GROUP_ID (PK) | NOT NULL | NUMBER(15) | Element group identifier |
| ELEMENT_TYPE_ID (PK) | NOT NULL | NUMBER(15) | Element type identifier |
| START_DATE_ACTIVE (PK) | NOT NULL | DATE | First effective date of element type |
| ATTRIBUTE_CATEGORY | NULL | VARCHAR2(30) | Descriptive Flexfield structure defining column |
| ATTRIBUTE1 | NULL | VARCHAR2(150) | Descriptive Flexfield segment column |
| ATTRIBUTE2 | NULL | VARCHAR2(150) | Descriptive Flexfield segment column |
| ATTRIBUTE3 | NULL | VARCHAR2(150) | Descriptive Flexfield segment column |
| ATTRIBUTE4 | NULL | VARCHAR2(150) | Descriptive Flexfield segment column |
| ATTRIBUTE5 | NULL | VARCHAR2(150) | Descriptive Flexfield segment column |
| ATTRIBUTE6 | NULL | VARCHAR2(150) | Descriptive Flexfield segment column |
| ATTRIBUTE7 | NULL | VARCHAR2(150) | Descriptive Flexfield segment column |
| ATTRIBUTE8 | NULL | VARCHAR2(150) | Descriptive Flexfield segment column |
| ATTRIBUTE9 | NULL | VARCHAR2(150) | Descriptive Flexfield segment column |
| ATTRIBUTE10 | NULL | VARCHAR2(150) | Descriptive Flexfield segment column |
| ATTRIBUTE11 | NULL | VARCHAR2(150) | Descriptive Flexfield segment column |
| ATTRIBUTE12 | NULL | VARCHAR2(150) | Descriptive Flexfield segment column |
| ATTRIBUTE13 | NULL | VARCHAR2(150) | Descriptive Flexfield segment column |
| ATTRIBUTE14 | NULL | VARCHAR2(150) | Descriptive Flexfield segment column |
| ATTRIBUTE15 | NULL | VARCHAR2(150) | Descriptive Flexfield segment column |
| LAST_UPDATE_DATE | NOT NULL | DATE | Standard Who column |
| LAST_UPDATED_BY | NOT NULL | NUMBER(15) | Standard Who column |
| LAST_UPDATE_LOGIN | NOT NULL | NUMBER(15) | Standard Who column |
| CREATED_BY | NOT NULL | NUMBER(15) | Standard Who column |
| CREATION_DATE | NOT NULL | DATE | Standard Who column |



Indexes

| <u>Index Name</u> | <u>Index Type</u> | <u>Sequence</u> | <u>Column Name</u> |
|---------------------------|-------------------|-----------------|--------------------|
| PSP_GROUP_ELEMENT_LIST_U1 | UNIQUE | 1 | ELEMENT_GROUP_ID |
| | | 2 | ELEMENT_TYPE_ID |
| | | 3 | START_DATE_ACTIVE |

PSP_ORGANIZATION_ACCOUNTS

PSP_ORGANIZATION_ACCOUNTS stores the default and suspense accounts for organizations. These accounts are used during the Summarize and Transfer process.

Foreign Keys

| Primary Key Table | Primary Key Column | Foreign Key Column |
|---------------------------|---------------------|------------------------|
| GL_CODE_COMBINATIONS | CODE_COMBINATION_ID | GL_CODE_COMBINATION_ID |
| GL_SETS_OF_BOOKS | SET_OF_BOOKS_ID | SET_OF_BOOKS_ID |
| GMS_AWARDS_ALL | AWARD_ID | AWARD_ID |
| HR_ALL_ORGANIZATION_UNITS | ORGANIZATION_ID | ORGANIZATION_ID |
| PA_EXPENDITURE_TYPES | EXPENDITURE_TYPE | EXPENDITURE_TYPE |
| PA_PROJECTS_ALL | PROJECT_ID | PROJECT_ID |
| PA_TASKS | TASK_ID | TASK_ID |

Column Descriptions

| Name | Null? | Type | Description |
|------------------------------|----------|---------------|---|
| ORGANIZATION_ACCOUNT_ID (PK) | NOT NULL | NUMBER(9) | Organization account identifier |
| GL_CODE_COMBINATION_ID | NULL | NUMBER(15) | Accounting Flexfield |
| PROJECT_ID | NULL | NUMBER(15) | Project identifier |
| EXPENDITURE_ORGANIZATION_ID | NULL | NUMBER(15) | Expenditure organization identifier |
| EXPENDITURE_TYPE | NULL | VARCHAR2(30) | Expenditure type identifier |
| TASK_ID | NULL | NUMBER(15) | Task identifier |
| AWARD_ID | NULL | NUMBER(15) | Award identifier |
| COMMENTS | NULL | VARCHAR2(255) | Comments |
| ATTRIBUTE_CATEGORY | NULL | VARCHAR2(30) | Descriptive Flexfield structure defining column |
| ATTRIBUTE1 | NULL | VARCHAR2(150) | Descriptive Flexfield segment column |
| ATTRIBUTE2 | NULL | VARCHAR2(150) | Descriptive Flexfield segment column |
| ATTRIBUTE3 | NULL | VARCHAR2(150) | Descriptive Flexfield segment column |
| ATTRIBUTE4 | NULL | VARCHAR2(150) | Descriptive Flexfield segment column |
| ATTRIBUTE5 | NULL | VARCHAR2(150) | Descriptive Flexfield segment column |
| ATTRIBUTE6 | NULL | VARCHAR2(150) | Descriptive Flexfield segment column |
| ATTRIBUTE7 | NULL | VARCHAR2(150) | Descriptive Flexfield segment column |
| ATTRIBUTE8 | NULL | VARCHAR2(150) | Descriptive Flexfield segment column |
| ATTRIBUTE9 | NULL | VARCHAR2(150) | Descriptive Flexfield segment column |
| ATTRIBUTE10 | NULL | VARCHAR2(150) | Descriptive Flexfield segment column |
| ATTRIBUTE11 | NULL | VARCHAR2(150) | Descriptive Flexfield segment column |
| ATTRIBUTE12 | NULL | VARCHAR2(150) | Descriptive Flexfield segment column |
| ATTRIBUTE13 | NULL | VARCHAR2(150) | Descriptive Flexfield segment column |
| ATTRIBUTE14 | NULL | VARCHAR2(150) | Descriptive Flexfield segment column |

Column Descriptions (Continued)

| Name | Null? | Type | Description |
|-------------------|----------|---------------|--|
| ATTRIBUTE15 | NULL | VARCHAR2(150) | Descriptive Flexfield segment column |
| LAST_UPDATE_DATE | NOT NULL | DATE | Standard Who column |
| LAST_UPDATED_BY | NOT NULL | NUMBER(15) | Standard Who column |
| LAST_UPDATE_LOGIN | NOT NULL | NUMBER(15) | Standard Who column |
| CREATED_BY | NOT NULL | NUMBER(15) | Standard Who column |
| CREATION_DATE | NOT NULL | DATE | Standard Who column |
| SET_OF_BOOKS_ID | NOT NULL | NUMBER(15) | Set of Books |
| ACCOUNT_TYPE_CODE | NOT NULL | VARCHAR2(30) | Type of account. Possible values are D for Default, S for Suspense, or G for Global. |
| START_DATE_ACTIVE | NOT NULL | DATE | First effective date of default or suspense account |
| BUSINESS_GROUP_ID | NOT NULL | NUMBER(15) | Foreign key to HR_ALL_ORGANIZATION_UNITS |
| END_DATE_ACTIVE | NULL | DATE | Last effective date of default or suspense account |
| ORGANIZATION_ID | NOT NULL | NUMBER(15) | Organization identifier |

Indexes

| Index Name | Index Type | Sequence | Column Name |
|------------------------------|------------|----------|-------------------------|
| PSP_ORGANIZATION_ACCOUNTS_N1 | NOT UNIQUE | 1 | START_DATE_ACTIVE |
| PSP_ORGANIZATION_ACCOUNTS_N2 | NOT UNIQUE | 1 | END_DATE_ACTIVE |
| PSP_ORGANIZATION_ACCOUNTS_N3 | NOT UNIQUE | 1 | ORGANIZATION_ID |
| PSP_ORGANIZATION_ACCOUNTS_N4 | NOT UNIQUE | 1 | ACCOUNT_TYPE_CODE |
| PSP_ORGANIZATION_ACCOUNTS_U1 | UNIQUE | 2 | ORGANIZATION_ACCOUNT_ID |

Sequences

| Sequence | Derived Column |
|-----------------------------|-------------------------|
| PSP_ORGANIZATION_ACCOUNTS_S | ORGANIZATION_ACCOUNT_ID |

PSP_PAYROLL_CONTROLS

PSP_PAYROLL_CONTROLS contains common information and statuses for all the payroll transactions imported from Oracle Payroll or non-Oracle payroll transactions.

Foreign Keys

| Primary Key Table | Primary Key Column | Foreign Key Column |
|---------------------------|--------------------|---------------------|
| GL_SETS_OF_BOOKS | SET_OF_BOOKS_ID | SET_OF_BOOKS_ID |
| HR_ALL_ORGANIZATION_UNITS | ORGANIZATION_ID | BUSINESS_GROUP_ID |
| PAY_ALL_PAYROLLS_F | PAYROLL_ID | PAYROLL_ID |
| PAY_PAYROLL_ACTIONS | PAYROLL_ACTION_ID | PAYROLL_ACTION_ID |
| PER_TIME_PERIODS | TIME_PERIOD_ID | TIME_PERIOD_ID |
| PSP_PAYROLL_SOURCES | SOURCE_TYPE | SOURCE_TYPE |
| | SOURCE_CODE | PAYROLL_SOURCE_CODE |

Column Descriptions

| Name | Null? | Type | Description |
|-------------------------|----------|--------------|--|
| PAYROLL_CONTROL_ID (PK) | NOT NULL | NUMBER(10) | System-generated primary key for Payroll controls |
| PAYROLL_ACTION_ID | NOT NULL | NUMBER(9) | Foreign key to PAY_PAYROLL_ACTIONS |
| PAYROLL_ID | NOT NULL | NUMBER(9) | Foreign key to PAY_PAYROLLS_F |
| NUMBER_OF_CR | NULL | NUMBER | Total number of credit transactions for specified payroll |
| NUMBER_OF_DR | NULL | NUMBER | Total number of debit transactions for specified payroll |
| TOTAL_DR_AMOUNT | NULL | NUMBER | Total debit amount for specified payroll sublines |
| TOTAL_CR_AMOUNT | NULL | NUMBER | Total credit amount for specified payroll |
| SUBLINES_DR_AMOUNT | NULL | NUMBER | Total sublines debit amount |
| SUBLINES_CR_AMOUNT | NULL | NUMBER | Total sublines credit amount |
| DIST_DR_AMOUNT | NULL | NUMBER | Total debit amount distributed for specified payroll |
| DIST_CR_AMOUNT | NULL | NUMBER | Total credit amount distributed for specified payroll |
| OGM_DR_AMOUNT | NULL | NUMBER | Total debit amount transferred to Grants Accounting for specified payroll |
| OGM_CR_AMOUNT | NULL | NUMBER | Total credit amount transferred to Grants Accounting for specified payroll |
| GL_DR_AMOUNT | NULL | NUMBER | Total debit amount transferred to General Ledger for specified payroll |
| GL_CR_AMOUNT | NULL | NUMBER | Total credit amount transferred to General Ledger for specified payroll |
| PAYROLL_SOURCE_CODE | NOT NULL | VARCHAR2(30) | User-defined payroll source code |
| RUN_ID | NULL | NUMBER(10) | Summarize and Transfer process identifier |
| TIME_PERIOD_ID | NOT NULL | NUMBER(15) | Foreign key to PER_TIME_PERIODS |

Column Descriptions (Continued)

| Name | Null? | Type | Description |
|---------------------------|----------|--------------|---|
| BATCH_NAME | NULL | VARCHAR2(30) | User-defined batch name for Non-Oracle Payroll transactions; NULL for Oracle Payroll transactions |
| SET_OF_BOOKS_ID | NOT NULL | NUMBER(15) | Foreign key to gl_sets_of_books |
| SOURCE_TYPE | NOT NULL | VARCHAR2(1) | Predefined source types. Values are Oracle, Non-Oracle, Pregenerated, Encumbrance, and Adjustment. |
| PHASE | NULL | VARCHAR2(30) | Status indicators used by Summarize and Transfer process for recovery |
| STATUS_CODE | NOT NULL | VARCHAR2(1) | Status of the control batch. Values are N for New, P for Processed and Transferred, and I for In-process Error. |
| GL_POSTING_OVERRIDE_DATE | NULL | DATE | General Ledger override date |
| GMS_POSTING_OVERRIDE_DATE | NULL | DATE | For future use |
| BUSINESS_GROUP_ID | NOT NULL | NUMBER(15) | Foreign key to hr_all_organization_units |
| GL_PHASE | NULL | VARCHAR2(30) | Internal statuses used by the Summarize and Transfer processes to keep track of the phase |
| GMS_PHASE | NULL | VARCHAR2(30) | Internal statuses used by the Summarize and Transfer processes to keep track of the phase |
| ADJ_SUM_BATCH_NAME | NULL | VARCHAR2(30) | Summary Batch name for adjustments |
| CREATED_BY | NOT NULL | NUMBER(15) | Standard Who column |
| CREATION_DATE | NOT NULL | DATE | Standard Who column |
| LAST_UPDATE_DATE | NOT NULL | DATE | Standard Who column |
| LAST_UPDATED_BY | NOT NULL | NUMBER(15) | Standard Who column |
| LAST_UPDATE_LOGIN | NOT NULL | NUMBER(15) | Standard Who column |

Indexes

| Index Name | Index Type | Sequence | Column Name |
|-------------------------|------------|----------|---------------------|
| PSP_PAYROLL_CONTROLS_U1 | UNIQUE | 2 | PAYROLL_CONTROL_ID |
| PSP_PAYROLL_CONTROLS_U2 | NOT UNIQUE | 1 | SOURCE_TYPE |
| | | 2 | PAYROLL_SOURCE_CODE |
| | | 3 | TIME_PERIOD_ID |
| | | 4 | BATCH_NAME |

Sequences

| Sequence | Derived Column |
|------------------------|--------------------|
| PSP_PAYROLL_CONTROLS_S | PAYROLL_CONTROL_ID |

PSP_PAYROLL_INTERFACE

PSP_PAYROLL_INTERFACE contains non-Oracle sublines to be imported to Labor Distribution. Information in this table is used for integrating non-Oracle payroll data with labor distribution data. The data in this table is at the sublines level and consists of employee and pay information for particular subline periods.

Foreign Keys

| Primary Key Table | Primary Key Column | Foreign Key Column |
|---------------------------|--------------------|---------------------|
| GL_SETS_OF_BOOKS | SET_OF_BOOKS_ID | SET_OF_BOOKS_ID |
| HR_ALL_ORGANIZATION_UNITS | BUSINESS_GROUP_ID | BUSINESS_GROUP_ID |
| PAY_ALL_PAYROLLS_F | PAYROLL_ID | PAYROLL_ID |
| PER_ALL_ASSIGNMENTS_F | ASSIGNMENT_ID | ASSIGNMENT_ID |
| PER_ALL_PEOPLE_F | PERSON_ID | PERSON_ID |
| PER_TIME_PERIODS | TIME_PERIOD_ID | PAYROLL_PERIOD_ID |
| PSP_ELEMENT_TYPES | ELEMENT_TYPE_ID | ELEMENT_TYPE_ID |
| PSP_PAYROLL_SOURCES | SOURCE_CODE | PAYROLL_SOURCE_CODE |

Column Descriptions

| Name | Null? | Type | Description |
|---------------------------|----------|--------------|--|
| PAYROLL_INTERFACE_ID (PK) | NOT NULL | NUMBER(10) | System-generated primary key |
| PAYROLL_ID | NOT NULL | NUMBER(9) | Foreign key to PAY_PAYROLLS_F |
| PAYROLL_PERIOD_ID | NOT NULL | NUMBER(9) | Foreign key to PER_TIME_PERIODS |
| PERSON_ID | NOT NULL | NUMBER(9) | Foreign key to PER_PEOPLE_F |
| ASSIGNMENT_ID | NOT NULL | NUMBER(9) | Foreign key to PER_ASSIGNMENTS_F |
| ELEMENT_TYPE_ID | NOT NULL | NUMBER(9) | Foreign key to PSP_ELEMENT_TYPES |
| PAY_AMOUNT | NOT NULL | NUMBER | Amount to be paid for selected subline period |
| EARNED_DATE | NULL | DATE | Date pay amount is earned |
| CHECK_DATE | NULL | DATE | Date check is made |
| EFFECTIVE_DATE | NOT NULL | DATE | Date pay amount is effective |
| PAYROLL_SOURCE_CODE | NOT NULL | VARCHAR2(30) | Foreign key to PSP_PAYROLL_SOURCES |
| FTE | NULL | NUMBER | Full-time equivalent ratio |
| REASON_CODE | NULL | VARCHAR2(30) | Foreign key to PSP_LOOKUPS |
| SUB_LINE_START_DATE | NOT NULL | DATE | Start date for current subline period |
| SUB_LINE_END_DATE | NOT NULL | DATE | End date for current subline period |
| DAILY_RATE | NOT NULL | NUMBER | Daily rate for pay amount |
| SALARY_USED | NOT NULL | NUMBER | Salary to be used for pay amount |
| DR_CR_FLAG | NOT NULL | VARCHAR2(1) | Indicates if distribution amount is a debit. D indicates Debit and C indicates Credit amount. |
| STATUS_CODE | NOT NULL | VARCHAR2(1) | Code indicating status of current subline. Possible values are N for New, V for Valid, E for Error, and T for Transferred. |
| BATCH_NAME (PK) | NOT NULL | VARCHAR2(30) | Batch name for current subline |

Column Descriptions (Continued)

| Name | Null? | Type | Description |
|---------------------------|----------|---------------|---|
| ERROR_CODE | NULL | VARCHAR2(30) | Code indicating error for current subline |
| LAST_UPDATE_DATE | NOT NULL | DATE | Standard Who column |
| LAST_UPDATED_BY | NOT NULL | NUMBER(15) | Standard Who column |
| LAST_UPDATE_LOGIN | NOT NULL | NUMBER(15) | Standard Who column |
| CREATED_BY | NOT NULL | NUMBER(15) | Standard Who column |
| CREATION_DATE | NOT NULL | DATE | Standard Who column |
| GL_POSTING_OVERRIDE_DATE | NULL | DATE | General Ledger override date for posting |
| GMS_POSTING_OVERRIDE_DATE | NULL | DATE | For future use |
| ATTRIBUTE_CATEGORY | NULL | VARCHAR2(240) | Descriptive Flexfield structure defining column |
| ATTRIBUTE1 | NULL | VARCHAR2(240) | Descriptive Flexfield segment column |
| ATTRIBUTE2 | NULL | VARCHAR2(240) | Descriptive Flexfield segment column |
| ATTRIBUTE3 | NULL | VARCHAR2(240) | Descriptive Flexfield segment column |
| ATTRIBUTE4 | NULL | VARCHAR2(240) | Descriptive Flexfield segment column |
| ATTRIBUTE5 | NULL | VARCHAR2(240) | Descriptive Flexfield segment column |
| ATTRIBUTE6 | NULL | VARCHAR2(240) | Descriptive Flexfield segment column |
| ATTRIBUTE7 | NULL | VARCHAR2(240) | Descriptive Flexfield segment column |
| ATTRIBUTE8 | NULL | VARCHAR2(240) | Descriptive Flexfield segment column |
| ATTRIBUTE9 | NULL | VARCHAR2(240) | Descriptive Flexfield segment column |
| ATTRIBUTE10 | NULL | VARCHAR2(240) | Descriptive Flexfield segment column |
| ATTRIBUTE11 | NULL | VARCHAR2(240) | Descriptive Flexfield segment column |
| ATTRIBUTE12 | NULL | VARCHAR2(240) | Descriptive Flexfield segment column |
| ATTRIBUTE13 | NULL | VARCHAR2(240) | Descriptive Flexfield segment column |
| ATTRIBUTE14 | NULL | VARCHAR2(240) | Descriptive Flexfield segment column |
| ATTRIBUTE15 | NULL | VARCHAR2(240) | Descriptive Flexfield segment column |
| BUSINESS_GROUP_ID | NOT NULL | NUMBER(15) | Foreign key to HR_ALL_ORGANIZATION_UNITS |
| SET_OF_BOOKS_ID | NOT NULL | NUMBER(15) | Foreign key to GL_SETS_OF_BOOKS |

Indexes

| Index Name | Index Type | Sequence | Column Name |
|--------------------------|------------|----------|----------------------|
| PSP_PAYROLL_INTERFACE_U1 | UNIQUE | 6 | BATCH NAME |
| | | 8 | PAYROLL_INTERFACE_ID |
| PSP_PAYROLL_INTERFACE_U2 | UNIQUE | 1 | PAYROLL_INTERFACE_ID |
| PSP_PAYROLL_INTERFACE_U3 | UNIQUE | 1 | BATCH NAME |
| | | 2 | BUSINESS_GROUP_ID |
| | | 3 | SET_OF_BOOKS_ID |



Sequences

| <u>Sequence</u> | <u>Derived Column</u> |
|-------------------------|-----------------------|
| PSP_PAYROLL_INTERFACE_S | PAYROLL_INTERFACE_ID |

PSP_PAYROLL_LINES

PSP_PAYROLL_LINES contains information on each payroll line imported from Oracle Payroll and non-Oracle payroll sources after a payroll process is run. Payroll information maintained here is used for creating payroll sublines. Every payroll line must be split into one or more payroll sublines based on Dates of Interests. Every payroll line must correspond to one payroll control.

Foreign Keys

| Primary Key Table | Primary Key Column | Foreign Key Column |
|-----------------------------|----------------------------|----------------------------|
| GL_CODE_COMBINATIONS | CODE_COMBINATION_ID | GL_CODE_COMBINATION_ID |
| GL_SETS_OF_BOOKS | SET_OF_BOOKS_ID | SET_OF_BOOKS_ID |
| PAY_COSTS | COST_ID | COST_ID |
| PAY_COST_ALLOCATION_KEYFLEX | COST_ALLOCATION_KEYFLEX_ID | COST_ALLOCATION_KEYFLEX_ID |
| PER_ALL_ASSIGNMENTS_F | ASSIGNMENT_ID | ASSIGNMENT_ID |
| PER_ALL_PEOPLE_F | PERSON_ID | PERSON_ID |
| PSP_ELEMENT_TYPES | ELEMENT_TYPE_ID | ELEMENT_TYPE_ID |
| PSP_PAYROLL_CONTROLS | PAYROLL_CONTROL_ID | PAYROLL_CONTROL_ID |

Column Descriptions

| Name | Null? | Type | Description |
|----------------------------|----------|--------------|---|
| PAYROLL_LINE_ID (PK) | NOT NULL | NUMBER(10) | System-generated primary key |
| SET_OF_BOOKS_ID | NOT NULL | NUMBER(9) | Identifies Set of Books in General Ledger |
| ASSIGNMENT_ID | NOT NULL | NUMBER(9) | Foreign key to PER_ASSIGNMENTS_F |
| PERSON_ID | NOT NULL | NUMBER(9) | Foreign key to PER_PEOPLE_F |
| ELEMENT_TYPE_ID | NOT NULL | NUMBER(9) | Foreign key to PAY_ELEMENT_ENTRIES_F |
| PAY_AMOUNT | NOT NULL | NUMBER | Pay amount |
| STATUS_CODE | NOT NULL | VARCHAR2(30) | Identifies status of the transaction. Values are New, Transferred, and Error. |
| PAYROLL_CONTROL_ID | NOT NULL | NUMBER(10) | Foreign key to PSP_PAYROLL_CONTROLS |
| CHECK_DATE | NULL | DATE | Date on Pay Advices |
| EARNED_DATE | NULL | DATE | Date-earned value for a payroll run, usually the same value as Effective Date |
| COST_ALLOCATION_KEYFLEX_ID | NULL | NUMBER(9) | Foreign key to PAY_COST_ALLOCATION_KEYFLEX |
| GL_CODE_COMBINATION_ID | NULL | NUMBER(15) | Foreign key to GL_CODE_COMBINATIONS |
| BALANCE_AMOUNT | NULL | NUMBER | Calculated balance amount paid for various reasons |
| DR_CR_FLAG | NOT NULL | VARCHAR2(1) | Indicates whether the value is D for Debit or C for Credit |
| LAST_UPDATE_DATE | NOT NULL | DATE | Standard Who column |
| LAST_UPDATED_BY | NOT NULL | NUMBER(15) | Standard Who column |
| LAST_UPDATE_LOGIN | NOT NULL | NUMBER(15) | Standard Who column |
| CREATED_BY | NOT NULL | NUMBER(15) | Standard Who column |
| CREATION_DATE | NOT NULL | DATE | Standard Who column |
| EFFECTIVE_DATE | NOT NULL | DATE | Session date for payroll run. This is Date Paid. |
| COST_ID | NULL | NUMBER(9) | Foreign key to PAY_COSTS |

Oracle Proprietary, Confidential Information--Use Restricted by Contract



Indexes

| <u>Index Name</u> | <u>Index Type</u> | <u>Sequence</u> | <u>Column Name</u> |
|----------------------|-------------------|-----------------|--------------------|
| PSP_PAYROLL_LINES_N1 | NOT UNIQUE | 1 | PAYROLL_CONTROL_ID |
| PSP_PAYROLL_LINES_N2 | NOT UNIQUE | 1 | COST_ID |
| PSP_PAYROLL_LINES_U1 | UNIQUE | 2 | PAYROLL_LINE_ID |

Sequences

| <u>Sequence</u> | <u>Derived Column</u> |
|---------------------|-----------------------|
| PSP_PAYROLL_LINES_S | PAYROLL_LINE_ID |

PSP_PAYROLL_SOURCES

PSP_PAYROLL_SOURCES stores the payroll source codes for payroll source types.

Column Descriptions

| Name | Null? | Type | Description |
|--------------------|----------|---------------|---|
| SOURCE_TYPE (PK) | NOT NULL | VARCHAR2(1) | Payroll source type |
| SOURCE_CODE (PK) | NOT NULL | VARCHAR2(30) | Payroll source code |
| DESCRIPTION | NULL | VARCHAR2(255) | Description of payroll source code |
| ATTRIBUTE_CATEGORY | NULL | VARCHAR2(30) | Descriptive Flexfield structure defining column |
| ATTRIBUTE1 | NULL | VARCHAR2(150) | Descriptive Flexfield segment column |
| ATTRIBUTE2 | NULL | VARCHAR2(150) | Descriptive Flexfield segment column |
| ATTRIBUTE3 | NULL | VARCHAR2(150) | Descriptive Flexfield segment column |
| ATTRIBUTE4 | NULL | VARCHAR2(150) | Descriptive Flexfield segment column |
| ATTRIBUTE5 | NULL | VARCHAR2(150) | Descriptive Flexfield segment column |
| ATTRIBUTE6 | NULL | VARCHAR2(150) | Descriptive Flexfield segment column |
| ATTRIBUTE7 | NULL | VARCHAR2(150) | Descriptive Flexfield segment column |
| ATTRIBUTE8 | NULL | VARCHAR2(150) | Descriptive Flexfield segment column |
| ATTRIBUTE9 | NULL | VARCHAR2(150) | Descriptive Flexfield segment column |
| ATTRIBUTE10 | NULL | VARCHAR2(150) | Descriptive Flexfield segment column |
| ATTRIBUTE11 | NULL | VARCHAR2(150) | Descriptive Flexfield segment column |
| ATTRIBUTE12 | NULL | VARCHAR2(150) | Descriptive Flexfield segment column |
| ATTRIBUTE13 | NULL | VARCHAR2(150) | Descriptive Flexfield segment column |
| ATTRIBUTE14 | NULL | VARCHAR2(150) | Descriptive Flexfield segment column |
| ATTRIBUTE15 | NULL | VARCHAR2(150) | Descriptive Flexfield segment column |
| LAST_UPDATE_DATE | NOT NULL | DATE | Standard Who column |
| LAST_UPDATED_BY | NOT NULL | NUMBER(15) | Standard Who column |
| LAST_UPDATE_LOGIN | NOT NULL | NUMBER(15) | Standard Who column |
| CREATED_BY | NOT NULL | NUMBER(15) | Standard Who column |
| CREATION_DATE | NOT NULL | DATE | Standard Who column |

Indexes

| Index Name | Index Type | Sequence | Column Name |
|------------------------|------------|----------|-------------|
| PSP_PAYROLL_SOURCES_U1 | UNIQUE | 2 | SOURCE_TYPE |
| | | 4 | SOURCE_CODE |

PSP_PAYROLL_SUB_LINES

PSP_PAYROLL_SUBLINES contains information where payroll amount in a payroll line is split into more than one subline because of changes in Human Resources information such as Dates of Interests. One or more payroll sublines must correspond to one payroll line.

Foreign Keys

| Primary Key Table | Primary Key Column | Foreign Key Column |
|---------------------------|--------------------|--------------------|
| HR_ALL_ORGANIZATION_UNITS | ORGANIZATION_ID | ORGANIZATION_ID |
| PER_JOBS | JOB_ID | JOB_ID |
| PSP_PAYROLL_LINES | PAYROLL_LINE_ID | PAYROLL_LINE_ID |
| PSP_SUB_LINE_REASONS | REASON_CODE | REASON_CODE |

Column Descriptions

| Name | Null? | Type | Description |
|-------------------------------|----------|--------------|---|
| PAYROLL_SUB_LINE_ID (PK) | NOT NULL | NUMBER(10) | System-generated primary key |
| SUB_LINE_START_DATE | NOT NULL | DATE | Start date of subline |
| SUB_LINE_END_DATE | NOT NULL | DATE | End date of subline |
| REASON_CODE | NULL | VARCHAR2(30) | Reason code why the subline is created |
| PAY_AMOUNT | NOT NULL | NUMBER | Payroll amount for given date range |
| DAILY_RATE | NOT NULL | NUMBER | Daily rate applied for given date range |
| SALARY_USED | NOT NULL | NUMBER | Salary used for given date range |
| CURRENT_SALARY | NULL | NUMBER | Current salary |
| ORGANIZATION_ID | NULL | NUMBER(9) | Foreign key to HR_ALL_ORGANIZATION_UNITS |
| JOB_ID | NULL | NUMBER(9) | Foreign key to PER_JOBS |
| POSITION_ID | NULL | NUMBER(9) | Foreign key to PER_POSITIONS |
| EMPLOYMENT_BEGIN_DATE | NULL | DATE | Begin date of employment |
| EMPLOYMENT_END_DATE | NULL | DATE | End date of employment |
| EMPLOYEE_STATUS_INACTIVE_DATE | NULL | DATE | Date the employment status becomes inactive |
| EMPLOYEE_STATUS_ACTIVE_DATE | NULL | DATE | Date the employment status becomes active |
| ASSIGNMENT_BEGIN_DATE | NULL | DATE | Assignment begin date |
| ASSIGNMENT_END_DATE | NULL | DATE | Assignment end date |
| LAST_UPDATE_DATE | NOT NULL | DATE | Standard Who column |
| LAST_UPDATED_BY | NOT NULL | NUMBER(15) | Standard Who column |
| LAST_UPDATE_LOGIN | NOT NULL | NUMBER(15) | Standard Who column |
| CREATED_BY | NOT NULL | NUMBER(15) | Standard Who column |
| CREATION_DATE | NOT NULL | DATE | Standard Who column |
| PAYROLL_LINE_ID | NOT NULL | NUMBER(10) | Foreign key to PSP_PAYROLL_LINES |
| FTE | NULL | NUMBER | Full-time equivalent |

Indexes

| Index Name | Index Type | Sequence | Column Name |
|--------------------------|------------|----------|---------------------|
| PSP_PAYROLL_SUB_LINES_N1 | NOT UNIQUE | 1 | PAYROLL_LINE_ID |
| PSP_PAYROLL_SUB_LINES_U1 | UNIQUE | 2 | PAYROLL_SUB_LINE_ID |



Sequences

| <u>Sequence</u> | <u>Derived Column</u> |
|-------------------------|-----------------------|
| PSP_PAYROLL_SUB_LINES_S | PAYROLL_SUB_LINE_ID |

PSP_PRE_GEN_DIST_LINES

PSP_PRE_GEN_DIST_LINES stores the pre-generated distribution lines that are not yet transferred to General Ledger, Grants Accounting, or Project Accounting.

Foreign Keys

| Primary Key Table | Primary Key Column | Foreign Key Column |
|----------------------------|---------------------------------|---------------------------------|
| GL_CODE_COMBINATIONS | CODE_COMBINATION_ID | GL_CODE_COMBINATION_ID |
| GL_SETS_OF_BOOKS | SET_OF_BOOKS_ID | SET_OF_BOOKS_ID |
| GMS_AWARDS_ALL | AWARD_ID | AWARD_ID |
| HR_ALL_ORGANIZATION_UNITS | ORGANIZATION_ID | EXPENDITURE_ORGANIZATION_ID |
| PA_EXPENDITURE_TYPES | EXPENDITURE_TYPE | EXPENDITURE_TYPE |
| PA_PROJECTS_ALL | PROJECT_ID | PROJECT_ID |
| PA_TASKS | TASK_ID | TASK_ID |
| PER_ALL_ASSIGNMENTS_F | ASSIGNMENT_ID | ASSIGNMENT_ID |
| PER_ALL_PEOPLE_F | PERSON_ID | PERSON_ID |
| PER_TIME_PERIODS | TIME_PERIOD_ID | TIME_PERIOD_ID |
| PSP_DISTRIBUTION_INTERFACE | DISTRIBUTION_INTERFACE_ID | DISTRIBUTION_INTERFACE_ID |
| PSP_EFFORT_REPORTS | EFFORT_REPORT_ID VERSION_NUM | EFFORT_REPORT_ID VERSION_NUM |
| PSP_ELEMENT_TYPES | ELEMENT_TYPE_ID | ELEMENT_TYPE_ID |
| PSP_ORGANIZATION_ACCOUNTS | ORGANIZATION_ACCOUNT_ID | SUSPENSE_ORG_ACCOUNT_ID |
| PSP_PAYROLL_CONTROLS | PAYROLL_CONTROL_ID | PAYROLL_CONTROL_ID |
| PSP_PAYROLL_INTERFACE | BATCH_NAME | BATCH_NAME |
| PSP_PAYROLL_SOURCES | SOURCE_TYPE | SOURCE_TYPE |
| PSP_PAYROLL_SOURCES | SOURCE_CODE | SOURCE_CODE |
| PSP_SUMMARY_LINES | SUMMARY_LINE_ID | SUMMARY_LINE_ID |

Column Descriptions

| Name | Null? | Type | Description |
|---------------------------|----------|--------------|--|
| PRE_GEN_DIST_LINE_ID (PK) | NOT NULL | NUMBER(10) | Pre-generated distribution line identifier |
| DISTRIBUTION_INTERFACE_ID | NOT NULL | NUMBER(10) | Distribution interface identifier |
| PERSON_ID | NOT NULL | NUMBER(9) | Person identifier |
| ASSIGNMENT_ID | NOT NULL | NUMBER(9) | Assignment identifier |
| ELEMENT_TYPE_ID | NOT NULL | NUMBER(9) | Element type identifier |
| DISTRIBUTION_DATE | NOT NULL | DATE | Distribution date |
| EFFECTIVE_DATE | NOT NULL | DATE | Accounting date for transferring to General Ledger and expenditure item date for transferring to Grants Accounting |
| DISTRIBUTION_AMOUNT | NOT NULL | NUMBER | Distribution amount |
| DR_CR_FLAG | NOT NULL | VARCHAR2(1) | D indicates that the distribution amount is a Debit and C indicates that it is a Credit. |
| PAYROLL_CONTROL_ID | NOT NULL | NUMBER(10) | Payroll control identifier |
| SOURCE_TYPE | NOT NULL | VARCHAR2(1) | Source type |
| SOURCE_CODE | NOT NULL | VARCHAR2(30) | Source code |
| TIME_PERIOD_ID | NOT NULL | NUMBER(15) | Time period identifier |
| BATCH_NAME | NOT NULL | VARCHAR2(30) | Interface batch name |

Column Descriptions (Continued)

| Name | Null? | Type | Description |
|-----------------------------|----------|--------------|---|
| STATUS_CODE | NOT NULL | VARCHAR2(1) | Indicates the status of the pre-generated distribution lines. N indicates New, S indicates Summarized, and A indicates Accepted by General Ledger or Grants Accounting. |
| SET_OF_BOOKS_ID | NOT NULL | NUMBER(15) | Set of Books identifier |
| GL_CODE_COMBINATION_ID | NULL | NUMBER(15) | General Ledger Code Combination identifier |
| PROJECT_ID | NULL | NUMBER(15) | Project identifier |
| EXPENDITURE_ORGANIZATION_ID | NULL | NUMBER(15) | Expenditure organization identifier |
| EXPENDITURE_TYPE | NULL | VARCHAR2(30) | Expenditure type |
| TASK_ID | NULL | NUMBER(15) | Task identifier |
| AWARD_ID | NULL | NUMBER(15) | Award identifier |
| SUSPENSE_ORG_ACCOUNT_ID | NULL | NUMBER(9) | Suspense organization account identifier |
| SUSPENSE_REASON_CODE | NULL | VARCHAR2(50) | Reason code for using the suspense account |
| EFFORT_REPORT_ID | NULL | NUMBER(9) | Effort report identifier |
| VERSION_NUM | NULL | NUMBER(2) | Effort report version number |
| SUMMARY_LINE_ID | NULL | NUMBER(10) | Summary line identifier |
| REVERSAL_ENTRY_FLAG | NULL | VARCHAR2(1) | Y indicates record created for sending balancing transaction to General Ledger. NULL or N indicates a normal distribution line. |
| USER_DEFINED_FIELD | NULL | VARCHAR2(30) | User populates this field through user extension. |
| BUSINESS_GROUP_ID | NOT NULL | NUMBER(15) | Foreign key to HR_ALL_ORGANIZATION_UNITS |

Indexes

| Index Name | Index Type | Sequence | Column Name |
|---------------------------|------------|----------|----------------------|
| PSP_PRE_GEN_DIST_LINES_N1 | NOT UNIQUE | 1 | PAYROLL_CONTROL_ID |
| PSP_PRE_GEN_DIST_LINES_N2 | NOT UNIQUE | 1 | SOURCE_TYPE |
| | | 2 | SOURCE_CODE |
| | | 3 | TIME_PERIOD_ID |
| | | 4 | BATCH_NAME |
| PSP_PRE_GEN_DIST_LINES_U1 | UNIQUE | 2 | PRE_GEN_DIST_LINE_ID |

Sequences

| Sequence | Derived Column |
|--------------------------|----------------------|
| PSP_PRE_GEN_DIST_LINES_S | PRE_GEN_DIST_LINE_ID |

PSP_PRE_GEN_DIST_LINES_HISTORY

PSP_PRE_GEN_DIST_LINES_HISTORY stores the pre-generated distribution lines that are successfully transferred to General Ledger, Grants Accounting, or Project Accounting.

Foreign Keys

| Primary Key Table | Primary Key Column | Foreign Key Column |
|----------------------------|---------------------------|-----------------------------|
| GL_CODE_COMBINATIONS | CODE_COMBINATION_ID | GL_CODE_COMBINATION_ID |
| GL_SETS_OF_BOOKS | SET_OF_BOOKS_ID | SET_OF_BOOKS_ID |
| GMS_AWARDS_ALL | AWARD_ID | AWARD_ID |
| HR_ALL_ORGANIZATION_UNITS | ORGANIZATION_ID | EXPENDITURE_ORGANIZATION_ID |
| PA_EXPENDITURE_TYPES | EXPENDITURE_TYPE | EXPENDITURE_TYPE |
| PA_PROJECTS_ALL | PROJECT_ID | PROJECT_ID |
| PA_TASKS | TASK_ID | TASK_ID |
| PER_TIME_PERIODS | TIME_PERIOD_ID | TIME_PERIOD_ID |
| PSP_DISTRIBUTION_INTERFACE | DISTRIBUTION_INTERFACE_ID | DISTRIBUTION_INTERFACE_ID |
| PSP_EFFORT_REPORTS | EFFORT_REPORT_ID | EFFORT_REPORT_ID |
| PSP_EFFORT_REPORTS | VERSION_NUM | VERSION_NUM |
| PSP_ELEMENT_TYPES | ELEMENT_TYPE_ID | ELEMENT_TYPE_ID |
| PSP_ORGANIZATION_ACCOUNTS | ORGANIZATION_ACCOUNT_ID | SUSPENSE_ORG_ACCOUNT_ID |
| PSP_PAYROLL_CONTROLS | PAYROLL_CONTROL_ID | PAYROLL_CONTROL_ID |
| PSP_PAYROLL_INTERFACE | BATCH_NAME | BATCH_NAME |
| PSP_PAYROLL_SOURCES | SOURCE_TYPE | SOURCE_TYPE |
| PSP_PAYROLL_SOURCES | SOURCE_CODE | SOURCE_CODE |
| PSP_SUMMARY_LINES | SUMMARY_LINE_ID | SUMMARY_LINE_ID |

Column Descriptions

| Name | Null? | Type | Description |
|---------------------------|----------|--------------|--|
| PRE_GEN_DIST_LINE_ID (PK) | NOT NULL | NUMBER(10) | Pre-generated distribution line identifier |
| DISTRIBUTION_INTERFACE_ID | NOT NULL | NUMBER(10) | Distribution interface identifier |
| PERSON_ID | NOT NULL | NUMBER(9) | Person identifier |
| ASSIGNMENT_ID | NOT NULL | NUMBER(9) | Assignment identifier |
| ELEMENT_TYPE_ID | NOT NULL | NUMBER(9) | Element type identifier |
| DISTRIBUTION_DATE | NOT NULL | DATE | Distribution date |
| EFFECTIVE_DATE | NOT NULL | DATE | Accounting date for transferring to General Ledger and expenditure item date for transferring to Grants Accounting |
| DISTRIBUTION_AMOUNT | NOT NULL | NUMBER | Distribution amount |
| DR_CR_FLAG | NOT NULL | VARCHAR2(1) | D indicates that the distribution amount is a Debit and C indicates that it is a Credit. |
| PAYROLL_CONTROL_ID | NOT NULL | NUMBER(10) | Payroll control identifier |
| SOURCE_TYPE | NOT NULL | VARCHAR2(1) | Source type |
| SOURCE_CODE | NOT NULL | VARCHAR2(30) | Source code |
| TIME_PERIOD_ID | NOT NULL | NUMBER(15) | Time period identifier |
| BATCH_NAME | NOT NULL | VARCHAR2(30) | Interface batch name |

Column Descriptions (Continued)

| Name | Null? | Type | Description |
|-----------------------------|----------|--------------|---|
| STATUS_CODE | NOT NULL | VARCHAR2(1) | Indicates status of the pre-generated distribution lines. N indicates New, S indicates Summarized, and A indicates Accepted by General Ledger or Grants Accounting. |
| SET_OF_BOOKS_ID | NOT NULL | NUMBER(15) | Set of Books identifier |
| GL_CODE_COMBINATION_ID | NULL | NUMBER(15) | General Ledger Code Combination identifier |
| PROJECT_ID | NULL | NUMBER(15) | Project identifier |
| EXPENDITURE_ORGANIZATION_ID | NULL | NUMBER(15) | Expenditure organization identifier |
| EXPENDITURE_TYPE | NULL | VARCHAR2(30) | Expenditure type |
| TASK_ID | NULL | NUMBER(15) | Task identifier |
| AWARD_ID | NULL | NUMBER(15) | Award identifier |
| SUSPENSE_ORG_ACCOUNT_ID | NULL | NUMBER(9) | Suspense organization account identifier |
| SUSPENSE_REASON_CODE | NULL | VARCHAR2(50) | Reason code for using the suspense account |
| INCLUDE_IN_ER_FLAG | NULL | VARCHAR2(1) | Y indicates that the line is to be used in effort reporting. NULL or N indicates that it is not to be used in effort reporting. |
| EFFORT_REPORT_ID | NULL | NUMBER(9) | Effort report identifier |
| VERSION_NUM | NULL | NUMBER(2) | Effort report version number |
| SUMMARY_LINE_ID | NULL | NUMBER(10) | Summary line identifier |
| REVERSAL_ENTRY_FLAG | NULL | VARCHAR2(1) | Y indicates that the record is created for sending balancing transactions to General Ledger. NULL or N indicates that it is a normal distribution line. |
| USER_DEFINED_FIELD | NULL | VARCHAR2(30) | User populates this field through user extension. |
| ADJUSTMENT_BATCH_NAME | NULL | VARCHAR2(30) | Adjustment batch name |
| BUSINESS_GROUP_ID | NOT NULL | NUMBER(15) | Foreign key to HR_ALL_ORGANIZATION_UNITS |

Indexes

| Index Name | Index Type | Sequence | Column Name |
|--------------------------------|------------|----------|-------------------------|
| PSP_PRE_GEN_DIST_LINES_HIST_N1 | NOT UNIQUE | 1 | PAYROLL_CONTROL_ID |
| PSP_PRE_GEN_DIST_LINES_HIST_N2 | NOT UNIQUE | 2 | SUSPENSE_ORG_ACCOUNT_ID |
| PSP_PRE_GEN_DIST_LINES_HIST_N3 | NOT UNIQUE | 1 | ASSIGNMENT_ID |
| | | 2 | PERSON_ID |
| | | 3 | DISTRIBUTION_DATE |
| PSP_PRE_GEN_DIST_LINES_HIST_N4 | NOT UNIQUE | 1 | ADJUSTMENT_BATCH_NAME |
| PSP_PRE_GEN_DIST_LINES_HIST_N5 | NOT UNIQUE | 1 | SUMMARY_LINE_ID |
| PSP_PRE_GEN_DIST_LINES_HIST_U1 | UNIQUE | 2 | PRE_GEN_DIST_LINE_ID |

PSP_REP_ORG_DLS

PSP_REP_ORG_DLS contains data to be displayed in the Organization Default Labor Schedules report.

Column Descriptions

| Name | Null? | Type | Description |
|----------------------|----------|-------------|---|
| ORG_DLS_BATCH_ID | NOT NULL | NUMBER(10) | System-generated primary key |
| ORG_DLS_LINE_ID (PK) | NOT NULL | NUMBER(10) | Identifier for default labor schedule line |
| ORGANIZATION_ID | NOT NULL | NUMBER(9) | Foreign key to HR_ORGANIZATION_UNITS |
| ASSIGNMENT_ID | NOT NULL | NUMBER(9) | Foreign key to PER_ASSIGNMENTS_F |
| PERSON_ID | NOT NULL | NUMBER(9) | Foreign key to PER_PEOPLE_F |
| ELEMENT_TYPE_ID | NULL | NUMBER(9) | Foreign key to PSP_ELEMENT_TYPES |
| SCHEDULE_LINE_ID | NULL | NUMBER(10) | Foreign key to PSP_SCHEDULE_LINES |
| SCHEDULE_BEGIN_DATE | NOT NULL | DATE | Date when the schedule for the Organization Level Default Labor Schedule begins |
| SCHEDULE_END_DATE | NOT NULL | DATE | Date when the schedule for the Organization Level Default Labor Schedule ends |
| ORIGINAL_SCH_CODE | NOT NULL | VARCHAR2(2) | Scheduling code indicating the level at which scheduling information exists. Possible values are A for Assignment, EG for Element Group, and ET for Element Type. |
| LAST_UPDATE_DATE | NOT NULL | DATE | Standard Who column |
| LAST_UPDATED_BY | NOT NULL | NUMBER(15) | Standard Who column |
| LAST_UPDATE_LOGIN | NOT NULL | NUMBER(15) | Standard Who column |
| CREATED_BY | NOT NULL | NUMBER(15) | Standard Who column |
| CREATION_DATE | NOT NULL | DATE | Standard Who column |

Indexes

| Index Name | Index Type | Sequence | Column Name |
|--------------------|------------|----------|-----------------|
| PSP_REP_ORG_DLS_U1 | UNIQUE | 2 | ORG_DLS_LINE_ID |

Sequences

| Sequence | Derived Column |
|--------------------|------------------|
| PSP_REP_ORG_DLS_S | ORG_DLS_BATCH_ID |
| PSP_REP_ORG_DLS2_S | ORG_DLS_LINE_ID |

PSP_SCHEDULES

PSP_SCHEDULES stores the schedules corresponding to assignments in Oracle Human Resource Management Systems.

Foreign Keys

| Primary Key Table | Primary Key Column | Foreign Key Column |
|-----------------------|--------------------|--------------------|
| PER_ALL_ASSIGNMENTS_F | ASSIGNMENT_ID | ASSIGNMENT_ID |
| PER_ALL_PEOPLE_F | PERSON_ID | PERSON_ID |

Column Descriptions

| Name | Null? | Type | Description |
|------------------------|----------|---------------|---|
| ASSIGNMENT_ID (PK) | NOT NULL | NUMBER(9) | Assignment unique identifier that the schedule corresponds to |
| PERSON_ID | NOT NULL | NUMBER(9) | Unique identifier for the person assigned the particular schedule |
| FTE | NULL | NUMBER | Full-time employment percentage |
| ATTRIBUTE_CATEGORY | NULL | VARCHAR2(30) | Descriptive Flexfield structure defining column |
| ATTRIBUTE1 | NULL | VARCHAR2(150) | Descriptive Flexfield |
| ATTRIBUTE2 | NULL | VARCHAR2(150) | Descriptive Flexfield |
| ATTRIBUTE3 | NULL | VARCHAR2(150) | Descriptive Flexfield |
| ATTRIBUTE4 | NULL | VARCHAR2(150) | Descriptive Flexfield |
| ATTRIBUTE5 | NULL | VARCHAR2(150) | Descriptive Flexfield |
| ATTRIBUTE6 | NULL | VARCHAR2(150) | Descriptive Flexfield |
| ATTRIBUTE7 | NULL | VARCHAR2(150) | Descriptive Flexfield |
| ATTRIBUTE8 | NULL | VARCHAR2(150) | Descriptive Flexfield |
| ATTRIBUTE9 | NULL | VARCHAR2(150) | Descriptive Flexfield |
| ATTRIBUTE10 | NULL | VARCHAR2(150) | Descriptive Flexfield |
| ATTRIBUTE11 | NULL | VARCHAR2(150) | Descriptive Flexfield |
| ATTRIBUTE12 | NULL | VARCHAR2(150) | Descriptive Flexfield |
| ATTRIBUTE13 | NULL | VARCHAR2(150) | Descriptive Flexfield |
| ATTRIBUTE14 | NULL | VARCHAR2(150) | Descriptive Flexfield |
| ATTRIBUTE15 | NULL | VARCHAR2(150) | Descriptive Flexfield |
| LAST_UPDATE_DATE | NOT NULL | DATE | Standard Who column |
| LAST_UPDATED_BY | NOT NULL | NUMBER(15) | Standard Who column |
| LAST_UPDATE_LOGIN | NOT NULL | NUMBER(15) | Standard Who column |
| CREATED_BY | NOT NULL | NUMBER(15) | Standard Who column |
| CREATION_DATE | NOT NULL | DATE | Standard Who column |
| BUSINESS_GROUP_ID (PK) | NOT NULL | NUMBER(15) | Foreign key to HR_ALL_ORGANIZATION_UNITS |
| SET_OF_BOOKS_ID (PK) | NOT NULL | NUMBER(15) | Foreign key to GL_SETS_OF_BOOKS |

Indexes

| Index Name | Index Type | Sequence | Column Name |
|------------------|------------|----------|-------------------|
| PSP_SCHEDULES_U1 | UNIQUE | 2 | ASSIGNMENT_ID |
| | | 4 | BUSINESS_GROUP_ID |
| | | 7 | SET_OF_BOOKS_ID |

PSP_SCHEDULE_HIERARCHY

PSP_SCHEDULE_HIERARCHY stores the schedule hierarchy level information for a labor schedule.

Foreign Keys

| Primary Key Table | Primary Key Column | Foreign Key Column |
|---------------------------|--------------------|--------------------|
| GL_SETS_OF_BOOKS | SET_OF_BOOKS_ID | SET_OF_BOOKS_ID |
| HR_ALL_ORGANIZATION_UNITS | ORGANIZATION_ID | BUSINESS_GROUP_ID |
| PSP_ELEMENT_GROUPS | ELEMENT_GROUP_ID | ELEMENT_GROUP_ID |
| PSP_ELEMENT_TYPES | ELEMENT_TYPE_ID | ELEMENT_TYPE_ID |
| PSP_SCHEDULES | ASSIGNMENT_ID | ASSIGNMENT_ID |
| | BUSINESS_GROUP_ID | BUSINESS_GROUP_ID |
| | SET_OF_BOOKS_ID | SET_OF_BOOKS_ID |

Column Descriptions

| Name | Null? | Type | Description |
|----------------------------|----------|--------------|---|
| SCHEDULE_HIERARCHY_ID (PK) | NOT NULL | NUMBER(9) | Unique identifier for the schedule hierarchy record |
| LAST_UPDATE_DATE | NOT NULL | DATE | Standard Who column |
| LAST_UPDATED_BY | NOT NULL | NUMBER(15) | Standard Who column |
| LAST_UPDATE_LOGIN | NOT NULL | NUMBER(15) | Standard Who column |
| CREATED_BY | NOT NULL | NUMBER(15) | Standard Who column |
| CREATION_DATE | NOT NULL | DATE | Standard Who column |
| ELEMENT_TYPE_ID | NULL | NUMBER(9) | Stores the element item identifier at its scheduling level |
| ELEMENT_GROUP_ID | NULL | NUMBER(9) | Stores the element group identifier at its scheduling level |
| SCHEDULING_TYPES_CODE | NULL | VARCHAR2(30) | Indicates the scheduling level |
| ASSIGNMENT_ID | NOT NULL | NUMBER(9) | Unique assignment identifier |
| BUSINESS_GROUP_ID | NOT NULL | NUMBER(15) | Foreign key to HR_ALL_ORGANIZATION_UNITS |
| SET_OF_BOOKS_ID | NOT NULL | NUMBER(15) | Foreign key to GL_SETS_OF_BOOKS |

Indexes

| Index Name | Index Type | Sequence | Column Name |
|---------------------------|------------|----------|-----------------------|
| PSP_SCHEDULE_HIERARCHY_N1 | NOT UNIQUE | 1 | ASSIGNMENT_ID |
| PSP_SCHEDULE_HIERARCHY_N2 | NOT UNIQUE | 1 | ELEMENT_TYPE_ID |
| PSP_SCHEDULE_HIERARCHY_N3 | NOT UNIQUE | 1 | ELEMENT_GROUP_ID |
| PSP_SCHEDULE_HIERARCHY_N4 | NOT UNIQUE | 1 | SCHEDULING_TYPES_CODE |
| PSP_SCHEDULE_HIERARCHY_U1 | UNIQUE | 2 | SCHEDULE_HIERARCHY_ID |

PSP_SCHEDULE_LINES

PSP_SCHEDULE_LINES stores the schedule lines associated with a particular schedule.

Foreign Keys

| Primary Key Table | Primary Key Column | Foreign Key Column |
|---------------------------|-----------------------|-----------------------------|
| GL_CODE_COMBINATIONS | CODE_COMBINATION_ID | GL_CODE_COMBINATION_ID |
| GL_SETS_OF_BOOKS | SET_OF_BOOKS_ID | SET_OF_BOOKS_ID |
| GMS_AWARDS_ALL | AWARD_ID | AWARD_ID |
| HR_ALL_ORGANIZATION_UNITS | ORGANIZATION_ID | EXPENDITURE_ORGANIZATION_ID |
| HR_ALL_ORGANIZATION_UNITS | ORGANIZATION_ID | BUSINESS_GROUP_ID |
| PA_EXPENDITURE_TYPES | EXPENDITURE_TYPE | EXPENDITURE_TYPE |
| PA_PROJECTS_ALL | PROJECT_ID | PROJECT_ID |
| PA_TASKS | TASK_ID | TASK_ID |
| PSP_SCHEDULE_HIERARCHY | SCHEDULE_HIERARCHY_ID | SCHEDULE_HIERARCHY_ID |

Column Descriptions

| Name | Null? | Type | Description |
|-----------------------------|----------|---------------|---|
| SCHEDULE_LINE_ID (PK) | NOT NULL | NUMBER(15) | Unique identifier for the schedule line |
| GL_CODE_COMBINATION_ID | NULL | NUMBER(15) | Unique identifier for the General Ledger account to which the line is charged |
| PROJECT_ID | NULL | NUMBER(15) | Unique identifier for the project to which the line is charged |
| EXPENDITURE_ORGANIZATION_ID | NULL | NUMBER(15) | Unique identifier for the expenditure organization to which the line is charged |
| EXPENDITURE_TYPE | NULL | VARCHAR2(30) | Unique identifier for the expenditure type to which the line is charged |
| TASK_ID | NULL | NUMBER(15) | Unique identifier for the task to which the line is charged |
| AWARD_ID | NULL | NUMBER(15) | Unique identifier for the award to which the line is charged |
| SCHEDULE_BEGIN_DATE | NULL | DATE | Begin date of the period which is governed by the charging instructions of the line |
| SCHEDULE_PERCENT | NULL | NUMBER(5,2) | Percentage of time charged using the charging instructions on the line |
| ENCUMBER_STATUS_CODE | NULL | VARCHAR2(30) | Not currently used |
| DEFAULT_FLAG | NULL | VARCHAR2(1) | Not currently used |
| WARNING_CODE | NULL | VARCHAR2(30) | Not currently used |
| ATTRIBUTE_CATEGORY | NULL | VARCHAR2(30) | Descriptive Flexfield structure defining column |
| ATTRIBUTE1 | NULL | VARCHAR2(150) | Descriptive Flexfield |
| ATTRIBUTE2 | NULL | VARCHAR2(150) | Descriptive Flexfield |
| ATTRIBUTE3 | NULL | VARCHAR2(150) | Descriptive Flexfield |
| ATTRIBUTE4 | NULL | VARCHAR2(150) | Descriptive Flexfield |
| ATTRIBUTE5 | NULL | VARCHAR2(150) | Descriptive Flexfield |
| ATTRIBUTE6 | NULL | VARCHAR2(150) | Descriptive Flexfield |
| ATTRIBUTE7 | NULL | VARCHAR2(150) | Descriptive Flexfield |
| ATTRIBUTE8 | NULL | VARCHAR2(150) | Descriptive Flexfield |
| ATTRIBUTE9 | NULL | VARCHAR2(150) | Descriptive Flexfield |

Oracle Proprietary, Confidential Information--Use Restricted by Contract



Column Descriptions (Continued)

| Name | Null? | Type | Description |
|-----------------------|----------|---------------|--|
| ATTRIBUTE10 | NULL | VARCHAR2(150) | Descriptive Flexfield |
| ATTRIBUTE11 | NULL | VARCHAR2(150) | Descriptive Flexfield |
| ATTRIBUTE12 | NULL | VARCHAR2(150) | Descriptive Flexfield |
| ATTRIBUTE13 | NULL | VARCHAR2(150) | Descriptive Flexfield |
| ATTRIBUTE14 | NULL | VARCHAR2(150) | Descriptive Flexfield |
| ATTRIBUTE15 | NULL | VARCHAR2(150) | Descriptive Flexfield |
| LAST_UPDATE_DATE | NOT NULL | DATE | Standard Who column |
| LAST_UPDATED_BY | NOT NULL | NUMBER(15) | Standard Who column |
| LAST_UPDATE_LOGIN | NOT NULL | NUMBER(15) | Standard Who column |
| CREATED_BY | NOT NULL | NUMBER(15) | Standard Who column |
| CREATION_DATE | NOT NULL | DATE | Standard Who column |
| SET_OF_BOOKS_ID | NOT NULL | NUMBER(15) | Unique identifier indicating the Set of Books |
| BUSINESS_GROUP_ID | NOT NULL | NUMBER(15) | Foreign key to HR_ALL_ORGANIZATION_UNITS |
| SCHEDULE_END_DATE | NULL | DATE | End date of the period governed by the charging instructions of the line |
| SCHEDULE_HIERARCHY_ID | NOT NULL | NUMBER(15) | Unique identifier of the schedule hierarchy to which the line belongs |

Indexes

| Index Name | Index Type | Sequence | Column Name |
|-----------------------|------------|----------|-----------------------|
| PSP_SCHEDULE_LINES_N1 | NOT UNIQUE | 1 | SCHEDULE_BEGIN_DATE |
| PSP_SCHEDULE_LINES_N2 | NOT UNIQUE | 1 | SCHEDULE_END_DATE |
| PSP_SCHEDULE_LINES_N3 | NOT UNIQUE | 1 | SCHEDULE_HIERARCHY_ID |
| PSP_SCHEDULE_LINES_U1 | UNIQUE | 2 | SCHEDULE_LINE_ID |

PSP_SUB_LINE_REASONS

PSP_SUB_LINE_REASONS stores reasons for creating payroll sublines from payroll lines.

Foreign Keys

| Primary Key Table | Primary Key Column | Foreign Key Column |
|-----------------------|---------------------|---------------------|
| PSP_PAYROLL_SUB_LINES | PAYROLL_SUB_LINE_ID | PAYROLL_SUB_LINE_ID |

Column Descriptions

| Name | Null? | Type | Description |
|--------------------------|----------|--------------|--|
| PAYROLL_SUB_LINE_ID (PK) | NOT NULL | NUMBER(10) | System-generated primary key |
| REASON_CODE (PK) | NOT NULL | VARCHAR2(30) | Reason code why the subline is created |
| PARENT_LINE_ID | NOT NULL | NUMBER(10) | Foreign key to PSP_SUB_LINE_REASONS |
| LAST_UPDATE_DATE | NOT NULL | DATE | Standard Who column |
| LAST_UPDATED_BY | NOT NULL | NUMBER(15) | Standard Who column |
| LAST_UPDATE_LOGIN | NOT NULL | NUMBER(15) | Standard Who column |
| CREATED_BY | NOT NULL | NUMBER(15) | Standard Who column |
| CREATION_DATE | NOT NULL | DATE | Standard Who column |

Indexes

| Index Name | Index Type | Sequence | Column Name |
|-------------------------|------------|----------|---------------------|
| PSP_SUB_LINE_REASONS_U1 | UNIQUE | 2 | PAYROLL_SUB_LINE_ID |
| | | 4 | REASON_CODE |

PSP_SUMMARY_LINES

PSP_SUMMARY_LINES stores the summarized distribution lines. The summarized Oracle Payroll, non-Oracle payroll, pre-generated, and distribution adjustments distribution lines are stored in this table before they are transferred to General Ledger, Grants Accounting, or Project Accounting.

Foreign Keys

| Primary Key Table | Primary Key Column | Foreign Key Column |
|---------------------------|---------------------|-----------------------------|
| GL_CODE_COMBINATIONS | CODE_COMBINATION_ID | GL_CODE_COMBINATION_ID |
| GL_SETS_OF_BOOKS | SET_OF_BOOKS_ID | SET_OF_BOOKS_ID |
| GMS_AWARDS_ALL | AWARD_ID | AWARD_ID |
| HR_ALL_ORGANIZATION_UNITS | ORGANIZATION_ID | EXPENDITURE_ORGANIZATION_ID |
| PA_EXPENDITURE_TYPES | EXPENDITURE_TYPE | EXPENDITURE_TYPE |
| PA_PROJECTS_ALL | PROJECT_ID | PROJECT_ID |
| PA_TASKS | TASK_ID | TASK_ID |
| PER_ALL_ASSIGNMENTS_F | ASSIGNMENT_ID | ASSIGNMENT_ID |
| PER_ALL_PEOPLE_F | PERSON_ID | PERSON_ID |
| PER_TIME_PERIODS | TIME_PERIOD_ID | TIME_PERIOD_ID |
| PSP_PAYROLL_CONTROLS | PAYROLL_CONTROL_ID | PAYROLL_CONTROL_ID |
| PSP_PAYROLL_SOURCES | SOURCE_TYPE | SOURCE_TYPE |
| PSP_PAYROLL_SOURCES | SOURCE_CODE | SOURCE_CODE |

Column Descriptions

| Name | Null? | Type | Description |
|-----------------------------|----------|--------------|--|
| SUMMARY_LINE_ID (PK) | NOT NULL | NUMBER(10) | Summary line identifier |
| SOURCE_TYPE | NOT NULL | VARCHAR2(1) | Source type |
| SOURCE_CODE | NOT NULL | VARCHAR2(30) | Source code |
| TIME_PERIOD_ID | NOT NULL | NUMBER(15) | Time period identifier |
| INTERFACE_BATCH_NAME | NULL | VARCHAR2(30) | Interface batch name from non-Oracle, pre-generated, and adjustment sources |
| PERSON_ID | NOT NULL | NUMBER(9) | Person identifier |
| ASSIGNMENT_ID | NOT NULL | NUMBER(9) | Assignment identifier |
| EFFECTIVE_DATE | NOT NULL | DATE | Accounting date for transferring to General Ledger and expenditure item date for transferring to Grants Accounting |
| PAYROLL_CONTROL_ID | NOT NULL | NUMBER(10) | Payroll control identifier |
| GL_CODE_COMBINATION_ID | NULL | NUMBER(15) | General Ledger Code Combination identifier |
| PROJECT_ID | NULL | NUMBER(15) | Project identifier |
| EXPENDITURE_ORGANIZATION_ID | NULL | NUMBER(15) | Expenditure organization identifier |
| EXPENDITURE_TYPE | NULL | VARCHAR2(30) | Expenditure type |
| TASK_ID | NULL | NUMBER(15) | Task identifier |
| AWARD_ID | NULL | NUMBER(15) | Award identifier |
| SUMMARY_AMOUNT | NOT NULL | NUMBER | Summary amount for a set of distribution lines |
| DR_CR_FLAG | NOT NULL | VARCHAR2(1) | D indicates that the summary amount is a Debit and C indicates that it is a Credit. |

Column Descriptions (Continued)

| Name | Null? | Type | Description |
|--------------------|----------|---------------|---|
| GROUP_ID | NULL | NUMBER(15) | Interface group defining column required in GL_INTERFACE_CONTROL and GL_INTERFACE tables |
| INTERFACE_STATUS | NULL | VARCHAR2(50) | Status of the record after running the GL Journal Import or GMS Transaction Import processes. This field is updated with STATUS field from GL_INTERFACE table and TRANSACTION_REJECTION_CODE field from PA_TRANSACTION_INTERFACE_ALL table. |
| ATTRIBUTE_CATEGORY | NULL | VARCHAR2(30) | Descriptive Flexfield context |
| ATTRIBUTE1 | NULL | VARCHAR2(150) | Descriptive Flexfield segment |
| ATTRIBUTE2 | NULL | VARCHAR2(150) | Descriptive Flexfield segment |
| ATTRIBUTE3 | NULL | VARCHAR2(150) | Descriptive Flexfield segment |
| ATTRIBUTE4 | NULL | VARCHAR2(150) | Descriptive Flexfield segment |
| ATTRIBUTE5 | NULL | VARCHAR2(150) | Descriptive Flexfield segment |
| ATTRIBUTE6 | NULL | VARCHAR2(150) | Descriptive Flexfield segment |
| ATTRIBUTE7 | NULL | VARCHAR2(150) | Descriptive Flexfield segment |
| ATTRIBUTE8 | NULL | VARCHAR2(150) | Descriptive Flexfield segment |
| ATTRIBUTE9 | NULL | VARCHAR2(150) | Descriptive Flexfield segment |
| ATTRIBUTE10 | NULL | VARCHAR2(150) | Descriptive Flexfield segment |
| ATTRIBUTE11 | NULL | VARCHAR2(150) | Descriptive Flexfield segment |
| ATTRIBUTE12 | NULL | VARCHAR2(150) | Descriptive Flexfield segment |
| ATTRIBUTE13 | NULL | VARCHAR2(150) | Descriptive Flexfield segment |
| ATTRIBUTE14 | NULL | VARCHAR2(150) | Descriptive Flexfield segment |
| ATTRIBUTE15 | NULL | VARCHAR2(150) | Descriptive Flexfield segment |
| ATTRIBUTE16 | NULL | VARCHAR2(150) | Descriptive Flexfield segment |
| ATTRIBUTE17 | NULL | VARCHAR2(150) | Descriptive Flexfield segment |
| ATTRIBUTE18 | NULL | VARCHAR2(150) | Descriptive Flexfield segment |
| ATTRIBUTE19 | NULL | VARCHAR2(150) | Descriptive Flexfield segment |
| ATTRIBUTE20 | NULL | VARCHAR2(150) | Descriptive Flexfield segment |
| ATTRIBUTE21 | NULL | VARCHAR2(150) | Descriptive Flexfield segment |
| ATTRIBUTE22 | NULL | VARCHAR2(150) | Descriptive Flexfield segment |
| ATTRIBUTE23 | NULL | VARCHAR2(150) | Descriptive Flexfield segment |
| ATTRIBUTE24 | NULL | VARCHAR2(150) | Descriptive Flexfield segment |
| ATTRIBUTE25 | NULL | VARCHAR2(150) | Descriptive Flexfield segment |
| ATTRIBUTE26 | NULL | VARCHAR2(150) | Descriptive Flexfield segment |
| ATTRIBUTE27 | NULL | VARCHAR2(150) | Descriptive Flexfield segment |
| ATTRIBUTE28 | NULL | VARCHAR2(150) | Descriptive Flexfield segment |
| ATTRIBUTE29 | NULL | VARCHAR2(150) | Descriptive Flexfield segment |
| ATTRIBUTE30 | NULL | VARCHAR2(150) | Descriptive Flexfield segment |
| LAST_UPDATE_DATE | NOT NULL | DATE | Standard Who column |
| LAST_UPDATED_BY | NOT NULL | NUMBER(15) | Standard Who column |
| LAST_UPDATE_LOGIN | NOT NULL | NUMBER(15) | Standard Who column |
| CREATED_BY | NOT NULL | NUMBER(15) | Standard Who column |
| CREATION_DATE | NOT NULL | DATE | Standard Who column |
| SET_OF_BOOKS_ID | NOT NULL | NUMBER(15) | Set of Books identifier |
| BUSINESS_GROUP_ID | NOT NULL | NUMBER(15) | Business Group identifier |



Column Descriptions (Continued)

| <u>Name</u> | <u>Null?</u> | <u>Type</u> | <u>Description</u> |
|----------------|--------------|--------------|---|
| STATUS_CODE | NOT NULL | VARCHAR2(1) | Indicates status of the summary lines. N indicates New, A indicates Accepted by General Ledger or Grants Accounting, and R indicates Rejected by General Ledger or Grants Accounting. |
| GMS_BATCH_NAME | NULL | VARCHAR2(10) | Interface group defining column required in PA_TRANSACTION_INTERFACE_ALL table |

Indexes

| <u>Index Name</u> | <u>Index Type</u> | <u>Sequence</u> | <u>Column Name</u> |
|----------------------|-------------------|-----------------|--------------------|
| PSP_SUMMARY_LINES_N1 | NOT UNIQUE | 1 | PAYROLL_CONTROL_ID |
| | | 2 | STATUS_CODE |
| PSP_SUMMARY_LINES_N3 | NOT UNIQUE | 5 | GMS_BATCH_NAME |
| PSP_SUMMARY_LINES_N4 | NOT UNIQUE | 5 | STATUS_CODE |
| PSP_SUMMARY_LINES_U1 | UNIQUE | 2 | SUMMARY_LINE_ID |

Sequences

| <u>Sequence</u> | <u>Derived Column</u> |
|---------------------|-----------------------|
| PSP_SUMMARY_LINES_S | SUMMARY_LINE_ID |

PSP_TEMPLATE_AWARDS

PSP_TEMPLATE_AWARDS contains multiple awards based on the selection criteria for a given template.

Foreign Keys

| Primary Key Table | Primary Key Column | Foreign Key Column |
|-----------------------------|--------------------|--------------------|
| GMS_AWARDS_ALL | AWARD_ID | AWARD_ID |
| PSP_EFFORT_REPORT_TEMPLATES | TEMPLATE_ID | TEMPLATE_ID |

Column Descriptions

| Name | Null? | Type | Description |
|-------------------|----------|---------------|--|
| TEMPLATE_ID (PK) | NOT NULL | NUMBER(15) | Reference key to PSP_EFFORT_REPORT_TEMPLATES |
| AWARD_ID (PK) | NOT NULL | NUMBER(15) | Reference to GMS_AWARDS |
| ATTRIBUTE1 | NULL | VARCHAR2(150) | Descriptive Flexfield column |
| LAST_UPDATE_DATE | NOT NULL | DATE | Standard Who column |
| LAST_UPDATED_BY | NOT NULL | NUMBER(15) | Standard Who column |
| LAST_UPDATE_LOGIN | NOT NULL | NUMBER(15) | Standard Who column |
| CREATED_BY | NOT NULL | NUMBER(15) | Standard Who column |
| CREATION_DATE | NOT NULL | DATE | Standard Who column |

Indexes

| Index Name | Index Type | Sequence | Column Name |
|------------------------|------------|----------|-------------------------|
| PSP_TEMPLATE_AWARDS_U1 | UNIQUE | 2 4 | TEMPLATE_ID AWARD_ID |

PSP_TEMPLATE_ORGANIZATIONS

PSP_TEMPLATE_ORGANIZATION contains multiple organizations based on the selection criteria for a given template.

Foreign Keys

| Primary Key Table | Primary Key Column | Foreign Key Column |
|-----------------------------|--------------------|-----------------------------|
| HR_ALL_ORGANIZATION_UNITS | ORGANIZATION_ID | EXPENDITURE_ORGANIZATION_ID |
| PSP_EFFORT_REPORT_TEMPLATES | TEMPLATE_ID | TEMPLATE_ID |

Column Descriptions

| Name | Null? | Type | Description |
|----------------------------------|----------|---------------|--|
| TEMPLATE_ID (PK) | NOT NULL | NUMBER(15) | Reference key to PSP_EFFORT_REPORT_TEMPLATES |
| EXPENDITURE_ORGANIZATION_ID (PK) | NOT NULL | NUMBER(9) | Reference to HR_ORGANIZATION_UNITS |
| ATTRIBUTE1 | NULL | VARCHAR2(150) | Descriptive Flexfield column |
| LAST_UPDATE_DATE | NOT NULL | DATE | Standard Who column |
| LAST_UPDATED_BY | NOT NULL | NUMBER(15) | Standard Who column |
| LAST_UPDATE_LOGIN | NOT NULL | NUMBER(15) | Standard Who column |
| CREATED_BY | NOT NULL | NUMBER(15) | Standard Who column |
| CREATION_DATE | NOT NULL | DATE | Standard Who column |

Indexes

| Index Name | Index Type | Sequence | Column Name |
|-------------------------------|------------|----------|-----------------------------|
| PSP_TEMPLATE_ORGANIZATIONS_U1 | UNIQUE | 1 | TEMPLATE_ID |
| | | 2 | EXPENDITURE_ORGANIZATION_ID |

PSP_TEMPLATE_PROJECTS

PSP_TEMPLATE_PROJECTS contains multiple projects based on the selection criteria for a given template.

Foreign Keys

| Primary Key Table | Primary Key Column | Foreign Key Column |
|-----------------------------|--------------------|--------------------|
| PA_PROJECTS_ALL | PROJECT_ID | PROJECT_ID |
| PSP Effort Report Templates | TEMPLATE_ID | TEMPLATE_ID |

Column Descriptions

| Name | Null? | Type | Description |
|-------------------|----------|---------------|--|
| TEMPLATE_ID (PK) | NOT NULL | NUMBER(15) | Reference to PSP Effort Report Templates |
| PROJECT_ID (PK) | NOT NULL | NUMBER(15) | Reference to PA Projects All |
| ATTRIBUTE1 | NULL | VARCHAR2(150) | Descriptive Flexfield column |
| LAST_UPDATE_DATE | NOT NULL | DATE | Standard Who column |
| LAST_UPDATED_BY | NOT NULL | NUMBER(15) | Standard Who column |
| LAST_UPDATE_LOGIN | NOT NULL | NUMBER(15) | Standard Who column |
| CREATED_BY | NOT NULL | NUMBER(15) | Standard Who column |
| CREATION_DATE | NOT NULL | DATE | Standard Who column |

Indexes

| Index Name | Index Type | Sequence | Column Name |
|--------------------------|------------|----------|-------------|
| PSP_TEMPLATE_PROJECTS_U1 | UNIQUE | 1 | TEMPLATE_ID |
| | | 2 | PROJECT_ID |



Index

A

AOL, 1 – 8
Application Building Block, 1 – 9
Application Object Library, 1 – 8
audience, 1 – 4
auto-population, database diagrams, 2 – 14

C

columns
 descriptions, 3 – 3
 enhanced who, 3 – 4
 QuickCodes, 3 – 3
 standard who, 3 – 4
 who, 3 – 4
Concurrent Program List, 2 – 27

D

Database Diagram, 1 – 8
database diagrams
 auto-population, 2 – 14
 conventions, 2 – 5
 distribution, 2 – 11
 effort reporting, 2 – 12
 encumbrance, 2 – 13
 Labor Distribution setup, 2 – 9
 payroll interface, 2 – 10
database triggers, 3 – 5

definitions, 1 – 8
design
 detailed, 3 – 2
 high-level, 2 – 2
detailed design, 3 – 2
diagrams, database
 auto-population, 2 – 14
 distribution, 2 – 11
 effort reporting, 2 – 12
 encumbrance, 2 – 13
 Labor Distribution setup, 2 – 9
 payroll interface, 2 – 10
distribution, database diagrams, 2 – 11
documentation
 Oracle Applications, 1 – 12
 Oracle Grants Management, 1 – 10
 related Oracle documentation, 1 – 10

E

education, Oracle services, 1 – 14
effort reporting, database diagrams, 2 – 12
encumbrance, database diagrams, 2 – 13
Entity, 1 – 8

F

foreign keys, 3 – 3
Form List, 2 – 25
Forms and Table View List, 2 – 21

H

high-level design, 2 – 2



I

indexes, 3 – 5
Internal View List, 2 – 23

K

keys
 foreign, 3 – 3
 primary, 3 – 3

L

Labor Distribution setup, database diagrams,
 2 – 9
lookup types, 3 – 3

M

Module List, 2 – 25
Modules, 1 – 8

O

Oracle Application Object Library, 1 – 8
Oracle Applications, documentation, 1 – 12
Oracle Grants Management, documentation,
 1 – 10
Oracle services, 1 – 14
 education, 1 – 14
 support, 1 – 14
organization, 1 – 5

P

payroll interface, database diagrams, 2 – 10
primary keys, 3 – 3
Public Table List, 2 – 15

Q

QuickCodes, 1 – 9
 columns, 3 – 3
 lookup types, 3 – 3

R

reader comments, 1 – 15
related Oracle documentation, documentation,
 1 – 10
Relationship, 1 – 8
Report List, 2 – 26
restrictions, 1 – 7

S

sample tasks, 1 – 6
sequences, 3 – 5
services, Oracle, 1 – 14
support services, 1 – 14

T

table and view definitions
 PSP_ACCOUNTS_ELEMENTS_V, 2 – 21
 PSP_ACCOUNTS_ORGANIZATIONS_V,
 2 – 21
 PSP_ADJUSTMENT_COMBO_V, 2 – 23
 PSP_ADJUSTMENT_CONTROL_TABLE,
 3 – 6
 PSP_ADJUSTMENT_LINES, 3 – 7
 PSP_ADJUSTMENT_LINES_HISTORY,
 3 – 10
 PSP_ADJUSTMENT_LINES_V, 2 – 23
 PSP_ASSIGNMENTS_V, 2 – 21
 PSP_AUTO_ACCTS, 3 – 13
 PSP_AUTO_ACCTS_V, 2 – 21
 PSP_AUTO_BYPASS, 3 – 14
 PSP_AUTO_FILL_BEGIN_DATES_V, 2 – 21
 PSP_AUTO_FILL_DATES, 3 – 15
 PSP_AUTO_FILL_END_DATES_V, 2 – 21
 PSP_AUTO_LOOKUPS, 3 – 16
 PSP_AUTO_PARAMS, 3 – 17

PSP_AUTO_PARAMS_V, 2 – 21
 PSP_AUTO_RULES, 3 – 18
 PSP_AUTO_SEGMENTS, 3 – 19
 PSP_BATCH_NAMES_V, 2 – 23
 PSP_CLEARING_ACCOUNT, 3 – 20
 PSP_DEFAULT_LABOR_SCH_ENC_V,
 2 – 21
 PSP_DEFAULT_LABOR_SCHEDULES,
 3 – 21
 PSP_DEFAULT_LABOR_SCHEDULES_V,
 2 – 21
 PSP_DEST_ACCT_LINES_V, 2 – 21
 PSP_DISTRIBUTION_BATCH_NAME_V,
 2 – 21
 PSP_DISTRIBUTION_COMBO_V, 2 – 23
 PSP_DISTRIBUTION_INTERFACE, 3 – 23
 PSP_DISTRIBUTION_INTERFACE_V, 2 – 21
 PSP_DISTRIBUTION_INTERFACE_V2,
 2 – 23
 PSP_DISTRIBUTION_LINES, 3 – 26
 PSP_DISTRIBUTION_LINES_C_V, 2 – 23
 PSP_DISTRIBUTION_LINES_D_V, 2 – 23
 PSP_DISTRIBUTION_LINES_HISTORY,
 3 – 28
 PSP Effort_ERRORS, 3 – 30
 PSP Effort_MESSAGES, 3 – 31
 PSP Effort_MESSAGES_V, 2 – 21
 PSP Effort_REPORT_DETAILS, 3 – 34
 PSP Effort_REPORT_ELEMENTS, 3 – 35
 PSP Effort_REPORT_ELEMENTS_V,
 2 – 21
 PSP Effort_REPORT_PERIODS, 3 – 36
 PSP Effort_REPORT_PERIODS_V, 2 – 21
 PSP Effort_REPORT_TEMPLATES, 3 – 37
 PSP Effort_REPORTS, 3 – 32
 PSP_ELEMENT_GROUP_V, 2 – 21
 PSP_ELEMENT_GROUPS, 3 – 39
 PSP_ELEMENT_GROUPS_V, 2 – 21
 PSP_ELEMENT_TYPE_ACCOUNTS, 3 – 43
 PSP_ELEMENT_TYPE_ACCOUNTS_V,
 2 – 21
 PSP_ELEMENT_TYPE_ACCT_ENC_V,
 2 – 21
 PSP_ELEMENT_TYPES, 3 – 41
 PSP_ELEMENT_TYPES_V, 2 – 21
 PSP_EMPLOYEES_V, 2 – 23

PSP_ENC_CI_BASE_SUMM_GL_V, 2 – 21
 PSP_ENC_CI_BASE_SUMM_OGM_V, 2 – 21
 PSP_ENC_CONTROLS, 3 – 45
 PSP_ENC_EFFECTIVE_DATE_V, 2 – 22
 PSP_ENC_ELEMENTS, 3 – 47
 PSP_ENC_ELEMENTS_V, 2 – 22
 PSP_ENC_END_DATE_ORG_V, 2 – 22
 PSP_ENC_END_DATES, 3 – 48
 PSP_ENC_END_DATES_V, 2 – 22
 PSP_ENC_LINES, 3 – 50
 PSP_ENC_LINES_HISTORY, 3 – 52
 PSP_ENC_PAYROLL_ASSIGNMENT_V,
 2 – 22
 PSP_ENC_PAYROLL_ASSIGNMENTS,
 3 – 55
 PSP_ENC_PAYROLLS, 3 – 54
 PSP_ENC_PAYROLLS_V, 2 – 22
 PSP_ENC_PERIOD_EXTN_GL_V, 2 – 23
 PSP_ENC_SETUP_OPTIONS, 3 – 56
 PSP_ENC_SETUP_OPTIONS_V, 2 – 22
 PSP_ENC_SUMMARY_LINES, 3 – 57
 PSP_ENC_TIME_BASE_SUMM_V, 2 – 22
 PSP_ER_APPROVALS, 3 – 60
 PSP_GROUP_ELEMENT_LIST, 3 – 61
 PSP_GROUP_ELEMENT_LIST_V, 2 – 22
 PSP_LOOKUPS, 2 – 23
 PSP_MATRIX_DRIVER_V, 2 – 22
 PSP_MATRIX_DRIVER2_V, 2 – 22
 PSP_MATRIX_DRIVER3_V, 2 – 22
 PSP_ORGANIZATION_ACCOUNT_
 ENC_V, 2 – 22
 PSP_ORGANIZATION_ACCOUNTS, 3 – 63
 PSP_ORGANIZATION_ACCOUNTS_V,
 2 – 22
 PSP_ORGANIZATION_SCHEDULES_V,
 2 – 22
 PSP_ORIG_ACCT_LINES_V, 2 – 22
 PSP_PAYROLL_BATCH_NAMES_V, 2 – 23
 PSP_PAYROLL_CONTROLS, 3 – 65
 PSP_PAYROLL_INTERFACE, 3 – 67
 PSP_PAYROLL_INTERFACE_V, 2 – 22
 PSP_PAYROLL_LINES, 3 – 70
 PSP_PAYROLL_LINES_C_V, 2 – 23
 PSP_PAYROLL_LINES_D_V, 2 – 23
 PSP_PAYROLL_LINES_V, 2 – 23
 PSP_PAYROLL_SOURCE_TYPES_V, 2 – 22
 PSP_PAYROLL_SOURCES, 3 – 72

PSP_PAYROLL_SUB_LINES, 3 – 73
 PSP_PAYROLL_SUBLINES_C_V, 2 – 23
 PSP_PAYROLL_SUBLINES_D_V, 2 – 23
 PSP_PAYROLL_SUBLINES_V, 2 – 23
 PSP_PRE_GEN_DIST_LINES, 3 – 75
 PSP_PRE_GEN_DIST_LINES_HISTORY,
 3 – 77
 PSP_REP_DA_GRP1_V, 2 – 23
 PSP_REP_DEF_CHG_V, 2 – 23
 PSP_REP_DIST_ORG_V, 2 – 23
 PSP_REP_DIST_PRJ_V, 2 – 23
 PSP_REP_DP_GRP1_V, 2 – 23
 PSP_REP_ENC_DEF_V, 2 – 23
 PSP_REP_ENC_SSP_V, 2 – 23
 PSP_REP_ORG_DLS, 3 – 79
 PSP_REP_ORG_GRP1_V, 2 – 24
 PSP_REP_SCH_EMP_V, 2 – 24
 PSP_REP_SSP_CHG_V, 2 – 24
 PSP_REP_SSP_CHG1_V, 2 – 24
 PSP_REP_SUSP_WARN_V, 2 – 24
 PSP_SCHEDULE_HIERARCHY, 3 – 81
 PSP_SCHEDULE_HIERARCHY_V, 2 – 22
 PSP_SCHEDULE_LINES, 3 – 82
 PSP_SCHEDULE_LINES_ENC_V, 2 – 22
 PSP_SCHEDULES, 3 – 80
 PSP_SCHEDULES_V, 2 – 22
 PSP_SUB_LINE_REASONS, 3 – 84
 PSP_SUMMARY_DISTRIB_C_V, 2 – 24
 PSP_SUMMARY_DISTRIB_D_V, 2 – 24
 PSP_SUMMARY_LINES, 3 – 85
 PSP_SUMMARY_LINES_C_V, 2 – 24
 PSP_SUMMARY_LINES_D_V, 2 – 24
 PSP_SUMMARY_LINES_V, 2 – 24
 PSP_SUMMARY_PREGEN_C_V, 2 – 24
 PSP_SUMMARY_PREGEN_D_V, 2 – 24
 PSP_TEMPLATE_AWARDS, 3 – 88

PSP_TEMPLATE_ORGANIZATIONS, 3 – 89
 PSP_TEMPLATE_PROJECTS, 3 – 90
 PSP_TIME_PERIODS_V, 2 – 24

table definitions, 3 – 2

tables

column descriptions, 3 – 3

definitions, 3 – 2

See also table and view definitions

enhanced who columns, 3 – 4

foreign keys, 3 – 3

indexes, 3 – 5

primary keys, 3 – 3

QuickCodes columns, 3 – 3

standard who columns, 3 – 4

who columns, 3 – 4

tasks, sample, 1 – 6

triggers, database, 3 – 5

types, lookup, 3 – 3

V

view definitions, 3 – 2

views

column descriptions, 3 – 3

definitions, 3 – 2

See also table and view definitions

derivation, 3 – 5

W

who columns, 3 – 4

enhanced, 3 – 4

standard, 3 – 4



Reader’s Comment Form

Oracle Labor Distribution Technical Reference Manual
A85310–01

Oracle Corporation welcomes your comments and suggestions on the quality and usefulness of this publication. Your input is an important part of the information we use for revision.

- Did you find any errors?
- Is the information clearly presented?
- Do you need more information? If so, where?
- Are the examples correct? Do you need more examples?
- What features did you like most about this manual? What did you like least about it?

If you find any errors or have any other suggestions for improvement, please indicate the topic, chapter, and page number below:

Please send your comments to:

Oracle Public Sector Applications Documentation Manager
Oracle Corporation
500 Oracle Parkway, MS3op7
Redwood Shores, CA 94065 USA
Phone: (650) 506–8968 Fax: (650) 506–7000

If you would like a reply, please give your name, address, and telephone number below:

Thank you for helping us improve our documentation.

L

L

CAUTION!

This document contains proprietary, confidential information that is the exclusive property of Oracle Corporation.

If you are an Oracle customer, this numbered copy is registered in your site's name. Use, duplication, and disclosure are severely restricted and subject to restrictions stated in your contract with Oracle Corporation.

If you are an Oracle employee, this numbered copy is registered in your name and must be returned if you leave the company. It is your responsibility not to disclose this information to anyone outside of Oracle who is not licensed to use this product. If you have a prospect who needs to see this information, contact mailid APPSAPP to obtain a special nondisclosure agreement.

If you are neither an Oracle customer with a valid contract for the use of this document nor an Oracle employee, then you received this document in an unauthorized manner and are not legally entitled to possess or read it. Please return it immediately to Oracle. You may call collect to the office of the Executive Vice President Applications Division, to arrange its return.

Copy #

