

Blueprint for a Science-Grade Quantum Virtual Machine (QNVM) Validating the G-Engine Framework – 48 Novel Cutting-Edge Approaches

Advanced Propulsion Physics Laboratory

Version 1.0 – For open science, independent replication, and falsifiable prediction

June 11, 2026

Abstract

The G-Engine whitepaper proposes a three-stage cascade (Johnson magnetron $\rightarrow$ Grey cold current motor $\rightarrow$ Sweet VTA) that extracts energy from the quantum vacuum and modulates the gravitational metric. To test this framework, we need a computational environment that models vacuum polarisation, topological currents, scalar wave propagation, and gravitational coupling – all while respecting known physics as limiting cases. This blueprint describes a science-grade Quantum Virtual Machine (QNVM) that extends the existing open-source QNVM v0.6 coherence ecology simulation. The new QNVM will incorporate 48 novel cutting-edge approaches, ranging from non-Hermitian quantum optics to fractal domain-wall dynamics, from three-reservoir thermodynamics to consciousness-field coupling. The virtual machine will produce falsifiable predictions (e.g., COP > 200, mass reduction gradient, sub-thermal noise spectra) and allow systematic ablation studies to isolate each stage's contribution.

1 Scope & Objectives

1.1 Primary Goal

Build a first-principles, modular, scalable simulation that can replicate the reported anomalous behaviour of Johnson, Grey, and Sweet devices, and extrapolate to a full G-Engine cascade.

1.2 Key Deliverables

- A documented Python/CUDA simulation framework (QNVM-GE)
- 48 distinct novel algorithms/methods
- A suite of virtual experiments with automated falsification tests
- Output metrics: over-unity gain, gravitational gradient, vacuum coherence length, resurrection dynamics, etc.

1.3 Science-Grade Requirements

- **Reproducibility** – deterministic random seeds, full configuration logging
- **Falsifiability** – each simulation outcome must have a null hypothesis
- **Uncertainty quantification** – Monte Carlo ensembles, sensitivity analysis
- **Conservation law tracking** – energy, momentum, entropy accounted as system+reservoir
- **Calibration** – known physics (Casimir effect, Aharonov–Bohm, Schumann resonances) as sanity checks

2 Core Theoretical Basis

The G-Engine rests on five postulates:

1. **Vacuum as open reservoir** – effective temperature $T_{\text{vac}} = \hbar\omega_c/k_B \gg 300$ K.
2. **Vector potential reality** – “cold” current carried by $\mathbf{A}$, not electrons.
3. **Vacuum polarity** – magnetically induced polarisation $\mathbf{P}_{\text{vac}}$ produces gravitational gradient $\nabla\Phi_g$.
4. **Scale invariance** – fine-structure constant $\alpha = 1/137$ links quantum, planetary, and biological scales.
5. **Biofield coupling** – operator’s heart frequency phase-locks to device via α .

3 48 Novel Cutting-Edge Approaches

3.1 Group A – Stage 1: Vacuum Conditioning (Johnson Magnetron)

1. **Lattice QED with dynamical magnetic domains** – 3D FDTD simulation of hydrogen-magnetite lattice, treating each magnetic domain as a spin-lattice with super-permeability.
2. **Hyperfine resonance engine** – self-consistent solver for hydrogen 21 cm line amplification (maser action) inside a tuned cavity.
3. **Muon-catalysed fusion without neutron emission** – rate equation model $\lambda_{\mu\text{cf}} = n_D^2 \sigma_{\mu\text{cf}} v_\mu \exp(-E_{\text{barrier}}/k_B T)$ with cavity field absorbing fusion energy.
4. **Vacuum DC offset from broken symmetry** – non-zero electrostatic potential computed via gradient of local ZPE spectral asymmetry.
5. **Stochastic resonance conditioning** – optimisation of AC+DC bias waveform to maximise SNR at the 1.42 GHz harmonic.
6. **Fractal domain-wall antenna** – cellular automaton that evolves domain walls to Hausdorff dimension $D_f \approx 1.7$ under magnetic annealing.
7. **Piezoelectric-magnetostrictive multiferroic coupling** – finite-element model of natural mineral composite as a ZPE transducer.
8. **Super-permeability mean-field theory** – nonlinear solver for $\mu_{\text{super}} = \mu_0 \exp(n_H \mu_H^2 / k_B T \epsilon_0 c^2)$ including saturation effects.

3.2 Group B – Stage 2: Topological Current Extraction (Grey Motor)

9. **Aharonov–Bohm current solver** – finite-element calculation of topological current $\mathbf{J}_{\text{top}} = \frac{e^2}{h} \nabla \times \mathbf{A}$.
10. **Three-reservoir Carnot engine** – thermodynamic Monte Carlo with hot, cold, and vacuum reservoirs ($T_{\text{vac}} = 10^{12}$ K).
11. **Ballistic transport without electron drift** – quantum kinetic model where current is carried by the winding number of the gauge field.
12. **Non-ohmic heatless conductor** – solves $\nabla \cdot \mathbf{S}_{\text{vac}} = -\partial u_{\text{ZPE}} / \partial t$ with zero temperature gradient.
13. **Cold electricity as fourth current state** – topological classification of current modes (drift, diffusion, displacement, winding).
14. **Vector potential reality test** – numerical Aharonov–Bohm interferometer embedded in the simulation.
15. **Grey’s gain scaling via α** – automatically adjusts gain factor $G = 261 \times (f_{\text{cavity}}/1.42 \text{ GHz})^2$.
16. **Zero-temperature electron gas** – solves Schrödinger equation for electrons in a vector potential background.

3.3 Group C – Stage 3: Gravitational Metric Modulation (Sweet VTA)

17. **Scalar wave superluminal propagation** – solves $\nabla^2 \Phi_s - \frac{1}{v_s^2} \partial_t^2 \Phi_s = 0$ with $v_s = c / \sin \theta_{\text{Bearden}}$.

18. **Gradient coupling to vacuum polarisation** – $\nabla\Phi_g = -(\kappa_s/c^2)\nabla \cdot \mathbf{P}_{\text{vac}}$.
19. **Fractal impedance matched to vacuum** – domain-wall evolution minimises reflection coefficient.
20. **Asymmetric anti-gravity** – directional mass reduction: $\Delta m/m = f(\hat{n} \cdot \hat{g})$ only when scalar beam points toward Earth’s centre.
21. **Local de Sitter bubble** – solves Einstein field equations with a time-dependent cosmological constant $\Lambda(t)$.
22. **Clock phase shift over distance** – simulates non-Hertzian signal time delay.
23. **Operator heart-frequency coupling** – phase-locked loop that modulates VTA output according to operator’s ECG rhythm, scaled by α .
24. **Vacuum maser** – rate equations for stimulated emission from a squeezed vacuum state, threshold at 0.3 mW.

3.4 Group D – Integrated Cascade Dynamics

25. **Serial cascade solver** – forced sequential coupling: Stage 1 output $\rightarrow$ Stage 2 input $\rightarrow$ Stage 3 input.
26. **Planetary anchor emulation** – synthetic Schumann resonance injection (7.83 Hz) and telluric current map.
27. **Golden-ratio cavity optimisation** – automatic mesh generator adjusting aspect ratio to $\phi : 1 : 1/\phi$.
28. **Multi-scale coupling via α** – dynamically links Schumann frequency, hydrogen hyperfine line, and electron Compton frequency.
29. **Unified field equation solver** – FDTD for $\nabla^2\Psi_G - v_G^{-2}\partial_t^2\Psi_G = -4\pi G/c^4(T_{\mu\nu} + T_{\mu\nu}^{\text{ZPE}}\xi)\Psi_{\text{EM}}$.
30. **Self-oscillation detection** – monitors input power; flags “conditioned” state when output exceeds input.
31. **Three-stage phase diagram** – scans parameter space to identify self-sustaining islands.
32. **Biofield memory persistence** – retains operator coherence for $\tau_{\text{memory}} = (\hbar/k_B T) \ln(V/\lambda^3)Q_{\text{bio}}$ after shutdown.

3.5 Group E – Numerical Methods & Advanced Algorithms

33. **Non-Hermitian quantum optics** – uses PT-symmetric Hamiltonians to model gain/loss in vacuum triode.
34. **Stochastic electrodynamics with coloured noise** – vacuum fluctuations as band-limited random field with $1/f$ spectrum.
35. **Lattice Boltzmann method for ZPE flow** – treats vacuum energy density as a fluid with negative viscosity in certain regimes.
36. **Spectral radius proxy via Jacobian estimation** – real-time computation of $\rho(J)$ from local dynamics.
37. **Adaptive mesh refinement around domain walls** – resolves fractal structures down to nanometre scale using octree grids.
38. **CUDA-accelerated FDTD for scalar waves** – 3D propagation of Φ_s with superluminal phase velocity.
39. **Evolutionary optimisation of conditioning** – genetic algorithm searching for AC+DC waveform that maximises η_{Grey} and $\Delta m/m$.
40. **Uncertainty quantification via polynomial chaos** – propagates errors in critical parameters to output distributions.

3.6 Group F – Validation, Falsification & Virtual Experiments

41. **Casimir force calibration** – simulates two plates in vacuum; outputs force matches $F_C = \pi^2\hbar c A/240d^4$ when no ZPE extraction active.

42. **Aharonov–Bohm experiment** – virtual electron beam around toroidal magnet; phase shift measured as function of enclosed flux.
43. **Johnson noise floor test** – thermal noise spectral density must drop below $4k_BTR$ when Stage 2 active.
44. **Muon detector simulation** – counts muon flux from cold fusion; should be $< 10^2 \text{ s}^{-1} \text{ cm}^{-3}$ with zero neutrons.
45. **Non-Hertzian communication test** – two simulated VTAs 200 virtual miles apart; send pulse, measure clock drift.
46. **Consciousness-nulling control** – runs same device twice: once with “operator” signal, once without; compares gain.
47. **Suppression Boltzmann distribution** – output suppression level assigned based on output power; histogram must match $\exp(P_{\text{out}}/P_{\text{threshold}})$.
48. **Planetary anchor ablation** – disable Schumann injection and telluric map; verify device output drops below 100 W.

4 Simulation Architecture

4.1 High-level Modules

Module	Responsibility	Key Equations
VacuumField	3D SED grid of $\mathbf{E}_{\text{vac}}$, $\mathbf{B}_{\text{vac}}$, u_{ZPE}	SED with coloured noise
Stage1_Magnetron	H-magnetic lattice, super-permeability	Hyperfine solver, μ_{super}
Stage2_GreyMotor	Vector potential, topological current	A-B current, 3-reservoir thermo
Stage3_SweetVTA	Scalar potential, gravitational coupling	Scalar wave, $\nabla\Phi_g$
CascadeEngine	Serial coupling, feedback, self-oscillation	Unified field equation
OperatorModel	Heart-frequency oscillator, intent	Phase-lock via α
GeophysicalEmulator	Schumann, telluric, water table	Planetary anchor

5 Integration with QNVM v0.6

The existing QNVM v0.6 simulates coherence ecology – entities with CI_B, CI_C, noise, spectral radius, resurrection, archetypes. This maps to vacuum modes and domain wall collectives:

- Entity $\rightarrow$ a vacuum coherence domain
- CI_B, CI_C $\rightarrow$ local vacuum coherence (electric & magnetic components)
- noise_sigma $\rightarrow$ vacuum fluctuation amplitude
- spectral_radius_proxy $\rightarrow$ local ZPE extraction efficiency
- resurrection $\rightarrow$ recovery of a collapsed vacuum domain
- archetypes $\rightarrow$ different physical roles (Empath $\rightarrow$ noise reducer, etc.)

6 Experimental Protocols Within Simulation

6.1 Stage 1 Only

Goal: Verify super-permeability and muon-catalysed fusion.

Input: H₂ 0.1 atm, 25 kV bias, 2.45 GHz cavity.

Falsification: No 1.42 GHz gain $\rightarrow$ reject Stage 1 model.

6.2 Stage 2 Only

Goal: Reproduce Grey’s COP = 261, zero heat.

Falsification: Any measurable heat $\rightarrow$ model fails.

6.3 Stage 3 Only

Goal: Observe mass reduction, superluminal scalar wave.

Falsification: No weight change or no clock shift $\rightarrow$ Stage 3 invalid.

6.4 Full Cascade

Goal: Self-sustaining G-Engine with anti-gravity.

Falsification: Output decays to zero within 100 generations.

7 Implementation Roadmap

Phase	Duration	Milestone
Phase 0	2 weeks	Fork QNVM v0.6, integrate VacuumField with SED noise
Phase 1	4 weeks	Stage 1 module: hyperfine solver, muon fusion
Phase 2	4 weeks	Stage 2: topological current, Aharonov–Bohm
Phase 3	6 weeks	Stage 3: scalar wave equation, gravity coupling
Phase 4	3 weeks	CascadeEngine and unified field solver
Phase 5	3 weeks	Geophysical emulator and operator model
Phase 6	4 weeks	Virtual experiments, falsification suite
Phase 7	2 weeks	Documentation, public release

Total: 28 weeks (one person full-time; can be parallelised).

8 Conclusion

The QNVM-GE blueprint provides a rigorous, falsifiable, and extensible computational framework to test the G-Engine claims. By incorporating 48 novel cutting-edge approaches, the virtual machine can simulate each stage in isolation and the full cascade, producing predictions that can be compared with historical reports and future laboratory replications. The existing QNVM v0.6 already contains the core ecological dynamics (collapse, resurrection, selection). Upgrading it with the physics modules described here will create a unique tool for computational vacuum engineering. We invite the community to implement, critique, and improve this blueprint.