

The G-Engine Architecture

Corrected Framework for Vacuum-Coupling Hypotheses under Explicit Falsification

A revision of White Paper v4.2 after a 144-point equation audit, independent numerical checks, and inspection of the QNVM-GE v0.1 scaffold.

Advanced Propulsion Physics Laboratory · Open Falsification License · 6 September 2026

0. Status of this revision

Version 4.2 asserted a three-stage cascade capable of vacuum-energy extraction and controllable gravitational gradients, supported by six core formulae, twelve “discoveries,” and a claim of triple audit with no remaining contradictions. Those assertions do not survive arithmetic, dimensional hygiene, thermodynamic bookkeeping, or the project’s own dry-run.

This document does not “save” the cascade by changing symbols. It retires every numerical claim that fails a closed-form check, separates historical anecdote from instrumented fact, and replaces the unimplemented 48-stub catalogue with twenty-four approaches that can be coded and failed in public. The G-Engine, if it is anything scientific, is a test plan. It is not a device.

Governing rule. No simulation output may be cited as evidence of anomalous physics until the known-physics gates in Approaches F1–F4 pass, and no equation may be implemented in a solver until it is dimensionally homogeneous and numerically evaluated in an appendix.

1. Disposition of v4.2

1.1 What is withdrawn

- The claim $\mu_{\text{super}} / \mu_0 \sim 10^6$ from Equation 1.
- The identification of $\eta_{\text{Grey}} \approx 261$, or 2.7×10^9 , as a thermodynamic efficiency.
- The claim $Z_{\text{fractal}} \approx 50 \Omega$ from the published fractal formula.
- Superluminal scalar-beam communication as a physical prediction.
- Percent-level mass reduction at laboratory power from Brans–Dicke-scale coupling.
- Consciousness or biofield as a circuit element with no operational observable.
- The suppression-versus-power exponential as a physical law.
- The sentence that no logical contradictions or unsupported empirical claims remain.
- The three blank “auditor” signature lines as evidence of review.

1.2 What is retained, under constraint

- The three-stage decomposition as an ablation architecture: cavity/lattice, current extraction, gravitational readout.
- The insistence that stages be serial for hypothesis isolation, not because nature requires a cascade.
- A falsifiable laboratory protocol, rewritten as null-first tests.

- QNVM v0.6 as a coherence-ecology engine, not as a disguised Maxwell solver.
- The Open Falsification License and the requirement that null results be first-class deliverables.

1.3 Historical threads, reclassified

Howard R. Johnson's U.S. Patent 4,151,431 (1979) concerns permanent-magnet geometry and magnetic propulsion. It does not specify a hydrogen-filled 2.45 GHz magnetron, a 10^6 permeability enhancement, a twenty-year runtime, or muon-catalyzed fusion. Those attributes are later free-energy composites and are not used as empirical priors here.

Edwin V. Gray's "cold electricity" and the $26.8 \text{ W} \rightarrow 7000 \text{ W}$ figure remain unpublished as instrumented calorimetry. The scientifically usable residue is a measurement hypothesis: claimed COP may be an artifact of reading apparent power (VA) as real power (W) on a reactive load. That hypothesis is Approach D3.

Floyd Sweet's vacuum-triode demonstrations, as promoted by Tom Bearden, are hobbyist and unreplicated under dual-wattmeter, thermal-camera, and gravimeter protocols. Conditioned barium ferrite is treated as a materials experiment, not as a Dirac-sea gate.

2. Corrected postulates

v4.2 listed five postulates that "extend but do not violate known physics." Three of them do violate known physics if taken as license to extract work from the ground state or to write superluminal signal velocity. The replacement set is narrower.

ID	v5.0 postulate	Bound
P1	The quantum vacuum is a ground-state field, not a heat bath.	$\hbar\omega_c / k_B$ is an energy scale. It is not T_{vac} of a Gibbs reservoir.
P2	The vector potential is physical in quantum mechanics.	Aharonov-Bohm phase is $e\Phi_B/\hbar$. It is not a room-temperature dissipationless power bus.
P3	Gravity couples to the stress-energy tensor.	Polarization P_{vac} is not a gravitational source. Linearized GEM is the maximum gravity module allowed until energy conditions are monitored.
P4	α is the QED coupling.	It does not scale Schumann, 1.42 GHz, heart rate, and Compton frequency into one attenuation law.
P5	Operators are sources of electromagnetic and thermal noise.	Any operator module must be switchable and pre-registered. Failure may not be blamed on "incoherence."

Table 1. Replacement postulates. Anything that cannot be switched off in software is not a postulate; it is a bias.

3. Corrected equations

Equation numbers below replace v4.2 Eqs. 1, 4, 5, 6, 7/8, and 8/9. The v4.2 numbering was internally inconsistent across TeX, README, and analysis documents. v5.0 uses a single sequence.

3.1 Lattice permeability (replaces Eq. 1)

The published exponential is, after using $\epsilon_0 c^2 = 1/\mu_0$, a Curie-type argument placed inside an exponential:

$$\chi \sim \mu_0 n_H \mu_H^2 / k_B T, \quad \mu_r = 1 + \chi \quad (\text{not } \mu_0 \exp(\chi) \text{ with a } 10^6 \text{ claim})$$

With $n_H = P/k_B T \approx 2.45 \times 10^{24} \text{ m}^{-3}$ at 0.1 atm and 300 K, and μ_H the proton moment $1.41 \times 10^{-26} \text{ J/T}$, one obtains $\chi \sim 10^{-9}$ to 10^{-10} . The exponential of that number is $1 + \chi$. The QNVM-GE dry-run already returns 1.0000000000001474. That value is accepted. There is no Stage-1 “conditioning flag” triggered by permeability.

A laboratory magnetic lattice is to be modelled as an effective medium (Maxwell-Garnett or Bruggeman) with measured $\mu(\omega)$, not as an exponential amplifier. Hydrogen intercalation, if present, is a pinning and coercivity perturbation, not a six-order permeability gain.

3.2 Cavity mode energy and threshold (replaces the maser misuse of Eq. 2)

$$U_{\text{mode}} = (1/2) \hbar \omega \coth(\hbar \omega / 2 k_B T) \quad \text{per mode}$$

A 2.45 GHz cavity with $Q > 10^4$ is an ordinary microwave resonator. The hydrogen hyperfine splitting is $h \times 1.42 \text{ GHz} \approx 5.9 \times 10^{-25} \text{ J} \approx k_B \times 0.068 \text{ K}$. Room-temperature maser action on that line requires a specified inversion mechanism. None is provided in v4.2, so none is assumed. Spectral density at 1.42 GHz is a measurement, not a gain knob.

3.3 Energy and entropy ledgers (replaces Eq. 4)

$$\Delta E_{\text{dev}} + \Delta E_{\text{env}} + \Delta E_{\text{field}} = 0, \quad \Delta S_{\text{dev}} + \Delta S_{\text{env}} + \Delta S_{\text{field}} \geq 0$$

$$COP \equiv P_{\text{real,out}} / P_{\text{real,in}} \quad (\text{unbounded by definition})$$

$$\eta \equiv W / Q_{\text{in}} \quad (\leq 1 \text{ for a cyclic engine between two baths})$$

The v4.2 expression $1 - (T_c/T_h)(1 - T_{\text{vac}}/T_h)$ is not a Carnot extension. With $T_{\text{vac}} = 10^{12} \text{ K}$ it diverges; the body text’s “ ≈ 261 ” is Grey’s anecdote back-substituted; Appendix A’s 2.7×10^9 is a different evaluation of the same ill-posed formula. v5.0 forbids calling a gain ratio an efficiency. Any three-reservoir module must expose Q_h , Q_c , Q_{field} and the Clausius sum. If those quantities cannot be defined, the module is a circuit, not an engine.

3.4 Gravitational readout (replaces Eq. 5)

v4.2 wrote $\nabla \Phi_g = -(\kappa_s/c^2) \nabla \cdot P_{\text{vac}}$. The left side is a vector; the right side, as printed, contracts a vector into a scalar. That equation is deleted.

$$\nabla^2 \Phi = 4\pi G \rho_{\text{eff}}, \quad \rho_{\text{eff}} = T_{00} / c^2 \quad (\text{Newtonian limit of sourced gravity})$$

$$\text{Monitor: } \rho \geq 0 \text{ and } \rho + p \geq 0 \quad (\text{weak energy condition on the simulated source})$$

Electromagnetic energy in the box gravitates in the ordinary way and is undetectable at gravimeter resolution for laboratory joules. A claimed $\Delta m/m$ of -1.8% per kWh requires either a misread scale or exotic stress-energy. The simulation may output the GR/Newtonian prediction and the residual. It may not hard-code $-0.018 \times P_{\text{kW}}$.

3.5 Wave speed (replaces Eq. 6)

$$v_{\text{phase}} \leq c / n(\omega), \quad v_{\text{signal}} = v_{\text{group}} \leq c \quad \text{in vacuum; Courant: } c \Delta t / \Delta x < 1$$

$v = c / \sin \theta_{\text{Bearden}}$ is retired. Phase velocity above c in a dispersive medium is not a communication channel. FDTD modules that need $v > c$ are rejected at review.

3.6 Impedance of a structured radiator (replaces Eq. 7/8)

The published closed form evaluates to $\approx 774 \Omega$, not 50Ω , for the stated D_f , λ_{ZPE} , λ_{phonon} , and $Z_0 = 377 \Omega$. That formula is not derived from Maxwell's equations and is not used. Antenna or domain-wall structures are assigned Z from a boundary-value solution or a measured S-parameter. Matching to 50Ω , if achieved, is power-transfer hygiene. It is not energy extraction.

3.7 Known-physics field equation (replaces Eq. 8/9)

$$G_{\mu\nu} = (8\pi G / c^4) T_{\mu\nu}^{known}, \quad T^{known} = T^{matter} + T^{EM}$$

An extra ξT^{ZPE} term with unconstrained ξ is an unfalsifiable fudge. The default simulation coupling is $\xi \equiv 0$. A non-zero ξ is a labelled excursion with a pre-declared prior and a posterior that must be shown, not a unification.

4. Why the v4.2 numbers failed (compressed audit)

v4.2 object	Failure mode	v5.0 action
Eq. 1 exponential	Exponent $\sim 6 \times 10^{-13}$; claim 10^6 . Dry-run $\mu_r \approx 1$.	Use χ Curie / effective medium. No conditioning flag from μ_r .
Eq. 4 "efficiency"	Category error; two incompatible evaluations (261 vs 10^9).	Split COP and η . Require entropy ledger.
Eq. 5 gravity	Tensor-rank error; κ_s reverse-engineered to the anecdote.	Newtonian/GEM sourced by T_{00} only. Energy-condition monitor.
Eq. 6 v_{scalar}	Diverges as $\theta \rightarrow 0$; causality.	Deleted. Courant lock at c .
Fractal Z	774Ω computed, 50Ω claimed.	Deleted as a closed form. Use BVP or measurement.
Unified ξ	Free parameter; unimplemented in code.	$\xi = 0$ default. Excursions labelled.
Discovery 7, 12	Unfalsifiable sociology / operator blame.	Removed from physics list.
Muon w/o neutrons	Contradicts known μCF branching.	Nuclear module off unless a full reaction network is specified.

Table 2. Audit compression. The 144-point list remains the working critique; this table is the engineering punch-list.

Two audit items are themselves corrected here so the revision does not inherit counter-errors. First, Equation 1 is dimensionally homogeneous once rewritten as $\mu_0 n \mu_H^2 / k_B T$, because $\epsilon_0 c^2 = 1/\mu_0$. The failure is numerical magnitude, not units. Second, replacing the nuclear moment by the Bohr magneton increases μ^2 by $\sim 4 \times 10^5$ and still leaves $\chi \ll 1$. Neither rescue produces 10^6 .

5. Twenty-four approaches

These replace the v0.1 catalogue of forty-eight stubs. Each item names a computable or laboratory object, a null, and a reject rule. Groups are four approaches wide so that ablation stays readable.

Group A — Vacuum, cavity, lattice

A1. SED cavity with Casimir gate

Coloured vacuum noise on a finite-Q cavity, calibrated so that two plates at separation d reproduce $F_C = \pi^2 \hbar c A / 240 d^4$ when extraction modules are off. Null: force error $> 1\%$ against the analytic Casimir formula. Reject the grid if the null fails.

A2. Hyperfine spectroscopy, no assumed inversion

Solve the hydrogen 21 cm line as absorption/emission in a 0.1 atm cell inside a 2.45 GHz, $Q > 10^4$, $B = 0.3$ T cavity. Predict the ambient-normalized power at 1.42 GHz. Null: no 10^6 gain. A detected line at ordinary thermal contrast is a success of the instrument, not of Stage 1 folklore.

A3. Effective-medium permeability

Magnet-plus-hydrogen composite treated by Maxwell-Garnett / Bruggeman with measured fill fraction. Output $\mu(\omega)$ and loss tangent. Null: $\mu_r > 10^2$ at 300 K without a documented ferromagnetic path. The exponential of Equation 1 is forbidden in this module.

A4. Stochastic resonance as SNR control

Classic SR: a subthreshold periodic bias plus tunable noise on a bistable or threshold detector. Optimize SNR. Null: SNR peak that requires an unphysical noise colour or an operator term. This is signal processing, not vacuum programming.

Group B — Gauge structure and current

B1. Embedded Aharonov-Bohm interferometer

Electron wave around a toroidal flux. Phase $\Delta\phi = e \Phi_B / \hbar$. Null: phase that fails to track enclosed flux, or a “topological current” that delivers joules to a load while $v_{\text{drift}} = 0$ and Joule heating is defined to be zero.

B2. Gauge-fixed Maxwell solver

Evolve A and Φ with an explicit gauge (Coulomb or Lorenz) and reconstruct E , B , and the Poynting vector. Energy conservation to a stated tolerance. Null: power at a load with no matching $-\nabla \cdot S$ or field-energy decrease.

B3. Topological conductor only where the Hamiltonian exists

Quantum Hall / Chern insulator modules are allowed solely with a 2DEG Hamiltonian, a magnetic length, and a temperature. They are not analogues for a 1970s shop motor. Null: finite dissipationless current at 300 K with no gap and no edge-state model.

B4. Dissipation ledger

Every current-bearing branch logs $\int J \cdot E \, dV \, dt$. A “heatless kilowatt” that does not appear in this integral is a bookkeeping failure, not a fourth state of current.

Group C — Gravitational readout

C1. Linearized GEM with monitors

Gravitoelectric potential from the simulated T_{00} . Track weak and null energy conditions each step. Null: WEC violation introduced by a polarization term rather than by declared exotic matter.

C2. Gravimeter forecast

Convert device energy and mass distribution into a Newtonian Δg at a stated test-mass location. Compare to 10^{-9} g. For laboratory kWh the prediction is consistent with zero. Null: a hardcoded -1.8% /kWh scaling.

C3. Asymmetry / preferred-frame test

If a module predicts weight change only for a downward beam, it has chosen a frame. Require a Lorentz-violation parameter and a bound from existing tests (solar-system, atom interferometry). Null: an unparameterized arrow “toward Earth’s centre.”

C4. Phase versus group velocity

Any “scalar” field is a sourced Klein–Gordon or constrained Maxwell mode with $v_{\text{group}} \leq c$. Clock-offset experiments are timed with group delay. Null: information transfer at $v > c$.

Group D — Thermodynamics and metrology**D1. Three-account ledger**

Device, environment, field. Publish ΔE and ΔS for each. The Clausius sum is a CI gate. Null: COP quoted as η , or $\eta > 1$ without a specified Q_{field} .

D2. Label lock

Code symbols: cop and eta are different fields. Tests fail the build if $\eta > 1.0 + \text{tolerance}$. Literature text generators must not emit “efficiency of 261.”

D3. Real versus apparent power

Grey-type claims are reconstructed with simultaneous $V(t)$, $I(t)$, and instantaneous $p(t) = v \cdot i$. Report P_{real} , P_{reactive} , and power factor. Null: $\text{COP} > 2$ that disappears when P_{real} is used.

D4. Thermal protocol

Predicted ΔT from P_{real} and thermal resistance, against a camera with stated NETD. Null: 1 kW electrical with $\Delta T < 0.1 \text{ K}$ and no corresponding field-energy sink in D1.

Group E — Numerical methods**E1. FDTD locked to c**

Courant number computed from c , not from a scalar-beam speed. Adaptive mesh is allowed; superluminal subcycling is not.

E2. Polynomial-chaos UQ from day zero

Propagate uncertainty in n_H , Q , B , cavity volume, and any residual coupling. Report Sobol indices. Modules that matter least are not implemented first.

E3. Spectral cavity modes

Eigenmodes of the actual box, including a $\phi : 1 : 1/\phi$ geometry as one mesh among many. Reactive-energy fraction is computed, not asserted at 55.3 %.

E4. Ablation harness

Bitmask for A/B/C/D modules and for operator/geo injectors. Every published run includes the mask in the log header.

Group F — Validation and publication

F1. Casimir unit test

Must pass before any anomalous module is merged.

F2. Johnson–Nyquist floor

$S_V(f) = 4 k_B T R$ on a reference resistor. Stage-2 “below thermal noise” claims are tested against this floor with the same digitizer model.

F3. Pre-registered operator-off protocol

Every experiment that could invoke P5 is run with the operator oscillator at zero and at a recorded ECG. Analysis code is hashed before unblinding. “Incoherent operator” is not an admissible post hoc explanation.

F4. Reproducibility and known-physics CI

Seed, config dataclass, and $\xi = 0$ job run in CI. A job that emits $\text{cascade_cop} > 1 + \text{numerical noise}$ under $\xi = 0$ fails the build. The v0.1 JSON, with $\text{super_permeability} \approx 1$ and $\text{cascade_cop} = 0$, is the current correct fixture.

6. Experimental protocol (null-first)

v4.2 listed expected positive signatures (10^6 line brightness, $\text{COP} > 200$, $\Delta m/m = -1.8 \text{ \%/kWh}$, self-oscillation). v5.0 lists what would count as a real anomaly after the gates above, and what the default prediction is.

Test	Default prediction	Anomaly threshold
H2 cavity, 1.42 GHz	Thermal / instrumental contrast, not $10^6 \times$ ambient	Pre-registered gain after calibration, independent observers
Toroid + bias, thermal	ΔT consistent with P_{real} and R_{th}	$P_{\text{real out}} \gg P_{\text{real in}}$ with closed ledger
VTA-like box, gravimeter	Δg consistent with ordinary T_{00}	Persistent Δg above $10\times$ instrument floor, polarity mapped
Full series hookup	No self-oscillation; output dies with input	Sustained P_{real} after input removal, replicated
Faraday cage / no Schumann inject	No change beyond EM shielding	Output that requires an unshieldable “telluric” term

Table 3. Default predictions are the scientific content. Anomaly thresholds are deliberately expensive.

Geographic “planetary anchor” claims are demoted to a nuisance parameter: if a device fails in a shielded room, the first explanation is incomplete EM isolation or measurement error, not a Giza–Wardenclyffe waveguide.

7. Simulation contract for QNVM-GE

QNVM v0.6 remains a coherence-ecology engine (entities, CI_B / CI_C , collapse, resurrection debt, archetypes, spatial field). That engine may continue. It must not be narrated as vacuum QED because an entity was renamed a “domain.”

The G-Engine physics skin is a separate package. Its public contract:

- Default profile: Maxwell + Casimir + Aharonov–Bohm + Johnson–Nyquist + Newtonian gravity from T_{00} . $\xi = 0$. Operator = 0. Geo = 0.

- Equation 1 in code must return $\mu_r - 1 = O(10^{-10})$ or smaller under published n_H . A test fails the build if $\mu_r > 1.01$.
- No hardcoded $\text{mass_reduction} = -0.018 \times kW$ and no hardcoded $\text{temp_rise} = 0$.
- Falsification tests may not be tuned to the stub's present dynamic range. Thresholds are physical, not decorative.
- The 10-generation dry-run ($\text{conditioned} = \text{false}$, $\text{cascade_cop} = 0$) is a passing known-physics fixture, not a failed demo.

A 28-week plan that includes a time-dependent Einstein solver, nanometre AMR on domain walls, and CUDA superluminal FDTD is not a plan. v0.2 is: A1, A3, B1, B4, D1, D2, F1, F2, F4.

8. Discoveries, rewritten as hypotheses

The twelve v4.2 “discoveries” are reclassified. None is reported as a result.

v4.2 label	v5.0 status
Vacuum DC offset	Hypothesis: contact potential / broken-symmetry electrostatics. Measure with a field mill. Not ZPE.
Fourth current	Rejected as stated. Winding numbers do not pay joules into a resistor without a Hamiltonian.
Stochastic resonance	Kept as A4, standard physics.
1.42 GHz grid frequency	Rejected as universal lock. Kept as a spectroscopic line (A2).
α as attenuation	Rejected.
Biofield memory	Replaced by F3. Residual output after shutdown is dielectric/magnetic relaxation until proven otherwise.
Suppression Boltzmann	Removed from physics. Attention scales with claimed watts in every field.
Planetary anchor	Nuisance parameter. Shielding test first.
Golden-ratio cavity	Mesh option in E3, not a law.
Muon fusion, no neutrons	Off. Requires a nuclear network if ever revived.
Asymmetric anti-gravity	C3. Preferred-frame cost must be paid.
Consciousness as element	Rejected as a postulate. Operator is noise (P5, F3).

Table 4. Names may be kept for continuity with the Mesh. Physics status may not.

9. Ethics without cosmology

v4.2 closed on planetary immune response, civilizational maturity, and a curriculum of scarcity. Those paragraphs treat a failed formula as a moral test. This revision does not.

The ethical content that remains is ordinary: do not ship a kilovolt hydrogen cavity as a consumer object; do not tell investors that a JSON file with $\text{cascade_cop} = 0$ is a working engine; do not use “suppression” to excuse the absence of a ledger. Open replication is still the correct social mode. Readiness to “use the technology” is not the question. Existence of the technology is the question, and the present equations do not establish it.

10. Conclusion

White Paper v4.2 assembled three inventor legends, six non-working formulae, and a simulation scaffold that, when it computed anything, computed the correction. That is a better starting point than most projects in this genre, provided the correction is allowed to stand.

v5.0 therefore states: there is no demonstrated super-permeability of 10^6 ; there is no three-reservoir efficiency of 261 or 10^9 ; there is no derived 50 Ω vacuum match; there is no licensed superluminal beam; there is no laboratory anti-gravity term from P_{vac} . There is a cavity, a gauge field, a gravimeter, an energy ledger, and twenty-four approaches that can fail in public.

If a later experiment crosses an anomaly threshold in Table 3 after the gates in Group F, the paper should be written then. Until that date, QNVM-GE's job is to keep the known-physics profile honest and to refuse any merge that restores the v4.2 numbers.

Appendix A. Numerical evaluation of the retired exponential

Inputs used by v4.2: $n_H \sim 10^{25} \text{ m}^{-3}$, $\mu_H = 1.41 \times 10^{-26} \text{ J/T}$, $T = 300 \text{ K}$, $\epsilon_0 = 8.85 \times 10^{-12} \text{ F/m}$, $c = 3 \times 10^8 \text{ m/s}$.

Numerator $n_H \mu_H^2 \approx 1.99 \times 10^{-27}$. Denominator $k_B T \epsilon_0 c^2 \approx 3.3 \times 10^{-15}$. Ratio $\approx 6 \times 10^{-13}$. $\exp(6 \times 10^{-13}) \approx 1 + 6 \times 10^{-13}$.

Corrected density at 0.1 atm: $n_H \approx 2.45 \times 10^{24} \text{ m}^{-3}$. Rewritten Curie form $\mu_0 n \mu_H^2 / k_B T$ remains $O(10^{-10})$ or smaller. To reach $\ln(10^6) \approx 13.8$ with this functional form requires condensed-matter or nuclear densities, not a 0.1 atm fill.

QNVM-GE v0.1 fixture: `super_permeability = 1.0000000000001474`, `conditioned = false`, `cascade_cop = 0`. That fixture is the reference implementation of this appendix.

Appendix B. Mapping from v0.1 groups A–F

Old Group A (vacuum conditioning stubs) → new A1–A4, with Equation 1 removed as a solver.

Old Group B (topological current stubs) → new B1–B4, with QHE restricted to a real Hamiltonian.

Old Group C (metric modulation stubs) → new C1–C4, with superluminal FDTD deleted.

Old Group D (cascade dynamics) → new D1–D4 plus E4, with self-oscillation treated as a failure of the input-removal test until shown otherwise.

Old Group E (numerics) → new E1–E3; LBM with negative viscosity and PT-symmetry-as-fuel are not carried forward.

Old Group F (validation) → new F1–F4; suppression-Boltzmann and consciousness-null-as-physics are not carried forward except as F3's operator-off run.

Appendix C. Citation and license

This text revises G-Engine White Paper v4.2 (11 June 2026) and the QNVM-GE v0.1 snapshot (codename zero-point). It should be read with the 144-point equation audit and with `qnmv/test_results.json`. Repository: <https://github.com/TaoishTechy/g-engine>

Release under the project's Open Falsification License. Contributions that restore withdrawn numerical claims without a new derivation will be treated as spec errors, not as features.

Suggested citation: Advanced Propulsion Physics Laboratory, The G-Engine Architecture v5.0: Corrected Framework for Vacuum-Coupling Hypotheses under Explicit Falsification, 6 September 2026.