

TuniTech Abroad

MVP Backlog v1

Implementation ticket backlog - PDF version

Generated for Baha Edine Taouai - June 2026

1. Document Purpose

This document converts the Implementation Roadmap v1 into implementation tickets. Each ticket includes ticket ID, phase, priority, type, description, dependencies, acceptance criteria, and test expectations.

It comes before Repository Setup Plan v1 and the First Coding Phase.

2. Priority System

P0 = mandatory for MVP core
P1 = important, but can be delayed if needed
P2 = useful polish or post-MVP candidate

3. Ticket Type System

setup | backend | frontend | service | model | task | admin | test | security | privacy |
integration | llm | email | deployment

4. Backlog Overview

Phase	Name	Tickets
0	Repository and Local Environment	5
1	Django Foundation and Authentication	5
2	Core Models and Admin	6
3	Skill Taxonomy	6
4	Job Ingestion and Normalization	8
5	Public Job Search and Pages	5
6	CV Upload, Parsing, Profile Completion	8
7	Matching and Quick Match	6
8	Recommendations and Saved Jobs	6
9	OpenRouter LLM Support	6
10	Email Notifications	4
11	Privacy Deletion	4
12	Admin and Observability	3
13	MVP Polish	3
14	Deployment	4

Phase 0 - Repository and Local Environment

TTA-0001 - Create project repository

Phase	0	Priority	P0	Type	setup
-------	---	----------	----	------	-------

Description

Create the Git repository for TuniTech Abroad.

Dependencies

None

Acceptance Criteria

- Repository exists
- README.md exists
- .gitignore exists
- Initial commit created

Test Expectations

- Repository can be cloned
- No secrets committed

TTA-0002 - Create Django project skeleton

Phase	0	Priority	P0	Type	setup
-------	---	----------	----	------	-------

Description

Create Django project structure with config/ and apps/.

Dependencies

TTA-0001

Acceptance Criteria

- Django project starts
- config/settings package exists
- apps package exists
- manage.py exists

Test Expectations

- python manage.py check passes

TTA-0003 - Configure local PostgreSQL and Redis

Phase	0	Priority	P0	Type	setup
-------	---	----------	----	------	-------

Description

Add Docker Compose for PostgreSQL and Redis.

Dependencies

TTA-0002

Acceptance Criteria

- docker-compose.yml exists
- PostgreSQL container starts
- Redis container starts
- Django connects to PostgreSQL

Test Expectations

- python manage.py migrate works
- Redis ping works

TTA-0004 - Configure Celery and Celery Beat

Phase	0	Priority	P0	Type	setup
-------	---	----------	----	------	-------

Description

Set up Celery worker and Beat with Redis broker.

Dependencies

TTA-0003

Acceptance Criteria

- Celery app configured
- Worker starts
- Beat starts
- Test task can run

Test Expectations

- Simple debug task executes successfully

TTA-0005 - Add environment configuration

Phase	0	Priority	P0	Type	setup
-------	---	----------	----	------	-------

Description

Create .env.example and settings split.

Dependencies

TTA-0002

Acceptance Criteria

- .env.example exists
- local settings exist
- production settings placeholder exists
- Secrets are read from environment

Test Expectations

- Project starts using .env values
- No secrets hardcoded

Phase 1 - Django Foundation and Authentication

TTA-0101 - Create custom User model

Phase	1	Priority	P0	Type	model
-------	---	----------	----	------	-------

Description

Create custom User model before first migration lock-in.

Dependencies

TTA-0002

Acceptance Criteria

- Custom User model exists
- Email is unique
- AUTH_USER_MODEL configured
- Admin can manage users

Test Expectations

- User creation test passes
- Unique email test passes

TTA-0102 - Install and configure django-allauth

Phase	1	Priority	P0	Type	integration
-------	---	----------	----	------	-------------

Description

Add allauth for email/password, Google, and GitHub login.

Dependencies

TTA-0101

Acceptance Criteria

- Email/password login works
- Signup works
- Logout works
- Email verification enabled
- Google provider configured
- GitHub provider configured

Test Expectations

- Signup view loads
- Login view loads
- Logout works
- Verified email flow works locally

TTA-0103 - Implement AccountProvisioningService

Phase	1	Priority	P0	Type	service
-------	---	----------	----	------	---------

Description

Create profile and email preferences after signup/login.

Dependencies

TTA-0101

Acceptance Criteria

- CandidateProfile created after signup
- EmailPreference created after signup
- Service is idempotent

Test Expectations

- Calling service twice does not create duplicate profile
- Calling service twice does not create duplicate preferences

TTA-0104 - Create base templates and homepage shell

Phase	1	Priority	P0	Type	frontend
-------	---	----------	----	------	----------

Description

Create base layout, navbar, footer, homepage shell.

Dependencies

TTA-0002

Acceptance Criteria

- base.html exists
- home.html exists
- Navbar exists
- Footer exists
- Homepage loads

Test Expectations

- GET / returns 200

TTA-0105 - Create dashboard access guard

Phase	1	Priority	P0	Type	backend
-------	---	----------	----	------	---------

Description

Create authenticated dashboard placeholder.

Dependencies

TTA-0102

Acceptance Criteria

- /dashboard/ exists
- Anonymous users redirected to login
- Authenticated users can access

Test Expectations

- Anonymous dashboard request redirects
- Authenticated dashboard request returns 200

Phase 2 - Core Models and Admin

TTA-0201 - Create CandidateProfile model

Phase	2	Priority	P0	Type	model
-------	---	----------	----	------	-------

Description

Create main user profile model.

Dependencies

TTA-0101

Acceptance Criteria

- CandidateProfile model exists
- One profile per user
- Profile fields match Database Schema v1
- Admin registration exists

Test Expectations

- Profile created for user
- Unique user/profile constraint enforced

TTA-0202 - Create EmailPreference model

Phase	2	Priority	P0	Type	model
-------	---	----------	----	------	-------

Description

Store user email preferences.

Dependencies

TTA-0101

Acceptance Criteria

- EmailPreference model exists
- One preference row per user
- Default weekly digest disabled

Test Expectations

- Preference created
- Unique user constraint works

TTA-0203 - Create SystemSetting model and service

Phase	2	Priority	P1	Type	model/service
-------	---	----------	----	------	---------------

Description

Create configurable settings for limits and thresholds.

Dependencies

TTA-0002

Acceptance Criteria

- SystemSetting model exists
- SystemSettingService.get() works
- Fallback default works

Test Expectations

- Existing setting returns value
- Missing setting returns default

TTA-0204 - Create ConsentRecord model and ConsentService

Phase	2	Priority	P0	Type	privacy
-------	---	----------	----	------	---------

Description

Track user consent for CV processing, email digest, terms, and privacy policy.

Dependencies

TTA-0101

Acceptance Criteria

- ConsentRecord model exists
- ConsentService.record() works
- Consent includes type, version, text, timestamp

Test Expectations

- Consent can be recorded
- Multiple consent versions can exist

TTA-0205 - Create UserEvent model and service

Phase	2	Priority	P1	Type	analytics
-------	---	----------	----	------	-----------

Description

Record lightweight product events.

Dependencies

TTA-0101

Acceptance Criteria

- UserEvent model exists
- UserEventService.record() works
- Anonymous session hash supported

Test Expectations

- Authenticated event can be recorded
- Anonymous event can be recorded
- Analytics failure does not break user flow

TTA-0206 - Register core models in Django Admin

Phase	2	Priority	P0	Type	admin
-------	---	----------	----	------	-------

Description

Register User, CandidateProfile, EmailPreference, ConsentRecord, UserEvent, and SystemSetting.

Dependencies

TTA-0201, TTA-0202, TTA-0203, TTA-0204, TTA-0205

Acceptance Criteria

- Admin pages load
- List display is useful
- Search fields configured
- Filters configured where useful

Test Expectations

- Staff can access admin
- Non-staff cannot access admin

Phase 3 - Skill Taxonomy

TTA-0301 - Create Skill model

Phase	3	Priority	P0	Type	model
-------	---	----------	----	------	-------

Description

Create canonical skill model.

Dependencies

TTA-0206

Acceptance Criteria

- Skill model exists
- canonical_name unique
- slug unique
- category choices exist
- is_active field exists

Test Expectations

- Duplicate slug rejected
- Inactive skill can remain in database

TTA-0302 - Create SkillAlias model

Phase	3	Priority	P0	Type	model
-------	---	----------	----	------	-------

Description

Create alias mapping for raw skill text to canonical Skill.

Dependencies

TTA-0301

Acceptance Criteria

- SkillAlias model exists
- normalized_alias unique
- Alias links to Skill

Test Expectations

- ReactJS maps to React if alias exists
- Duplicate normalized alias rejected

TTA-0303 - Create UnmatchedSkillCandidate model

Phase	3	Priority	P0	Type	model
-------	---	----------	----	------	-------

Description

Store unknown skills for admin review.

Dependencies

TTA-0301

Acceptance Criteria

- Model exists
- status choices exist: pending, mapped, ignored
- occurrence_count exists
- mapped_skill nullable

Test Expectations

- Unknown candidate can be created
- Occurrence count can increment

TTA-0304 - Implement SkillNormalizerService

Phase	3	Priority	P0	Type	service
-------	---	----------	----	------	---------

Description

Normalize raw skill strings into canonical Skill records.

Dependencies

TTA-0301, TTA-0302, TTA-0303

Acceptance Criteria

- Exact alias lookup works
- Text normalization works
- Unknown skill creates/updates UnmatchedSkillCandidate
- Service does not auto-create Skill

Test Expectations

- ReactJS normalizes to React
- Postgres normalizes to PostgreSQL
- Unknown skill creates pending candidate
- Repeated unknown skill increments count

TTA-0305 - Implement initial skill seed command

Phase	3	Priority	P0	Type	backend
-------	---	----------	----	------	---------

Description

Seed 200-300 canonical skills and initial aliases.

Dependencies

TTA-0304

Acceptance Criteria

- Management command exists
- Seed is idempotent
- Core IT skill categories populated

Test Expectations

- Running seed twice does not duplicate records

TTA-0306 - Add admin skill review actions

Phase	3	Priority	P1	Type	admin
-------	---	----------	----	------	-------

Description

Allow admin to map or ignore unmatched skill candidates.

Dependencies

TTA-0303, TTA-0304

Acceptance Criteria

- Admin can map candidate to existing Skill
- Admin can ignore candidate
- reviewed_by and reviewed_at set

Test Expectations

- Only staff can review
- Mapped candidate status changes to mapped
- Ignored candidate status changes to ignored

Phase 4 - Job Ingestion and Normalization

TTA-0401 - Create JobSource and IngestionRun models

Phase	4	Priority	P0	Type	model
-------	---	----------	----	------	-------

Description

Store external job source and ingestion run history.

Dependencies

TTA-0206

Acceptance Criteria

- JobSource model exists
- IngestionRun model exists
- france_travail source can be created
- Run status and counts are stored

Test Expectations

- JobSource slug unique
- IngestionRun links to source

TTA-0402 - Create RawJobRecord model

Phase	4	Priority	P0	Type	model
-------	---	----------	----	------	-------

Description

Store raw external job payloads.

Dependencies

TTA-0401

Acceptance Criteria

- RawJobRecord model exists
- raw_payload_json exists
- payload_hash exists
- unique(source, source_job_id) enforced

Test Expectations

- Duplicate source/source_job_id rejected
- Payload hash stored

TTA-0403 - Create NormalizedJob and NormalizedJobSkill models

Phase	4	Priority	P0	Type	model
-------	---	----------	----	------	-------

Description

Store clean searchable jobs and their canonical skills.

Dependencies

TTA-0402, TTA-0301

Acceptance Criteria

- NormalizedJob model exists
- public_id UUID exists
- search_vector exists
- NormalizedJobSkill model exists
- Job skill uniqueness enforced

Test Expectations

- Job has UUID public_id
- Public ID is unique
- Job skill duplicates prevented

TTA-0404 - Implement JobFixtureIngestionService

Phase	4	Priority	P0	Type	service
-------	---	----------	----	------	---------

Description

Load sample France Travail-like payloads for development.

Dependencies

TTA-0402

Acceptance Criteria

- Fixture file can create RawJobRecord
- Payload hash calculated
- Existing records updated, not duplicated

Test Expectations

- Fixture ingestion creates raw records
- Running fixture twice does not duplicate records
- Changed fixture updates payload hash

TTA-0405 - Implement JobClassificationService

Phase	4	Priority	P0	Type	service
-------	---	----------	----	------	---------

Description

Classify job type, remote type, experience level, and language requirements.

Dependencies

TTA-0403

Acceptance Criteria

- stage/PFE detected as internship
- alternance/apprentissage detected as apprenticeship
- CDI/CDD detected where possible
- remote/hybrid/on-site detected
- French/English requirements extracted

Test Expectations

- Classification tests for stage, PFE, alternance, CDI, remote, hybrid

TTA-0406 - Implement JobNormalizationService

Phase	4	Priority	P0	Type	service
-------	---	----------	----	------	---------

Description

Normalize RawJobRecord into NormalizedJob.

Dependencies

TTA-0403, TTA-0405

Acceptance Criteria

- Raw payload maps to NormalizedJob
- Missing fields do not crash
- Raw normalization_status updated
- search_vector populated

Test Expectations

- Valid raw job normalizes successfully
- Missing company/location handled
- Failed normalization stores error

TTA-0407 - Implement JobFreshnessService

Phase	4	Priority	P0	Type	service
-------	---	----------	----	------	---------

Description

Mark jobs active, stale, expired, removed.

Dependencies

TTA-0403, TTA-0203

Acceptance Criteria

- Expired jobs marked expired
- Old unseen jobs marked stale/removed
- Active jobs remain active

Test Expectations

- expires_at past marks expired
- last_seen_at older than threshold marks stale
- last_seen_at older than removed threshold marks removed

TTA-0408 - Add ingestion Celery tasks

Phase	4	Priority	P0	Type	task
-------	---	----------	----	------	------

Description

Create tasks for ingestion and normalization.

Dependencies

TTA-0404, TTA-0406, TTA-0407

Acceptance Criteria

- normalize_raw_job_record task exists
- mark_stale_and_expired_jobs task exists
- Tasks call services only

Test Expectations

- Task executes normalization service
- Task handles missing record safely

Phase 5 - Public Job Search and Pages

TTA-0501 - Implement JobSearchService

Phase	5	Priority	P0	Type	service
-------	---	----------	----	------	---------

Description

Search local PostgreSQL jobs using full-text search.

Dependencies

TTA-0403

Acceptance Criteria

- Search uses local database
- Only active jobs shown by default
- Filters supported
- Pagination supported

Test Expectations

- Search returns matching jobs
- Expired jobs hidden by default
- Filters work
- Pagination works

TTA-0502 - Implement JobQueryService

Phase	5	Priority	P0	Type	service
-------	---	----------	----	------	---------

Description

Retrieve public jobs by UUID public_id.

Dependencies

TTA-0403

Acceptance Criteria

- get_public_job(public_id) works
- Internal integer ID not used in public view
- Not found handled safely

Test Expectations

- Existing public_id returns job
- Unknown public_id raises not found

TTA-0503 - Build public job search page

Phase	5	Priority	P0	Type	frontend
-------	---	----------	----	------	----------

Description

Create /jobs/ page.

Dependencies

TTA-0501

Acceptance Criteria

- GET /jobs/ returns 200
- Search form visible
- Job cards visible
- Pagination visible

Test Expectations

- Anonymous user can access
- Search query returns filtered result

TTA-0504 - Build job detail page

Phase	5	Priority	P0	Type	frontend
-------	---	----------	----	------	----------

Description

Create /jobs/<uuid:public_id>/ page.

Dependencies

TTA-0502

Acceptance Criteria

- Job detail loads by UUID
- Job title, company, location, description visible
- Skills visible
- Stale/expired label visible when relevant

Test Expectations

- Valid job returns 200
- Unknown job returns 404
- Internal ID route does not exist

TTA-0505 - Implement JobRevalidationService shell

Phase	5	Priority	P1	Type	service
-------	---	----------	----	------	---------

Description

Create safe service shell for high-intent job refresh.

Dependencies

TTA-0502

Acceptance Criteria

- Service exists
- Checks last_fetched_at threshold
- If external client not configured, safely returns existing job

Test Expectations

- Old job triggers revalidation path
- External failure does not break job detail

Phase 6 - CV Upload, Parsing, Profile Completion

TTA-0601 - Create CVUpload and CVParsedData models

Phase	6	Priority	P0	Type	model
-------	---	----------	----	------	-------

Description

Create CV metadata and parsed data models.

Dependencies

TTA-0201

Acceptance Criteria

- CVUpload model exists
- CVParsedData model exists
- public_id UUID exists
- CVUpload.objects excludes deleted CVs
- CVUpload.all_objects includes all CVs
- One active CV constraint exists

Test Expectations

- Deleted CV excluded by default manager
- all_objects returns deleted CV
- Only one active CV allowed

TTA-0602 - Implement CVUploadService

Phase	6	Priority	P0	Type	service
-------	---	----------	----	------	---------

Description

Validate and store CV uploads.

Dependencies

TTA-0601, TTA-0204

Acceptance Criteria

- PDF accepted
- Non-PDF rejected
- File size limit enforced
- Consent required
- Previous active CV deactivated
- parse_cv task enqueued

Test Expectations

- Valid PDF creates CVUpload
- Invalid file rejected
- Missing consent rejected
- Old CV becomes inactive

TTA-0603 - Implement CVTextExtractionService

Phase	6	Priority	P0	Type	service
-------	---	----------	----	------	---------

Description

Extract text from PDF using PyMuPDF or pdfplumber.

Dependencies

TTA-0601

Acceptance Criteria

- Text extraction works for text-based PDF
- Unreadable/scanned PDFs detected
- Text length stored

Test Expectations

- Sample PDF extracts text
- Empty/scanned-like PDF returns too_little_text

TTA-0604 - Implement CVDeterministicExtractorService

Phase	6	Priority	P0	Type	service
-------	---	----------	----	------	---------

Description

Extract exact fields from CV text.

Dependencies

TTA-0603

Acceptance Criteria

- Email extracted
- Phone extracted where possible
- LinkedIn URL extracted
- GitHub URL extracted
- Portfolio/website URL extracted

Test Expectations

- Regex extracts known sample values
- No crash if fields missing

TTA-0605 - Implement CVParsingService

Phase	6	Priority	P0	Type	service
-------	---	----------	----	------	---------

Description

Coordinate full CV parsing flow.

Dependencies

TTA-0602, TTA-0603, TTA-0604, TTA-0304

Acceptance Criteria

- parse_status moves pending -> processing -> parsed/failed
- CVParsedData created
- ProfileSkill rows created
- CandidateProfile draft fields updated where empty
- Profile completeness recalculated

Test Expectations

- Parse task creates CVParsedData
- Extracted skill maps to ProfileSkill
- Unreadable CV marks failed
- Deleted CV parsing aborts

TTA-0606 - Build CV management page

Phase	6	Priority	P0	Type	frontend
-------	---	----------	----	------	----------

Description

Create /dashboard/cv/.

Dependencies

TTA-0602, TTA-0605

Acceptance Criteria

- User can upload CV
- Consent checkbox visible
- Parse status visible
- Delete CV button visible
- Replace CV supported

Test Expectations

- Anonymous user redirected
- Authenticated user can upload
- Only owner can view own CV

TTA-0607 - Build profile edit page

Phase	6	Priority	P0	Type	frontend
-------	---	----------	----	------	----------

Description

Create /dashboard/profile/.

Dependencies

TTA-0201, TTA-0304

Acceptance Criteria

- User can edit profile fields
- User can edit skills
- Completeness updates
- Recommendations marked stale after meaningful changes

Test Expectations

- Profile update persists
- Invalid URLs rejected
- Profile completeness updates

TTA-0608 - Implement CVDeletionService

Phase	6	Priority	P0	Type	privacy
-------	---	----------	----	------	---------

Description

Safely delete CV data and file.

Dependencies

TTA-0601

Acceptance Criteria

- Physical file deleted
- CVUpload soft-deleted
- CVParsedData deleted or cleared
- Unconfirmed CV-only ProfileSkill rows removed
- Recommendations marked stale

Test Expectations

- Deleted CV is not used in matching
- Deleted CV not returned by CVUpload.objects
- File no longer exists

Phase 7 - Matching and Quick Match

TTA-0701 - Create MatchResult and QuickMatchSession models

Phase	7	Priority	P0	Type	model
-------	---	----------	----	------	-------

Description

Store full match results and anonymous quick match sessions.

Dependencies

TTA-0403, TTA-0601

Acceptance Criteria

- MatchResult model exists
- QuickMatchSession model exists
- public_id UUIDs exist
- Snapshots stored in JSON fields

Test Expectations

- MatchResult links user/profile/job
- QuickMatchSession expires_at exists

TTA-0702 - Implement MatchScoringService

Phase	7	Priority	P0	Type	service
-------	---	----------	----	------	---------

Description

Build deterministic scoring engine.

Dependencies

TTA-0304, TTA-0403, TTA-0607

Acceptance Criteria

- Fit score formula implemented
- Technical skill score implemented
- Experience score implemented
- Role/title score implemented
- Language score implemented
- Location score implemented
- Risk flags returned
- Profile signals returned

Test Expectations

- Score always 0-100
- Required skill missing reduces technical score
- Profile signals do not reduce score
- French missing flag works

TTA-0703 - Implement MatchResultService

Phase	7	Priority	P0	Type	service
-------	---	----------	----	------	---------

Description

Create stored match result from user and job.

Dependencies

TTA-0701, TTA-0702

Acceptance Criteria

- Service validates profile
- Service loads active CV if available
- Service stores score breakdown
- Service stores profile and job snapshots

Test Expectations

- Usable profile can create match
- Incomplete profile blocked or warned
- MatchResult created

TTA-0704 - Implement QuickMatchService

Phase	7	Priority	P0	Type	service
-------	---	----------	----	------	---------

Description

Anonymous teaser match from manually entered skills.

Dependencies

TTA-0701, TTA-0304, TTA-0403

Acceptance Criteria

- No login required
- No CV required
- No LLM used
- Rate limit supported
- QuickMatchSession stored

Test Expectations

- Anonymous quick match returns score
- Unknown skill goes to UnmatchedSkillCandidate
- Rate limit works

TTA-0705 - Build match endpoints and pages

Phase	7	Priority	P0	Type	frontend
-------	---	----------	----	------	----------

Description

Create full match and match detail UI.

Dependencies

TTA-0703

Acceptance Criteria

- /jobs/<uuid>/match/ creates match
- Redirects to match detail
- Match detail shows score breakdown
- Only owner can view match

Test Expectations

- Anonymous full match redirects to login
- Owner can view match
- Other user cannot view match

TTA-0706 - Build quick match HTMX UI

Phase	7	Priority	P0	Type	frontend
-------	---	----------	----	------	----------

Description

Add quick match form/result on job detail page.

Dependencies

TTA-0704, TTA-0504

Acceptance Criteria

- Quick match form visible to anonymous users
- HTMX result renders
- CTA to signup/CV upload visible

Test Expectations

- Valid quick match returns partial HTML
- Invalid input returns validation message

Phase 8 - Recommendations and Saved Jobs

TTA-0801 - Create recommendation models

Phase	8	Priority	P0	Type	model
-------	---	----------	----	------	-------

Description

Create JobRecommendation, RecommendationRun, and SavedJob.

Dependencies

TTA-0701

Acceptance Criteria

- JobRecommendation exists
- RecommendationRun exists
- SavedJob exists
- unique user/job saved job constraint exists

Test Expectations

- Duplicate saved job rejected
- Recommendation links user/profile/job

TTA-0802 - Implement RecommendationService

Phase	8	Priority	P0	Type	service
-------	---	----------	----	------	---------

Description

Generate stored recommendations using MatchScoringService.

Dependencies

TTA-0801, TTA-0702

Acceptance Criteria

- Creates RecommendationRun
- Prefilters jobs
- Scores candidate jobs
- Stores top recommendations
- Marks old recommendations stale

Test Expectations

- Recommendations generated for usable profile
- Incomplete profile skipped
- Running twice does not duplicate rows

TTA-0803 - Implement RecommendationQueryService

Phase	8	Priority	P0	Type	service
-------	---	----------	----	------	---------

Description

Read dashboard recommendations and enqueue refresh when needed.

Dependencies

TTA-0802

Acceptance Criteria

- Fresh recommendations returned
- Stale recommendations returned with refresh enqueue
- No recommendations returns pending state

Test Expectations

- Fresh path works
- Stale path enqueues task
- Empty path enqueues task

TTA-0804 - Build recommendations dashboard page

Phase	8	Priority	P0	Type	frontend
-------	---	----------	----	------	----------

Description

Create /dashboard/recommendations/.

Dependencies

TTA-0803

Acceptance Criteria

- User sees recommendations
- Score and missing skills visible
- Stale state visible
- Pending state visible

Test Expectations

- Authenticated user can access
- Anonymous user redirected
- Dashboard does not compute heavy matching synchronously

TTA-0805 - Implement SavedJobService and buttons

Phase	8	Priority	P0	Type	service/frontend
-------	---	----------	----	------	------------------

Description

Allow users to save and unsave jobs.

Dependencies

TTA-0801, TTA-0504

Acceptance Criteria

- Save job works
- Unsave job works
- HTMX button updates
- Saving is idempotent

Test Expectations

- Authenticated user can save
- Anonymous user redirected
- Duplicate save returns existing saved job

TTA-0806 - Build saved jobs page

Phase	8	Priority	P1	Type	frontend
-------	---	----------	----	------	----------

Description

Create /dashboard/saved-jobs/.

Dependencies

TTA-0805

Acceptance Criteria

- Saved jobs listed
- Stale/expired labels shown
- User can remove saved jobs

Test Expectations

- Only current user saved jobs shown

Phase 9 - OpenRouter LLM Support

TTA-0901 - Create LLM models

Phase	9	Priority	P0	Type	model
-------	---	----------	----	------	-------

Description

Create PromptVersion, LLMCacheEntry, and LLMUsageLog.

Dependencies

TTA-0206

Acceptance Criteria

- PromptVersion exists
- LLMCacheEntry exists
- LLMUsageLog exists
- cache_key unique

Test Expectations

- Prompt version can be stored
- Cache entry can be retrieved by key
- Usage log can be created

TTA-0902 - Implement OpenRouterClient

Phase	9	Priority	P0	Type	llm
-------	---	----------	----	------	-----

Description

Low-level OpenRouter API client.

Dependencies

TTA-0901

Acceptance Criteria

- Client reads API key from env
- Timeout configured
- Errors normalized
- No key logged

Test Expectations

- Mocked API success works
- Mocked API error raises LLMServiceError

TTA-0903 - Implement PromptRunnerService

Phase	9	Priority	P0	Type	llm
-------	---	----------	----	------	-----

Description

Run versioned prompts with cache and usage logging.

Dependencies

TTA-0901, TTA-0902

Acceptance Criteria

- Active prompt resolved
- Cache hit avoids API call
- Cache miss calls client
- Usage log recorded

Test Expectations

- Cache hit test
- Cache miss test
- Failed call logs failure

TTA-0904 - Implement LLM rate limits and output validation

Phase	9	Priority	P0	Type	llm/security
-------	---	----------	----	------	--------------

Description

Prevent uncontrolled OpenRouter usage and validate outputs.

Dependencies

TTA-0903

Acceptance Criteria

- Daily user limit enforced
- Match explanation limit enforced
- CV extraction JSON validated
- Unsafe explanation content blocked or sanitized

Test Expectations

- Rate limit blocks after threshold
- Invalid JSON rejected
- Explanation cannot alter fit score

TTA-0905 - Enable CV LLM extraction

Phase	9	Priority	P1	Type	llm
-------	---	----------	----	------	-----

Description

Use OpenRouter for structured CV extraction.

Dependencies

TTA-0605, TTA-0903, TTA-0904

Acceptance Criteria

- CV extraction prompt exists
- LLM output stored in CVParsedData.llm_json
- Failure marks parsed_with_warnings if deterministic data exists

Test Expectations

- Mocked LLM response creates structured data
- LLM failure does not delete CV

TTA-0906 - Enable match explanation

Phase	9	Priority	P1	Type	llm/frontend
-------	---	----------	----	------	--------------

Description

Generate optional AI explanation for MatchResult.

Dependencies

TTA-0705, TTA-0903, TTA-0904

Acceptance Criteria

- Explanation endpoint exists
- Uses structured score payload only
- Updates MatchResult explanation fields
- HTMX partial updates page

Test Expectations

- Owner can generate explanation
- Non-owner blocked
- Cache reused
- Score unchanged

Phase 10 - Email Notifications

TTA-1001 - Create email models

Phase	10	Priority	P0	Type	model
-------	----	----------	----	------	-------

Description

Create EmailBatch, EmailEvent, EmailUnsubscribeToken.

Dependencies

TTA-0202

Acceptance Criteria

- EmailEvent.idempotency_key unique
- EmailBatch tracks status
- Unsubscribe token hash stored

Test Expectations

- Duplicate idempotency key rejected

TTA-1002 - Implement EmailSenderService

Phase	10	Priority	P0	Type	email
-------	----	----------	----	------	-------

Description

Abstract email provider and idempotent sending.

Dependencies

TTA-1001

Acceptance Criteria

- Creates queued EmailEvent
- Sends through provider abstraction
- Updates sent/failed status
- Duplicate idempotency key returns existing event

Test Expectations

- Mock provider success
- Mock provider failure
- Idempotency prevents duplicate send

TTA-1003 - Implement EmailPreferenceService

Phase	10	Priority	P0	Type	email
-------	----	----------	----	------	-------

Description

Update email preferences and unsubscribe.

Dependencies

TTA-0202, TTA-1001

Acceptance Criteria

- User can enable/disable weekly digest
- Unsubscribe token disables relevant preference
- Consent recorded when digest enabled

Test Expectations

- Preference update works
- Invalid unsubscribe token safe
- Valid token disables digest

TTA-1004 - Implement WeeklyDigestService

Phase	10	Priority	P1	Type	email
-------	----	----------	----	------	-------

Description

Send weekly recommendation digest to eligible users.

Dependencies

TTA-0804, TTA-1002, TTA-1003

Acceptance Criteria

- Only opted-in users included
- Only verified emails included
- Only active users included
- Idempotency key used per user/week

Test Expectations

- Unverified user excluded
- Opted-out user excluded
- Duplicate digest not sent

Phase 11 - Privacy Deletion

TTA-1101 - Build privacy and terms pages

Phase	11	Priority	P0	Type	privacy/frontend
-------	----	----------	----	------	------------------

Description

Create /privacy/ and /terms/.

Dependencies

TTA-0104

Acceptance Criteria

- Privacy page exists
- Terms page exists
- No employment guarantee stated
- No visa/legal advice stated
- CV processing explained

Test Expectations

- GET /privacy/ returns 200
- GET /terms/ returns 200

TTA-1102 - Create DeletionRequest model

Phase	11	Priority	P0	Type	model/privacy
-------	----	----------	----	------	---------------

Description

Track account deletion requests.

Dependencies

TTA-0101

Acceptance Criteria

- DeletionRequest model exists
- status choices exist
- processed_at and error_message exist

Test Expectations

- Deletion request can be created
- Status can move pending -> processing -> completed

TTA-1103 - Implement AccountDeletionService

Phase	11	Priority	P0	Type	privacy
-------	----	----------	----	------	---------

Description

Delete/anonymize user-owned data.

Dependencies

TTA-1102, TTA-0608, TTA-0801, TTA-0701

Acceptance Criteria

- User login disabled
- CV files deleted
- Profile deleted
- Saved jobs deleted
- Matches deleted
- Recommendations deleted
- Events anonymized or deleted
- DeletionRequest completed

Test Expectations

- Account deletion removes private candidate data
- Failed deletion marks request failed
- Retry possible

TTA-1104 - Build delete account page

Phase	11	Priority	P0	Type	privacy/frontend
-------	----	----------	----	------	------------------

Description

Create delete account UI.

Dependencies

TTA-1103

Acceptance Criteria

- User must confirm deletion
- DeletionRequest created
- Deletion task enqueued

Test Expectations

- Anonymous user redirected
- Authenticated user can request deletion

Phase 12 - Admin and Observability

TTA-1201 - Harden Django Admin registrations

Phase	12	Priority	P0	Type	admin
-------	----	----------	----	------	-------

Description

Add list displays, filters, search, readonly fields.

Dependencies

All core models

Acceptance Criteria

- Admin usable for jobs
- Admin usable for users/profiles
- Admin usable for CVs
- Admin usable for LLM/email logs

Test Expectations

- Admin pages return 200 for staff

TTA-1202 - Add admin reprocessing actions

Phase	12	Priority	P1	Type	admin
-------	----	----------	----	------	-------

Description

Add admin actions that call services.

Dependencies

TTA-1201

Acceptance Criteria

- Re-normalize raw jobs action
- Re-extract job skills action
- Refresh recommendations action
- Re-parse CV action
- Map unmatched skills action

Test Expectations

- Admin actions call service layer
- Non-staff cannot call actions

TTA-1203 - Implement health endpoint

Phase	12	Priority	P0	Type	backend
-------	----	----------	----	------	---------

Description

Create /health/.

Dependencies

TTA-0003

Acceptance Criteria

- Checks database
- Checks Redis
- Returns JSON
- Does not expose secrets

Test Expectations

- Healthy system returns ok
- Redis failure returns degraded

Phase 13 - MVP Polish

TTA-1301 - Add empty, loading, and error states

Phase	13	Priority	P1	Type	frontend
-------	----	----------	----	------	----------

Description

Improve UX for no jobs, no CV, parsing pending, no recommendations.

Dependencies

Core pages complete

Acceptance Criteria

- No blank pages
- Clear CTAs
- Useful error messages

Test Expectations

- Pages render correctly with empty database

TTA-1302 - Add production security settings

Phase	13	Priority	P0	Type	security
-------	----	----------	----	------	----------

Description

Configure production security baseline.

Dependencies

TTA-0005

Acceptance Criteria

- DEBUG false in production
- Allowed hosts configured
- CSRF secure settings configured
- Session cookie secure configured
- Secrets from env only

Test Expectations

- Production settings check passes
- No secrets committed

TTA-1303 - Verify private media protection

Phase	13	Priority	P0	Type	security/privacy
-------	----	----------	----	------	------------------

Description

Ensure CV files are not publicly accessible.

Dependencies

TTA-0602

Acceptance Criteria

- CV files stored privately
- No direct public URL exposes CV
- Only owner/admin service can access

Test Expectations

- Anonymous user cannot access CV file
- Other authenticated user cannot access CV file

Phase 14 - Deployment

TTA-1401 - Prepare deployment environment

Phase	14	Priority	P0	Type	deployment
-------	----	----------	----	------	------------

Description

Prepare production web, worker, beat, PostgreSQL, Redis.

Dependencies

Phase 13 complete

Acceptance Criteria

- Production env variables configured
- Database provisioned
- Redis provisioned
- Web service configured
- Worker service configured
- Beat service configured

Test Expectations

- Production health endpoint works
- Worker receives task
- Beat schedules task

TTA-1402 - Configure OAuth and email provider in production

Phase	14	Priority	P0	Type	deployment/integration
-------	----	----------	----	------	------------------------

Description

Configure Google/GitHub OAuth and email provider.

Dependencies

TTA-1401

Acceptance Criteria

- Google OAuth redirect URL configured
- GitHub OAuth redirect URL configured
- Email provider env vars configured
- Verification email sends

Test Expectations

- Google login works
- GitHub login works
- Email verification works

TTA-1403 - Run production seed and initial ingestion

Phase	14	Priority	P0	Type	deployment
-------	----	----------	----	------	------------

Description

Seed skills, system settings, source, and initial jobs.

Dependencies

TTA-1401, TTA-0305, TTA-0404

Acceptance Criteria

- Skills seeded
- System settings seeded
- France Travail source exists
- Initial jobs ingested
- Admin account exists

Test Expectations

- Admin can log in
- Job search returns results

TTA-1404 - Final MVP smoke test

Phase	14	Priority	P0	Type	test
-------	----	----------	----	------	------

Description

Run full manual MVP validation.

Dependencies

TTA-1401, TTA-1402, TTA-1403

Acceptance Criteria

- Signup works
- Login works
- Job search works
- CV upload works
- Profile edit works
- Quick match works
- Full match works
- Recommendations work
- Saved jobs work
- Delete CV works
- Delete account request works

Test Expectations

- No critical blocker remains

5. Critical MVP Cut Line

The minimum useful MVP is complete after Phase 0 through Phase 8.

Phase 0 -> Phase 1 -> Phase 2 -> Phase 3 -> Phase 4 -> Phase 5 -> Phase 6 -> Phase 7 -> Phase 8

At that point, the product can demonstrate:

- job ingestion
- job search
- candidate profile
- CV upload
- skill extraction
- matching
- recommendations
- saved jobs

6. Backlog Acceptance Criteria

- Every roadmap phase has tickets.
- Each ticket has clear acceptance criteria.
- Each ticket has test expectations.
- Dependencies are visible.
- P0 tickets define the real MVP core.
- Deferred features are not mixed into MVP.
- The next document can define repository setup.

7. Next Document

After MVP Backlog v1, the next and last planning document before coding is Repository Setup Plan v1.

After Repository Setup Plan v1, the First Coding Phase begins.