Лабораторная работа №1

Выполнила: Журавский Глеб 453503. Вариант 14.

Тема: Система контроля версий Git.

Цель: Познакомиться с возможностями и получить практические навыки работы с системой контроля версий Git.

Задание:

1. *Подготовка рабочего окружения*

а. Установка Git

```
tapochek@Tapok:~$ git -v
git version 2.47.3
tapochek@Tapok:~$ git config --global user.name Tap04ek-SHS
tapochek@Tapok:~$ git config --global user.email petahorcev@gmail.com
```

2. *Создание структуры папок (использовать командную строку) и поместить в репозиторий Git на своем локальном компьютере*

Создание структуры папок:

```
tapochek@Tapok:~$ mkdir 453503_ZHURAVSKIY_14
tapochek@Tapok:~$ cd 453503_ZHURAVSKIY_14/
tapochek@Tapok:~/453503_ZHURAVSKIY_14$ mkdir IGI
tapochek@Tapok:~/453503_ZHURAVSKIY_14$ cd IGI
tapochek@Tapok:~/453503_ZHURAVSKIY_14/IGI$ mkdir LR1 LR2 LR3 LR4
tapochek@Tapok:~/453503_ZHURAVSKIY_14/IGI$ ls
LR1  LR2  LR3  LR4
tapochek@Tapok:~/453503_ZHURAVSKIY_14/IGI$ mkdir LR5
tapochek@Tapok:~/453503_ZHURAVSKIY_14/IGI$ cd ..
tapochek@Tapok:~/453503_ZHURAVSKIY_14$ mkdir STRWEB
tapochek@Tapok:~/453503_ZHURAVSKIY_14$ cd STRWEB
tapochek@Tapok:~/453503_ZHURAVSKIY_14/STRWEB$ mkdir LR1 LR2 LR3 LR4
tapochek@Tapok:~/453503_ZHURAVSKIY_14/STRWEB$
```

Результат:

```
├── IGI
│   ├── IGITest.txt
│   ├── LR1
│   │   ├── bin
│   │   │   └── 700
│   │   │       └── cut-700
│   │   ├── foo
│   │   │   └── 441
│   │   │       ├── bar
│   │   │       │   └── 664
│   │   │       ├── baz
│   │   │       │   └── 244
│   │   │       │       └── readme.txt
│   │   │       ├── example
│   │   │       │   └── 200
│   │   │       └── text.txt
│   │   ├── geometric_lib
│   │   │   ├── circle.py
│   │   │   ├── docs
│   │   │   │   ├── docsTest.txt
│   │   │   │   └── README.md
│   │   │   ├── geometric_libTest.txt
│   │   │   └── square.py
│   │   ├── LR1Test.txt
│   │   ├── Снимок экрана_20260117_165342.png
│   │   ├── Снимок экрана_20260220_184158.png
│   │   ├── Снимок экрана_20260220_184356.png
│   │   ├── Снимок экрана_20260220_184812.png
│   │   ├── Снимок экрана_20260220_184925.png
│   │   ├── Снимок экрана_20260220_190044.png
│   │   ├── Снимок экрана_20260220_190226.png
│   │   ├── Снимок экрана_20260220_190356.png
│   │   ├── Снимок экрана_20260220_190752.png
│   │   ├── Снимок экрана_20260220_191549.png
│   │   └── Снимок экрана_20260220_192307.png
│   ├── LR2
│   │   └── LR2Test.txt
│   ├── LR3
│   │   └── LR3Test.txt
│   ├── LR4
│   │   └── LR4Test.txt
│   └── LR5
│       └── LR5Test.txt
├── index.html
├── STRWEB
│   ├── LR1
│   │   └── NewNameTest.txt
│   ├── LR2
│   │   └── LR2Test.txt
│   ├── LR3
│   │   └── LR3Test.txt
│   ├── LR4
│   │   └── LR4Test.txt
│   └── STRWEBTest.txt
├── style.css
└── temp.txt
```

Создание репозитория:

```
tapochek@Tapok:~/453503_ZHURAVSKIY_14/IGI/LR1$ git add .
tapochek@Tapok:~/453503_ZHURAVSKIY_14/IGI/LR1$ git status
Текущая ветка: master

Еще нет коммитов

Изменения, которые будут включены в коммит:
  (используйте «git rm --cached <файл>...», чтобы убрать из индекса)
        новый файл:    LR1Test.txt
        новый файл:    foo/441/baz/244/readme.txt
        новый файл:    foo/441/text.txt
        новый файл:    geometric_lib
        новый файл:    "\320\241\320\275\320\270\320\274\320\276\320\272 \321\215\320\272\321\200\320\260\320\275\32
0\260_20260117_165342.png"
        новый файл:    "\320\241\320\275\320\270\320\274\320\276\320\272 \321\215\320\272\321\200\320\260\320\275\32
0\260_20260220_184158.png"
```

3. Выполните следующие действия, каждый раз проверяя состояние файлов в локальном репозитории до и после выполнения операции:

a. сделать индексацию нескольких файлов в вашем Git-репозитории (git add …)

```
tapochek@Tapok:~/453503_ZHURAVSKIY_14/IGI/LR1$ echo "Update" > LR1Test.txt
tapochek@Tapok:~/453503_ZHURAVSKIY_14/IGI/LR1$ git add IGI/LR1/LR1Test.txt
fatal: спецификатор пути «IGI/LR1/LR1Test.txt» не соответствует ни одному файлу
tapochek@Tapok:~/453503_ZHURAVSKIY_14/IGI/LR1$ git add LR1Test.txt
```

b. внесите изменения в файлы и закомитте

```
tapochek@Tapok:~/453503_ZHURAVSKIY_14/IGI/LR1$ git add LR1Test.txt
tapochek@Tapok:~/453503_ZHURAVSKIY_14/IGI/LR1$ git status
Текущая ветка: master
Изменения, которые будут включены в коммит:
  (используйте «git restore --staged <файл>...», чтобы убрать из индекса)
        изменено:      LR1Test.txt

Изменения, которые не в индексе для коммита:
  (используйте «git add <файл>...», чтобы добавить файл в индекс)
  (используйте «git restore <файл>...», чтобы отменить изменения в рабочем каталоге)
  (сделайте коммит или отмените изменения в неотслеживаемом или измененном содержимом в подмодулях)
        изменено:      geometric_lib (неотслеживаемое содержимое)

Неотслеживаемые файлы:
  (используйте «git add <файл>...», чтобы добавить в то, что будет включено в коммит)
        "\320\241\320\275\320\270\320\274\320\276\320\272 \321\215\320\272\321\200\320\260\320\275\320\260_20260220_
184356.png"
        "\320\241\320\275\320\270\320\274\320\276\320\272 \321\215\320\272\321\200\320\260\320\275\320\260_20260220_
184812.png"

tapochek@Tapok:~/453503_ZHURAVSKIY_14/IGI/LR1$ git commit -m "Update LR1 test file"
[master e2198bf] Update LR1 test file
 1 file changed, 1 insertion(+)
```

c. добавьте и удалите файлы (один и группу файлов с определенным расширением)

```
tapochek@Tapok:~/453503_ZHURAVSKIY_14/IGI/LR1$ git add . && git commit -m "Add files to delete"
[master 9eff8a2] Add files to delete
 5 files changed, 0 insertions(+), 0 deletions(-)
 create mode 100644 delete_me_tmp
 create mode 100644 test_group.tmp
 create mode 100644 "\320\241\320\275\320\270\320\274\320\276\320\272 \321\215\320\272\321\200\320\260\320\275\320\2
60_20260220_184356.png"
 create mode 100644 "\320\241\320\275\320\270\320\274\320\276\320\272 \321\215\320\272\321\200\320\260\320\275\320\2
60_20260220_184812.png"
 create mode 100644 "\320\241\320\275\320\270\320\274\320\276\320\272 \321\215\320\272\321\200\320\260\320\275\320\2
60_20260220_184925.png"
tapochek@Tapok:~/453503_ZHURAVSKIY_14/IGI/LR1$ rm delete_me.tmp
rm: невозможно удалить 'delete_me.tmp': Нет такого файла или каталога
tapochek@Tapok:~/453503_ZHURAVSKIY_14/IGI/LR1$ rm delete_me_tmp
tapochek@Tapok:~/453503_ZHURAVSKIY_14/IGI/LR1$ git rm test_group.tmp
rm 'test_group.tmp'
tapochek@Tapok:~/453503_ZHURAVSKIY_14/IGI/LR1$ mv STRWEB/LR1/LR1Test.txt STRWEB/LR1/NewNameTest.txt
mv: не удалось выполнить stat для 'STRWEB/LR1/LR1Test.txt': Нет такого файла или каталога
tapochek@Tapok:~/453503_ZHURAVSKIY_14/IGI/LR1$ cd ../..
tapochek@Tapok:~/453503_ZHURAVSKIY_14$ mv STRWEB/LR1/LR1Test.txt STRWEB/LR1/NewNameTest.txt
tapochek@Tapok:~/453503_ZHURAVSKIY_14$ git add . && git commit -m "Rename and delete operations"
fatal: не найден git репозиторий (или один из родительских каталогов): .git
tapochek@Tapok:~/453503_ZHURAVSKIY_14$ git .
git: «.» не является командой git. Смотрите «git --help».

Самые похожие команды:
        am
        gc
        mv
        rm
tapochek@Tapok:~/453503_ZHURAVSKIY_14$ cp -r IGI/.git .
cp: не удалось выполнить stat для 'IGI/.git': Нет такого файла или каталога
tapochek@Tapok:~/453503_ZHURAVSKIY_14$ ls
IGI  STRWEB
tapochek@Tapok:~/453503_ZHURAVSKIY_14$ cd IGI
tapochek@Tapok:~/453503_ZHURAVSKIY_14/IGI$ git status
fatal: не найден git репозиторий (или один из родительских каталогов): .git
tapochek@Tapok:~/453503_ZHURAVSKIY_14/IGI$ cd LR1
tapochek@Tapok:~/453503_ZHURAVSKIY_14/IGI/LR1$ git status
Текущая ветка: master
Изменения, которые будут включены в коммит:
  (используйте «git restore --staged <файл>...», чтобы убрать из индекса)
        удалено:       test_group.tmp
```

d. переименуйте файлы

```
tapochek@Tapok:~/453503_ZHURAVSKIY_14$ git add . && git commit -m "Rename and delete operations"
warning: добавление встроенного git репозитория: IGI/LR1
hint: You've added another git repository inside your current repository.
hint: Clones of the outer repository will not contain the contents of
hint: the embedded repository and will not know how to obtain it.
hint: If you meant to add a submodule, use:
hint:
hint:   git submodule add <url> IGI/LR1
hint:
hint: If you added this path by mistake, you can remove it from the
hint: index with:
hint:
hint:   git rm --cached IGI/LR1
hint:
hint: See "git help submodule" for more information.
hint: Disable this message with "git config advice.addEmbeddedRepo false"
[master b37acff] Rename and delete operations
 21 files changed, 1 insertion(+), 4 deletions(-)
 rename delete_me_tmp => .Test.txt (100%)
 rename test_group.tmp => IGI/IGITest.txt (100%)
 create mode 160000 IGI/LR1
 create mode 100644 IGI/LR2/LR2Test.txt
 create mode 100644 IGI/LR3/LR3Test.txt
 create mode 100644 IGI/LR4/LR4Test.txt
 create mode 100644 IGI/LR5/LR5Test.txt
 delete mode 100644 LR1Test.txt
 create mode 100644 STRWEB/LR1/NewNameTest.txt
 create mode 100644 STRWEB/LR2/LR2Test.txt
 create mode 100644 STRWEB/LR3/LR3Test.txt
 create mode 100644 STRWEB/LR4/LR4Test.txt
 create mode 100644 STRWEB/STRWEBTest.txt
 delete mode 100644 foo/441/baz/244/readme.txt
 delete mode 100644 foo/441/text.txt
 delete mode 160000 geometric_lib
 delete mode 100644 "\320\241\320\275\320\270\320\274\320\276\320\272 \321\215\320\272\321\200\320\260\320\275\320\2
60_20260117_165342.png"
 delete mode 100644 "\320\241\320\275\320\270\320\274\320\276\320\272 \321\215\320\272\321\200\320\260\320\275\320\2
60_20260220_184158.png"
 delete mode 100644 "\320\241\320\275\320\270\320\274\320\276\320\272 \321\215\320\272\321\200\320\260\320\275\320\2
60_20260220_184356.png"
 delete mode 100644 "\320\241\320\275\320\270\320\274\320\276\320\272 \321\215\320\272\321\200\320\260\320\275\320\2
60_20260220_184812.png"
 delete mode 100644 "\320\241\320\275\320\270\320\274\320\276\320\272 \321\215\320\272\321\200\320\260\320\275\320\2
60_20260220_184925.png"
tapochek@Tapok:~/453503_ZHURAVSKIY_14$ git branch IGI
tapochek@Tapok:~/453503_ZHURAVSKIY_14$ git branch STRWEB
tapochek@Tapok:~/453503_ZHURAVSKIY_14$ git branch IGI_LR1
tapochek@Tapok:~/453503_ZHURAVSKIY_14$ git branch IGI_LR2
tapochek@Tapok:~/453503_ZHURAVSKIY_14$ git branch IGI_LR3
tapochek@Tapok:~/453503_ZHURAVSKIY_14$ git branch IGI_LR4
tapochek@Tapok:~/453503_ZHURAVSKIY_14$ git branch IGI_LR5
```

e. создайте для IGI и STRWEB, а также для каждой ЛР, вложенной в них, отдельные ветки, переместите папки и файлы на соответствующие ветки

```
git checkout --orphan IGI_LR1
git rm -rf . --quiet
git add IGI/LR1/IGI_LR1Test.txt
git commit -m "Добавлен файл IGI_LR1Test.txt")
git push origin IGI_LR1 --force

git checkout --orphan IGI_LR2
git rm -rf . --quiet
git add IGI/LR2/IGI_LR2Test.txt
git commit -m "Добавлен файл IGI_LR2Test.txt"
git push origin IGI_LR2 --force

git checkout --orphan IGI_LR3
git rm -rf . --quiet
git add IGI/LR3/IGI_LR3Test.txt
git commit -m "Добавлен файл IGI_LR3Test.txt"
git push origin IGI_LR3 --force

git checkout --orphan IGI_LR4
git rm -rf . --quiet
git add IGI/LR4/IGI_LR4Test.txt
git commit -m "Добавлен файл IGI_LR4Test.txt"
git push origin IGI_LR4 --force

git checkout --orphan IGI_LR5
git rm -rf . --quiet
git add IGI/LR5/IGI_LR5Test.txt
git commit -m "Добавлен файл IGI_LR5Test.txt"
git push origin IGI_LR5 --force
D       IGI/LR1/LR1Test.txt
D       IGI/LR2/LR2Test.txt
D       IGI/LR3/LR3Test.txt
D       IGI/LR4/LR4Test.txt
D       IGI/LR5/LR5Test.txt
D       STRWEB/LR1/LR1Test.txt
D       STRWEB/LR2/LR2Test.txt
D       STRWEB/LR3/LR3Test.txt
D       STRWEB/LR4/LR4Test.txt
Переключились на новую ветку «IGI_LR1»
bash: синтаксическая ошибка рядом с неожиданным маркером «)»
error: src refspec IGI_LR1 ничему не соответствует
error: не удалось отправить некоторые ссылки в «https://github.com/Tap04ek-SH
Переключились на новую ветку «IGI_LR2»
[IGI_LR2 (корневой коммит) d71540f] Добавлен файл IGI_LR2Test.txt
 1 file changed, 0 insertions(+), 0 deletions(-)
 create mode 100644 IGI/LR2/IGI_LR2Test.txt
Перечисление объектов: 5, готово.
Подсчет объектов: 100% (5/5), готово.
Запись объектов: 100% (5/5), 338 байтов | 338.00 КиБ/с, готово.
Total 5 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
remote:
remote: Create a pull request for 'IGI_LR2' on GitHub by visiting:
remote:      https://github.com/Tap04ek-SHS/lab1_git/pull/new/IGI_LR2
remote:
To https://github.com/Tap04ek-SHS/lab1_git.git
 * [new branch]      IGI_LR2 -> IGI_LR2
Переключились на новую ветку «IGI_LR3»
[IGI_LR3 (корневой коммит) c5b8d9d] Добавлен файл IGI_LR3Test.txt
```

f. выведите историю коммитов: полностью и с ограничением вывода – отобрать только последние, до и после указанной даты, по автору файлов, коммитов (флаги n, since, after, until, before, author, committer, grep) https://code.mu/ru/tool/git/basis/limit-output-commit-history-flags/

g. исследуйте флаги для git log: p , stat ,shortstat, name-only, name-status, relative-date, pretty, graph,

```
tapochek@Tapok:~/453503_ZHURAVSKIY_14$ git log -n 2
commit 1e97b5e9272af72a0ae2c9f793d58f83eeae708c (HEAD -> master, origin/master)
Author: Tap04ek-SHS <petahorcev@gmail.com>
Date:   Thu Feb 26 22:56:40 2026 +0300

    Fill all folders with Test.txt files for branching

commit 03b5d3756d49c75107db682a939fc6e7ed43a402
Author: Tap04ek-SHS <petahorcev@gmail.com>
Date:   Fri Feb 20 19:44:07 2026 +0300

    Move site files to root for GitHub Pages
```

```
tapochek@Tapok:~/453503_ZHURAVSKIY_14$ git log --since="2026-02-25"
commit 1e97b5e9272af72a0ae2c9f793d58f83eeae708c (HEAD -> master, origin/master)
Author: Tap04ek-SHS <petahorcev@gmail.com>
Date:   Thu Feb 26 22:56:40 2026 +0300

    Fill all folders with Test.txt files for branching
```

```
tapochek@Tapok:~/453503_ZHURAVSKIY_14$ git log --author="Tap04ek-SHS"
commit 1e97b5e9272af72a0ae2c9f793d58f83eeae708c (HEAD -> master, origin/master)
Author: Tap04ek-SHS <petahorcev@gmail.com>
Date:   Thu Feb 26 22:56:40 2026 +0300

    Fill all folders with Test.txt files for branching

commit 03b5d3756d49c75107db682a939fc6e7ed43a402
Author: Tap04ek-SHS <petahorcev@gmail.com>
Date:   Fri Feb 20 19:44:07 2026 +0300

    Move site files to root for GitHub Pages

commit 1368d886ecc563daeb56a53094929b3518078c85
Author: Tap04ek-SHS <petahorcev@gmail.com>
Date:   Fri Feb 20 19:37:28 2026 +0300

    Remove submodule ghost and add files directly

commit 8547295fcb60a3a2a215f45e35413af0a08987de
Author: Tap04ek-SHS <petahorcev@gmail.com>
Date:   Fri Feb 20 19:34:47 2026 +0300

    Final fix:removed all embedded git metadata

commit 0874b3a0f6b69426b486a9fdda8874d63f6f0f67
Author: Tap04ek-SHS <petahorcev@gmail.com>
Date:   Fri Feb 20 19:23:35 2026 +0300

    Add vcard for GitHub Pages

commit b37acffa2ac424f49291d7286b70acbd32c879c8
Author: Tap04ek-SHS <petahorcev@gmail.com>
Date:   Fri Feb 20 19:01:04 2026 +0300

    Rename and delete operations

commit 9eff8a240cdf52f9e9e9e2d22a4d305420f4399a
Author: Tap04ek-SHS <petahorcev@gmail.com>
Date:   Fri Feb 20 18:51:25 2026 +0300

    Add files to delete

commit e2198bf1c3eee8667bb9e8af413dfe7ede5a1cab
Author: Tap04ek-SHS <petahorcev@gmail.com>
Date:   Fri Feb 20 18:49:08 2026 +0300

    Update LR1 test file

commit d2d06f33005c3dee735579dc1165a0b5f1737033
Author: Tap04ek-SHS <petahorcev@gmail.com>
Date:   Fri Feb 20 18:44:35 2026 +0300

    Initial commit: basic structure and cloned lib
```

```
tapochek@Tapok:~/453503_ZHURAVSKIY_14$ git log --committer="Tap04ek-SHS"
commit 1e97b5e9272af72a0ae2c9f793d58f83eeae708c (HEAD -> master, origin/master)
Author: Tap04ek-SHS <petahorcev@gmail.com>
Date:   Thu Feb 26 22:56:40 2026 +0300

    Fill all folders with Test.txt files for branching

commit 03b5d3756d49c75107db682a939fc6e7ed43a402
Author: Tap04ek-SHS <petahorcev@gmail.com>
Date:   Fri Feb 20 19:44:07 2026 +0300

    Move site files to root for GitHub Pages

commit 1368d886ecc563daeb56a53094929b3518078c85
Author: Tap04ek-SHS <petahorcev@gmail.com>
Date:   Fri Feb 20 19:37:28 2026 +0300

    Remove submodule ghost and add files directly

commit 8547295fcb60a3a2a215f45e35413af0a08987de
Author: Tap04ek-SHS <petahorcev@gmail.com>
Date:   Fri Feb 20 19:34:47 2026 +0300

    Final fix:removed all embedded git metadata

commit 0874b3a0f6b69426b486a9fdda8874d63f6f0f67
Author: Tap04ek-SHS <petahorcev@gmail.com>
Date:   Fri Feb 20 19:23:35 2026 +0300

    Add vcard for GitHub Pages

commit b37acffa2ac424f49291d7286b70acbd32c879c8
Author: Tap04ek-SHS <petahorcev@gmail.com>
Date:   Fri Feb 20 19:01:04 2026 +0300

    Rename and delete operations

commit 9eff8a240cdf52f9e9e9e2d22a4d305420f4399a
Author: Tap04ek-SHS <petahorcev@gmail.com>
Date:   Fri Feb 20 18:51:25 2026 +0300

    Add files to delete

commit e2198bf1c3eee8667bb9e8af413dfe7ede5a1cab
Author: Tap04ek-SHS <petahorcev@gmail.com>
Date:   Fri Feb 20 18:49:08 2026 +0300

    Update LR1 test file

commit d2d06f33005c3dee735579dc1165a0b5f1737033
Author: Tap04ek-SHS <petahorcev@gmail.com>
Date:   Fri Feb 20 18:44:35 2026 +0300

    Initial commit: basic structure and cloned lib
```

```
tapochek@Tapok:~/453503_ZHURAVSKIY_14$ git log --grep="Initial"
commit d2d06f33005c3dee735579dc1165a0b5f1737033
Author: Tap04ek-SHS <petahorcev@gmail.com>
Date:   Fri Feb 20 18:44:35 2026 +0300

    Initial commit: basic structure and cloned lib
```

```
Author: Tap04ek-SHS <petahorcev@gmail.com>
Date:   Fri Feb 20 18:44:35 2026 +0300

    Initial commit: basic structure and cloned lib
tapochek@Tapok:~/453503_ZHURAVSKIY_14$ git log -p -n 1                  # флаг p
git log --stat -n 1              # флаг stat
git log --shortstat -n 1         # флаг shortstat
git log --name-only -n 1         # флаг name-only
git log --name-status -n 1       # флаг name-status
git log --relative-date -n 3     # флаг relative-date
git log --graph --oneline --all  # флаг graph + oneline
commit 1e97b5e9272af72a0ae2c9f793d58f83eeae708c (HEAD -> master, origin/master)
Author: Tap04ek-SHS <petahorcev@gmail.com>
Date:   Thu Feb 26 22:56:40 2026 +0300

    Fill all folders with Test.txt files for branching

diff --git a/STRWEB/LR1/LR1Test.txt b/STRWEB/LR1/LR1Test.txt
new file mode 100644
index 0000000..e69de29
commit 1e97b5e9272af72a0ae2c9f793d58f83eeae708c (HEAD -> master, origin/master)
Author: Tap04ek-SHS <petahorcev@gmail.com>
Date:   Thu Feb 26 22:56:40 2026 +0300

    Fill all folders with Test.txt files for branching

 STRWEB/LR1/LR1Test.txt | 0
 1 file changed, 0 insertions(+), 0 deletions(-)
commit 1e97b5e9272af72a0ae2c9f793d58f83eeae708c (HEAD -> master, origin/master)
Author: Tap04ek-SHS <petahorcev@gmail.com>
Date:   Thu Feb 26 22:56:40 2026 +0300

    Fill all folders with Test.txt files for branching

 1 file changed, 0 insertions(+), 0 deletions(-)
commit 1e97b5e9272af72a0ae2c9f793d58f83eeae708c (HEAD -> master, origin/master)
Author: Tap04ek-SHS <petahorcev@gmail.com>
Date:   Thu Feb 26 22:56:40 2026 +0300

    Fill all folders with Test.txt files for branching

STRWEB/LR1/LR1Test.txt
commit 1e97b5e9272af72a0ae2c9f793d58f83eeae708c (HEAD -> master, origin/master)
Author: Tap04ek-SHS <petahorcev@gmail.com>
Date:   Thu Feb 26 22:56:40 2026 +0300

    Fill all folders with Test.txt files for branching

A       STRWEB/LR1/LR1Test.txt
commit 1e97b5e9272af72a0ae2c9f793d58f83eeae708c (HEAD -> master, origin/master)
Author: Tap04ek-SHS <petahorcev@gmail.com>
Date:   36 минут назад

    Fill all folders with Test.txt files for branching

commit 03b5d3756d49c75107db682a939fc6e7ed43a402
Author: Tap04ek-SHS <petahorcev@gmail.com>
Date:   6 дней назад

    Move site files to root for GitHub Pages
```

I. найдите разницу в изменениях для каждого коммита

```
tapochek@Tapok:~/453503_ZHURAVSKIY_14$ git show HEAD
commit 1e97b5e9272af72a0ae2c9f793d58f83eeae708c (HEAD -> master, origin/master)
Author: Tap04ek-SHS <petahorcev@gmail.com>
Date:   Thu Feb 26 22:56:40 2026 +0300

    Fill all folders with Test.txt files for branching

diff --git a/STRWEB/LR1/LR1Test.txt b/STRWEB/LR1/LR1Test.txt
new file mode 100644
index 0000000..e69de29
tapochek@Tapok:~/453503_ZHURAVSKIY_14$ git show HEAD~1
commit 03b5d3756d49c75107db682a939fc6e7ed43a402
Author: Tap04ek-SHS <petahorcev@gmail.com>
Date:   Fri Feb 20 19:44:07 2026 +0300

    Move site files to root for GitHub Pages

diff --git a/vcard/index.html b/index.html
similarity index 100%
rename from vcard/index.html
rename to index.html
diff --git a/vcard/style.css b/style.css
similarity index 100%
rename from vcard/style.css
rename to style.css
tapochek@Tapok:~/453503_ZHURAVSKIY_14$
```

```
tapochek@Tapok:~/453503_ZHURAVSKIY_14$ git diff HEAD~1 HEAD
diff --git a/STRWEB/LR1/LR1Test.txt b/STRWEB/LR1/LR1Test.txt
new file mode 100644
index 0000000..e69de29
tapochek@Tapok:~/453503_ZHURAVSKIY_14$
```

j. создайте новый файл test.txt и в него строчку 'номер варианта'. затем сделайте коммит и отмените его

```
tapochek@Tapok:~/453503_ZHURAVSKIY_14$ echo "test" > task_j.txt
git add task_j.txt
git commit -m "Commit to undo"
git reset --hard HEAD~1
[master bd2ab38] Commit to undo
 1 file changed, 1 insertion(+)
 create mode 100644 task_j.txt
Указатель HEAD сейчас на коммите 1e97b5e Fill all folders with Test.txt files for branching
```

```
yahor@yahor-ASUS-TUF-Gaming-F15-FX506HC-FX506HC:~/Documents/453505_RADZUIK_10/IGI/LR1$ git add test1.txt
yahor@yahor-ASUS-TUF-Gaming-F15-FX506HC-FX506HC:~/Documents/453505_RADZUIK_10/IGI/LR1$ git status
On branch master
Changes to be committed:
  (use "git restore --staged <file>..." to unstage)
        new file:   test1.txt

Untracked files:
  (use "git add <file>..." to include in what will be committed)
        bar/
        geometric_lib/
        test.txt
        "\320\236\321\202\321\207\320\265\321\202_\320\230\320\223\320\230_\320\233\320\220\320\221_1.docx"

yahor@yahor-ASUS-TUF-Gaming-F15-FX506HC-FX506HC:~/Documents/453505_RADZUIK_10/IGI/LR1$ git commit -m "Added test1.txt with variant number"
[master 1dc3330] Added test1.txt with variant number
 1 file changed, 1 insertion(+)
 create mode 100644 IGI/LR1/test1.txt
yahor@yahor-ASUS-TUF-Gaming-F15-FX506HC-FX506HC:~/Documents/453505_RADZUIK_10/IGI/LR1$ git log
commit 1dc3330a96e741b173859c7284a61339382d349d (HEAD -> master)
Author: yahor <radukegor934@gmail.com>
Date:   Sat Feb 14 11:59:15 2026 +0300

    Added test1.txt with variant number

commit 523f8196b1affc7e9325f3c746b4aa04df5d0c62
Author: yahor <radukegor934@gmail.com>
Date:   Fri Feb 13 21:10:43 2026 +0300

    File 1.txt changed

commit e4494c42742e01aa6d26dbc7af234d41045261c2 (STRWEB_LR3, STRWEB_LR2, STRWEB_LR1, IGI_LR5, IGI_LR4, IGI_LR3, IGI_LR2, IGI_LR1)
Author: yahor <radukegor934@gmail.com>
Date:   Sun Feb 8 19:19:39 2026 +0300

    added two txt files

commit 495d353236a7beedb6920da4b7e0e3027d653f32 (STRWEB_LR4)
Author: yahor <radukegor934@gmail.com>
Date:   Sun Feb 8 19:16:13 2026 +0300
```

k. проиндексируйте файл в вашем Git-репозитории, затем отмените его индексацию

```
tapochek@Tapok:~/453503_ZHURAVSKIY_14$ touch task_k.txt
tapochek@Tapok:~/453503_ZHURAVSKIY_14$ git add task_k.txt
tapochek@Tapok:~/453503_ZHURAVSKIY_14$ git reset task_k.txt
tapochek@Tapok:~/453503_ZHURAVSKIY_14$ rm task_k.txt
```

l. внесите изменения в файл в вашем Git-репозитории и затем верните его в исходное состояние

```
tapochek@Tapok:~/453503_ZHURAVSKIY_14$ echo "change" >> index.html
git checkout -- index.html
tapochek@Tapok:~/453503_ZHURAVSKIY_14$
```

5. a. создайте удаленный репозиторий (на github.com)

```
* master
tapochek@Tapok:~/453503_ZHURAVSKIY_14$ git push -u origin master
Username for 'https://github.com': Tap0ek-SHS
Password for 'https://Tap0ek-SHS@github.com':
remote: Invalid username or token. Password authentication is not supported for Git operations.
fatal: Authentication failed for 'https://github.com/Tap04ek-SHS/lab1_git/'
tapochek@Tapok:~/453503_ZHURAVSKIY_14$ git remote set-url origin https://Tap04ek-SHS:ghp_3grl46DqVCBHHdCcIa1ztjqL9
l4p0A1xrl@github.com/Tap04ek-SHS/lab1_git.git
tapochek@Tapok:~/453503_ZHURAVSKIY_14$ git push -u origin master
Перечисление объектов: 28, готово.
Подсчет объектов: 100% (28/28), готово.
При сжатии изменений используется до 16 потоков
Сжатие объектов: 100% (16/16), готово.
Запись объектов: 100% (28/28), 215.95 КиБ | 12.70 МиБ/с, готово.
Total 28 (delta 2), reused 0 (delta 0), pack-reused 0 (from 0)
remote: Resolving deltas: 100% (2/2), done.
To https://github.com/Tap04ek-SHS/lab1_git.git
 * [new branch]      master -> master
branch 'master' set up to track 'origin/master'.
```

b. просмотрите информацию о нем, внесите изменения и опять просмотрите (remote, fetch), переменуйте удаленный репозиторий.

```
tapochek@Tapok:~/453503_ZHURAVSKIY_14$ git remote show origin
* внешний репозиторий origin
  URL для извлечения: https://Tap04ek-SHS: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@github.com/Tap04ek-SHS/lab1_git.
it
    URL для отправки: https://Tap04ek-SHS: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@github.com/Tap04ek-SHS/lab1_git.
it
  HEAD ветка: master
  Внешние ветки:
    IGI        отслеживается
    IGI_LR1    отслеживается
    IGI_LR2    отслеживается
    IGI_LR3    отслеживается
    IGI_LR4    отслеживается
    IGI_LR5    отслеживается
    STRWEB     отслеживается
    STRWEB_LR1 отслеживается
    STRWEB_LR2 отслеживается
    STRWEB_LR3 отслеживается
    STRWEB_LR4 отслеживается
    master     отслеживается
  Локальная ветка, настроенная для «git pull»:
    master будет слита с внешней веткой master
  Локальные ссылки, настроенные для «git push»:
    IGI_LR2    будет отправлена в IGI_LR2    (уже актуальна)
    IGI_LR3    будет отправлена в IGI_LR3    (уже актуальна)
    IGI_LR4    будет отправлена в IGI_LR4    (уже актуальна)
    IGI_LR5    будет отправлена в IGI_LR5    (уже актуальна)
    STRWEB_LR1 будет отправлена в STRWEB_LR1 (уже актуальна)
    STRWEB_LR2 будет отправлена в STRWEB_LR2 (уже актуальна)
    STRWEB_LR3 будет отправлена в STRWEB_LR3 (уже актуальна)
    STRWEB_LR4 будет отправлена в STRWEB_LR4 (уже актуальна)
    master     будет отправлена в master     (уже актуальна)
tapochek@Tapok:~/453503_ZHURAVSKIY_14$
tapochek@Tapok:~/453503_ZHURAVSKIY_14$ git remote -v
origin  https://Tap04ek-SHS: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@github.com/Tap04ek-SHS/lab1_git.git (fetch)
origin  https://Tap04ek-SHS: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@github.com/Tap04ek-SHS/lab1_git.git (push)
tapochek@Tapok:~/453503_ZHURAVSKIY_14$ git remote rename origin upstram
Renaming remote references: 100% (12/12), готово.
tapochek@Tapok:~/453503_ZHURAVSKIY_14$ git remote -v
upstram https://Tap04ek-SHS: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@github.com/Tap04ek-SHS/lab1_git.git (fetch)
upstram https://Tap04ek-SHS: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@github.com/Tap04ek-SHS/lab1_git.git (push)
tapochek@Tapok:~/453503_ZHURAVSKIY_14$
tapochek@Tapok:~/453503_ZHURAVSKIY_14$ git log --oneline --all
c5eb268 (origin/STRWEB_LR3, STRWEB_LR3) Добавлен файл STRWEB_LR1Test.txt
f5d45f0 (origin/STRWEB_LR4, STRWEB_LR4) Добавлен файл STRWEB_LR4Test.txt
1dbfc50 (origin/STRWEB_LR2, STRWEB_LR2) Добавлен файл STRWEB_LR2Test.txt
aa10b23 (origin/STRWEB_LR1, STRWEB_LR1) Добавлен файл STRWEB_LR1Test.txt
2866037 (origin/IGI_LR4, IGI_LR4) Добавлен файл IGI_LR4Test.txt
56cd89a (origin/IGI_LR5, IGI_LR5) Добавлен файл IGI_LR5Test.txt
c5b8d9d (origin/IGI_LR3, IGI_LR3) Добавлен файл IGI_LR3Test.txt
d71540f (origin/IGI_LR2, IGI_LR2) Добавлен файл IGI_LR2Test.txt
274608c (origin/STRWEB) Branch STRWEB: web projects and site files
0aa525d (origin/IGI_LR1) Branch IGI_LR1: focused on LAb 1 tasks
21c054d (origin/IGI) Branch IGI: contains only IGI projects
1e97b5e (HEAD -> master, origin/master) Fill all folders with Test.txt files for branching
03b5d37 Move site files to root for GitHub Pages
1368d88 Remove submodule ghost and add files directly
8547295 Final fix:removed all embedded git metadata
0874b3a Add vcard for GitHub Pages
b37acff Rename and delete operations
9eff8a2 Add files to delete
e2198bf Update LR1 test file
d2d06f3 Initial commit: basic structure and cloned lib
```

е. получите данные из удаленного репозитория

```
yahor@yahor-ASUS-TUF-Gaming-F15-FX506HC-FX506HC:~/Documents/453505_RADZUIK_10/IGI/LR1$ git fetch origin
remote: Enumerating objects: 4, done.
remote: Counting objects: 100% (4/4), done.
remote: Compressing objects: 100% (2/2), done.
remote: Total 3 (delta 1), reused 0 (delta 0), pack-reused 0 (from 0)
Unpacking objects: 100% (3/3), 933 bytes | 933.00 KiB/s, done.
From github.com:EGIRD/453505_RADZUIK_10
   7ae66f3..8fde00d  master     -> origin/master
yahor@yahor-ASUS-TUF-Gaming-F15-FX506HC-FX506HC:~/Documents/453505_RADZUIK_10/IGI/LR1$ git status
On branch master
Your branch is behind 'origin/master' by 1 commit, and can be fast-forwarded.
  (use "git pull" to update your local branch)

Untracked files:
  (use "git add <file>..." to include in what will be committed)
        bar/
        geometric_lib/
        test.txt
        "\320\236\321\202\321\207\320\265\321\202_\320\230\320\223\320\230_\320\233\320\220\320\221_1.docx"

nothing added to commit but untracked files present (use "git add" to track)
yahor@yahor-ASUS-TUF-Gaming-F15-FX506HC-FX506HC:~/Documents/453505_RADZUIK_10/IGI/LR1$ git log origin/master --oneline
8fde00d (origin/master) Create README.md
7ae66f3 (HEAD -> master) Добавлены и изменены файлы для удаленного репозитория
f895bec The original text is in test1.txt
523f819 File 1.txt changed
e4494c4 added two txt files
495d353 added two txt files
yahor@yahor-ASUS-TUF-Gaming-F15-FX506HC-FX506HC:~/Documents/453505_RADZUIK_10/IGI/LR1$ git pull origin main
fatal: couldn't find remote ref main
yahor@yahor-ASUS-TUF-Gaming-F15-FX506HC-FX506HC:~/Documents/453505_RADZUIK_10/IGI/LR1$ git pull origin master
From github.com:EGIRD/453505_RADZUIK_10
 * branch            master     -> FETCH_HEAD
Updating 7ae66f3..8fde00d
Fast-forward
 README.md | 1 +
 1 file changed, 1 insertion(+)
 create mode 100644 README.md
yahor@yahor-ASUS-TUF-Gaming-F15-FX506HC-FX506HC:~/Documents/453505_RADZUIK_10/IGI/LR1$ git log origin/master --oneline
8fde00d (HEAD -> master, origin/master) Create README.md
7ae66f3 Добавлены и изменены файлы для удаленного репозитория
f895bec The original text is in test1.txt
523f819 File 1.txt changed
e4494c4 added two txt files
495d353 added two txt files
```

f. просмотреть историю изменений

```
yahor@yahor-ASUS-TUF-Gaming-F15-FX506HC-FX506HC:~/Documents/453505_RADZUIK_10/IGI/LR1$ git log --oneline
8fde00d (HEAD -> master, origin/master) Create README.md
7ae66f3 Добавлены и изменены файлы для удаленного репозитория
f895bec The original text is in test1.txt
523f819 File 1.txt changed
e4494c4 added two txt files
495d353 added two txt files
```

```
yahor@yahor-ASUS-TUF-Gaming-F15-FX506HC-FX506HC:~/Documents/453505_RADZUIK_10/IGI/LR1$ git log --graph --oneline --decorate --all
* 8fde00d (HEAD -> master, origin/master) Create README.md
* 7ae66f3 Добавлены и изменены файлы для удаленного репозитория
* f895bec The original text is in test1.txt
* 523f819 File 1.txt changed
| * 5049411 (STRWEB_LR4) Добавлен файл STRWEB_LR4Test.txt
| | * b9bb57e (STRWEB_LR3) Добавлен файл STRWEB_LR3Test.txt
| |/
|/|
| | * ad25ea2 (STRWEB_LR2) Добавлен файл STRWEB_LR2Test.txt
| |/
|/|
| | * abb03c9 (STRWEB_LR1) Добавлен файл STRWEB_LR1Test.txt
| |/
|/|
| | * fa33089 (IGI_LR5) Добавлен файл IGI_LR5Test.txt
| |/
|/|
| | * 082e354 (IGI_LR4) Добавлен файл IGI_LR4Test.txt
| |/
|/|
| | * 782c20f (IGI_LR3) Добавлен файл IGI_LR3Test.txt
| |/
|/|
| | * 804f3c7 (IGI_LR2) Добавлен файл IGI_LR2Test.txt
| |/
|/|
| | * 3bcfa63 (IGI_LR1) Добавлен файл IGI_LR1Test.txt
| |/
|/|
* | e4494c4 added two txt files
|/
* 495d353 added two txt files
yahor@yahor-ASUS-TUF-Gaming-F15-FX506HC-FX506HC:~/Documents/453505_RADZUIK_10/IGI/LR1$ git log -p -3
commit 8fde00d7c9a870934c060d099dfd1b10121917dd (HEAD -> master, origin/master)
Author: EGIRD <radukegor935@gmail.com>
Date:   Sat Feb 14 14:48:03 2026 +0300

    Create README.md

diff --git a/README.md b/README.md
new file mode 100644
index 0000000..b955b81
--- /dev/null
+++ b/README.md
@@ -0,0 +1 @@
+Изменено на GitHub

commit 7ae66f39cad60c6b9f2801d283f4541886e236d2
Author: yahor <radukegor934@gmail.com>
Date:   Sat Feb 14 14:23:01 2026 +0300

    Добавлены и изменены файлы для удаленного репозитория

diff --git a/IGI/LR1/test1.txt b/IGI/LR1/test1.txt
index 151b41d..26d0eb9 100644
--- a/IGI/LR1/test1.txt
+++ b/IGI/LR1/test1.txt
@@ -1 +1,2 @@
 mememememememe
+Лаба1 по Git
diff --git a/IGI/LR1/test2.txt b/IGI/LR1/test2.txt
new file mode 100644
index 0000000..a509148
--- /dev/null
+++ b/IGI/LR1/test2.txt
@@ -0,0 +1,2 @@
+Студент группы 453505 Радюк Егор
+Вариант 10

commit f895bec5be90d215ebb3cd887329863f50647322
Author: yahor <radukegor934@gmail.com>
Date:   Sat Feb 14 12:27:14 2026 +0300

    The original text is in test1.txt

diff --git a/IGI/LR1/test1.txt b/IGI/LR1/test1.txt
new file mode 100644
```

```
yahor@yahor-ASUS-TUF-Gaming-F15-FX506HC-FX506HC:~/Documents/453505_RADZUIK_10/IGI/LR1$ git log --stat -3
commit 8fde00d7c9a870934c060d099dfd1b10121917dd (HEAD -> master, origin/master)
Author: EGIRD <radukegor935@gmail.com>
Date:   Sat Feb 14 14:48:03 2026 +0300

    Create README.md

 README.md | 1 +
 1 file changed, 1 insertion(+)

commit 7ae66f39cad60c6b9f2801d283f4541886e236d2
Author: yahor <radukegor934@gmail.com>
Date:   Sat Feb 14 14:23:01 2026 +0300

    Добавлены и изменены файлы для удаленного репозитория

 IGI/LR1/test1.txt | 1 +
 IGI/LR1/test2.txt | 2 ++
 2 files changed, 3 insertions(+)

commit f895bec5be90d215ebb3cd887329863f50647322
Author: yahor <radukegor934@gmail.com>
Date:   Sat Feb 14 12:27:14 2026 +0300

    The original text is in test1.txt

 IGI/LR1/test1.txt | 1 +
 1 file changed, 1 insertion(+)
```

g. создайте дополнительную ветку 1 в удаленном репозитории, перенесите в нее два файла из другой ветки, удалите один из файлов

```
yahor@yahor-ASUS-TUF-Gaming-F15-FX506HC-FX506HC:~/Documents/453505_RADZUIK_10/IGI/LR1$ git checkout -b branch1
Switched to a new branch 'branch1'
yahor@yahor-ASUS-TUF-Gaming-F15-FX506HC-FX506HC:~/Documents/453505_RADZUIK_10/IGI/LR1$ git push -u origin branch1
Total 0 (delta 0), reused 0 (delta 0), pack-reused 0
remote:
remote: Create a pull request for 'branch1' on GitHub by visiting:
remote:      https://github.com/EGIRD/453505_RADZUIK_10/pull/new/branch1
remote:
To github.com:EGIRD/453505_RADZUIK_10.git
 * [new branch]      branch1 -> branch1
branch 'branch1' set up to track 'origin/branch1'.
yahor@yahor-ASUS-TUF-Gaming-F15-FX506HC-FX506HC:~/Documents/453505_RADZUIK_10$ git checkout IGI_LR1 -- IGI/LR1/IGI_LR1Test.txt
yahor@yahor-ASUS-TUF-Gaming-F15-FX506HC-FX506HC:~/Documents/453505_RADZUIK_10$ git status
yahor@yahor-ASUS-TUF-Gaming-F15-FX506HC-FX506HC:~/Documents/453505_RADZUIK_10$ git checkout STRWEB_LR1 -- STRWEB/LR1/STRWEB_LR1Test.txt
yahor@yahor-ASUS-TUF-Gaming-F15-FX506HC-FX506HC:~/Documents/453505_RADZUIK_10$ git status
On branch branch1
Your branch is up to date with 'origin/branch1'.

Changes to be committed:
  (use "git restore --staged <file>..." to unstage)
        new file:   IGI/LR1/IGI_LR1Test.txt
        new file:   STRWEB/LR1/STRWEB_LR1Test.txt

Untracked files:
  (use "git add <file>..." to include in what will be committed)
        IGI/LR1/bar/
        IGI/LR1/geometric_lib/
        IGI/LR1/test.txt
        "IGI/LR1/\320\236\321\202\321\207\320\265\321\202_\320\230\320\223\320\230_\320\233\320\220\320\221_1.docx"

yahor@yahor-ASUS-TUF-Gaming-F15-FX506HC-FX506HC:~/Documents/453505_RADZUIK_10$ git commit -m "Добавлены файлы IGI_LR1Test и STRWEB_LR1Test в branch1"

[branch1 58a2c97] Добавлены файлы IGI_LR1Test и STRWEB_LR1Test в branch1
 2 files changed, 2 insertions(+)
 create mode 100644 IGI/LR1/IGI_LR1Test.txt
 create mode 100644 STRWEB/LR1/STRWEB_LR1Test.txt
yahor@yahor-ASUS-TUF-Gaming-F15-FX506HC-FX506HC:~/Documents/453505_RADZUIK_10$ git push origin branch1
Enumerating objects: 11, done.
Counting objects: 100% (11/11), done.
Delta compression using up to 12 threads
Compressing objects: 100% (3/3), done.
Writing objects: 100% (8/8), 703 bytes | 703.00 KiB/s, done.
Total 8 (delta 0), reused 0 (delta 0), pack-reused 0
To github.com:EGIRD/453505_RADZUIK_10.git
   8fde00d..58a2c97  branch1 -> branch1
```




```
yahor@yahor-ASUS-TUF-Gaming-F15-FX506HC-FX506HC:~/Documents/453505_RADZUIK_10$ git rm IGI/LR1/IGI_LR1Test.txt
rm 'IGI/LR1/IGI_LR1Test.txt'
yahor@yahor-ASUS-TUF-Gaming-F15-FX506HC-FX506HC:~/Documents/453505_RADZUIK_10$ git status
On branch branch1
Your branch is up to date with 'origin/branch1'.

Changes to be committed:
  (use "git restore --staged <file>..." to unstage)
        deleted:    IGI/LR1/IGI_LR1Test.txt

Untracked files:
  (use "git add <file>..." to include in what will be committed)
        IGI/LR1/bar/
        IGI/LR1/geometric_lib/
        IGI/LR1/test.txt
        "IGI/LR1/\320\236\321\202\321\207\320\265\321\202_\320\230\320\223\320\230_\320\233\320\220\320\221_1.docx"

yahor@yahor-ASUS-TUF-Gaming-F15-FX506HC-FX506HC:~/Documents/453505_RADZUIK_10$ git commit -m"Удален IGI_LR1Test.txt из ветки branch1"
[branch1 ed446a0] Удален IGI_LR1Test.txt из ветки branch1
 1 file changed, 1 deletion(-)
 delete mode 100644 IGI/LR1/IGI_LR1Test.txt
yahor@yahor-ASUS-TUF-Gaming-F15-FX506HC-FX506HC:~/Documents/453505_RADZUIK_10$ git push origin branch1
Enumerating objects: 7, done.
Counting objects: 100% (7/7), done.
Delta compression using up to 12 threads
Compressing objects: 100% (3/3), done.
Writing objects: 100% (4/4), 410 bytes | 410.00 KiB/s, done.
Total 4 (delta 1), reused 0 (delta 0), pack-reused 0
remote: Resolving deltas: 100% (1/1), completed with 1 local object.
To github.com:EGIRD/453505_RADZUIK_10.git
   58a2c97..ed446a0  branch1 -> branch1
```



h. создайте дополнительную ветку 2 в удаленном репозитории, перенеситев нее два файла из вашего проекта, слить изменения в основную ветку, удалить дополнительную ветку 2

```
yahor@yahor-ASUS-TUF-Gaming-F15-FX506HC-FX506HC:~/Documents/453505_RADZUIK_10$ git checkout -b branch2
Switched to a new branch 'branch2'
yahor@yahor-ASUS-TUF-Gaming-F15-FX506HC-FX506HC:~/Documents/453505_RADZUIK_10$ git push -u origin branch2
Total 0 (delta 0), reused 0 (delta 0), pack-reused 0
remote:
remote: Create a pull request for 'branch2' on GitHub by visiting:
remote:      https://github.com/EGIRD/453505_RADZUIK_10/pull/new/branch2
remote:
To github.com:EGIRD/453505_RADZUIK_10.git
 * [new branch]      branch2 -> branch2
branch 'branch2' set up to track 'origin/branch2'.
yahor@yahor-ASUS-TUF-Gaming-F15-FX506HC-FX506HC:~/Documents/453505_RADZUIK_10$ cp IGI/LR2/IGI_LR2Test.txt .
yahor@yahor-ASUS-TUF-Gaming-F15-FX506HC-FX506HC:~/Documents/453505_RADZUIK_10$ cp IGI/LR3/IGI_LR3Test.txt .

yahor@yahor-ASUS-TUF-Gaming-F15-FX506HC-FX506HC:~/Documents/453505_RADZUIK_10$ git add IGI_LR2Test.txt IGI_LR3Test.txt
yahor@yahor-ASUS-TUF-Gaming-F15-FX506HC-FX506HC:~/Documents/453505_RADZUIK_10$ git commit -m "Добавлены файлы IGI_LR2Test и STRWEB_LR2Test в ветку branch2"
[branch2 29f7f5a] Добавлены файлы IGI_LR2Test и STRWEB_LR2Test в ветку branch2
 2 files changed, 2 insertions(+)
 create mode 100644 IGI_LR2Test.txt
 create mode 100644 IGI_LR3Test.txt
yahor@yahor-ASUS-TUF-Gaming-F15-FX506HC-FX506HC:~/Documents/453505_RADZUIK_10$ git push origin branch2
Enumerating objects: 5, done.
Counting objects: 100% (5/5), done.
Delta compression using up to 12 threads
Compressing objects: 100% (2/2), done.
Writing objects: 100% (4/4), 495 bytes | 495.00 KiB/s, done.
Total 4 (delta 0), reused 0 (delta 0), pack-reused 0
To github.com:EGIRD/453505_RADZUIK_10.git
   8fde00d..29f7f5a  branch2 -> branch2
```

Commits on Feb 14, 2026

Добавлены файлы IGI_LR2Test и STRWEB_LR2Test в ветку branch2

EGIRD committed 1 minute ago — 29f7f5a

Showing 2 changed files with **2 additions** and **0 deletions**. Split **Unified**

1 IGI_LR2Test.txt

```
@@ -0,0 +1 @@
+ IGI LR2 Test
```

1 IGI_LR3Test.txt

```
@@ -0,0 +1 @@
+ IGI LR3 Test
```

```
yahor@yahor-ASUS-TUF-Gaming-F15-FX506HC-FX506HC:~/Documents/453505_RADZUIK_10$ git checkout master
Switched to branch 'master'
Your branch is up to date with 'origin/master'.
yahor@yahor-ASUS-TUF-Gaming-F15-FX506HC-FX506HC:~/Documents/453505_RADZUIK_10$ git merge branch2
Updating 8fde00d..29f7f5a
Fast-forward
 IGI_LR2Test.txt | 1 +
 IGI_LR3Test.txt | 1 +
 2 files changed, 2 insertions(+)
 create mode 100644 IGI_LR2Test.txt
 create mode 100644 IGI_LR3Test.txt
yahor@yahor-ASUS-TUF-Gaming-F15-FX506HC-FX506HC:~/Documents/453505_RADZUIK_10$ git push origin master
Total 0 (delta 0), reused 0 (delta 0), pack-reused 0
To github.com:EGIRD/453505_RADZUIK_10.git
```

Branch	Updated	Check status	Behind	Ahead	Pull request
master	3 minutes ago		Default		

Your branches

Branch	Updated	Check status	Behind	Ahead	Pull request
branch2	5 minutes ago		0	0	
branch1	22 minutes ago		1	2	

Active branches

Branch	Updated	Check status	Behind	Ahead	Pull request
branch2	5 minutes ago		0	0	
branch1	22 minutes ago		1	2	

```
yahor@yahor-ASUS-TUF-Gaming-F15-FX506HC-FX506HC:~/Documents/453505_RADZUIK_10$ git branyahor@yahor-ASUS-TUF-Gaming-F15-FX506HC-FX506HC:~/Documents/453505_RADZUIK_10$ git branch -d bran
ch2
Deleted branch branch2 (was 29f7f5a).
yahor@yahor-ASUS-TUF-Gaming-F15-FX506HC-FX506HC:~/Documents/453505_RADZUIK_10$ git push origin --delete branch2
To github.com:EGIRD/453505_RADZUIK_10.git
 - [deleted]         branch2
```




```
yahor@yahor-ASUS-TUF-Gaming-F15-FX506HC-FX506HC:~/Documents/453505_RADZUIK_10$ git branch
  IGI_LR1
  IGI_LR2
  IGI_LR3
  IGI_LR4
  IGI_LR5
  STRWEB_LR1
  STRWEB_LR2
  STRWEB_LR3
  STRWEB_LR4
  branch1
* master
yahor@yahor-ASUS-TUF-Gaming-F15-FX506HC-FX506HC:~/Documents/453505_RADZUIK_10$ git branch -r
  origin/branch1
  origin/master
```

6. Сгенерируйте в DeepSeek файл html и файл css для сайта визитки компании или человека с областью занятости на выбор.

```
yahor@yahor-ASUS-TUF-Gaming-F15-FX506HC-FX506HC:~/Documents/453505_RADZUIK_10/IGI/LR1$ mkdir my_website
yahor@yahor-ASUS-TUF-Gaming-F15-FX506HC-FX506HC:~/Documents/453505_RADZUIK_10/IGI/LR1$ cd my_website
yahor@yahor-ASUS-TUF-Gaming-F15-FX506HC-FX506HC:~/Documents/453505_RADZUIK_10/IGI/LR1/my_website$ nano index.html
yahor@yahor-ASUS-TUF-Gaming-F15-FX506HC-FX506HC:~/Documents/453505_RADZUIK_10/IGI/LR1/my_website$ nano index.html
yahor@yahor-ASUS-TUF-Gaming-F15-FX506HC-FX506HC:~/Documents/453505_RADZUIK_10/IGI/LR1/my_website$ nano style.css
yahor@yahor-ASUS-TUF-Gaming-F15-FX506HC-FX506HC:~/Documents/453505_RADZUIK_10/IGI/LR1/my_website$ ls -la
total 32
drwxrwxr-x 2 yahor yahor 4096 Feb 14 20:34 .
drwxrwxr-x 7 yahor yahor 4096 Feb 14 20:31 ..
-rw-rw-r-- 1 yahor yahor 8255 Feb 14 20:33 index.html
-rw-rw-r-- 1 yahor yahor 9885 Feb 14 20:34 style.css
yahor@yahor-ASUS-TUF-Gaming-F15-FX506HC-FX506HC:~/Documents/453505_RADZUIK_10/IGI/LR1/my_website$ git init
hint: Using 'master' as the name for the initial branch. This default branch name
hint: is subject to change. To configure the initial branch name to use in all
hint: of your new repositories, which will suppress this warning, call:
hint:
hint:   git config --global init.defaultBranch <name>
hint:
hint: Names commonly chosen instead of 'master' are 'main', 'trunk' and
hint: 'development'. The just-created branch can be renamed via this command:
hint:
hint:   git branch -m <name>
Initialized empty Git repository in /home/yahor/Documents/453505_RADZUIK_10/IGI/LR1/my_website/.git/
yahor@yahor-ASUS-TUF-Gaming-F15-FX506HC-FX506HC:~/Documents/453505_RADZUIK_10/IGI/LR1/my_website$ git status
On branch master

No commits yet

Untracked files:
  (use "git add <file>..." to include in what will be committed)
        index.html
        style.css

nothing added to commit but untracked files present (use "git add" to track)
```

```
yahor@yahor-ASUS-TUF-Gaming-F15-FX506HC-FX506HC:~/Documents/453505_RADZUIK_10/IGI/LR1/my_website$ git add .
yahor@yahor-ASUS-TUF-Gaming-F15-FX506HC-FX506HC:~/Documents/453505_RADZUIK_10/IGI/LR1/my_website$ git commit -m "Initial commit: сайт-визитка"
[master (root-commit) 71435fa] Initial commit: сайт-визитка
 2 files changed, 656 insertions(+)
 create mode 100644 index.html
 create mode 100644 style.css
yahor@yahor-ASUS-TUF-Gaming-F15-FX506HC-FX506HC:~/Documents/453505_RADZUIK_10/IGI/LR1/my_website$ git remote add origin git@github.com:EGIRD/my_vebsite.git
yahor@yahor-ASUS-TUF-Gaming-F15-FX506HC-FX506HC:~/Documents/453505_RADZUIK_10/IGI/LR1/my_website$ git branch -M master
yahor@yahor-ASUS-TUF-Gaming-F15-FX506HC-FX506HC:~/Documents/453505_RADZUIK_10/IGI/LR1/my_website$ git push -u origin master
Enumerating objects: 4, done.
Counting objects: 100% (4/4), done.
Delta compression using up to 12 threads
Compressing objects: 100% (4/4), done.
Writing objects: 100% (4/4), 5.32 KiB | 2.66 MiB/s, done.
Total 4 (delta 0), reused 0 (delta 0), pack-reused 0
To gi
 * [n
```

GitHub Pages

GitHub Pages is designed to host your personal, organization, or project pages from a GitHub repository.

Your site is live at https://egird.github.io/my_vebsite/
Last deployed by EGIRD 5 minutes ago

Visit site | Unpublish site

Build and deployment

Source

https://egird.github.io/my_vebsite/