

1. Write a program where a method accepts an integer parameter and tries to change its value. Print the value before and after the method call.

```
package Wrapper_Class;
import java.util.Scanner;
public class Change_value {

    public static void modify(int n) {
        System.out.println("Inside method (before change): " + n);
        n = 100;
        System.out.println("Inside method (after change): " + n);
    }
    public static void main(String[] args) {
        // TODO Auto-generated method stub
        Scanner sc=new Scanner(System.in);
        System.out.print("Enter number: ");
        int n=sc.nextInt();
        System.out.println("Before: " + n);

        modify(n);

        System.out.println("After: " + n);
    }
}
```

```
Enter number: 50
Before: 50
Inside method (before change): 50
Inside method (after change): 100
After: 50
```

2. Create a class Box with a variable length. Write a method that modifies the value of length by passing the Box object. Show that the original object is modified.

```
package Wrapper_Class;
class Box {
    int length;
    Box(int l) {
        this.length = l;
    }
}
public class Object_class {

    public static void modifyBox(Box b) {
        System.out.println("Before: " + b.length);
        b.length = 500;
        System.out.println("After: " + b.length);
    }

    public static void main(String[] args) {
        // TODO Auto-generated method stub
```

```

        Box b=new Box(10);
        System.out.println("Before call: "+b.length);
        modifyBox(b);

        System.out.println("After call: " + b.length);
    }
}

```

Before call: 10
Before: 10
After: 500
After call: 500

3. Check if character is a Digit

```

package Wrapper_Class;
import java.util.Scanner;
public class Char_is_dig {
    public static void main(String[] args) {
        // TODO Auto-generated method stub
        Scanner sc=new Scanner(System.in);

        System.out.print("Enter a character: ");
        char ch = sc.next().charAt(0);

        if (Character.isDigit(ch)) {
            System.out.println(ch + " is a Digit.");
        } else {
            System.out.println(ch + " is not a Digit.");
        }
    }
}

```

Enter a character: y
y is not a Digit.

4. Compare two Strings

```

package Wrapper_Class;
import java.util.Scanner;
public class Compare_string {
    public static void main(String[] args) {
        // TODO Auto-generated method stub
        Scanner sc=new Scanner(System.in);

        System.out.print("Enter a String1: ");
        String st1 = sc.nextLine();

        System.out.print("Enter a String2: ");
        String st2 = sc.nextLine();
    }
}

```

```

        if (st1.equals(st2)) {
            System.out.println("Strings are equal");
        } else {
            System.out.println("Strings are not equal");
        }
        if (st1.equalsIgnoreCase(st2)) {
            System.out.println("Equal ignoring case");
        }

        System.out.println("Compare: "+st1.compareTo(st2));

    }
}

```

Enter a String1: TapaBrata
Enter a String2: taPAbrata
Strings are not equal
Equal ignoring case
Compare: -32

5. Convert using valueOf method

```

package Wrapper_Class;
import java.util.*;
public class Day_6 {
    public static void main(String[] args) {
        // TODO Auto-generated method stub
        Scanner sc=new Scanner(System.in);
        System.out.print("Enter a String1: ");
        String st1 = sc.nextLine();

        Integer a = Integer.valueOf(st1);
        System.out.println("Integer value: " + a);
        Double b = Double.valueOf(st1);
        System.out.println("Double value: " + b);
    }
}

```

Enter a String1: 145
Integer value: 145
Integer value: 145.0

6. Create Boolean Wrapper usage

7. Convert null to wrapper classes

```

package Wrapper_Class;
import java.util.*;
public class Day_6 {

```

```
public static void main(String[] args) {  
    Integer age = null;  
  
    System.out.println("The value of age is: " + age);  
    try {  
        int total = age + 5;  
    } catch (NullPointerException e) {  
        System.out.println("Error: Cannot perform math on a null object");  
    }  
}
```

The value of age is: null

Error: Cannot perform math on a null object