

Create a program to store user input data into a database using Scanner and JDBC.

```
package Day_12;
import java.sql.*;
import java.util.Scanner;
public class User_input {

    public static void userInput(Scanner sc) {
        try (Connection con = DBConnection_day_12.getConnection())
        {
            System.out.print("Enter Student: ");
            String name = sc.nextLine();
            System.out.print("Enter Percentage: ");
            int per = sc.nextInt();
            sc.nextLine();
            System.out.print("Enter email:");
            String email = sc.nextLine();
            System.out.print("Age: ");
            int age = sc.nextInt();
            sc.nextLine();

            String sql = "INSERT INTO students (name, per, email, age) VALUES (?, ?, ?, ?)";
            PreparedStatement ps = con.prepareStatement(sql);
            ps.setString(1, name);
            ps.setInt(2, per);
            ps.setString(3, email);
            ps.setInt(4, age);
            ps.executeUpdate();
        }
        catch (Exception e) {
            e.printStackTrace();
        }
    }

    public static void showStudent()
    {
        try (Connection con = DBConnection_day_12.getConnection()) {
            String sql = "SELECT * FROM students";
            Statement stmt = con.createStatement();
            ResultSet rs = stmt.executeQuery(sql);

            String tableFormat = "%-6s %-18s %-12s %-25s %-5s\n";
            System.out.printf("\n"+tableFormat, "Roll", "Name", "Percentage", "Email", "Age");
            System.out.println("-----");
            while (rs.next()) {
                System.out.printf("\n"+tableFormat,
                    rs.getInt("rollno"), rs.getString("name"), rs.getInt("per"),
                    rs.getString("email"), rs.getInt("age"));
            }
        } catch (Exception e) {
            e.printStackTrace();
        }
    }
}
```

Enter Student: John
Enter Percentage: 88
Enter email:john@gmail.com
Age: 21

Create a program to validate login using username & password from database.

```
package Day_12;
import java.sql.*;
import java.util.Scanner;
public class User_input {

    public static void userInput(Scanner sc) {
        try (Connection con = DBConnection_day_12.getConnection())
        {
            System.out.print("Enter Student: ");
            String name = sc.nextLine();
            System.out.print("Enter Percentage: ");
            int per = sc.nextInt();
            sc.nextLine();
            System.out.print("Enter email:");
            String email = sc.nextLine();
            System.out.print("Age: ");
            int age = sc.nextInt();
            sc.nextLine();

            String sql = "INSERT INTO students (name, per, email, age) VALUES (?, ?, ?, ?)";
            PreparedStatement ps = con.prepareStatement(sql);
            ps.setString(1, name);
            ps.setInt(2, per);
            ps.setString(3, email);
            ps.setInt(4, age);
            ps.executeUpdate();
        }
        catch (Exception e) {
            e.printStackTrace();
        }
    }

    public static void showStudent()
    {
        try (Connection con = DBConnection_day_12.getConnection()) {
            String sql = "SELECT * FROM students";
            Statement stmt = con.createStatement();
            ResultSet rs = stmt.executeQuery(sql);

            String tableFormat = "%-6s %-18s %-12s %-25s %-5s\n";
            System.out.printf("\n"+tableFormat, "Roll", "Name", "Percentage", "Email", "Age");
            System.out.println("-----");
            while (rs.next()) {
                System.out.printf("\n"+tableFormat,
                    rs.getInt("rollno"), rs.getString("name"), rs.getInt("per"),
                    rs.getString("email"), rs.getInt("age"));
            }
        }
    }
}
```

```

    } catch (Exception e) {
        e.printStackTrace();
    }
}

```

Username: admin

Password: admin123

Student Management Menu

1. Enter Student

2. View Student

3. Exit

Choose option: 2

Roll	Name	Percentage	Email	Age
104	Rahul Sikder	92	rahul@gmail.com	20
105	John	88	john@gmail.com	21

Write a program to insert multiple records using JDBC.

```

package Day_12;
import java.sql.*;
import java.util.Scanner;
public class User_input {

    public static void userInput(Scanner sc) {
        try (Connection con = DBConnection_day_12.getConnection())
        {
            System.out.print("Enter Student: ");
            String name = sc.nextLine();
            System.out.print("Enter Percentage: ");
            int per = sc.nextInt();
            sc.nextLine();
            System.out.print("Enter email:");
            String email = sc.nextLine();
            System.out.print("Age: ");
            int age = sc.nextInt();
            sc.nextLine();

            String sql = "INSERT INTO students (name, per, email, age) VALUES (?, ?, ?, ?)";
            PreparedStatement ps = con.prepareStatement(sql);
            ps.setString(1, name);
            ps.setInt(2, per);
            ps.setString(3, email);
            ps.setInt(4, age);
            ps.executeUpdate();
        }
        catch (Exception e) {
            e.printStackTrace();
        }
    }

    public static void showStudent()
    {
        try (Connection con = DBConnection_day_12.getConnection()) {

```

```

String sql = "SELECT * FROM students";
Statement stmt = con.createStatement();
ResultSet rs = stmt.executeQuery(sql);

String tableFormat = "%-6s %-18s %-12s %-25s %-5s\n";
System.out.printf("\n"+tableFormat, "Roll", "Name", "Percentage", "Email", "Age");
System.out.println("-----");
while (rs.next()) {
    System.out.printf("\n"+tableFormat,
        rs.getInt("rollno"), rs.getString("name"), rs.getInt("per"),
        rs.getString("email"), rs.getInt("age"));
}
} catch (Exception e) {
    e.printStackTrace();
}
}
}

```

Create a program to display all records from the students table.

```

package Day_12;
import java.sql.*;
import java.util.Scanner;
public class User_input {

    public static void userInput(Scanner sc) {
        try (Connection con = DBConnection_day_12.getConnection())
        {
            System.out.print("Enter Student: ");
            String name = sc.nextLine();
            System.out.print("Enter Percentage: ");
            int per = sc.nextInt();
            sc.nextLine();
            System.out.print("Enter email:");
            String email = sc.nextLine();
            System.out.print("Age: ");
            int age = sc.nextInt();
            sc.nextLine();

            String sql = "INSERT INTO students (name, per, email, age) VALUES (?, ?, ?, ?)";
            PreparedStatement ps = con.prepareStatement(sql);
            ps.setString(1, name);
            ps.setInt(2, per);
            ps.setString(3, email);
            ps.setInt(4, age);
            ps.executeUpdate();
        }
        catch (Exception e) {
            e.printStackTrace();
        }
    }

    public static void showStudent()

```

```

{
    try (Connection con = DBConnection_day_12.getConnection()) {
        String sql = "SELECT * FROM students";
        Statement stmt = con.createStatement();
        ResultSet rs = stmt.executeQuery(sql);

        String tableFormat = "%-6s %-18s %-12s %-25s %-5s\n";
        System.out.printf("\n"+tableFormat, "Roll", "Name", "Percentage", "Email", "Age");
        System.out.println("-----");
        while (rs.next()) {
            System.out.printf("\n"+tableFormat,
                rs.getInt("rollno"), rs.getString("name"), rs.getInt("per"),
                rs.getString("email"), rs.getInt("age"));
        }
    } catch (Exception e) {
        e.printStackTrace();
    }
}

```

Choose option: 2

Roll	Name	Percentage	Email	Age
104	Rahul Sikder	92	rahul@gmail.com	20
105	John	88	john@gmail.com	21