

SPLASH SCREEN



Cardio Tracker

LIST VIEW

History

Please enter data

ADD DATA PAGE

Add Information

Systolic
Text

Diastolic
Text

Pulse Rate
Text

Comments
Text

ADD

LIST VIEW AFTER ADDING DATAS

History

Systolic	Diastolic	Pulse Rate
120	90	75
Normal	26-06-2022	10.00 a.m.
<div>UpdateDelete</div>		
90	60	55
Low	20-06-2022	8.00 p.m.
<div>UpdateDelete</div>		
140	100	100
High	16-06-2022	8.00 a.m.
<div>UpdateDelete</div>		

UPDATING AN EXISTING DATA

Update

Systolic
110

Diastolic
80

Pulse Rate
70

Comments
Good

Update

LIST VIEW AFTER DELETING

History

110	80	70
Good	27-06-2022	12.00 a.m.
<div>UpdateDelete</div>		
90	60	55
Low	20-06-2022	8.00 p.m.
<div>UpdateDelete</div>		

LIST VIEW AFTER UPDATING

History

110	80	70
Good	27-06-2022	12.00 a.m.
<div>UpdateDelete</div>		
90	60	55
Low	20-06-2022	8.00 p.m.
<div>UpdateDelete</div>		
140	100	100
High	16-06-2022	8.00 a.m.
<div>UpdateDelete</div>		