

```

import { useState } from "react";

const PLATFORM_CONFIG = {
  instagram: {
    label: "Instagram",
    icon: "📸",
    color: "#E1306C",
    gradient: "linear-gradient(45deg, #f09433, #e6683c, #dc2743, #cc2366, #bc1888",
    types: ["Reel Script", "Carousel Post", "Story Sequence", "Caption + Hooks"],
  },
  youtube: {
    label: "YouTube",
    icon: "▶",
    color: "#FF0000",
    gradient: "linear-gradient(135deg, #FF0000, #cc0000)",
    types: ["Short (60s)", "Tutorial (5-10 min)", "Sales Pitch (3-5 min)", "Talki
  },
};

const TONES = ["Energetic & Bold", "Professional & Trustworthy", "Conversational
const INDUSTRIES = ["Personal Brand / Coaching", "Insurance & Finance", "Tech & S

export default function SalesAgent() {
  const [platform, setPlatform] = useState(null);
  const [contentType, setContentType] = useState("");
  const [tone, setTone] = useState("");
  const [industry, setIndustry] = useState("");
  const [product, setProduct] = useState("");
  const [audience, setAudience] = useState("");
  const [loading, setLoading] = useState(false);
  const [output, setOutput] = useState(null);
  const [tab, setTab] = useState("script");
  const [imagePrompt, setImagePrompt] = useState("");
  const [step, setStep] = useState(1);

  const totalSteps = 3;

  async function generateContent() {
    if (!platform || !contentType || !tone || !product) return;
    setLoading(true);
    setOutput(null);

    const isInstagram = platform === "instagram";

```

```
const systemPrompt = `You are a world-class social media sales strategist and
You create viral, conversion-focused content for ${isInstagram ? "Instagram" : "Y
Always respond in valid JSON only. No markdown, no backticks, no extra text.`;
```

```
const userPrompt = isInstagram
? `Create Instagram ${contentType} content for:
Product/Service: ${product}
Target Audience: ${audience || "general consumer"}
Industry: ${industry}
Tone: ${tone}
```

Return JSON:

```
{
  "hook": "attention-grabbing opening line (under 10 words)",
  "script": "full ${contentType} script with clear sections",
  "captions": ["3 caption variations with emojis"],
  "hashtags": ["15 relevant hashtags"],
  "callToAction": "strong CTA",
  "imagePrompt": "detailed DALL-E style image description for the visual",
  "tips": ["3 production tips for this format"]
}
```

```
: `Create YouTube ${contentType} script for:
Product/Service: ${product}
Target Audience: ${audience || "general viewer"}
Industry: ${industry}
Tone: ${tone}
```

Return JSON:

```
{
  "title": "SEO-optimised video title",
  "hook": "first 15-second hook script",
  "script": "full video script with timestamps and sections",
  "description": "YouTube description with keywords",
  "tags": ["15 SEO tags"],
  "callToAction": "strong end-screen CTA",
  "thumbnailPrompt": "detailed thumbnail image description",
  "tips": ["3 filming and editing tips"]
}
```

```
try {
  const res = await fetch("https://api.anthropic.com/v1/messages", {
    method: "POST",
    headers: { "Content-Type": "application/json" },
    body: JSON.stringify({
      model: "claude-sonnet-4-20250514",
      max_tokens: 1000,
      system: systemPrompt,
```

```

        messages: [{ role: "user", content: userPrompt }],
    }},
});
const data = await res.json();
const text = data.content.map(i => i.text || "").join("");
const clean = text.replace(/```json|```/g, "").trim();
const parsed = JSON.parse(clean);
setOutput(parsed);
setImagePrompt(parsed.imagePrompt || parsed.thumbnailPrompt || "");
setTab("script");
} catch (e) {
    setOutput({ error: "Something went wrong. Please try again." });
}
setLoading(false);
}

function copyToClipboard(text) {
    navigator.clipboard.writeText(text);
}

const config = platform ? PLATFORM_CONFIG[platform] : null;

return (
    <div style={{
        minHeight: "100vh",
        background: "#0a0a0f",
        color: "#fff",
        fontFamily: "'Georgia', 'Times New Roman', serif",
        padding: "0",
    }}>
        { /* Header */ }
        <div style={{
            background: "linear-gradient(135deg, #0a0a0f 0%, #1a0a2e 50%, #0a0a0f 100",
            borderBottom: "1px solid rgba(255,255,255,0.08)",
            padding: "32px 24px 24px",
            textAlign: "center",
            position: "relative",
            overflow: "hidden",
        }}>
            <div style={{
                position: "absolute", top: 0, left: 0, right: 0, bottom: 0,
                background: "radial-gradient(ellipse at 50% 0%, rgba(180,100,255,0.15)",
                pointerEvents: "none",
            }} />
            <div style={{ fontSize: 11, letterSpacing: 6, color: "#9b6dff", textTrans
                AI-POWERED
            }} />
        </div>
    </div>

```

```

<h1 style={{
  fontSize: "clamp(28px, 5vw, 42px)",
  fontWeight: 400,
  margin: "0 0 8px",
  background: "linear-gradient(135deg, #fff 0%, #b46dff 50%, #ff6db4 100%",
  WebkitBackgroundClip: "text",
  WebkitTextFillColor: "transparent",
  letterSpacing: -1,
}}>
  Sales Content Studio
</h1>
<p style={{ color: "rgba(255,255,255,0.4)", margin: 0, fontSize: 14, font
  Scripts · Visuals · Hooks · CTAs — generated in seconds
</p>
</div>

<div style={{ maxWidth: 760, margin: "0 auto", padding: "32px 20px" }}>

  {/* Step 1: Platform */}
  <Section number={1} title="Choose Your Platform" active={step >= 1}>
    <div style={{ display: "flex", gap: 16, flexWrap: "wrap" }}>
      {Object.entries(PLATFORM_CONFIG).map(([key, val]) => (
        <PlatformCard
          key={key}
          label={val.label}
          icon={val.icon}
          gradient={val.gradient}
          selected={platform === key}
          onClick={() => { setPlatform(key); setContentType(""); setStep(s
        />
      )}}
    </div>
  </Section>

  {/* Step 2: Content Details */}
  {step >= 2 && platform && (
    <Section number={2} title="Content Details" active={step >= 2}>
      <Grid>
        <div>
          <Label>Content Type</Label>
          <Select value={contentType} onChange={e => { setContentType(e.tar
            <option value="">Select type...</option>
            {config.types.map(t => <option key={t}>{t}</option>)}
          </Select>
        </div>
        <div>
          <Label>Tone & Style</Label>

```

```

        <Select value={tone} onChange={e => setTone(e.target.value)}>
          <option value="">Select tone...</option>
          {TONES.map(t => <option key={t}>{t}</option>)}
        </Select>
      </div>
      <div>
        <Label>Industry</Label>
        <Select value={industry} onChange={e => setIndustry(e.target.valu
          <option value="">Select industry...</option>
          {INDUSTRIES.map(i => <option key={i}>{i}</option>)}
        </Select>
      </div>
      <div>
        <Label>Target Audience</Label>
        <Input
          placeholder="e.g. UK professionals aged 30-50"
          value={audience}
          onChange={e => setAudience(e.target.value)}
        />
      </div>
    </Grid>
    <div style={{ marginTop: 16 }}>
      <Label>Your Product / Service / Message *</Label>
      <textarea
        value={product}
        onChange={e => setProduct(e.target.value)}
        placeholder="Describe what you're selling or the message you want
        style={{
          width: "100%", minHeight: 90, background: "rgba(255,255,255,0.0
          border: "1px solid rgba(255,255,255,0.12)", borderRadius: 10,
          color: "#fff", padding: "12px 14px", fontSize: 14,
          fontFamily: "sans-serif", resize: "vertical", boxSizing: "borde
          outline: "none",
        }}
      />
    </div>
  </Section>
)}

{/* Step 3: Generate */}
{step >= 3 && (
  <Section number={3} title="Generate Content" active>
    <button
      onClick={generateContent}
      disabled={loading || !product || !contentType || !tone}
      style={{
        width: "100%",

```

```

padding: "18px",
background: loading ? "rgba(155,109,255,0.3)" : "linear-gradient(
border: "none",
borderRadius: 12,
color: "#fff",
fontSize: 16,
fontWeight: 600,
cursor: loading ? "not-allowed" : "pointer",
letterSpacing: 0.5,
fontFamily: "sans-serif",
transition: "opacity 0.2s",
opacity: (!product || !contentType || !tone) ? 0.5 : 1,
})
>
{loading ? "🔥 Generating your content..." : `⚡ Generate ${platform
</button>
</Section>
)}

{/* Output */}
{loading && (
  <div style={{ textAlign: "center", padding: "40px 0", color: "rgba(255,
    <div style={{ fontSize: 32, marginBottom: 12, animation: "spin 2s lin
    <p>Crafting your sales content...</p>
    <style>{@keyframes spin { from{transform:rotate(0deg)} to{transform:
  </div>
)}

{output && !output.error && (
  <div style={{
    background: "rgba(255,255,255,0.03)",
    border: "1px solid rgba(255,255,255,0.1)",
    borderRadius: 16,
    overflow: "hidden",
    marginTop: 8,
  }}>
    {/* Tabs */}
    <div style={{ display: "flex", borderBottom: "1px solid rgba(255,255,
      {[
        { key: "script", label: "📝 Script" },
        { key: "caption", label: "👉 Captions" },
        { key: "seo", label: "🔍 SEO / Tags" },
        { key: "visual", label: "🎨 Visual Brief" },
        { key: "tips", label: "💡 Tips" },
      ]}.map(t => (
        <button key={t.key} onClick={() => setTab(t.key)} style={{
          padding: "14px 20px",

```

```

        background: tab === t.key ? "rgba(155,109,255,0.15)" : "transpa
        border: "none",
        borderBottom: tab === t.key ? "2px solid #9b6dff" : "2px solid
        color: tab === t.key ? "#fff" : "rgba(255,255,255,0.4)",
        cursor: "pointer",
        fontSize: 13,
        whiteSpace: "nowrap",
        fontFamily: "sans-serif",
        transition: "all 0.2s",
    }}>
        {t.label}
    </button>
  )))
</div>

<div style={{ padding: "24px" }}>
  {/* Script Tab */}
  {tab === "script" && (
    <div>
      {output.title && <div style={{ marginBottom: 20 }}>
        <Label>Video Title</Label>
        <div style={{ background: "rgba(255,255,255,0.06)", borderRad
          {output.title}
        </div>
      </div>}
      {output.hook && <div style={{ marginBottom: 20 }}>
        <Label>🌀 Hook</Label>
        <div style={{ background: "rgba(155,109,255,0.1)", border: "1
          "{output.hook}"
        </div>
      </div>}
      <Label>Full Script</Label>
      <pre style={{ whiteSpace: "pre-wrap", fontFamily: "sans-serif",
        {output.script}
      </pre>
      {output.callToAction && <div style={{ marginTop: 20 }}>
        <Label>👉 Call to Action</Label>
        <div style={{ background: "rgba(255,100,100,0.1)", border: "1
          {output.callToAction}
        </div>
      </div>}
      <CopyButton text={output.script} />
    </div>
  )}

  {/* Captions Tab */}
  {tab === "caption" && (

```

```

<div>
  {(output.captions || output.description) && (
    <>
      <Label>{platform === "instagram" ? "Caption Variations" : "
      {output.captions ? output.captions.map((c, i) => (
        <div key={i} style={{ background: "rgba(255,255,255,0.04)
          <div style={{ fontSize: 11, color: "#9b6dff", marginBot
            {c}
          <CopyButton text={c} small />
        </div>
      )) : (
        <pre style={{ whiteSpace: "pre-wrap", fontFamily: "sans-s
          {output.description}
        </pre>
      )}
    </>
  )}
</div>
)}

{/* SEO Tab */}
{tab === "seo" && (
  <div>
    <Label>{platform === "instagram" ? "Hashtags" : "SEO Tags"}</La
    <div style={{ display: "flex", flexWrap: "wrap", gap: 8, margin
      {(output.hashtags || output.tags || []).map((t, i) => (
        <span key={i} style={{
          background: "rgba(155,109,255,0.15)",
          border: "1px solid rgba(155,109,255,0.3)",
          borderRadius: 20, padding: "5px 12px",
          fontSize: 13, color: "#c9a8ff", fontFamily: "monospace",
        }}>
          {t.startsWith("#") ? t : `#${t}`}
        </span>
      )}}
    </div>
    <CopyButton text={(output.hashtags || output.tags || []).join("
  </div>
)}

{/* Visual Tab */}
{tab === "visual" && (
  <div>
    <Label>{platform === "instagram" ? "Image Generation Prompt" :
    <div style={{ background: "rgba(255,180,100,0.08)", border: "1p
      {imagePrompt}
    </div>
  }

```



```

        <CopyButton text={imagePrompt} />
        <div style={{ marginTop: 20, padding: 16, background: "rgba(255
          💡 Copy this prompt into <strong style={{ color: "rgba(255,25
        </div>
      </div>
    )}

    {/* Tips Tab */}
    {tab === "tips" && (
      <div>
        <Label>Production Tips</Label>
        {(output.tips || []).map((tip, i) => (
          <div key={i} style={{ display: "flex", gap: 14, marginBottom:
            <div style={{ width: 28, height: 28, borderRadius: "50%", b
              {i + 1}
            </div>
            <div style={{ fontSize: 14, lineHeight: 1.6, color: "rgba(2
          </div>
        ))}
      </div>
    )}
  </div>
</div>
)}

{output?.error && (
  <div style={{ background: "rgba(255,80,80,0.1)", border: "1px solid rgb
    {output.error}
  </div>
)}
</div>
</div>
);
}

function Section({ number, title, children, active }) {
  return (
    <div style={{ marginBottom: 24, opacity: active ? 1 : 0.4, transition: "opaci
      <div style={{ display: "flex", alignItems: "center", gap: 12, marginBottom:
        <div style={{
          width: 28, height: 28, borderRadius: "50%",
          background: active ? "linear-gradient(135deg, #9b6dff, #ff6db4)" : "rgb
          display: "flex", alignItems: "center", justifyContent: "center",
          fontSize: 12, fontWeight: 700, fontFamily: "monospace", flexShrink: 0,
        }}>
          {number}
        </div>
      </div>
    )}
  )}

```

```

        <h2 style={{ margin: 0, fontSize: 15, fontWeight: 600, letterSpacing: 0.5
            {title}
        </h2>
    </div>
    <div style={{ paddingLeft: 40 }}>{children}</div>
</div>
);
}

function PlatformCard({ label, icon, gradient, selected, onClick }) {
    return (
        <button onClick={onClick} style={{
            flex: "1 1 140px",
            padding: "20px 16px",
            background: selected ? "rgba(255,255,255,0.08)" : "rgba(255,255,255,0.03)",
            border: selected ? "1.5px solid rgba(255,255,255,0.3)" : "1px solid rgba(25
            borderRadius: 14,
            cursor: "pointer",
            textAlign: "center",
            transition: "all 0.2s",
            position: "relative",
            overflow: "hidden",
        }}>
            {selected && <div style={{ position: "absolute", top: 0, left: 0, right: 0,
            <div style={{ fontSize: 28, marginBottom: 8 }}>{icon}</div>
            <div style={{ color: "#fff", fontWeight: 600, fontSize: 15, fontFamily: "sa
        </button>
    );
}

function Grid({ children }) {
    return (
        <div style={{ display: "grid", gridTemplateColumns: "repeat(auto-fit, minmax(
            {children}
        </div>
    );
}

function Label({ children }) {
    return (
        <div style={{ fontSize: 11, letterSpacing: 2, color: "rgba(255,255,255,0.4)",
            {children}
        </div>
    );
}

function Select({ value, onChange, children }) {

```

```

return (
  <select value={value} onChange={onChange} style={{
    width: "100%", background: "rgba(255,255,255,0.04)",
    border: "1px solid rgba(255,255,255,0.12)", borderRadius: 8,
    color: value ? "#fff" : "rgba(255,255,255,0.3)",
    padding: "10px 12px", fontSize: 14, fontFamily: "sans-serif",
    outline: "none", cursor: "pointer",
  }}>
    {children}
  </select>
);
}

function Input({ placeholder, value, onChange }) {
  return (
    <input
      type="text"
      placeholder={placeholder}
      value={value}
      onChange={onChange}
      style={{
        width: "100%", background: "rgba(255,255,255,0.04)",
        border: "1px solid rgba(255,255,255,0.12)", borderRadius: 8,
        color: "#fff", padding: "10px 12px", fontSize: 14,
        fontFamily: "sans-serif", outline: "none", boxSizing: "border-box",
      }}
    />
  );
}

function CopyButton({ text, small }) {
  const [copied, setCopied] = useState(false);
  return (
    <button
      onClick={() => { navigator.clipboard.writeText(text); setCopied(true); setT
      style={{
        marginTop: small ? 8 : 16,
        padding: small ? "6px 14px" : "10px 20px",
        background: copied ? "rgba(100,255,150,0.15)" : "rgba(255,255,255,0.06)",
        border: `1px solid ${copied ? "rgba(100,255,150,0.3)" : "rgba(255,255,255,0.12)"} `,
        borderRadius: 8,
        color: copied ? "#80ffaa" : "rgba(255,255,255,0.5)",
        fontSize: 12,
        cursor: "pointer",
        fontFamily: "monospace",
        letterSpacing: 1,
        transition: "all 0.2s",
      }}
    />
  );
}

```

```
    }}  
  >  
    {copied ? "✓ COPIED" : "📋 COPY"}  
  </button>  
);  
}
```