

280_CSE4004_WEB TECHNOLOGIES DIGITAL ASSIGNMENT

PERSONAL WEBSITE

BY VARDHINEEDI TARAK RAM 20BCI7311

Index.html

```
<!DOCTYPE html>
<!-- Created By CodingNepal -->
<html lang="en">
    <meta charset="UTF-8">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <title>Personal Portfolio Website</title>
    <link rel="stylesheet" href="style.css">
    <link rel="stylesheet" href="https://cdnjs.cloudflare.com/ajax/libs/font-</pre>
awesome/5.15.3/css/all.min.css"/>
    <script src="https://code.jquery.com/jquery-3.5.1.min.js"></script>
src="https://cdnjs.cloudflare.com/ajax/libs/typed.js/2.0.11/typed.min.js"></sc</pre>
ript>
    <script
src="https://cdnjs.cloudflare.com/ajax/libs/waypoints/4.0.1/jquery.waypoints.m
in.js"></script>
    <script
src="https://cdnjs.cloudflare.com/ajax/libs/OwlCarousel2/2.3.4/owl.carousel.mi
n.js"></script>
    <link rel="stylesheet"</pre>
href="https://cdnjs.cloudflare.com/ajax/libs/OwlCarousel2/2.3.4/assets/owl.car
ousel.min.css"/>
</head>
<body>
    <div class="scroll-up-btn">
        <i class="fas fa-angle-up"></i></i>
    </div>
    <nav class="navbar">
       <div class="max-width">
           <div class="logo"><a href="#">Portfo<span>lio.</span></a></div>
           <a href="#home" class="menu-btn">Home</a>
               <a href="#about" class="menu-btn">About</a>
               <a href="#services" class="menu-btn">Services</a>
               <a href="#skills" class="menu-btn">Skills</a>
               <a href="#teams" class="menu-btn">Teams</a>
               <a href="#contact" class="menu-btn">Contact</a>
           <div class="menu-btn">
               <i class="fas fa-bars"></i></i>
           </div>
       </div>
```

```
</nav>
    <!-- home section start -->
    <section class="home" id="home">
        <div class="max-width">
            <div class="home-content">
                <div class="text-1">Hello, my name is</div>
                <div class="text-2">Tarak Ram</div>
                <div class="text-3">And I'm a <span</pre>
class="typing"></span></div>
                <a href="#">Hire me</a>
            </div>
        </div>
    </section>
    <!-- about section start -->
    <section class="about" id="about">
        <div class="max-width">
            <h2 class="title">About me</h2>
            <div class="about-content">
                <div class="column left">
                    <img src="images/main.png" alt="">
                </div>
                <div class="column right">
                    <div class="text">I'm Tarak Ram and I'm a <span</pre>
class="typing-2"></span></div>
                    I am a basically a programmer with skills and going to
gain experience through the work . I can design a web page as a front-end
developer and back-end developer. I can advance to the advertising department
for advertising. Mainly I can use my knowledge for mobile application and
their development .
                    <a href="#">Download CV</a>
                </div>
            </div>
        </div>
    </section>
    <!-- services section start -->
    <section class="services" id="services">
        <div class="max-width">
            <h2 class="title">My services</h2>
            <div class="serv-content">
                <div class="card">
                    <div class="box">
                        <i class="fas fa-paint-brush"></i></i>
                        <div class="text">Web Design</div>
                        Editing web pages as front-end developer and back-
end developer using html,javascript,css,ajax,...etc
```

```
</div>
                </div>
                <div class="card">
                    <div class="box">
                        <i class="fas fa-chart-line"></i></i>
                        <div class="text">Advertising</div>
                        I can say that I have a good skill of comunication
at advertising
                    </div>
                </div>
                <div class="card">
                    <div class="box">
                        <i class="fas fa-code"></i></i>
                        <div class="text">Apps Design</div>
                        I have my own experience in mobile
application desingning and development
                    </div>
                </div>
               </div>
            </div>
        </div>
    </section>
    <!-- skills section start -->
    <section class="skills" id="skills">
        <div class="max-width">
            <h2 class="title">My skills</h2>
            <div class="skills-content">
                <div class="column left">
                    <div class="text">My creative skills & experiences.
                    I'm proficient in coding languages such as HTML, CSS,
JavaScript, and jQuery. I can understand server side CSS as back-end developer.
I have developed mobile appilications and have experience with graphic design
applications
                    <a href="#">Read more</a>
                </div>
                <div class="column right">
                    <div class="bars">
                        <div class="info">
                            <span>HTML</span>
                            <span>90%</span>
                        </div>
                        <div class="line html"></div>
                    </div>
                    <div class="bars">
                        <div class="info">
                           <span>CSS</span>
```

```
<span>60%</span>
                        </div>
                        <div class="line css"></div>
                    </div>
                    <div class="bars">
                        <div class="info">
                            <span>JavaScript</span>
                            <span>80%</span>
                        </div>
                        <div class="line js"></div>
                    </div>
                    <div class="bars">
                        <div class="info">
                            <span>PHP</span>
                            <span>50%</span>
                        </div>
                        <div class="line php"></div>
                    </div>
                    <div class="bars">
                        <div class="info">
                            <span>MySQL</span>
                            <span>70%</span>
                        </div>
                        <div class="line mysql"></div>
                    </div>
                </div>
            </div>
        </div>
    </section>
    <!-- teams section start -->
    <section class="teams" id="teams">
        <div class="max-width">
            <h2 class="title">My Education details</h2>
            <div class="carousel owl-carousel">
                <div class="card">
                    <div class="box">
                        <img src="images/profile-1.jpg" alt="">
                        <div class="text">SECONDARY EDUCATION-NARAYANA(2017-
18)</div>
                        SCORED 10 CGPA
                    </div>
                </div>
                <div class="card">
                    <div class="box">
                        <img src="images/profile-2.jpg" alt="">
                        <div class="text">BOARD OF INTERMEDIATE AP - SRI
CHAITANYA(2018-20)</div>
```

```
SCORED 94.5% 
                    </div>
                </div>
                <div class="card">
                    <div class="box">
                        <img src="images/profile-3.jpg" alt="">
                        <div class="text">JEE MAINS & ADVANCE(2020)</div>
                        SCORED 93.8% & QUALIFIED IN ADVANCE
                    </div>
                </div>
                <div class="card">
                    <div class="box">
                        <img src="images/profile-4.jpg" alt="">
                        <div class="text">BTECH VIT AP (2020-24)</div>
                        >PURSUING WITH AI SPECIALIZATION IN CSE 
                    </div>
                </div>
        </div>
    </section>
    <!-- contact section start -->
    <section class="contact" id="contact">
        <div class="max-width">
            <h2 class="title">Contact me</h2>
            <div class="contact-content">
                <div class="column left">
                    <div class="text">Get in Touch</div>
                    <div class="icons">
                        <div class="row">
                            <i class="fas fa-user"></i></i>
                            <div class="info">
                                <div class="head">Name</div>
                                <div class="sub-title">Tarak Ram</div>
                            </div>
                        </div>
                        <div class="row">
                            <i class="fas fa-map-marker-alt"></i></i></i>
                            <div class="info">
                                <div class="head">Address</div>
                                <div class="sub-title">Hyderabad,
Telengana</div>
                            </div>
                        </div>
                        <div class="row">
                            <i class="fas fa-envelope"></i></i>
                            <div class="info">
```

```
<div class="head">Email</div>
                                 <div class="sub-title">abc1452@gmail.com</div>
                             </div>
                        </div>
                    </div>
                </div>
                <div class="column right">
                    <div class="text">Message me</div>
                    <form action="#">
                         <div class="fields">
                             <div class="field name">
                                 <input type="text" placeholder="Name"</pre>
required>
                            </div>
                             <div class="field email">
                                 <input type="email" placeholder="Email"</pre>
required>
                            </div>
                        </div>
                         <div class="field">
                             <input type="text" placeholder="Subject" required>
                         <div class="field textarea">
                            <textarea cols="30" rows="10"
placeholder="Message.." required></textarea>
                        </div>
                         <div class="button-area">
                             <button type="submit">Send message</button>
                         </div>
                    </form>
                </div>
            </div>
        </div>
    </section>
    <!-- footer section start -->
    <footer>
        <span>Created By | Tarak Ram<span class="far fa-copyright"></span>
2020 All rights reserved.</span>
    </footer>
    <script src="script.js"></script>
</body>
```

Style.css

```
import google fonts */
@import
url('https://fonts.googleapis.com/css2?family=Poppins:wght@400;500;600;700&fam
ily=Ubuntu:wght@400;500;700&display=swap');
*{
   margin: 0;
    padding: 0;
   box-sizing: border-box;
    text-decoration: none;
html{
    scroll-behavior: smooth;
/* custom scroll bar */
::-webkit-scrollbar {
   width: 10px;
::-webkit-scrollbar-track {
    background: #f1f1f1;
::-webkit-scrollbar-thumb {
    background: #888;
::-webkit-scrollbar-thumb:hover {
    background: #555;
/* all similar content styling codes */
section{
    padding: 100px 0;
.max-width{
   max-width: 1300px;
   padding: 0 80px;
   margin: auto;
.about, .services, .skills, .teams, .contact, footer{
   font-family: 'Poppins', sans-serif;
.about .about-content,
.services .serv-content,
 skills .skills-content,
```

```
.contact .contact-content{
    display: flex;
    flex-wrap: wrap;
    align-items: center;
    justify-content: space-between;
section .title{
    position: relative;
    text-align: center;
    font-size: 40px;
   font-weight: 500;
   margin-bottom: 60px;
    padding-bottom: 20px;
   font-family: 'Ubuntu', sans-serif;
section .title::before{
    content: "";
   position: absolute;
    bottom: 0px;
    left: 50%;
   width: 180px;
   height: 3px;
    background: #111;
    transform: translateX(-50%);
section .title::after{
    position: absolute;
   bottom: -8px;
   left: 50%;
    font-size: 20px;
    color: crimson;
    padding: 0 5px;
   background: #fff;
    transform: translateX(-50%);
/* navbar styling */
.navbar{
   position: fixed;
   width: 100%;
    z-index: 999;
    padding: 30px 0;
    font-family: 'Ubuntu', sans-serif;
    transition: all 0.3s ease;
.navbar.sticky{
    padding: 15px 0;
    background: crimson;
```

```
.navbar .max-width{
   display: flex;
    align-items: center;
   justify-content: space-between;
.navbar .logo a{
    color: #fff;
    font-size: 35px;
   font-weight: 600;
.navbar .logo a span{
   color: crimson;
    transition: all 0.3s ease;
.navbar.sticky .logo a span{
    color: #fff;
.navbar .menu li{
   list-style: none;
    display: inline-block;
.navbar .menu li a{
   display: block;
   color: #fff;
   font-size: 18px;
   font-weight: 500;
   margin-left: 25px;
   transition: color 0.3s ease;
.navbar .menu li a:hover{
   color: crimson;
.navbar.sticky .menu li a:hover{
    color: #fff;
/* menu btn styling */
.menu-btn{
   color: #fff;
   font-size: 23px;
   cursor: pointer;
   display: none;
.scroll-up-btn{
   position: fixed;
   height: 45px;
   width: 42px;
```

```
background: crimson;
    right: 30px;
   bottom: 10px;
    text-align: center;
    line-height: 45px;
    color: #fff;
    z-index: 9999;
    font-size: 30px;
    border-radius: 6px;
    border-bottom-width: 2px;
    cursor: pointer;
   opacity: 0;
    pointer-events: none;
    transition: all 0.3s ease;
.scroll-up-btn.show{
   bottom: 30px;
   opacity: 1;
   pointer-events: auto;
.scroll-up-btn:hover{
   filter: brightness(90%);
/* home section styling */
.home{
   display: flex;
    background: url("images/banner.jpg") no-repeat center;
   height: 100vh;
   color: #fff;
   min-height: 500px;
   background-size: cover;
   background-attachment: fixed;
   font-family: 'Ubuntu', sans-serif;
.home .max-width{
 width: 100%;
 display: flex;
.home .max-width .row{
 margin-right: 0;
.home .home-content .text-1{
   font-size: 27px;
.home .home-content .text-2{
   font-size: 75px;
   font-weight: 600;
```

```
margin-left: -3px;
.home .home-content .text-3{
   font-size: 40px;
   margin: 5px 0;
.home .home-content .text-3 span{
   color: crimson;
   font-weight: 500;
.home .home-content a{
   display: inline-block;
   background: crimson;
   color: #fff;
   font-size: 25px;
   padding: 12px 36px;
   margin-top: 20px;
   font-weight: 400;
   border-radius: 6px;
   border: 2px solid crimson;
   transition: all 0.3s ease;
.home .home-content a:hover{
   color: crimson;
   background: none;
/* about section styling */
.about .title::after{
   content: "who i am";
.about .about-content .left{
   width: 45%;
.about .about-content .left img{
   height: 400px;
   width: 400px;
   object-fit: cover;
   border-radius: 6px;
.about .about-content .right{
   width: 55%;
.about .about-content .right .text{
   font-size: 25px;
   font-weight: 600;
   margin-bottom: 10px;
```

```
.about .about-content .right .text span{
    color: crimson;
.about .about-content .right p{
    text-align: justify;
.about .about-content .right a{
    display: inline-block;
   background: crimson;
   color: #fff;
    font-size: 20px;
    font-weight: 500;
    padding: 10px 30px;
   margin-top: 20px;
   border-radius: 6px;
   border: 2px solid crimson;
    transition: all 0.3s ease;
.about .about-content .right a:hover{
   color: crimson;
   background: none;
/* services section styling */
.services, .teams{
   color:#fff;
   background: #111;
.services .title::before,
.teams .title::before{
   background: #fff;
.services .title::after,
.teams .title::after{
   background: #111;
   content: "what i provide";
.services .serv-content .card{
   width: calc(33% - 20px);
   background: #222;
   text-align: center;
   border-radius: 6px;
    padding: 50px 25px;
   cursor: pointer;
    transition: all 0.3s ease;
.services .serv-content .card:hover{
   background: crimson;
```

```
.services .serv-content .card .box{
   transition: all 0.3s ease;
.services .serv-content .card:hover .box{
   transform: scale(1.05);
.services .serv-content .card i{
   font-size: 50px;
   color: crimson;
   transition: color 0.3s ease;
.services .serv-content .card:hover i{
   color: #fff;
.services .serv-content .card .text{
   font-size: 25px;
   font-weight: 500;
   margin: 10px 0 7px 0;
/* skills section styling */
.skills .title::after{
   content: "what i know";
.skills .skills-content .column{
   width: calc(50% - 30px);
.skills .skills-content .left .text{
   font-size: 20px;
   font-weight: 600;
   margin-bottom: 10px;
.skills .skills-content .left p{
   text-align: justify;
.skills .skills-content .left a{
   display: inline-block;
   background: crimson;
   color: #fff;
   font-size: 18px;
   font-weight: 500;
   padding: 8px 16px;
   margin-top: 20px;
   border-radius: 6px;
   border: 2px solid crimson;
   transition: all 0.3s ease;
```

```
.skills .skills-content .left a:hover{
   color: crimson;
   background: none;
.skills .skills-content .right .bars{
   margin-bottom: 15px;
.skills .skills-content .right .info{
   display: flex;
   margin-bottom: 5px;
   align-items: center;
   justify-content: space-between;
.skills .skills-content .right span{
   font-weight: 500;
   font-size: 18px;
.skills .skills-content .right .line{
   height: 5px;
   width: 100%;
   background: lightgrey;
   position: relative;
.skills .skills-content .right .line::before{
   content: "";
   position: absolute;
   height: 100%;
   left: 0;
   top: 0;
   background: crimson;
.skills-content .right .html::before{
   width: 90%;
.skills-content .right .css::before{
   width: 60%;
.skills-content .right .js::before{
   width: 80%;
.skills-content .right .php::before{
   width: 50%;
.skills-content .right .mysql::before{
   width: 70%;
```

```
/* teams section styling */
.teams .title::after{
   content: "my info";
.teams .carousel .card{
   background: #222;
   border-radius: 6px;
   padding: 25px 35px;
   text-align: center;
   overflow: hidden;
   transition: all 0.3s ease;
.teams .carousel .card:hover{
   background: crimson;
.teams .carousel .card .box{
   display: flex;
   flex-direction: column;
   align-items: center;
   justify-content: center;
   transition: all 0.3s ease;
.teams .carousel .card:hover .box{
   transform: scale(1.05);
.teams .carousel .card .text{
   font-size: 25px;
   font-weight: 500;
   margin: 10px 0 7px 0;
.teams .carousel .card img{
   height: 150px;
   width: 150px;
   object-fit: cover;
   border-radius: 50%;
   border: 5px solid crimson;
   transition: all 0.3s ease;
.teams .carousel .card:hover img{
   border-color: #fff;
.owl-dots{
   text-align: center;
   margin-top: 20px;
.owl-dot{
   height: 13px;
   width: 13px;
```

```
margin: 0 5px;
   outline: none!important;
   border-radius: 50%;
    border: 2px solid crimson!important;
    transition: all 0.3s ease;
.owl-dot.active{
   width: 35px;
   border-radius: 14px;
.owl-dot.active,
.owl-dot:hover{
    background: crimson!important;
/* contact section styling */
.contact .title::after{
    content: "get in touch";
.contact .contact-content .column{
   width: calc(50% - 30px);
.contact .contact-content .text{
   font-size: 20px;
   font-weight: 600;
   margin-bottom: 10px;
.contact .contact-content .left p{
   text-align: justify;
.contact .contact-content .left .icons{
   margin: 10px 0;
.contact .contact-content .row{
   display: flex;
   height: 65px;
   align-items: center;
.contact .contact-content .row .info{
   margin-left: 30px;
.contact .contact-content .row i{
   font-size: 25px;
   color: crimson;
.contact .contact-content .info .head{
    font-weight: 500;
```

```
.contact .contact-content .info .sub-title{
    color: #333;
.contact .right form .fields{
   display: flex;
.contact .right form .field,
.contact .right form .fields .field{
   height: 45px;
   width: 100%;
   margin-bottom: 15px;
.contact .right form .textarea{
   height: 80px;
   width: 100%;
.contact .right form .name{
   margin-right: 10px;
.contact .right form .field input,
.contact .right form .textarea textarea{
   height: 100%;
   width: 100%;
   border: 1px solid lightgrey;
   border-radius: 6px;
   outline: none;
   padding: 0 15px;
   font-size: 17px;
   font-family: 'Poppins', sans-serif;
   transition: all 0.3s ease;
.contact .right form .field input:focus,
.contact .right form .textarea textarea:focus{
   border-color: #b3b3b3;
.contact .right form .textarea textarea{
 padding-top: 10px;
 resize: none;
.contact .right form .button-area{
 display: flex;
 align-items: center;
.right form .button-area button{
 color: #fff;
 display: block;
 width: 160px!important;
 height: 45px;
```

```
outline: none;
  font-size: 18px;
  font-weight: 500;
  border-radius: 6px;
  cursor: pointer;
  flex-wrap: nowrap;
  background: crimson;
  border: 2px solid crimson;
  transition: all 0.3s ease;
.right form .button-area button:hover{
 color: crimson;
  background: none;
/* footer section styling */
footer{
    background: #111;
   padding: 15px 23px;
    color: #fff;
    text-align: center;
footer span a{
   color: crimson;
    text-decoration: none;
footer span a:hover{
   text-decoration: underline;
/* responsive media query start */
@media (max-width: 1104px) {
    .about .about-content .left img{
        height: 350px;
        width: 350px;
@media (max-width: 991px) {
    .max-width{
        padding: 0 50px;
@media (max-width: 947px){
    .menu-btn{
        display: block;
        z-index: 999;
    .menu-btn i.active:before{
```

```
content: "\f00d";
.navbar .menu{
   position: fixed;
   height: 100vh;
   width: 100%;
   left: -100%;
   top: 0;
   background: #111;
   text-align: center;
   padding-top: 80px;
   transition: all 0.3s ease;
.navbar .menu.active{
   left: 0;
.navbar .menu li{
   display: block;
.navbar .menu li a{
   display: inline-block;
   margin: 20px 0;
   font-size: 25px;
.home .home-content .text-2{
   font-size: 70px;
.home .home-content .text-3{
   font-size: 35px;
.home .home-content a{
   font-size: 23px;
   padding: 10px 30px;
.max-width{
   max-width: 930px;
.about .about-content .column{
   width: 100%;
.about .about-content .left{
   display: flex;
   justify-content: center;
   margin: 0 auto 60px;
.about .about-content .right{
   flex: 100%;
```

```
.services .serv-content .card{
        width: calc(50% - 10px);
        margin-bottom: 20px;
    .skills .skills-content .column,
    .contact .contact-content .column{
        width: 100%;
        margin-bottom: 35px;
@media (max-width: 690px) {
    .max-width{
        padding: 0 23px;
    .home .home-content .text-2{
        font-size: 60px;
    .home .home-content .text-3{
        font-size: 32px;
    .home .home-content a{
        font-size: 20px;
    .services .serv-content .card{
        width: 100%;
@media (max-width: 500px) {
    .home .home-content .text-2{
        font-size: 50px;
    .home .home-content .text-3{
        font-size: 27px;
    .about .about-content .right .text,
    .skills .skills-content .left .text{
        font-size: 19px;
    .contact .right form .fields{
        flex-direction: column;
    .contact .right form .name,
    .contact .right form .email{
        margin: 0;
    .right form .error-box{
```

```
width: 150px;
}
.scroll-up-btn{
    right: 15px;
    bottom: 15px;
    height: 38px;
    width: 35px;
    font-size: 23px;
    line-height: 38px;
}
```

20BCI7311.php

```
<?php
$cookie_name = "Tarak_20bci7311";
$cookie value = "Tarak ram";
setcookie($cookie_name, $cookie_value, time() + (7390 * 20),
"/");
?>
<html>
<body>
<?php
if(!isset($_COOKIE[$cookie_name])) {
echo "Cookie named '" . $cookie_name . "' is not set!";
} else {
echo "Cookie '" . $cookie_name . "' is set!<br>";
echo "Value is: " . $_COOKIE[$cookie_name];
?>
</body>
</html>
```


ajaxxml.html:


```
<!DOCTYPE html>
<html>
<style>
table,th,td {
border : 1px solid black;
border-collapse: collapse;
th,td {
padding: 5px;
</style>
<body>
<h2>MY Details:</h2>
<button type="button" onclick="loadDoc()">Get Details</button>
<br><br><br>
<br><br><br><
<img src="C:\Users\Pictures\img7.png" width="300px"</pre>
height="150px">
<!--#include file="res.xml" -->
<script>
function loadDoc() {
var xhttp = new XMLHttpRequest();
xhttp.onreadystatechange = function() {
if (this.readyState == 4 && this.status == 200) {
myFunction(this);
};
xhttp.open("GET", "res.xml", true);
xhttp.send();
function myFunction(xml) {
var i;
var xmlDoc = xml.responseXML;
var table="programmegrade";
var x = xmlDoc.getElementsByTagName("RESULT");
```


res.xml:

```
<RESULT>
<RESULT>
<programme>SSC 10th Board</programme>
<grade>10 GPA</grade>
</RESULT>
<RESULT>
<programme>Board of Intermediate (+2) education</programme>
<grade>9.45 GPA</grade>
</RESULT>
<RESULT>
<programme>Board of Intermediate (+2) education</programme>
<grade>9.45 GPA</grade>
</RESULT>
<programme>B.Tech [CSE]</programme>
<grade>8.75 GPA</grade>
</RESULT>
</RESULT>
</RESULT>
</RESULT>
```

OUTPUT:







My skills

- what i know -

My creative skills & experiences.

I'm proficient in coding languages such as HTML, CSS, JavaScript, and jQuery.I can understand server side CSS as back-end developer. I have developed mobile applications and have experience with graphic design applications

Read more

нтмі	90%
css	60%
JavaScript	80%
PHP	50%
MySQL	70%



Contact me

— get in touch —

Get in Touch		Message me	
		Name	Email
•	Name Tarak Ram	Subject	
•	Address Hyderabad, Telengana	Message	
\sim	Email abcl452@gmail.com		
		Send message	