

# Mercado Ahora — Phase 1 Completion Summary (Milestones 1-4)

## Document Purpose

This document provides a comprehensive handoff for any developer or AI agent continuing work on the Mercado Ahora marketplace. It covers everything completed in Phase 1, Milestones 1 through 4.

---

## 1. Project Overview

Mercado Ahora is an Argentine marketplace for natural/ecological products connecting local producers with buyers. The platform supports three user roles: buyer (comprador), seller/producer (productor), and admin.

### Tech Stack

| Layer                | Technology                                                              |
|----------------------|-------------------------------------------------------------------------|
| Frontend             | Next.js 16.2.4 (App Router), React 19.2.4, TypeScript 5, Tailwind CSS 4 |
| Backend API          | Laravel 13, PHP 8.3                                                     |
| Authentication       | Laravel Sanctum (token-based)                                           |
| Database             | PostgreSQL 16                                                           |
| Containerization     | Docker Compose (dev + prod)                                             |
| Reverse Proxy (prod) | Caddy                                                                   |
| Deploy               | GitHub Actions → VPS at /opt/mercado-ahora                              |

### Design System

- ? Color palette: Olive green (#4b5e40, #3d4f34), cream (#fdfbf7, #f2ebe1, #faf8f5), brown (#4a3728, #8b735b, #6b5a4a)
- ? Fonts: Playfair Display (serif, headings), Inter (sans-serif, body)
- ? Language: All user-facing text in Spanish (es-AR)

- ? Currency: Argentine Pesos (ARS), prices stored in centavos (cents)
- ? CSS: Tailwind 4 with custom theme variables in `globals.css`
- ? Button patterns: `rounded-full`, `.btn-primary` (olive bg), olive border for secondary

---

## 2. Completed Milestones

### Milestone 1 — Project Baseline Architecture ☐

Status: COMPLETE

- ? GitHub repository setup
- ? Laravel 13 backend scaffolded with PostgreSQL
- ? Next.js 16 frontend scaffolded with App Router
- ? Docker Compose for development (PostgreSQL service)
- ? Role system designed: admin, seller, buyer
- ? Basic API structure with Sanctum auth
- ? Frontend layout components (SiteHeader, SiteFooter, AuthProvider)
- ? Design system established (Tailwind 4 theme, olive/brown/cream palette)

### Milestone 2 — User/Seller Registration and Access ☐

Status: COMPLETE

- ? User registration (buyer + seller)
- ? Login system with Sanctum tokens
- ? Role-based access control (middleware `role:buyer,seller,admin`)
- ? Email verification base (endpoint prepared)
- ? AuthProvider React context with `useAuth()` hook
- ? RoleGuard component for protected routes
- ? Route redirection by role (`roleHome()`)
- ? Auth token stored in localStorage as `mercado_token`
- ? Basic dashboard entry by role

### Milestone 3 — Product Register and Catalog ☐

Status: COMPLETE

- ? Seller product CRUD (create, edit, delete, pause, publish)
- ? Product image upload (FormData, multipart)
- ? Categories system (8 categories, hierarchical)

- ? Product catalog with filtering (category, search, province, production\_type)
- ? Product pagination
- ? Producer profiles (6 seed producers with rich data)
- ? Product visibility status (active, paused, draft)
- ? EcoScore system (0-100, labels: Alto/Medio/B?nico)
- ? Producer approval is the publication gate: a producer profile must be approved (active) by an admin before its products can be set active and appear in the catalog. Admin product moderation (approve/reject/status/ecoscore) is reactive (post-publication) rather than a pre-publication gate.
- ? 15 seed products (each with placeholder images) across 6 producers and 8 categories
- ? Seller dashboard (products list, profile editing)
- ? Frontend API client (src/lib/api.ts) with types and helpers

## Milestone 4 — Product Page, Chat, Purchase Flow ☐

Status: COMPLETE

### Product Detail Page (/products/[slug])

- ? Full product display: images, name, price, location, producer info, EcoScore, stock, delivery type, description
- ? Primary action: "Consultar al productor" (Chat with producer) — olive button, creates conversation via API
- ? Secondary action: "Comprar ahora" (Buy Now) — outlined button, opens modal with quantity selector
- ? Tertiary action: "Agregar al carrito" (Add to Cart) — subtle button
- ? Buy Now modal with quantity +/- (constrained by stock), price calculation, order confirmation
- ? Login prompt for unauthenticated users with redirect param
- ? Own-product detection (sellers see "Este es tu producto" instead of buy buttons)
- ? Related products section using backend /products/{slug}/related endpoint
- ? Cart feedback messages (success/error) with auto-dismiss

### Shopping Cart (/cart)

- ? Full CRUD: list items, quantity +/- controls, remove items
- ? Stock validation on every quantity change (backend-enforced)
- ? Product images, producer names, unit prices, line totals
- ? Subtotal/total display with "A coordinar con el productor" for shipping
- ? "Ir al checkout" button
- ? Empty state with "Tu carrito est? vacio"
- ? Protected by RoleGuard (buyer + seller)

### Checkout (/checkout)

- ? Cart summary (read-only)
- ? Delivery form: tipo de entrega (select), provincia, ciudad, direcci?n, nota

- ? Order confirmation with per-order breakdown
- ? "Se generaron pedidos separados por productor" messaging
- ? Success state with order numbers, "Ver mis pedidos" / "Seguir comprando" buttons
- ? Empty cart protection
- ? Protected by RoleGuard

## Orders (/orders)

- ? Expandable order cards with: order number, status badge, date, item count, total
- ? Expanded view: item list with product links, delivery info, status history timeline
- ? Totals breakdown (subtotal, shipping, total)
- ? Empty state: "No ten?s pedidos todav?a"
- ? Protected by RoleGuard

## Chat / Conversations (/chat)

- ? Two-panel layout: conversation list (sidebar) + message area
- ? Conversation list shows: other party name, product name, last message preview, timestamp
- ? Message thread with own messages (olive, right-aligned) vs received (cream, left-aligned)
- ? Send message input with Enter/button
- ? Auto-polling every 5 seconds for new messages
- ? Auto-refresh conversation list every 10 seconds
- ? Auto-create from producer profile: detects `-producer=ID` query param and auto-opens conversation
- ? Auto-create from product page: when clicking "Consultar al productor", creates conversation with `product_id` link
- ? Seller sees buyer's actual name (loaded from `buyer` relation)
- ? Buyer sees producer's business name
- ? Conversation header shows linked product with price
- ? Protected by RoleGuard (buyer + seller)

---

# 3. Backend Architecture

## API Routes (routes/api.php)

All routes prefixed with `/api/v1`. Full list in `Mercado-Ahora-repo/backend/routes/api.php`.

Public routes (no auth):

- ? `POST /auth/register`, `POST /auth/register-seller`, `POST /auth/login`
- ? `POST /auth/password/forgot`, `POST /auth/password/reset` (stub)
- ? `GET /categories`, `/categories/{slug}`, `/categories/{slug}/products`

? GET /products, /products/{slug}, /products/{slug}/related,  
/products/{slug}/reviews  
? GET /producers, /producers/{id}  
? GET /search/products, /search/producers  
? POST /payments/webhooks/{provider}

Authenticated routes (auth: sanctum middleware):

? POST /auth/logout, GET /auth/me, GET /users/me  
? POST /auth/email/verify (stub)

Buyer + Seller routes (role: buyer, seller):

? Cart: GET /cart, POST /cart/items, PATCH /cart/items/{id}, DELETE /cart/items/{id},  
PATCH /cart/delivery, POST /cart/coupon (stub), POST /cart/checkout-preview  
? Checkout: POST /checkout/buy-now, POST /checkout/cart  
? Orders: GET /orders, GET /orders/{id}, GET /orders/{id}/tracking, POST  
/orders/{id}/returns, GET /returns, POST /orders/{id}/payment-intent, GET  
/orders/{id}/payment  
? Chat: GET /conversations, POST /conversations, GET /conversations/{id}, GET  
/conversations/{id}/messages, POST /conversations/{id}/messages, POST  
/conversations/{id}/stock-question

Seller routes (role: seller):

? Profile: GET/POST/PATCH /seller/profile, GET/POST /seller/social-links  
? Products: GET/POST /seller/products, GET/PATCH/DELETE /seller/products/{id}, PATCH  
/seller/products/{id}/pause, PATCH /seller/products/{id}/publish  
? Images: POST /seller/products/{product}/images, PATCH/DELETE  
/seller/products/{product}/images/{image}  
? Orders: GET /seller/orders, GET /seller/orders/{id}, PATCH  
/seller/orders/{id}/status  
? Returns: GET /seller/returns

Admin routes (role: admin):

? Users: GET /admin/users, GET /admin/users/{id}, PATCH /admin/users/{id}/status  
? Producers: GET /admin/producers, PATCH /admin/producers/{id}/status, PATCH  
/admin/producers/{id}/approve, PATCH /admin/producers/{id}/reject  
? Products: GET /admin/products, PATCH /admin/products/{id}/approve, PATCH  
/admin/products/{id}/reject, PATCH /admin/products/{id}/status, PATCH  
/admin/products/{id}/ecoscore  
? Orders: GET /admin/orders, GET /admin/orders/{id}, PATCH /admin/orders/{id}/status  
? Returns: GET /admin/returns, PATCH /admin/returns/{id}/status

## Controllers

| Controller | File Path | Responsibility |
|------------|-----------|----------------|
|------------|-----------|----------------|

|                          |                                                       |                                                         |
|--------------------------|-------------------------------------------------------|---------------------------------------------------------|
| AuthController           | app/Http/Controllers/Api/AuthController.php           | Register, login, logout, me                             |
| CatalogController        | app/Http/Controllers/Api/CatalogController.php        | Products, categories, producers (public)                |
| CartController           | app/Http/Controllers/Api/CartController.php           | Cart CRUD with stock validation                         |
| OrderController          | app/Http/Controllers/Api/OrderController.php          | Buy now, checkout, orders, stock validation + decrement |
| ChatController           | app/Http/Controllers/Api/ChatController.php           | Conversations, messages                                 |
| SellerController         | app/Http/Controllers/Api/SellerController.php         | Seller products, profile, dashboard                     |
| AdminController          | app/Http/Controllers/Api/AdminController.php          | Admin management                                        |
| ProductImageController   | app/Http/Controllers/Api/ProductImageController.php   | Product image CRUD                                      |
| PaymentWebhookController | app/Http/Controllers/Api/PaymentWebhookController.php | Payment webhooks (stub)                                 |

## Models (16)

| Model           | Table             | Key Relationships                                                   |
|-----------------|-------------------|---------------------------------------------------------------------|
| User            | users             | hasOne ProducerProfile, hasMany Order, hasOne Cart                  |
| ProducerProfile | producer_profiles | belongsTo User, hasMany Product                                     |
| Product         | products          | belongsTo Category, belongsTo ProducerProfile, hasMany ProductImage |
| Category        | categories        | hasMany Product                                                     |

|                    |                        |                                                                                       |
|--------------------|------------------------|---------------------------------------------------------------------------------------|
| Cart               | carts                  | belongsTo User, hasMany CartItem                                                      |
| CartItem           | cart_items             | belongsTo Cart, belongsTo Product                                                     |
| Order              | orders                 | belongsTo User (buyer), hasMany OrderItem, hasMany OrderStatusHistory                 |
| OrderItem          | order_items            | belongsTo Order, belongsTo Product, belongsTo ProducerProfile                         |
| OrderStatusHistory | order_status_histories | belongsTo Order                                                                       |
| PaymentIntent      | payment_intents        | belongsTo Order                                                                       |
| Conversation       | conversations          | belongsTo User (buyer), belongsTo ProducerProfile, belongsTo Product, hasMany Message |
| Message            | messages               | belongsTo Conversation, belongsTo User (sender)                                       |
| MessageAttachment  | message_attachments    | belongsTo Message                                                                     |
| ProductImage       | product_images         | belongsTo Product                                                                     |
| ProducerSocialLink | producer_social_links  | belongsTo ProducerProfile                                                             |
| ReturnRequest      | return_requests        | belongsTo User (buyer), belongsTo Order                                               |

## Stock Validation (Added in Milestone 4)

- ? `CartController::addItem()`: validates that (existing quantity + new quantity)  $\leq$  product stock
- ? `CartController::updateItem()`: validates new quantity  $\leq$  product stock
- ? `OrderController::buyNow()`: validates quantity  $\leq$  product stock
- ? `OrderController::checkoutCart()`: validates each item quantity  $\leq$  product stock AND product status === 'active'
- ? `OrderController::createOrder()`: decrements product stock within DB transaction after order creation
- ? All errors return Spanish messages like "Stock insuficiente. Solo quedan X disponibles."

## Database Seeder (database/seeder s/DatabaseSeeder .php)

Seeds complete test data:

- ? 1 admin: admin@mercadoahora.com / password
- ? 6 producers with full profiles: Verde Amanecer, La Colmena Natural, Madera Viva, Tierra Adentro, Finca Raíces Verdes, Cerámicas del Valle
- ? 8 categories: Alimentos naturales, Huerta, Bebidas, Cosmética, Bienestar, Hogar, Artesanías, Mascotas
- ? 15 products (each with 2 placeholder images) across all producers and categories
- ? 2 buyers: maria@compradora.com, juan@mercado.com
- ? 2 conversations with 5 messages total (linked to products)
- ? 2 orders with order items and status history (1 confirmed, 1 pending)
- ? All passwords: password

---

## 4. Frontend Architecture

### Key Files

| File                                 | Purpose                                                                                     |
|--------------------------------------|---------------------------------------------------------------------------------------------|
| src/lib/api.ts                       | TypeScript types for all models, API functions (public + authenticated), formatting helpers |
| src/app/layout.tsx                   | Root layout with AuthProvider, Tailwind globals                                             |
| src/app/globals.css                  | Tailwind 4 theme, color variables, utility classes                                          |
| src/components/AuthProvider.tsx      | React context for auth state, login/logout/refresh                                          |
| src/components/RoleGuard.tsx         | Route protection with role check and redirect                                               |
| src/components/layout/SiteHeader.tsx | Global header with nav, auth state, cart link                                               |
| src/components/layout/SiteFooter.tsx | Global footer                                                                               |
| src/components/ui/Icons.tsx          | SVG icon components (30+ icons)                                                             |
| src/components/ui/ProductCard.tsx    | Reusable product card for grids                                                             |

### API Client (src/lib/api.ts) — Key Functions

Types defined: Category, ProducerProfile, Product, ProductImage, Order, CartItem, Cart, Conversation, Message



Public API helpers:

```
? apiGet<T>(path, fallback) — Generic unauthenticated GET
? getProducts(params-), getProduct(slug), getCategories(), getCategory(slug),
  getProducers(), getProducer(id), getRelatedProducts(slug)
```

Authenticated API helpers (token from localStorage `mercado_token`):

```
? authFetch() — base auth fetch with Bearer token
? apiAuthGet<T>(), apiAuthPost<T>(), apiAuthPatch<T>(), apiAuthDelete<T>()
```

Cart API: `getCart()`, `addToCart(productId, quantity-)`, `updateCartItem(itemId, quantity)`, `removeCartItem(itemId)`

Order API: `buyNow(data)`, `checkoutCart(data)`, `getOrders()`, `getOrder(id)`

Chat API: `getConversations()`, `createConversation(data)`, `getConversation(id)`, `getMessages(conversationId)`, `sendMessage(conversationId, body)`

Seller API: `getSellerProducts()`, `getSellerProduct()`, `createProduct()`, `updateProduct()`, `deleteProduct()`, `publishProduct()`, `pauseProduct()`, `uploadProductImage()`, `updateProductImage()`, `deleteProductImage()`

Formatting helpers: `money(cents)`, `ecoLabel(score)`, `ecoColor(score)`, `statusLabel(status)`, `statusColor(status)`, `productionTypeLabel(type)`, `deliveryTypeLabel(type)`, `orderStatusLabel(status)`, `orderStatusColor(status)`, `imageUrl(path)`

## All Pages (app router)

| Route              | File                       | Status                                                    |
|--------------------|----------------------------|-----------------------------------------------------------|
| /                  | page.tsx                   | ❑ Home with Hero, categories, featured products/producers |
| /categorias        | categorias/page.tsx        | ❑ Category listing                                        |
| /categorias/[slug] | categorias/[slug]/page.tsx | ❑ Products by category                                    |
| /products/[slug]   | products/[slug]/page.tsx   | ❑ Full product detail + 3 action buttons                  |
| /productores       | productores/page.tsx       | ❑ Producer directory                                      |
| /productores/[id]  | productores/[id]/page.tsx  | ❑ Producer profile with products + chat link              |
| /buscar            | buscar/page.tsx            | ❑ Search page                                             |
| /cart              | cart/page.tsx              | ❑ Full cart CRUD                                          |
| /checkout          | checkout/page.tsx          | ❑ Checkout with delivery form                             |

|                  |                          |                                                                        |
|------------------|--------------------------|------------------------------------------------------------------------|
| /orders          | orders/page.tsx          | <input type="checkbox"/> Orders list with expandable details           |
| /chat            | chat/page.tsx            | <input type="checkbox"/> Two-panel chat with conversations + messaging |
| /login           | login/page.tsx           | <input type="checkbox"/> Login form                                    |
| /register        | register/page.tsx        | <input type="checkbox"/> Registration choice                           |
| /register/buyer  | register/buyer/page.tsx  | <input type="checkbox"/> Buyer registration                            |
| /cuenta          | cuenta/page.tsx          | <input type="checkbox"/> Account page                                  |
| /seller          | seller/page.tsx          | <input type="checkbox"/> Seller dashboard                              |
| /seller/products | seller/products/         | <input type="checkbox"/> Seller product management                     |
| /seller/profile  | seller/profile/          | <input type="checkbox"/> Seller profile editing                        |
| /admin           | admin/page.tsx           | <input type="checkbox"/> Admin panel                                   |
| /favoritos       | favoritos/page.tsx       | Placeholder (future)                                                   |
| /como-funciona   | como-funciona/page.tsx   | Info page                                                              |
| /sobre-nosotros  | sobre-nosotros/page.tsx  | About page                                                             |
| /recuperar       | recuperar/page.tsx       | Password recovery                                                      |
| /verificar-email | verificar-email/page.tsx | Email verification                                                     |

---

## 5. What Remains (Not Yet Implemented)

### Phase 1 — Milestone 5: Orders, Returns, Admin and MVP Delivery (2 weeks)

- ? Order management refinements
- ? Return management flow improvements
- ? Producer order view enhancements
- ? Admin panel improvements
- ? Testing and bug fixing
- ? VPS deployment preparation

? Final MVP documentation

## Phase 2 — Experience Improvement (4 weeks)

? Milestone 6: Reviews & Ratings System

? Milestone 7: Notification System

? Milestone 8: Support System (tickets)

? Milestone 9: Advanced Search & Filters

## Phase 3 — Community / Differentiation (4 weeks)

? Milestone 10: Producer Followers

? Milestone 11: Producer Posts/News

? Milestone 12: Social Interactions (comments, reactions)

? Milestone 13: Community Integration

## Not Implemented

? Reviews and ratings (Phase 2)

? Notifications center (Phase 2)

? Support tickets (Phase 2)

? Advanced search/filters beyond basic (Phase 2)

? Producer followers (Phase 3)

? Producer posts/news (Phase 3)

? Comments/reactions (Phase 3)

? Full Mercado Pago integration (payment prepared as stub only)

? Real-time chat (WebSockets) — current uses polling

? Offer/counteroffer system

? Image attachments in chat

---

# 6. How to Run

## Prerequisites

? Docker and Docker Compose

? Node.js 20+

? PHP 8.3+ with Composer (or use Docker)

## Quick Start (Development)

```
# 1. Start PostgreSQL
docker compose up -d

# 2. Setup backend
cd Mercado-Ahora-repo/backend
composer install
cp .env.example .env
# Edit .env: set DB_HOST=127.0.0.1, DB_DATABASE=mercado_ahora, DB_USERNAME=mercado_ahora,
DB_PASSWORD=mercado_ahora
php artisan key:generate
php artisan migrate:fresh --seed
php artisan serve

# 3. Setup frontend (in another terminal)
cd Mercado-Ahora-repo/frontend
cp .env.example .env.local
# Edit .env.local: NEXT_PUBLIC_API_BASE_URL=http://127.0.0.1:8000/api/v1
npm install
npm run dev
```

## Production Deploy

See `DEPLOYMENT.md` for VPS deployment with Caddy + Docker Compose + GitHub Actions.

## Test Accounts (after seeding)

| Role   | Email                  | Password |
|--------|------------------------|----------|
| Admin  | admin@mercadoahora.com | password |
| Buyer  | maria@compradora.com   | password |
| Buyer  | juan@mercado.com       | password |
| Seller | finca@raicesverdes.com | password |
| Seller | colmena@natural.com    | password |
| Seller | verde@amanecer.com     | password |
| Seller | madera@viva.com        | password |
| Seller | tierra@adentro.com     | password |
| Seller | ceramicas@valle.com    | password |

---

## 7. Key Conventions for Future Development

### Frontend

- ? "use client" directive on all interactive pages
- ? Auth: use `useAuth()` hook, wrap protected pages with `<RoleGuard roles={...}>`
- ? API calls: use functions from `@/lib/api` (they handle tokens automatically)
- ? Styling: stick to the olive/brown/cream palette from `globals.css`
- ? Spanish language for ALL user-facing text
- ? Prices: always stored in centavos, display with `money(cents)` helper
- ? Login redirects: use `/login-redirect=${encodeURIComponent(path)}` pattern

## Backend

- ? Controllers in `app/Http/Controllers/Api/`
- ? Models in `app/Models/` with `#[Fillable]` attributes
- ? API responses use `response()->json(['data' => ...])` pattern
- ? Validation uses Laravel `$request->validate()`
- ? Auth: `$request->user()` for authenticated user
- ? DB transactions for order creation
- ? Stock validation: always check before creating/modifying cart items and orders