



To get credentials (ClientID and Secret) for authorization with Facebook and Google follow:

Google: <https://console.developers.google.com/project>



PROJECT NAME	PROJECT ID	REQUESTS ?	ERRORS ?	CHARGES ?
<input type="checkbox"/> Imager	artful-athlete-488	0	0	\$0.00
<input type="checkbox"/> ottemo	ottemo-go	0	0	\$0.00




New Project

PROJECT NAME ?
Custom name

PROJECT ID ?
tokyo-drake-574

Create Cancel



< My Project

Overview

APIs & auth

APIs

Credentials

Consent screen

Push

Permissions

Settings

Support

App Engine

Compute Engine

Cloud Storage

Cloud Datastore

OAuth

OAuth 2.0 allows users to share specific data with you (for example, contact lists) while keeping their usernames, passwords, and other information private. [Learn more](#)

CREATE NEW CLIENT ID

Compute Engine and App Engine [Learn more](#)

Client ID 938185790294.apps.googleusercontent.com

Email address 938185790294@developer.gserviceaccount.com

Download JSON

Public API access

Use of this key does not require any user action or consent, does not grant access to any account information, and is not used for authorization. [Learn more](#)

CREATE NEW KEY

Overview

APIs & auth

APIs

Credentials

Consent screen

Push

Permissions

Settings

Support

App Engine

Compute Engine

Cloud Storage

Cloud Datastore

Cloud SQL

OAuth 2.0 allows users to share specific data with you (for example, contact lists) while keeping their usernames, passwords, and other information private. [Learn more](#)

[CREATE NEW CLIENT ID](#)

Public API access

Use of this key does not require any user action or consent, and is not used for authorization. [Learn more](#)

[CREATE NEW KEY](#)

Create Client ID

APPLICATION TYPE

☒ Web application
Accessed by web browsers over a network.

☐ Service account
Calls Google APIs on behalf of your application instead of an end-user. [Learn more](#)

☐ Installed application
Runs on a desktop computer or handheld device (like Android or iPhone).

AUTHORIZED JAVASCRIPT ORIGINS
Cannot contain a wildcard (http://*.example.com) or a path (http://example.com/subdir).

AUTHORIZED REDIRECT URI
Needs to have a protocol, no URL fragment, and no relative paths

[Create Client ID](#) [Cancel](#)

[Return to original console](#) [Send feedback](#) [Privacy & Terms](#)

<http://localhost:3000/auth/callback/google>

< My Project

Overview

APIs & auth

APIs

Credentials

Consent screen

Push

Permissions

Settings

Support

App Engine

Compute Engine

Cloud Storage

Cloud Datastore

OAuth

OAuth 2.0 allows users to share specific data with you (for example, contact lists) while keeping their usernames, passwords, and other information private. [Learn more](#)

[CREATE NEW CLIENT ID](#)

Client ID

Secret

Compute Engine and App Engine [Learn more](#)

Client ID	938185790294.apps.googleusercontent.com
Email address	938185790294@developer.gserviceaccount.com

[Download JSON](#)

Client ID for web application

Client ID	938185790294-2u2l1pm8emjkbifrcqu96kud4f5up916.apps.googleusercontent.com
Email address	938185790294-2u2l1pm8emjkbifrcqu96kud4f5up916@developer.gserviceaccount.com
Client secret	xQLzSUnGthUAVTE9_CM80HH
Redirect URIs	http://localhost:3000/auth/callback/google
Javascript Origins	none

[Edit settings](#) [Download JSON](#) [Delete](#)

Facebook: <https://developers.facebook.com/>

Developers

Приложения

Продукты

Документы

Инструменты

Поддержка

Search in docs

[Create a New App](#)

ottimo

Сеть аудитории

Monetize your app with Facebook ads

Начать

[live stream](#)

You could be prompted to accept developer agreement if you hadn't done this before

Create a New App
Get started integrating Facebook into your app or website

Display Name
Custom name

Namespace
A unique identifier for your app (optional)

☐ Нет Are you creating a test version of another app? [?]

Категория
Бизнес

By proceeding, you agree to the Facebook Platform Policies

Отмена Создать приложение

1 2 3

Custom name

Форум

Настройки

Status & Review

App Details

Роли

Open Graph

Уведомления

Localize

Форум

Custom name

This app is in development mode [?]

Идентификатор приложения
612041958887786

App Secret
.....

Показать

Вход на Facebook

Активные пользователи Тенденция

☒ Количество активных пользователей за месяц ☒ Активные пользователи за неделю

☒ Активные пользователи за день

ClientID Secret

Custom name

Форум

Настройки

Status & Review

App Details

Роли

Open Graph

Уведомления

Localize

Платежи

Основное

Расширенные

Migrations

Идентификатор приложения
612041958887786

App Secret
.....

Показать

Display Name
Custom name

Namespace

App Domains



Электронный адрес для связи
Used for important communication about your app

+ Добавить платформу

Удалить приложение

Сбросить Сохранить изменения

1 2



<http://localhost:3000/auth/callback/facebook>

