user_roles
- ◆ user_id BINARY(16)
- ◆ role_id BINARY(16)

Indexes
- user_id
- role_id

roles
- 🔑 id BINARY(16)
- ◇ name VARCHAR(45)

Indexes
- PRIMARY
- ROLE_IDX

users
- 🔑 id BINARY(16)
- ◇ username VARCHAR(45)
- ◇ firstname VARCHAR(45)
- ◇ lastname VARCHAR(45)
- ◇ password VARCHAR(255)
- ◇ email VARCHAR(100)

Indexes
- PRIMARY
- USERNAME_IDX

products
- 🔑 id BINARY(16)
- ◇ name VARCHAR(45)
- ◆ manufacturer_id BINARY(16)
- ◇ price DECIMAL(7,2)

Indexes
- PRIMARY
- PRODUCT_MANUFACTURER_idx
- FK_MANUFACTURER_idx

manufacturers
- 🔑 id BINARY(16)
- ◇ name VARCHAR(45)

Indexes
- PRIMARY
- MANUFACTURER_IDX

event_types
🔑	**id**	bigint(20)
	name	varchar(45)
	salary_coef	decimal(7,2)

event_type:id

users
🔑	**id**	bigint(20)
	username	varchar(45)
	firstname	varchar(45)
	lastname	varchar(45)
	password	varchar(255)
	email	varchar(100)
	hourly_rate	decimal(7,2)

events
🔑	**id**	bigint(20)
	date	date
	event_type	bigint(20)
	duration	int(11)

departments
🔑	**id**	bigint(20)
	name	varchar(45)

positions
🔑	**id**	bigint(20)
	name	varchar(45)

roles
🔑	**id**	bigint(20)
	name	varchar(45)

position_id:id
role_id:id
user_id:id
user_id:id
user_id:id
user_id:id
user_id:id
event_id:id
department_id:id

user_positions
🔑	**user_id**	bigint(20)
🔑	**position_id**	bigint(20)

user_roles
🔑	**user_id**	bigint(20)
🔑	**role_id**	bigint(20)

monthly_salary
🔑	**id**	bigint(20)
🔑	**user_id**	bigint(20)
🔑	**year**	int(11)
🔑	**month**	int(11)
	salary	decimal(7,2)

event_users
🔑	**event_id**	bigint(20)
🔑	**user_id**	bigint(20)

user_departments
🔑	**user_id**	bigint(20)
🔑	**department_id**	bigint(20)

user_salary
event_id	bigint(20)
date	date
duration	int(11)
salary_coef	decimal(7,2)
user_id	bigint(20)
username	varchar(45)
hourly_rate	decimal(7,2)

status_types
🔑	**id**	bigint(20)
	name	varchar(45)

Powered by yFiles