



Driving Energy Transition Through Cutting-Edge Electronics

**Building Integrated Electrical Systems and Intelligence for
Battery Energy Storage & EV Drivetrains**

**75+
Team**



Manuj Agrawal

Founder & CEO

B.Tech + M.Tech, IIT Kharagpur



Bhanu Marwaha

COO, Partner

Ex Simple Energy, Ex Maxwell



Mahinder Sehgl

CBO, Partner

Ex Kinetic Green, Ex Exicom



Jyoti Ranjan Swain

Founding Team Member
Senior Software Engineer



Yashas M

Hardware Design Engineer



Suyog Aundhe


Manager
Product Integration




Sandeep Negi

Sr. Manager Production + SCM
Ex Indigrid, Ex Simmtronics


Integrated Full-Stack EV Drivetrain



High Voltage Distributed Battery Management System



Integrated Full-Stack EV Drivetrain



The Secret Sauce - First Principle Design Approach

Industry First Features

Easy Battery Paralleling



No dependence on
CAN
communication for
battery swapping
applications
(Patentable)

Enhanced Battery
Capacity. Ensures
fully charged battery
(Patentable)



Better Charging Algorithms

Highest Balancing
Current and Algorithms
for faster equilibrium



Faster Cell Balancing

Metal Core PCBs for
2x better
thermal performance.
Extended Peak
Performance
(Patented)



Thermal Stability

Better Reliability



Designed with reliable
communication
protocols, high side
MOSFET switching
and low thermal and
structural stress

+ Insulation Monitoring
+ Isolated CAN Communication


WBMS-SW 16S

For high performance

2-wheelers and E-Rickshaws

Current Rating: 60A and 80A

Balancing Current : 400mA




WBMS-SW Mini 16S

For compact applications

Current Rating: 45A and 60A

Balancing Current : 120mA



BMS Product Portfolio

- AIS 156 PH-2 Certified
- Isolated CAN Communication Interface
- μ SD Card and Buzzer integration for AIS-156 PH-2
- Unique Temperature sensor-based algorithms for Early Detection of Thermal Runaway
- Extremely Reliable Short Circuit Protection
- Pre-discharge control/MOSFET Failure detection
- Cell Open Wire Detection/Deep Discharge Prevention
- State of Power control to optimize between vehicle performance/range
- Charging profile control for faster balancing
- Parallel Battery Pack Operation without Intercommunication

BMS Product Portfolio


WBMS-SW 16S/32S Contactor

For high performance

3-wheelers and Forklifts

Current Rating: 100-250A

Balancing Current : 400mA



WBMS-SW 60/80A



30,000+



7,500+

GREAVES
ELECTRIC
MOBILITY



12,000+



General
Aeronautics



KINETIC
GREEN



TERRA MOTORS

12,000+



WBMS-SW-Mini 45A



12,000+



WBMS-SW-Contactor 200A



TERRA MOTORS

1000+



Current Traction

Current Customers
>75K Units Deployed

End Users



Upcoming



Our Partners



Incubator & Investor



Hardware Design Partners



Investor



EMS Partners



Semiconductor Supply Chain



Join the revolution of Energy Transition with us!

In Top 10 Finalists

**UBER GREEN
MOBILITY
INNOVATION
CHALLENGE**

connect@webberrec.com | +91-9425408221

2nd Runner-up

