Swagger
Supported by SMARTBEAR

Allies Connect API 1.0.0 OAS 3.0

Official API documentation for the Allies Connect platform.

Servers

/api

Auth

POST `/auth/register` Register a new volunteer user

Parameters Try it out

No parameters

Request body required application/json

Example Value | Schema

```
{
  "username": "string",
  "email": "user@example.com",
  "password": "string",
  "first_name": "string",
  "last_name": "string",
  "phone": "string",
  "zip_code": "string",
  "role": "volunteer"
}
```

Responses

Code	Description	Links
201	User registered successfully	*No links*

Code	Description	Links
400	Validation or duplicate error	*No links*
500	Server error	*No links*

POST `/auth/login` Login user

Parameters Try it out

No parameters

Request body required application/json

Example Value | Schema

```
{
  "username": "string",
  "password": "string"
}
```

Responses

Code	Description	Links
200	Login successful	*No links*
400	Missing credentials	*No links*
401	Invalid credentials	*No links*
500	Server error	*No links*

POST `/auth/forgot-password` Request password reset email

Parameters Try it out

No parameters

Request body required application/json

Example Value | Schema

```
{
  "email": "user@example.com"
}
```

Responses

Code	Description	Links
200	Success-style response returned whether account exists or not	*No links*
400	Missing email	*No links*

POST /auth/reset-password/{token} Reset password using token

Parameters

Try it out

Name	Description
token * required `string` *(path)*	token

Request body required

application/json

Example Value | Schema

```
{
  "password": "string"
}
```

Responses

Code	Description	Links
200	Password reset successful	*No links*
400	Invalid token or invalid password	*No links*
500	Server error	*No links*

Users

GET `/users/profile/{id}` Get user profile

Parameters Try it out

Name	Description
id * required `integer` *(path)*	id

Responses

Code	Description	Links
200	User profile returned	*No links*
404	Profile not found	*No links*
500	Server error	*No links*

PUT `/users/profile/{id}` Update user profile

Organizations

POST `/organizations/register` Register organization and provider account

Parameters Try it out

No parameters

Request body required

application/json

Example Value | Schema

```
{
  "username": "string",
  "email": "user@example.com",
  "password": "string",
  "organization_name": "string",
  "phone_number": "string",
  "first_name": "string",
  "last_name": "string",
  "zip_code": "string",
  "ein": "string",
  "verification_method": "string"
}
```

Responses

Code	Description	Links
201	Organization registered	*No links*
400	Validation or duplicate error	*No links*
500	Server error	*No links*

GET `/organizations/profile/{id}` Get organization profile

Parameters

Try it out

Name	Description
id * required `integer` *(path)*	id

Responses

Code	Description	Links
200	Organization profile	*No links*
404	Not found	*No links*
500	Server error	*No links*

PUT `/organizations/profile/{id}` Update organization profile

Parameters Try it out

Name	Description
id * required `integer` *(path)*	id

Request body required — application/json

Example Value | Schema

```
{
  "common_name": "string",
  "phone_number": "string",
  "website": "string",
  "organization_type": "string",
  "mission": "string",
  "contact_name": "string",
  "contact_email": "user@example.com",
  "contact_phone": "string",
  "operating_hours": "string",
  "languages_spoken": "string",
  "accessibility": "string",
  "logo_url": "string"
}
```

Responses

Code	Description	Links
200	Organization profile updated	*No links*

Code	Description	Links
500	Server error	*No links*

GET `/organizations/signups/export/{shiftId}`
Export volunteer signup roster data for a shift

Parameters Try it out

Name	Description
shiftId * required `integer` *(path)*	shiftId

Responses

Code	Description	Links
200	Volunteer signup roster	*No links*
500	Server error	*No links*

Resources

GET `/resources` Get resources

Parameters Try it out

Name	Description
category `string` *(query)*	category
zip `string` *(query)*	zip

Responses

Code	Description	Links
200	Resource list	*No links*
500	Server error	*No links*

POST `/resources` Create resource

Parameters

Try it out

No parameters

Request body required

application/json

Example Value | Schema


```
{
  "provider_id": 0,
  "name": "string",
  "street_address": "string",
  "city": "string",
  "state": "string",
  "zip": "string",
  "hours": "string",
  "category_ids": [
    0
  ],
  "image_url": "string",
  "description": "string",
  "eligibility_requirements": "string",
  "contact_name": "string",
  "contact_email": "user@example.com",
  "contact_phone": "string",
  "languages_spoken": "string",
  "accessibility": "string",
  "social_media_links": "string",
  "latitude": 0,
  "longitude": 0
}
```


Responses

Code	Description	Links
201	Resource created	*No links*
400	Missing required fields	*No links*
500	Server error	*No links*

GET `/resources/{id}` Get resource by ID

Parameters Try it out

Name	Description
id * required `integer` *(path)*	id

Responses

Code	Description	Links
200	Resource details	*No links*
404	Not found	*No links*
500	Server error	*No links*

PUT `/resources/{id}` Update resource

Parameters Try it out

Name	Description
id * required `integer` *(path)*	id

Request body required

application/json

Example Value | Schema

```
{
  "category_id": 0,
  "location_id": 0,
  "name": "string",
  "description": "string",
  "hours": "string",
  "image_url": "string",
  "eligibility_requirements": "string",
  "contact_name": "string",
  "contact_email": "user@example.com",
  "contact_phone": "string",
  "languages_spoken": "string",
  "accessibility": "string",
  "social_media_links": "string"
}
```

Responses

Code	Description	Links
200	Resource updated	*No links*
500	Server error	*No links*

DELETE /resources/{id} Delete resource

Parameters

Try it out

Name	Description
id * required integer *(path)*	id

Responses

Code	Description	Links
200	Resource deleted	*No links*
500	Server error	*No links*

GET `/categories` Get categories

Parameters Try it out

No parameters

Responses

Code	Description	Links
200	Category list	*No links*
500	Server error	*No links*

Events

GET `/events` Get events

Parameters Try it out

Name	Description
category `string` *`(query)`*	category
zip `string` *`(query)`*	zip
date_from `string` *`(query)`*	date_from

Name	Description
date_to `string` *(query)*	date_to

Responses

Code	Description	Links
200	Event list	*No links*
500	Server error	*No links*

POST `/events` Create event

Parameters Try it out

No parameters

Request body required application/json

Example Value | Schema

```
{
  "title": "string",
  "provider_id": 0,
  "street_address": "string",
  "city": "string",
  "state": "string",
  "zip": "string",
  "event_date": "string",
  "start_datetime": "string",
  "end_datetime": "string",
  "description": "string",
  "capacity": 0,
  "category_ids": [
    0
  ],
  "shifts": [
    {}
  ],
  "latitude": 0,
  "longitude": 0
}
```

Responses

Code	Description	Links
201	Event created	*No links*
400	Missing required fields or event in past	*No links*
500	Server error	*No links*

GET /events/{id} Get event details

Parameters

Try it out

Name	Description
id * required `integer` *(path)*	id

Responses

Code	Description	Links
200	Event details	*No links*
404	Not found	*No links*
500	Server error	*No links*

PUT /events/{id} Update event

Parameters

Try it out

Name	Description
id * required integer *(path)*	id

Request body required — application/json

Example Value | Schema

```
{
  "title": "string",
  "description": "string",
  "capacity": 0,
  "registration_required": "string",
  "special_instructions": "string",
  "start_datetime": "string",
  "end_datetime": "string"
}
```

Responses

Code	Description	Links
200	Event updated	*No links*
400	Title required	*No links*
500	Server error	*No links*

POST `/events/{id}/rsvp` RSVP to event

Parameters — Try it out

Name	Description
id * required integer *(path)*	id

Request body required — application/json

Example Value | Schema

```
{
  "userId": 0,
  "status": "yes"
}
```

Responses

Code	Description	Links
201	RSVP recorded	*No links*
400	Validation error	*No links*
500	Server error	*No links*

GET `/events/{id}/rsvp/{userId}` Get RSVP status

Parameters Try it out

Name	Description
id * required `integer` *(path)*	id
userId * required `integer` *(path)*	userId

Responses

Code	Description	Links
200	RSVP or null	*No links*
500	Server error	*No links*

Volunteers

GET `/volunteer-opportunities` Get volunteer opportunities

Parameters Try it out

Name	Description
zip `string` *(query)*	zip
provider_id `integer` *(query)*	provider_id
event_id `integer` *(query)*	event_id
resource_id `integer` *(query)*	resource_id

Responses

Code	Description	Links
200	Opportunity list	*No links*
500	Server error	*No links*

POST `/volunteer-opportunities` Create volunteer opportunity

Parameters Try it out

No parameters

Request body required application/json

Example Value | Schema

```
{
  "provider_id": 0,
  "location_id": 0,
  "event_id": 0,
  "resource_id": 0,
  "title": "string",
  "status": "string",
  "contact_name": "string",
  "contact_email": "string",
  "contact_phone": "string"
}
```

Responses

Code	Description	Links
201	Opportunity created	*No links*
400	Validation error	*No links*
500	Server error	*No links*

GET `/volunteer-opportunities/{id}` Get volunteer opportunity details

Parameters Try it out

Name	Description
id * required `integer` *(path)*	id

Responses

Code	Description	Links
200	Opportunity details with shifts	*No links*
404	Not found	*No links*

Code	Description	Links
500	Server error	*No links*

PUT `/volunteer-opportunities/{id}` Update volunteer opportunity

Parameters Try it out

Name	Description
id * required `integer` *(path)*	id

Request body required application/json

Example Value | Schema

```
{
  "location_id": 0,
  "event_id": 0,
  "resource_id": 0,
  "title": "string",
  "status": "string",
  "contact_name": "string",
  "contact_email": "string",
  "contact_phone": "string"
}
```

Responses

Code	Description	Links
200	Opportunity updated	*No links*
500	Server error	*No links*

DELETE `/volunteer-opportunities/{id}` Delete volunteer opportunity

Parameters Try it out

Name	Description
id * required `integer` *(path)*	id

Responses

Code	Description	Links
200	Opportunity deleted	*No links*
500	Server error	*No links*

GET `/users/{id}/volunteer-signups` Get user volunteer signups

Parameters Try it out

Name	Description
id * required `integer` *(path)*	id

Responses

Code	Description	Links
200	Volunteer dashboard signups	*No links*
500	Server error	*No links*

GET `/users/{id}/volunteer-hours/export` Export volunteer hours CSV

Parameters Try it out

Name	Description
id * required `integer` *(path)*	id

Responses

Code	Description	Links
200	CSV export	*No links*
500	Server error	*No links*

GET `/volunteers/{userId}/event-signups` Get event-linked volunteer signups

Parameters Try it out

Name	Description
userId * required `integer` *(path)*	userId

Responses

Code	Description	Links
200	Event signups	*No links*
500	Server error	*No links*

GET `/volunteers/{userId}/resource-shifts` Get resource-linked volunteer shifts

Parameters Try it out

Name	Description
userId * required `integer` *(path)*	userId

Responses

Code	Description	Links
200	Resource shifts	*No links*
500	Server error	*No links*

GET `/volunteers/{userId}/hours` Get volunteer hours

Parameters Try it out

Name	Description
userId * required `integer` *(path)*	userId
resource_id `integer` *(query)*	resource_id
date_from `string` *(query)*	date_from
date_to `string` *(query)*	date_to

Responses

Code	Description	Links
200	Volunteer hours records	*No links*
500	Server error	*No links*

GET `/volunteers/{userId}/resources` Get resources with completed volunteer hours

Parameters Try it out

Name	Description
userId * required `integer` *(path)*	userId

Responses

Code	Description	Links
200	Resource list	*No links*
500	Server error	*No links*

GET `/events/{id}/volunteer-signups/count` Get event volunteer signup count

Parameters Try it out

Name	Description
id * required `integer` *(path)*	id

Responses

Code	Description	Links
200	Volunteer count	*No links*
500	Server error	*No links*

GET `/events/{eventId}/shifts` Get event shifts

Parameters Try it out

Name	Description
eventId * required `integer` *(path)*	eventId

Responses

Code	Description	Links
200	Shift list	*No links*
500	Server error	*No links*

POST `/events/{eventId}/shifts` Add shift to event

Parameters Try it out

Name	Description
eventId * required `integer` *(path)*	eventId

Request body required application/json

Example Value | Schema

```
{
  "start_datetime": "string",
  "end_datetime": "string",
  "capacity": 0
}
```

Responses

Code	Description	Links
201	Shift created	*No links*
400	Validation error	*No links*
404	Event not found	*No links*
500	Server error	*No links*

GET `/events/{eventId}/user-signups/{userId}` Get user signups for event

Parameters Try it out

Name	Description
eventId * required `integer` *(path)*	eventId
userId * required `integer` *(path)*	userId

Responses

Code	Description	Links
200	User event signups	*No links*
500	Server error	*No links*

PUT `/shifts/{id}` Update shift

Parameters Try it out

Name	Description
id * required `integer` *(path)*	id

Request body required — application/json

Example Value | Schema

```
{
  "start_datetime": "string",
  "end_datetime": "string",
  "capacity": 0
}
```

Responses

Code	Description	Links
200	Shift updated	*No links*
400	Validation error	*No links*
404	Not found	*No links*
500	Server error	*No links*

DELETE `/shifts/{id}` Delete shift

Parameters Try it out

Name	Description
id * required `integer` *(path)*	id

Responses

Code	Description	Links
200	Shift deleted	*No links*
404	Not found	*No links*
500	Server error	*No links*

POST `/volunteer-signups` Create volunteer signup

Parameters Try it out

No parameters

Request body required application/json

Example Value | Schema

```
{
  "shift_id": 0,
  "user_id": 0
}
```

Responses

Code	Description	Links
201	Signup created	*No links*
400	Validation error, duplicate, or full shift	*No links*

Code	Description	Links
404	Shift not found	*No links*
500	Server error	*No links*

DELETE `/volunteer-signups/{id}` Cancel volunteer signup

Parameters Try it out

Name	Description
id * required `integer` *(path)*	id

Responses

Code	Description	Links
200	Signup cancelled	*No links*
500	Server error	*No links*

Connections

GET `/resource-connections` Get resource connection

Parameters Try it out

Name	Description
resource_id * required `integer` *(query)*	resource_id

Name	Description
user_id * required `integer` *(query)*	user_id

Responses

Code	Description	Links
200	Connection or null	*No links*
400	Missing params	*No links*
500	Server error	*No links*

POST `/resource-connections` Create or reactivate resource connection

Parameters Try it out

No parameters

Request body required application/json

Example Value | Schema

```
{
  "resource_id": 0,
  "user_id": 0
}
```

Responses

Code	Description	Links
200	Connection activated or already active	*No links*
201	Connection created	*No links*

Code	Description	Links
400	Missing params	*No links*
500	Server error	*No links*

GET `/users/{id}/resource-connections` Get user resource connections

Parameters Try it out

Name	Description
id * required `integer` *(path)*	id

Responses

Code	Description	Links
200	Resource connections	*No links*
500	Server error	*No links*

PUT `/resource-connections/{id}/activate` Activate resource connection

Parameters Try it out

Name	Description
id * required `integer` *(path)*	id

Responses

Code	Description	Links
200	Connection activated	*No links*
500	Server error	*No links*

PUT `/resource-connections/{id}/deactivate` Deactivate resource connection

Parameters Try it out

Name	Description
id * required `integer` *(path)*	id

Responses

Code	Description	Links
200	Connection deactivated	*No links*
500	Server error	*No links*

Availability

GET `/volunteers/{userId}/availability` Get weekly availability

Parameters Try it out

Name	Description
userId * required `integer` *(path)*	userId

Responses

Code	Description	Links
200	Availability schedule	*No links*
500	Server error	*No links*

PUT /volunteers/{userId}/availability Update weekly availability

Parameters

Try it out

Name	Description
userId * required `integer` *(path)*	userId

Request body required

application/json

Example Value | Schema

```
{
  "schedule": [
    {}
  ]
}
```

Responses

Code	Description	Links
200	Availability updated	*No links*
400	Schedule must be array	*No links*
500	Server error	*No links*

GET /volunteers/{userId}/unavailable-dates Get unavailable dates

Parameters

Try it out

Name	Description
userId * required `integer` *(path)*	userId

Responses

Code	Description	Links
200	Unavailable dates	*No links*
500	Server error	*No links*

POST `/volunteers/{userId}/unavailable-dates` Add unavailable date

Parameters

Try it out

Name	Description
userId * required `integer` *(path)*	userId

Request body required

application/json

Example Value | Schema

```
{
  "unavailable_date": "string",
  "reason": "string"
}
```

Responses

Code	Description	Links
201	Unavailable date added	*No links*
400	Missing date	*No links*
409	Duplicate date	*No links*
500	Server error	*No links*

DELETE `/volunteers/{userId}/unavailable-dates/{id}` Delete unavailable date

Parameters Try it out

Name	Description
userId * required `integer` *(path)*	userId
id * required `integer` *(path)*	id

Responses

Code	Description	Links
200	Deleted	*No links*
404	Not found	*No links*
500	Server error	*No links*

GET `/resources/{resourceId}/volunteers` Get active volunteers connected to a resource

Parameters Try it out

Name	Description
resourceId * required `integer` *(path)*	resourceId

Responses

Code	Description	Links
200	Volunteer list	*No links*
500	Server error	*No links*

GET `/resources/{resourceId}/volunteers-availability`

Get connected volunteers with availability status for a date

Parameters Try it out

Name	Description
resourceId * required `integer` *(path)*	resourceId
date * required `string` *(query)*	date

Responses

Code	Description	Links
200	Volunteer availability list	*No links*
400	Missing date	*No links*

Code	Description	Links
500	Server error	*No links*

POST `/resources/{resourceId}/shifts` Create resource shift

Parameters Try it out

Name	Description
resourceId * required `integer` *(path)*	resourceId

Request body required application/json

Example Value | Schema

```
{
  "start_datetime": "string",
  "end_datetime": "string",
  "capacity": 0
}
```

Responses

Code	Description	Links
201	Shift created	*No links*
400	Validation error	*No links*
404	Resource not found	*No links*
500	Server error	*No links*

GET `/resources/{resourceId}/shifts` Get resource shifts

Parameters Try it out

Name	Description
resourceId * required `integer` *(path)*	resourceId
date `string` *(query)*	date

Responses

Code	Description	Links
200	Shift list with signups	*No links*
500	Server error	*No links*

GET `/resources/{resourceId}/shift-dates` Get distinct shift dates for resource

Parameters Try it out

Name	Description
resourceId * required `integer` *(path)*	resourceId

Responses

Code	Description	Links
200	Shift dates	*No links*
500	Server error	*No links*

Admin

GET /admin/pending-providers Get pending providers

Parameters

Try it out

No parameters

Responses

Code	Description	Links
200	Pending providers	*No links*
500	Server error	*No links*

PATCH /admin/providers/{id}/status Update provider status

Parameters

Try it out

Name	Description
id * required `integer` *(path)*	id

Request body required

application/json

Example Value | Schema

```
{
  "status": "active"
}
```

Responses

Code	Description	Links
200	Provider status updated	*No links*
400	Invalid status	*No links*
500	Server error	*No links*

PATCH `/admin/content/{type}/{id}` Moderate content by setting status inactive

Parameters Try it out

Name	Description
type * required `string` *(path)*	*Available values* : resource, event, opportunity resource
id * required `integer` *(path)*	id

Responses

Code	Description	Links
200	Content deactivated	*No links*
400	Invalid content type	*No links*
500	Server error	*No links*

GET `/admin/logs` Get latest audit logs

Parameters Try it out

No parameters

Responses

Code	Description	Links
200	Audit logs	*No links*
500	Server error	*No links*

PATCH `/admin/providers/{id}/approve` Approve provider

Parameters

Try it out

Name	Description
id * required `integer` *(path)*	id

Responses

Code	Description	Links
200	Provider approved	*No links*
500	Server error	*No links*