

Data Dictionary

1 Table: User

Field Name	Type	Null?	Key	Constraints	Description
user_id	INT	NO	PK	AUTO_INCREMENT	User Identifier
username	VARCHAR(100)	NO		UNIQUE	User login name
email	VARCHAR(255)	NO		UNIQUE	Login email
password_hash	VARCHAR(255)	NO			Hashed password
status	ENUM('active','suspended')	NO		DEFAULT 'active'	Account status

2 Table: UserProfile

Field Name	Type	Null?	Key	Constraints	Description
user_id	INT	NO	PK, FK	FK - User(user_id)	Owner
first_name	VARCHAR(100)	NO			First name
last_name	VARCHAR(100)	NO			Last name
phone	VARCHAR(20)	NO			Contact phone number
zip_code	VARCHAR(10)	NO			Zip code for filtering

3 Table: Role

Field Name	Type	Null?	Key	Constraints	Description
role_id	INT	NO	PK	AUTO_INCREMENT	Role Identifier
role_name	ENUM('user','volunteer','provider','admin')	NO		UNIQUE	System role name

4 Table: UserRole

Field Name	Type	Null?	Key	Constraints	Description
user_id	INT	NO	PK, FK	FK - User(user_id)	User assigned role
role_id	INT	NO	PK, FK	FK - Role(role_id)	Assigned role

5 Table: ServiceProvider

Field Name	Type	Null?	Key	Constraints	Description
provider_id	INT	NO	PK	AUTO-INCREMENT	Provider Identifier
location_id	INT	YES	FK		Address of service provider
name	VARCHAR(255)	NO			Organization name
ein	VARCHAR(255)	NO		UNIQUE	Employer Identification Number
common_name	VARCHAR(255)	YES			A common name, if one exists that is different than the organization name
phone_number	VARCHAR(10)	YES			Primary phone number for organization
website	VARCHAR(255)	YES			Provider website
organization_type	ENUM('value1','value2','value3')	YES			The type of organization the record represents
mission	TEXT	YES			A description of what the organization does
contact_name	VARCHAR(255)	YES			Name of the primary contact for the org
contact_email	VARCHAR(255)	YES			Email of the primary contact for the org

contact_phone	VARCHAR(255)	YES			Phone number of the primary contact for the org
operating_hours	TEXT	YES			A description of when they are available to answer the phones, conduct events, and so on
languages_spoken	TEXT	YES			A list of languages that are spoken by staff at the organization
accessibility	TEXT	YES			A description of what accessibility the organization provides
logo_url	VARCHAR(255)	YES			Provider logo
application_notes	TEXT	YES			Notes included with organization application
denial_reason	TEXT	YES			Reason for denying application
status	ENUM('pending','active','suspended')	NO		DEFAULT 'pending'	Approval status

6 Table: ServiceProviderUser

Field Name	Type	Null?	Key	Constraints	Description
provider_id	INT	NO	PK, FK	FK - ServiceProvider(provider_id)	Provider
user_id	INT	NO	PK, FK	FK - User(user_id)	Managing user

7 Table: ServiceProviderClaim

Field Name	Type	Null?	Key	Constraints	Description
claim_id	INT	NO	PK	AUTO_INCREMENT	Claim identifier
provider_id	INT	NO	FK	FK - ServiceProvider(provider_id)	Provider being claimed
user_id	INT	NO	FK	FK - User(user_id)	Claiming user
status	ENUM('pending','approved','rejected')	NO		DEFAULT 'pending'	Claim status
verification_method	ENUM('ein','manual','other')	YES			Verification method

8 Table: ProviderPostingPolicy

Field Name	Type	Null?	Key	Constraints	Description
provider_id	INT	NO	PK, FK	FK - ServiceProvider(provider_id)	Provider
max_events_per_month	INT	NO			Limit of events per month
max_opportunities_per_month	INT	NO			Limit of of volunteer opportunities per month

9 Table: Category

Field Name	Type	Null?	Key	Constraints	Description
category_id	INT	NO	PK	AUTO_INCREMENT	Category identifier
name	VARCHAR(100)	NO		UNIQUE	Category name
type	ENUM('event','resource','both')	NO			Category type

10 Table: Location

Field Name	Type	Null?	Key	Constraints	Description
location_id	INT	NO	PK	AUTO_INCREMENT	Location identifier
latitude	DECIMAL(9,6)	YES			Latitude
longitude	DECIMAL(9,6)	YES			Longitude
street_address_1	VARCHAR(255)	YES			Street address #1

street_address_2	VARCHAR(255)	YES			Street address #2
city	VARCHAR(255)	YES			City
state	VARCHAR(2)	YES			Two-letter state abbreviation
zip	VARCHAR(9)	YES			ZIP Code

11 Table: Resource

Field Name	Type	Null?	Key	Constraints	Description
resource_id	INT	NO	PK	AUTO-INCREMENT	Resource identifier
provider_id	INT	NO	FK	FK - ServiceProvider(provider_id)	Provider who owns the resource
category_id	INT	NO	FK	FK - Category(category_id)	Resource category
location_id	INT	NO	FK	FK - Location(location_id)	Resource location
name	VARCHAR(255)	NO			Resource name
description	TEXT	YES			Resource description
hours	TEXT	YES			Hours of operation
image_url	VARCHAR(255)	YES			Resource image URL
eligibility_requirements	TEXT	YES			Eligibility requirements
contact_name	VARCHAR(255)	YES			Resource contact person
contact_email	VARCHAR(255)	YES			Resource contact email
contact_phone	VARCHAR(255)	YES			Resource contact phone
languages_spoken	TEXT	YES			Languages available for service
accessibility	TEXT	YES			Accessibility information
volunteer_application_prompt	TEXT	YES			Custom resource volunteer application question
social_media_links	TEXT	YES			Social media URLs or references

12 Table: Event

Field Name	Type	Null?	Key	Constraints	Description
event_id	INT	NO	PK	AUTO-INCREMENT	Event identifier
provider_id	INT	NO	FK	FK - ServiceProvider(provider_id)	Provider who owns event
category_id	INT	NO	FK	FK - Category(category_id)	Event category
location_id	INT	NO	FK	FK - Location(location_id)	Event location
title	VARCHAR(255)	NO			Event title
event_date	DATETIME	YES			The date of the event
start_datetime	DATETIME	NO			Event start time
end_datetime	DATETIME	YES			Event end time
description	TEXT	YES			Event description
capacity	INT	YES			How many people the event can support
registration_required	ENUM('yes','no','unknown')	NO			Whether the event requires registration
special_instructions	TEXT	YES			Optional field to store special instructions for the event
image_url	VARCHAR(255)	YES			Event image URL
flyer_url	VARCHAR(255)	YES			Event flyer URL
attendance	INT	NO		DEFAULT 0	Number of attendees counted

created_at	TIMESTAMP	NO		DEFAULT CURRENT_TIMESTAMP	Posting timestamp
------------	-----------	----	--	---------------------------	-------------------

13 Table: EventRSVP

Field Name	Type	Null?	Key	Constraints	Description
event_rsvp_id	INT	NO	PK	AUTO_INCREMENT	RSVP identifier
event_id	INT	NO	FK	FK - Event(event_id)	Event
user_id	INT	NO	FK	FK - User(user_id)	Attendee
status	ENUM('yes','no')	NO			RSVP response
created_at	TIMESTAMP	NO		DEFAULT CURRENT_TIMESTAMP	RSVP time

14 Table: VolunteerOpportunity

Field Name	Type	Null?	Key	Constraints	Description
opportunity_id	INT	NO	PK	AUTO-INCREMENT	Opportunity identifier
provider_id	INT	NO	FK	FK - ServiceProvider(provider_id)	Provider who owns opportunity
location_id	INT	YES	FK	FK - Location(location_id)	Optional location
event_id	INT	YES	FK	FK - Event(event_id)	Optional event
resource_id	INT	YES	FK	FK - Resource(resource_id)	Optional resource
title	VARCHAR(255)	NO			Opportunity title
status	ENUM('open','closed')	NO		DEFAULT 'open'	Availability
contact_name	VARCHAR(150)	YES			Contact name
contact_email	VARCHAR(255)	YES			Contact email
contact_phone	VARCHAR(20)	YES			Contact phone
created_at	TIMESTAMP	NO		DEFAULT CURRENT_TIMESTAMP	Posting timestamp

15 Table: VolunteerShift

Field Name	Type	Null?	Key	Constraints	Description
shift_id	INT	NO	PK	AUTO-INCREMENT	Shift identifier
opportunity_id	INT	NO	FK	FK - VolunteerOpportunity(opportunity_id)	Volunteer Opportunity
start_datetime	DATETIME	NO			Shift start
end_datetime	DATETIME	NO			Shift end
capacity	INT	NO			Slot limit

16 Table: VolunteerSignup

Field Name	Type	Null?	Key	Constraints	Description
signup_id	INT	NO	PK	AUTO_INCREMENT	Signup identifier
shift_id	INT	NO	FK	FK - VolunteerShift(shift_id)	Shift
user_id	INT	NO	FK	FK - User(user_id)	Volunteer
status	ENUM('registered','cancelled')	NO		DEFAULT 'registered'	Signup status

17 Table: EmailLog

Field Name	Type	Null?	Key	Constraints	Description
email_log_id	INT	NO	PK		

user_id	INT				
signup_id	INT				
event_id	INT				
email_type	ENUM ('volunteer_confirmation', 'volunteer_24h_re minder', 'event_confirmation', 'event_24h_re				
send_at	DATETIME				
status	ENUM('queued', 'sent', 'failed')			DEFAULT 'queued'	

18 Table: AuditLog

Field Name	Type	Null?	Key	Constraints	Description
log_id	INT	NO	PK		
actor_user_id	INT				
action	VARCHAR(100)				
entity_type	VARCHAR(100)				
entity_id	INT				
occured_at	DATETIME				

19 Table: ServiceArea

Field Name	Type	Null?	Key	Constraints	Description
area_id	INT	NO	PK		
serviceprovider_id	INT	NO	FK		Links to the Service Provider that this Service Area is for
label	VARCHAR(255)	NO			The text for the entry, such as "Cobb County"
order	INT				The order in which the entry should appear in a list; used for sorting

20 Table: VolunteerResourceConnection

Field Name	Type	Null?	Key	Constraints	Description
connection_id	INT	NO	PK,	AUTO_INCREMENT	Unique connection identifier
resource_id	INT	NO	FK	FK - Resource.resource_id	Connected resource
user_id	INT	NO	FK	FK - User.user_id	Connected volunteer
date_changed	TIMESTAMP	NO		DEFAULT CURRENT_TIMESTAMP	Last time connection changed
status	ENUM	NO		pending', 'approved', 'denied'	
active	BOOLEAN	NO		DEFAULT FALSE	Whether connection is currently active

21 Table: VolunteerAvailability

Field Name	Type	Null?	Key	Constraints	Description
availability_id	INT	NO	PK	AUTO_INCREMENT	Unique availability record
user_id	INT	NO	FK	FK - User.user_id	Volunteer user
day_of_week	ENUM('Monday', 'Tuesday', 'Wednesday', 'Thursday', 'Friday', 'Saturday', 'Sunday')	NO		UNIQUE with user_id	Day of week
available	BOOLEAN	NO		FALSE	Whether volunteer is available that day
start_time	TIME	YES			Available start time

end_time	TIME	YES			Available end time
----------	------	-----	--	--	--------------------

22 Table: VolunteerUnavailableDate

Field Name	Type	Null?	Key	Constraints	Description
unavailable_id	INT	NO	PK	AUTO_INCREMENT	Unique unavailable date identifier
user_id	INT	NO	FK	FK - User.user_id	Volunteer user
unavailable_date	DATE	NO		UNIQUE with user_id	Specific date unavailable
reason	VARCHAR(255)	YES			Reason for unavailability

23 Table: PasswordResetToken

Field Name	Type	Null?	Key	Constraints	Description
token_id	INT	NO	PK	PK, AUTO_INCREMENT	Unique reset token record
user_id	INT	NO	FK	FK - User.user_id	User requesting reset
token	VARCHAR(255)	NO		UNIQUE	Password reset token
expires_at	DATETIME	NO			Expiration date and time
used	BOOLEAN	NO		DEFAULT FALSE	Whether token has already been used
created_at	TIMESTAMP	NO		CURRENT_TIMESTAMP	Creation timestamp

24 Table: OrganizationInvite

Field Name	Type	Null?	Key	Constraints	Description
invite_id	INT	NO	PK	AUTO_INCREMENT	Unique invite identifier
provider_id	INT	NO	FK	FK - ServiceProvider.provider_id	Related provider
invited_by_user_id	INT	NO	FK	FK - User.user_id	User who created invite
email	VARCHAR(255)	NO			Invitee email
username_suggestion	VARCHAR(100)	YES			Suggested username for invitee
token	VARCHAR(255)	NO		UNIQUE	Invite token
expires_at	DATETIME	NO			Expiration date and time
used	BOOLEAN	NO		DEFAULT FALSE	Whether invite token has been used
created_at	TIMESTAMP	NO		CURRENT_TIMESTAMP	Invite creation timestamp