



BATTERY HOLDER SNAP & PARTS

電池盒 電池扣 端子



常利興業股份有限公司

COMFORTABLE ELECTRONIC CO., LTD



HOW TO USE THIS CATALOG

電池盒電池釦號碼讀法如下圖所示

The method of reading the battery holder number is as shown below.
(Example)



The method of reading the battery snap number is as shown below.
(Example)



TYPE	CRIMPING			CT-CRIMPING		
	PVC.VINYL	RIGID	SAFETY	PVC.VINYL	RIGID	SAFETY
I	BS-IC	BS-IR BS-IR-1	SBS-IR-1	BS-ICCT	BS-IRCT BS-IRCT-1	SBS-IRCT-1
E	BS-EC	BS-ER BS-ER-1	SBS-ER	BS-ECCT	BS-ERCT BS-ERCT-1	SBS-ERCT
T	BS-TC	BS-TR		BS-TCCT	BS-TRCT	
P	BS-PC			BS-PCCT		

INDEX

CONTENTS

PAGE

UM-1 Battery Holder	01
UM-2 Battery Holder	02
UM-3 Battery Holder	04
UM-4 Battery Holder	07
UM-5 Battery Holder	08
Other Battery Holder	09
Safety Battery Holder	10
Coin Cell Holder	15
Battery Snap	18
Battery Clips	21
Battery Contacts	23
Series Battery Holder and Battery Snap With Special Design.....	30
Lead Wire, Terminal & Connector.....	31
Wire Assemblies, Harnesses	32

UM - 1 OR 'D' SIZE OR EQUIV

BH111-1A
BH111-1D

FOR ONE "D" CELL




BH121-1A
BH121-1B
BH121-1D

FOR TWO "D" CELLS



BH121-1AS
BH121-1DS
BH121-1P

FOR TWO "D" CELLS




BH125A
BH125D

FOR TWO "D" CELLS




BH131A
BH131B
BH131D

FOR THREE "D" CELLS




BH132A
BH132D

FOR THREE "D" CELLS



BH141A
BH141D

FOR FOUR "D" CELLS




BH142-1A
BH142-1B
BH142-1D

FOR FOUR "D" CELLS




BH143-1A
BH143-1D

FOR FOUR "D" CELLS




BH143-2A
BH143-2D

FOR FOUR "D" CELLS




BH144-1A
BH144-1B
BH144-1D

FOR FOUR "D" CELLS



BH145A
BH145D

FOR FOUR "D" CELLS



品質政策：卓越管理 優良品質 準確交期

UM - 1 OR 'D' SIZE OR EQUIV

BH161A
BH161B
BH161D **FOR SIX "D" CELLS**



BH162A
BH162B
BH162D **FOR SIX "D" CELLS**



BH163A
BH163B
BH163D **FOR SIX "D" CELLS**



BH181-2A
BH181-2B
BH181-2D **FOR EIGHT "D" CELLS**



BH182-1A
BH182-1B
BH182-1D **FOR EIGHT "D" CELLS**



UM - 2 OR 'C' SIZE OR EQUIV

BH211-1A
BH211-1D **FOR ONE "C" CELL**




BH211-2A
BH211-2D **FOR ONE "C" CELL**



BH221A
BH221B
BH221D **FOR TWO "C" CELLS**



BH221-1A
BH221-1B
BH221-1D **FOR TWO "C" CELLS**



BH225A
BH225D **FOR TWO "C" CELLS**



BH231A
BH231D
BH231P **FOR THREE "C" CELLS**



UM - 2 OR 'C' SIZE OR EQUIV


BH232A
BH232B
BH232D

FOR THREE "C" CELLS




BH241A
BH241D

FOR FOUR "C" CELLS



BH242-1A
BH242-1B
BH242-1D

FOR FOUR "C" CELLS




BH242-2A
BH242-2B
BH242-2D

FOR FOUR "C" CELLS




BH243A
BH243B
BH243D

FOR FOUR "C" CELLS



BH261A
BH261B
BH261D

FOR SIX "C" CELLS




BH262A
BH262B
BH262D

FOR SIX "C" CELLS




BH281A
BH281B
BH281D

FOR EIGHT "C" CELLS



BH282-1A
BH282-1B
BH282-1D

FOR EIGHT "C" CELLS



品質政策：卓越管理 優良品質 準確交期



加工

專業

製造

UM - 3 OR 'AA' SIZE OR EQUIV

經營理念：誠信 勤勞 創新


BH311-1A
BH311-1D
BH311-1P FOR ONE "AA" CELL



BH311-2A
BH311-2D
BH311-2P FOR ONE "AA" CELL



BH311-3A
BH311-3D
BH311-3P FOR ONE "AA" CELL



BH321-1A,AS
BH321-1B
BH321-1D
BH321-1P FOR TWO "AA" CELLS




BH321-2A,AS
BH321-2D
BH321-2P FOR TWO "AA" CELLS



BH321-3A
BH321-3D
BH321-3P FOR TWO "AA" CELLS



BH321-4A
BH321-4B
BH321-4D
BH321-4P FOR TWO "AA" CELLS




BH321-5A
BH321-5B
BH321-5D
BH321-5P FOR TWO "AA" CELLS




BH322-1A
BH322-1B
BH322-1D FOR TWO "AA" CELLS




BH324A
BH324D FOR TWO "AA" CELLS



BH325A
BH325AS FOR TWO "AA" CELLS



BH325-1A
BH325-1AS FOR TWO "AA" CELLS



UM - 3 OR 'AA' SIZE OR EQUIV


BH331-2A
BH331-2B
BH331-2D
BH331-2P
FOR THREE "AA" CELLS



BH331-3A
BH331-3B
BH331-3D
BH331-3P
FOR THREE "AA" CELLS **NEW**




BH332A **FOR THREE "AA" CELLS**




BH333A
BH333D
BH333P
FOR THREE "AA" CELLS



BH341-1A
BH341-1B
BH341-1D
BH341-1P
FOR FOUR "AA" CELLS




BH341-2A
BH341-2B
BH341-2D
BH341-2P
FOR FOUR "AA" CELLS




BH341-3A
BH341-3B
BH341-3D
BH341-3P
FOR FOUR "AA" CELLS



BH342-1A
BH342-1B
BH342-1D
FOR FOUR "AA" CELLS



BH343-1A
BH343-1B
BH343-1D
FOR FOUR "AA" CELLS



BH343-2A
BH343-2B
BH343-2D
FOR FOUR "AA" CELLS



BH343-3A
BH343-3B
BH343-3D
FOR FOUR "AA" CELLS **NEW**



BH344A
BH344B
BH344D
BH344P
FOR FOUR "AA" CELLS



品質政策：卓越管理 優良品質 準確交期

UM - 3 OR 'AA' SIZE OR EQUIV

經營理念：誠信 勤勞 創新

BH351A
BH351B
BH351D FOR FIVE "AA" CELLS



BH361A
BH361B
BH361D FOR SIX "AA" CELLS



BH362A
BH362B
BH362D
BH362P FOR SIX "AA" CELLS



BH363-1A
BH363-1B
BH363-1D FOR SIX "AA" CELLS **NEW**



BH364A
BH364D FOR SIX "AA" CELLS



BH365A
BH365B
BH365D FOR SIX "AA" CELLS



BH381A
BH381B
BH381D FOR EIGHT "AA" CELLS



BH381-2A
BH381-2B
BH381-2D FOR EIGHT "AA" CELLS



BH382A
BH382B
BH382D FOR EIGHT "AA" CELLS



BH383A
BH383B
BH383D FOR EIGHT "AA" CELLS



BH3101A
BH3101D FORTEN "AA" CELLS




BH3103-1A
BH3103-1B
BH3103-1D FORTEN "AA" CELLS



UM - 4 OR 'AAA' SIZE OR EQUIV

BH411-2A
BH411-2D
BH411-2P


FOR ONE "AAA" CELL



BH411-3A
BH411-3D
BH411-3P

FOR ONE "AAA" CELL

NEW



BH411-4A
BH411-4D
BH411-4P


FOR ONE "AAA" CELL

NEW



BH421A
BH421B
BH421D
BH421P

FOR TWO "AAA" CELLS




BH421-1A
BH421-1B
BH421-1D
BH421-1P

FOR TWO "AAA" CELLS



BH421-3A
BH421-3B
BH421-3D
BH421-3P

FOR TWO "AAA" CELLS




BH421-4A
BH421-4B
BH421-4D
BH421-4P

FOR TWO "AAA" CELLS




BH422A
BH422B
BH422D

FOR TWO "AAA" CELLS




BH422-1A
BH422-1B
BH422-1D

FOR TWO "AAA" CELLS




BH425A
BH425D
BH425P

FOR TWO "AAA" CELLS




BH431-1A
BH431-1B
BH431-1D
BH431-1P

FOR THREE "AAA" CELLS



BH432

FOR THREE "AAA" CELLS



品質政策：卓越管理 優良品質 準確交期

UM - 4 OR 'AAA' SIZE OR EQUIV

BH441A
BH441B
BH441D
BH441P

FOR FOUR "AAA" CELLS



BH441-2A
BH441-2B
BH441-2D
BH441-2P

FOR FOUR "AAA" CELLS



BH443A
BH443B
BH443D

FOR FOUR "AAA" CELLS



BH463A
BH463B
BH463D

FOR SIX "AAA" CELLS



BH482A
BH482B
BH482D

FOR EIGHT "AAA" CELLS



BH483A
BH483B
BH483D

FOR EIGHT "AAA" CELLS



UM - 5 OR 'N' SIZE OR EQUIV

BH511-2A
BH511-2D
BH511-2P

FOR ONE "N" CELL



BH511-3A
BH511-3D
BH511-3P

FOR ONE "N" CELL

NEW



BH511-4A
BH511-4D
BH511-4P

FOR ONE "N" CELL

NEW



BH521A
BH521D
BH521P

FOR TWO "N" CELLS



BH522-3A
BH522-3D

FOR TWO "N" CELLS

NEW



BH543A
BH543D

FOR FOUR "N" CELLS




經營理念：誠信 勤勞 創新

OTHER BATTERY HOLDER


BH9VA
BH9VD
BH9VP

FOR 9V CELL




BH9V-1A
BH9V-1D
BH9V-1P
BH9V-1T

FOR 9V CELL




BH9V-2

FOR 9V CELL



BH9V-3A
BH9V-3D
BH9V-3P

FOR 9V CELL




BH1/2AA-2A
BH1/2AA-2P

FOR *1/2AA* CELL




BH1/2AA-3S

FOR *1/2AA* CELL





BHC-CR123A FOR *CR123A* CELL



BHC-18650-1A
BHC-18650-1P

FOR *18650* CELL

NEW



品質政策：卓越管理 優良品質 準確交期

Battery Holder

SAI ISO 9001 認證
SAI ISO 14001

SAFETY BATTERY HOLDER

經營理念：誠信 勤勞 創新

SBH-131A
SBH-131B
SBH-131D

FOR THREE "D" CELLS




SBH-141A
SBH-141B
SBH-141D

FOR FOUR "D" CELLS



SBH-221A
SBH-221AS

FOR TWO "C" CELLS



SBH-231A
SBH-231B
SBH-231D

FOR THREE "C" CELLS



SBH-321-1A
SBH-321-1AS

FOR TWO "AA" CELLS



SBH-321-2A

FOR TWO "AA" CELLS



SAFETY BATTERY HOLDER

SBH-321-3A
SBH-321-3AS

FOR TWO "AA" CELLS



SBH-321-4A
SBH-321-4AS
SBH-321-4D
SBH-321-4DS

FOR TWO "AA" CELLS



SBH-331A
SBH-331AS

FOR THREE "AA" CELLS



SBH-331-2A
SBH-331-2AS

FOR THREE "AA" CELLS



SBH-341-1A
SBH-341-1AS

FOR FOUR "AA" CELLS



SBH-341-2A
SBH-341-2AS

FOR FOUR "AA" CELLS



品質政策：卓越管理 優良品質 準確交期

SAFETY BATTERY HOLDER

經營理念：誠信 勤勞 創新

SBH-341-3A
SBH-341-3AS
SBH-341-3S/USB

FOR FOUR "AA" CELLS


SBH-341-4A
SBH-341-4AS

FOR FOUR "AA" CELLS

SBH-341-5A/
WATER PROOF

FOR FOUR "AA" CELLS

NEW

SBH-361A
SBH-361D

FOR SIX "AA" CELLS


SBH-381A
SBH-381AS

FOR EIGHT "AA" CELLS

NEW




SBH-3201S/MV FORTWENTY "AA" CELLS



SAFETY BATTERY HOLDER

SBH-421-1A
SBH-421-1AS


FOR TWO "AAA" CELLS



Bottom

SBH-421-2A

FOR TWO "AAA" CELLS



Bottom

SBH-431A
SBH-431B
SBH-431D
SBH-431P

FOR THREE "AAA" CELLS



Bottom

SBH-431-1A
SBH-431-1AS

FOR THREE "AAA" CELLS



Bottom

SBH-431-2A
SBH-431-2AS
SBH-431-2S/2LED

FOR THREE "AAA" CELLS



Bottom

SBH-441A
SBH-441AS

FOR FOUR "AAA" CELLS




Bottom

品質政策：卓越管理 優良品質 準確交期

SAFETY BATTERY HOLDER


SBH-9VA
SBH-9VAS
SBH-9VP

FOR ONE "9V" CELL



SBH-9V-1

FOR ONE "9V" CELL



經營理念：誠信 勤勞 創新



CH23-1220 FOR CR1220



CH23-1225 FOR CR1225



CH25-2032 FOR CR2032




CH25-2325 FOR CR2325




CH26-2032 FOR CR2032



CH28-2032 FOR CR2032



CH29-2032 FOR CR2032



CH74-2032 FOR CR2032



CH002-2425 FOR CR2425



CH004-2032 FOR CR2032



CH005-2032 FOR CR2032



CH025-1616 FOR CR1616



NEW

CH026-1632 FOR CR1632

(NEW)



CH030-2430 FOR CR2430

(NEW)



CH031-2477 FOR CR2477

(NEW)



CH032-2477 FOR CR2477



CH075-2032 FOR CR2032




CH076-2032 FOR CR2032



CH224-2032 FOR CR2032




CH243-2032 FOR CR2032



CH251-2032 FOR CR2032



CH261-2032 FOR CR2032




CH273-2450 FOR CR2450



CH274-2450 FOR CR2450

(NEW)



Battery Holder

COIN CELL HOLDER

SAI ISO 9001 認證
SAI ISO 14001

CH291-1220 FOR CR1220




CH7410-2032 FOR CR2032



. Tray and Reel Tape

. are acceptable for

. manufacturing



品質政策：卓越管理 優良品質 準確交期



COMFORTABLE ELECTRONIC CO., LTD.

Tel : 886-2-32347735 Fax : 886-2-32347739 <http://www.comf.com.tw>

BATTERY SNAP

TYPE : I、E、T、P

1. CRIMPING : U.S. PAT NO. 5,312,269

2. CT-CRIMPING : U.S. PAT NO. 6,478,633 B1

FOR 9V CELL

TYPE	CRIMPING			
	PVC.VINYL	RIGID		SAFETY
I	BS-IC 	BS-IR 	BS-IR-1 	SBS-IR-1 
E	BS-EC 	BS-ER 	BS-ER-1 	SBS-ER 
T	BS-TC 	BS-TR 	---	---
P	BS-PC 	---	---	---

經營理念：誠信 勤勞 創新

BATTERY SNAP

CYLINDRICAL TERMINAL RIVET (CT-CRIMPING)



ADVANTAGES:

- *LeadFree
- *Prevent the foreign liquid spread into riveted spot.
- *Increase the torque strength

FOR 9V CELL


TYPE	CT-CRIMPING			
	PVC.VINYL	RIGID		SAFETY
I	BS-ICCT 	BS-IRCT 	BS-IRCT-1 	SBS-IRCT-1 
E	BS-ECCT 	BS-ERCT 	BS-ERCT-1 	SBS-ERCT 
T	BS-TCCT 	BS-TRCT 	-----	-----
P	BS-PCCT 	-----	-----	-----

品質政策：卓越管理 優良品質 準確交期


BATTERY SNAP

經營理念：誠信 勤勞 創新

BS-M-A
BS-M-B
BS-M-D FOR 9V CELL




BS-M-1A
BS-M-1B
BS-M-1D FOR 9V CELL




BS-M-2A
BS-M-2B
BS-M-2D FOR 9V CELL




BS-M-3A
BS-M-3B
BS-M-3D FOR 9V CELL




BS-M-4A
BS-M-4B
BS-M-4D FOR TWO 9V CELLS



BS-M-5A
BS-M-5B
BS-M-5D FOR 9V CELL




BS-M-6A
BS-M-6B
BS-M-6D FOR 9V CELL



BS-M-7A
BS-M-7B
BS-M-7D FOR 9V CELL




BS-M-8A
BS-M-8B
BS-M-8D FOR 9V CELL



BS-M-9A
BS-M-9B
BS-M-9D FOR TWO 9V CELLS



BS-M-10A
BS-M-10B
BS-M-10D FOR 9V CELL




BS-M-11A
BS-M-11B
BS-M-11D FOR 9V CELL



BATTERY CLIPS

SNAP ON



SNAP ON-1



BC-0301 FOR "AA" CLIP



BC-0302 FOR "AA" CLIP




BC-0303 FOR "AA" CLIP
NEW



BC-0401 FOR "AAA" CLIP



BC-0402 FOR "AAA" CLIP



BC-0403 FOR "AAA" CLIP



BC-1601 FOR CR1616




BC-2001 FOR CR2032



BC-2002 FOR CR2032



BC-2003 FOR CR2032



品質政策：卓越管理 優良品質 準確交期


BATTERY CLIPS

經營理念：誠信 勤勞 創新


BC-2004 FORTWO CR2032



BC-2401 FOR CR2430



BC-2402 FOR CR2430



BC-2403 FOR CR2450




BC-2404 FOR CR2450




BH980 HOLDER



BH980-1 HOLDER



BH980-2 HOLDER



BH980-3 HOLDER



BH980-4 HOLDER



● 台灣、香港接單，香港、大陸交貨

● 成型模具設計

● 塑膠射出製造

23

Cathode-Anode




BATTERY CONTACTS

經營理念：誠信 勤勞 創新


224-3

Cathode-Anode




228


Anode




Cathode



Anode-Cathode




Cathode-Anode




228-1

Anode




301

Anode




Cathode-Anode




302

Anode-Cathode




Cathode-Anode




303


Anode



Cathode




Anode-Cathode



Cathode-Anode




Anode-Anode




304

Anode




Anode-Cathode




304-1

Anode



Anode-Cathode




BATTERY CONTACTS

品質政策：卓越管理 優良品質 準確交期

304-2

Anode



Anode-Cathode




304-3

Anode



Anode-Cathode



305

Anode




306

Anode



307

Anode-Anode




Cathode-Cathode



307


Double Anode-Cathode

NEW




Double Cathode-Anode

NEW




308


Anode



Cathode



Cathode-Cathode



308-1

Cathode




BATTERY CONTACTS


經營理念：誠信 勤勞 創新

309

Anode




Cathode




310

Anode




Anode-Cathode




311

Anode



Long-Cathode




313

Anode




Cathode-Anode




314

Anode




Cathode



315-1


Anode

NEW




Cathode

NEW




317


Cathode



Anode-Cathode




Cathode-Anode




BATTERY CONTACTS

318


Anode



Cathode




Cathode-Anode




319

Anode




Cathode



401

Anode




Cathode




Long-Cathode



Anode-Cathode




Cathode - Anode



402

Anode



Anode-Cathode



402-1

Anode



Anode-Cathode




402-2

Anode




Anode-Cathode



402-3


Anode

NEW




403


Anode



Cathode



Anode-Cathode



品質政策：卓越管理 優良品質 準確交期

BATTERY CONTACTS

經營理念：誠信 勤勞 創新

404

Anode

Cathode



Cathode-Cathode



405

Anode

Cathode



406


Anode

Anode-Cathode

407

Cathode

NEW



407

Anode-Cathode


Cathode-Anode

Outside Anode

Outside Cathode

NEW

NEW



408

Anode




Cathode

409

Anode

Cathode


Anode-Cathode



BATTERY CONTACTS

CR123A

Anode / Cathode




BHC-2/3

Anode




9V

Cathode




18650

Anode / Cathode




Pin Anode / Cathode



BH-3.6V


Anode / Cathode




Pin Anode / Cathode




Big Contact




Small Contact




Long Contact




P2 Contact




Pin14 Contact



Pin24 Contact




Female Contact (6 Prong)




Male Contact




Female Contact (4 Prong)




Switch



Metal Switch (big)



Metal Switch (small)



Rivet

5x2.4x4



5x2.4x5



5x2.5x3.8



4x2.4x4




7x4x4.5




7x4x5




7x4x7




8x2.4x4




Contact




Hook(0.8)




Hook(0.8x40)




Hook (0.8x19)




Hook (0.8x17)



Hook (0.8x33)



Hook (0.8x31)



品質政策：卓越管理 優良品質 準確交期

SAI ISO 9001 認證
SAI ISO 14001

SERIES BATTERY HOLDER AND BATTERY SANP WITH SPECIAL DESIGN

經營理念：誠信 勤勞 創新



MANY ADDITIONAL STYLES ARE AVAILABLE.
CUSTOM DESIGNS AND VARIATIONS OF STANDARD PARTS
CAN BE PRODUCED TO MEET YOUR REQUIREMENTS.
PLEASE CONTACT WITH US.



LEAD WIRE TERMINAL CONNECTOR



品質政策：卓越管理 優良品質 準確交期

WIRE ASSEMBLIES HARNESSES

經營理念：誠信 勤勞 創新



DESIGN, SOURCE, TEST AND SUPPLY ON TIME.

公司簡介 COMPANY PROFILE

常利興業專業生產電池盒、電池釦已有40年以上經驗，除傳統性產品外，並做多項改良，使兼具安全性及實用性。

Comfortable Electronic Co., Ltd. is a professional manufacturer and exporter of Battery Holder and Battery Snap more than 40 years. We are constantly to improve itself under the concepts of aggressive innovation.



品質政策：卓越管理 優良品質 準確交期

專利種類：

- 01.端鉗釘
- 02.具極性保護裝置
- 03.電池扣
- 04.安全電子扣
- 05.封閉式電池盒
- 06.套筒式端鉗釘及使用它的電池扣
- 07.可更換訊號線的車用充電裝置
- 08.具夾持功能之揚聲器
- 09.具極性突緣之電池盒
- 10.多功能電源供電器
- 11.具電源輸出/入之電池盒
- 12.隨身充電盒
- 13.具固定功能之電池盒
- 14.防水電池盒
- 15.電池盒及其極片組



FULLY AUTOMATIC TERMINAL
CRIMPING MACHINE

EACH OF BRAND BATTERY HOLDERS

AND BATTERY SNAPS OWN ONE OR MORE PATENTS ABOUT STRUCTURE OF TERMINAL RIVET, CRIMPED, OR POLARITY PROTECTION. WE DIVIDE IT FROM TRADITIONAL SOLDERING TYPE TO WHICH NAMED " CRIMPING TYPE " BATTERY SNAPS. AND SAFETY BATTERY SNAPS OR SAFETY BATTERY HOLDERS.

THE WIRE COMPLY WITH THE STANDARD OF UL CSA MADE BY FULLY AUTOMATIC CRIMPING MACHINE THAT MADE IN TAIWAN. THE ONE PUNCH CAN BE MADE TERMINAL, RIVET, AND THE LEAD WIRE AT THE SAME TIME. IT ALSO CAN REDUCING THE WIRE CONTAMINATION.

THE POLARITY PROTECTIVE DEVICE OF THE BATTERY HOLDER WILL PROTECT YOUR EQUIPMENT FROM BEING DAMAGED WHEN YOU LOAD THE BATTERY IN REVERSE POLARITY.



COMFORTABLE ELECTRONIC CO., LTD.

Tel : 886-2-32347735 Fax : 886-2-32347739 <http://www.comf.com.tw>

本公司專業生產的電池盒、電池扣及安全電池盒、安全電池釦自80年起陸續取得中國、日本、泰國、越南、紐西蘭、新加坡、馬來西亞、台灣、美國、英國、德國之多項專利權

The safety battery holders and the battery snaps(clip) made by us have been patented in China Mainland, Japan, Thailand, Vietnam, New Zealand, Singapore, Malaysia, Taiwan, the United States, the United Kingdom and Germany since 1991.



電池盒及其極片組
BATTERY CASE AND ELECTRODE PLATE
SET FOR USE IN THE SAME
TAIWAN PAT. NO. M485568
防水電池盒
WATERPROOF BATTERY CASE
TAIWAN PAT. NO. M401877



電池盒極性保護裝置
SAFETY BATTERY CASE
(POLARITY PROTECT OF BATTERY CASE)
TAIWAN PAT. NO.57767
WEST GERMANY PAT. NO. G 90 13 725.6



COMFORTABLE ELECTRONIC CO., LTD.

Taiwan Office:
COMFORTABLE ELECTRONIC CO., LTD.
3FL, No. 142, Li-Teh Street
Chung Ho District
New Taipei City
TAIWAN
常利興業股份有限公司
新北市中和區立德街142號3樓
Tel: (886-2) 3234 7735
Fax: (886-2) 3234 7739
www.comf.com.tw
www.globalsources.com/comf.co
E-mail: comf@seed.net.tw
E-mail: comf.co@msa.hinet.net

Hong Kong Office:
COMF COMPANY
11/15F, Metro Centre 1, No.32 Lam Hing St.,
Kowloon Bay, Hong Kong
常利貿易(H.K)有限公司
香港九龍灣德輔道中32號美蘭中心1期15樓11室
Tel: (852) 2770 5181
Fax: (852) 2798 8129
www.comf-hk.com
E-mail: comfhk@on-nets.com
E-mail: celia@comf-hk.com

Mainland China Factory:
COMF ELECTRONIC FACTORY(DONGGUAN)
東莞石排常利電子廠
廣東省東莞市石排鎮塘尾工商業開發區
Tel: (86-769) 8665 2535
Fax: (86-769) 8665 3700



CAT-2014