Software Engineering Concepts

General

Software Engineering Fundamentals

Requirement Analysis

Basics Of Testing

Software Maintenance

ConfigurationManagement And VersionControl

Introduction to Agile Technologies

### ☐ Hands-On

Dashboard

Help Desk

Dashboard / Software Engineering Concepts / Hands-On / Hands-On

```
Started on Tuesday, 10 March 2020, 6:02 PM

State Finished

Completed on Tuesday, 10 March 2020, 6:05 PM

Time taken 2 mins 41 secs

Marks 8.00/10.00

Grade 80.00 out of 100.00

Feedback Congratulations!! You have passed by securing more than 80%
```

### Question

1

Mark 0.00 out of 1.00

Flag question

See the code below

READ mark;

IF(mark > 90)

GRADE = 'A';

ELSE IF(mark > 81 && mark < 90)

GRADE = 'B';

ELSE IF(mark > 71 && mark < 80)

GRADE = 'C';

ELSE IF(mark > 61 && mark < 70)

GRADE = 'D';

ELSE IF(mark < 60)

GRADE = 'F';

PRINT GRADE;

predict the number of independent paths to be tested.

### Select one:

a. 9

b. 5

c. 6 X

od. 8

Your answer is incorrect.

The correct answer is: 9

### Quiz navigation



Show one page at a time Finish review

## Question **2**

Correct


Mark 1.00 out of 1.00

Flag question

### Requirement:

If a player lands on a property owned by other players, he or she needs to pay the rent. If the player does not have enough money, he or she is out of the game. If the property is not owned by any players, and the player has enough money buying the property, he or she may buy the property with the price associated with the property

Find the mc cab's number for the following flowchart



#### Select one:

- a. 5
- b. 8
- ◎ c. 6 ✓
- od. 7

Your answer is correct.

The correct answer is: 6

## Question 3

Incorrect

Mark 0.00 out of 1.00 A module is designed for the retail shop to calculate the discount based on the customer type

- a) privileged customer then 3% discount
- b) normal customer then no discount

Design test cases using using equivalence partitioning for the above scenario

### Select one:

a. Input Expected Output

Privilage Customer 13%

Normal Customer No Discount Gold Customer Invalid

b. Input
 Expected Output

Privilage Customer 3%

Normal Customer No Discount Gold Customer Invalid

Privilage Customer 3%

Normal Customer Invalid

Gold Customer Invalid

d. InputExpected Output

Privilage Customer 3%

Normal Customer No Discount X

Your answer is incorrect.

Privilage Customer 3%

Normal Customer No Discount Gold Customer Invalid

### Question 4

Correct

Mark 1.00 out of 1.00

Flag question

Derive the Cardinality between the student and the School.

A School has many students. The student belongs to a school

#### Select one:

- a. M:M
- b. M:1
- o. 1:M
- o d. 1:1

Your answer is correct.

The correct answer is: M:1

### Question **5**

.A retail shop has provided a discount sale on their products. A module for calculating discount for the total amount of purchase is decided by the following factors

### Correct

Mark 1.00 out of 1.00

▼ Flag question

- a) below 5000 then no discount
- b) 5000 to 20000 then 5% discount
- c) 20001 to 50000 then 10 % discount
- d) above 50000 then 15% discount

Choose from the below appropriate test cases using boundary value analysis for the above scenario

### Select one:

a. Input Expected Output 4999 No Discount 5000 5% 15000 5%

> 20000 5% 20001 10%

30000 10% 50000 10%

50001 15% 🗸

b. Input Expected Output

4999 No Discount 5000 10%

15000 10%

20000 5%

20001 5%

30000 5%

50000 10%

50001 15%

c. Input Expected Output

4999 No Discount

5000 5%

15000 5%

20000 5%

20003 10%

30000 10%

50000 10%

50001 15%

d. Input Expected Output

4999 No Discount

5000 5%

15000 5%

20001 10%

30000 10%

50000 10%

50001 15%

```
The correct answer is:
Input Expected Output
4999 No Discount
5000 5%
15000 5%
20000 5%
20001 10%
30000 10%
50000 10%
50001 15%
```

### Question

Correct Mark 1.00 out of 1.00

▼ Flag question

```
Which of the following statements are true for the below pseudocode
```

```
READ A,B,C
   IF (A>B AND A>C)
       PRINT "A Is Greater"
   IF (B>A AND B>C)
       PRINT "B Is Greater"
   IF (C>A AND C>B)
       PRINT "C Is Greater"
Select one or more:
```

- ✓ a. Condition when all the variables are given same value is not checked ✓
- b. There are no errors in the above code.
- c. AND should be replaced with OR
- ✓ d. Code would be more efficient if, if is replaced by else-if ✓

#### Your answer is correct.

The correct answers are: Condition when all the variables are given same value is not checked, Code would be more efficient if, if is replaced by else-if

### Question

Correct

Mark 1.00 out of 1.00

▼ Flag question

```
For the given code, identify the correct independent paths
```

```
Program for Search
  Binary Search Algorithm
1. int bottom = 0;
2. int top = elemArray.length - 1;
```

```
int mid;
3. r.found = false;
r.index = -1;
5. while (bottom <= top)
mid = (top + bottom) / 2;
      if (elemArray [mid] == key)
7.
8.
     r.index = mid;
9.
     r.found = true;
10.
     return ;
     } // if part
     else
     if (elemArray [mid] < key)
11.
     bottom = mid + 1;
12.
      else
13.
          top = mid - 1;
  } //while loop
14. } // Binary search
} //Search
Select one or more:
a. 1, 2, 3, 4, 5,6, 7, 2, 11, 13, 6,...

☑ b. 1, 2, 3, 4, 5, 6, 7, 11, 12, 5,... ✓
d. 1, 2, 3, 4, 5, 14,10
Your answer is correct.
```

The correct answers are: 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 14

, 1, 2, 3, 4, 5, 6, 7, 11, 12, 5,...

# Question **8**

Correct

Mark 1.00 out of 1.00

```
Find the mc cab's number for the below code.

if code is blank or not in database

display "reenter code"

else

if no credit and amount < 500
```

Flag question

display "credut not available"
else

display "credit passed"
end if

end if

Select one:

a. 6

b. 7

c. 5 ✓

d. 4

Your answer is correct.

The correct answer is: 5

### Question **9**

Correct

Mark 1.00 out of 1.00

Flag question

A retail shop has provided a discount sale on their products. A module for calculating discount for the total amount of purchase is decided by the following factors

- a) below 5000 then no discount
- b) 5000 to 20000 then 5% discount
- c) 20001 to 50000 then 10 % discount
- d) above 50000 then 15% discount

Choose from the below appropriate test cases using equivalence partitioning for the above scenario

#### Select one:

a.
Input Expected Output
2000 No Discount
7000 5%
30000 10%
60000 10%


b. Input Expected Output
2000 No Discount

2000 No Discount 35000 5% 30000 10% 60000 15%

C.

Input Expected Output 2000 No Discount 7000 5%

30000 10%



Question

10

Correct

▼ Flag

question

Mark 1.00 out of 1.00

Finish review

