<u>Dashboard</u> / <u>Java</u> / <u>Arrays and Strings</u> / <u>Pre-Quiz</u>

Started on	Friday, 27 March 2020, 12:52 AM
State	Finished
Completed on	Friday, 27 March 2020, 12:55 AM
Time taken	2 mins 54 secs
Marks	7.00/8.00
Grade	87.50 out of 100.00
Feedback	Congratulations!! You have passed by securing more than 80%

Question

Correct

Mark 1.00 out of 1.00

A JavaBeans component has the following field:

private boolean enabled;

Which two pairs of method declarations follow the JavaBeans standard for accessing this field? (Choose two.)

Select one or more:

- a. public void setEnabled(boolean enabled) public boolean getEnabled() ✓
 b. public void setEnabled(boolean enabled) public void isEnabled()
 c. public void setEnabled(boolean enabled) public boolean isEnabled()
- d. public boolean setEnabled(boolean enabled) public boolean getEnabled()

Your answer is correct.

When writing getters and setters, setters return type is void and getters return type is the corresponding data type. Naming convention is camelcase notation. For setters start with set followed by field name and for getters start with get followed by field name. For boolean return type, it should start with 'is' or 'are' followed by field name.

The correct answers are: public void setEnabled(boolean enabled) public boolean isEnabled(), public void setEnabled(boolean enabled) public boolean getEnabled()

Question **2**

Correct

Mark 1.00 out of 1.00

```
class Test {
  int x = 10;
  public static void main(String[] args) {
     System.out.println(x);
  }
}
Select one:
  a. 0
```

Predict the Output of following Java Program.

Your answer is correct.

c. Runtime Exception

d. Compile Time Error

b. 10

The correct answer is: Compile Time Error



Correct Mark 1.00 out

of 1.00

Statement 1: When no constructor is written in a class, the compiler creates a default constructor

Statement 2: The default constructor will implicitly invoke the default / no-argument constructor of the super class

Statement 3: If a class has a parametrized constructor alone, then the compiler will create the default constructor

Statement 4: If a class has a parametrized constructor, it is mandatory to write a no-argument constructor

Select one:

- a. 1, 2 and 4
- b. 1, 2 and 3
- oc. 2 and 3
- d. 1 and 2

Your answer is correct.

The correct answer is: 1 and 2

Question

Correct

Mark 1.00 out of 1.00

Identify which statement is true about construtors.

Select one:

- a. Constructor of a class should not have a return type, which means the return type is void
- b.

Constructor can be overloaded ✓

0 0

Constructor will be invoked explicitly like other methods

d.

Constructor should have same name as class name, but not case sensitive

Your answer is correct.

The correct answer is:

Constructor can be overloaded

Correct
Mark 1.00 out
of 1.00

```
private final int id;
   public ItemTest(int id) {
        this.id = id;
    public void updateId(int newId) {
        id = newld;
   public static void main(String[] args) {
        ItemTest fa = new ItemTest(42);
        fa.updateId(69);
        System.out.println(fa.id);
    }
What is the result?
Select one:
a. CompileTime Error 
b. Runtime Error
O c.
   69
```

Your answer is correct.

The correct answer is: CompileTime Error

Incorrect
Mark 0.00 out
of 1.00

```
public class Account {
    public static final float INTERTEST_RATE = 7.5;
}
Identify the correct options from the classes provided below.
Select one or more:
a. package edu.ABC.model;
    public class Loan {
      public double getInterest() {
        return INTEREST_RATE;
 b. import edu.ABC.model.Account;
    public class Loan {
         public double getInterest() {
            return Account.INTEREST_RATE;
 c. import static edu.ABC.model.Account;
    public class Loan {
      public double getInterest() {
          return INTEREST_RATE;
   X
d.
    import static edu.ABC.model.Account.*;
    public class Loan {
      public double getInterest() {
         return INTEREST_RATE;
```

```
Your answer is incorrect.

The correct answers are:
import static edu.ABC.model.Account.*;
public class Loan {
    public double getInterest() {
        return INTEREST_RATE;
    }
}, import edu.ABC.model.Account;
public class Loan {
        public double getInterest() {
            return Account.INTEREST_RATE;
        }
}
```

Question **7**

Correct

Mark 1.00 out of 1.00

Which members of a class can be accessed by other classes is determined by the _____

Select one:

- a. Access specifier
- b. class
- c. constructor
- d. variables

Your answer is correct.

The correct answer is: Access specifier



Correct
Mark 1.00 out
of 1.00

>

Select one:

- ullet a. Used for calling the no argument constructor of the same class. \checkmark
- b. Used for calling the current object of the same class.
- o. Used for calling the current object of the parent class.
- d. Used for calling the parameterized constructor of the parent class.

Your answer is correct.

The correct answer is: Used for calling the no argument constructor of the same class.