LABA Doubles a Java program to deale a closs bank that militaring and King of alcount for Pts westomers, one called sanking amount and the other Euseen amount. The sauling amount partides compound ? werest and Withdrawal faill9 there but no cheque book jaid by. The warent away provides cheque book jailly but us interest. Europent account hold elle formaldaly or whole munded and of the balance of below this love, a source charge 95 Purposed. Create a class Account that stores westomer none, amount number and type of amount. From this dorive the dasses was - and and Son-ant to make them more sperge to their requiremends. Turlind e the nevels ary in others hi order the to achieve the following · A crept deposit from wistomer and update the balance. · Dosplay the balance. · compide and deposit suberest · permet wethdrawal and update the balance · Check for the mannem balance, Emposo panalty of necessary and up date the balance Emport gava. w/1. *; jupert Java. up. Sianner; closer Alcusunt Scanner xx = new Scanner [System?in); String westomer-name, type-of-ouround; long swamt-rumber; double balonne = 5000; voldacept()} 2 system. out. poolitu l'hudes metomes name"); uistomer - name = xx. next(); Sy Stem. out. positive! " fuder Account number"); account number = x x. vextlony cs.

```
roug goborat ()
   System. out. politin l'Enter the amount to be deported.);
   dep = xx. next2nt();
   balance + = dep;
    Bystem. out position ("Balance =" + 6 alance);
 Used worthdrawall)
   System.out. poortin("Enter the amount to be withdrawn");
  h put withdrate;
   withdra = xx. next 2nd (1;
   balance = withdra;
    System. out. politin ("Balance = "+ balance);
dals burket extends Aubunt
Vord penalty ()
  1 0, (balance 2 2000)
       System. out. proutin l' Penally of 100 kg, 05 taken jos monton-
      System. out positive!" Bolance = "+ balance);
close Sound extends Account
  vold Publich ()
      ° 2 balance $ 0,02;
      = transcur") vilendaj tuo. mategis
      System. out. perhatin ("Total Belanne ="+balanne),
```

Shord seals public static void mal (String page 2) Scanner XX = new granner (System 9,1); Cuert Act c = new luse Ad (); SanAct s = new SanAct (1; system. out. poortly 1º knder your choice \n1. souring amount pos (;;) out chosce = xxnext Ent(); 1 = Dunalos Tartalanto 9) (chopce = = 1) System.out. populationales your charce \n1. Deposite \n2, withdown; ent n = xx, vextent(); Cmoth (n) cose1: g. deposit (1; whe 2: . S. withdrawel (); default: System, out, postille l'entered waring optioni); WHIT IN THE WOLD TO HILL RAPARAL C) of (whorce = = 2) Gystemond. portola l'anton your Worke Int. Deporte \12. Put in = xx. next Ent();

week. 2. wothdeamal (); default: System. out. porter l'autored waring option"); Sport state first of the state of the first state it if a at a separation of the part of the part of it Squal discourse of process & and the second of the second o