NUTRITION BLUEPRINT

A measured cutting diet built around the foods you already eat - with clear adjustment rules so the plan evolves with your body.

6'1"	83 kg	88 -> 83	V-taper
HEIGHT	WEIGHT	TREND	GOAL

MISSION

Phase 1 is not a crash cut. Keep strength stable, uncover the waist gradually, and preserve the muscle base that will support the later lean-gain phase.

Version 2.1 | October 2026

What changed in v2.1

Page	Change
2 - Targets	Protein is now "175 g minimum". The base day already gives ~175 g. Added how the 2,500 kcal start was set.
3 - Base day	The idli swap now says exactly what it replaces, keeps 2 fruit servings, and stays calorie-neutral.
4 - Scale rules	Added a lactose check for the daily curd.
5 - Vegetables	Added a 3-week fiber ramp so the jump from "very low" vegetables does not cause bloating.
6 - Algorithm	Steps fix: 150 kcal is ~3,000 extra steps, not 1,000-1,500. Rows now run in priority order, with no gaps. Added a creatine water-weight rule.
7 - Training day	Added badminton-day and rest-day rules.
8 - Supplements	Creatine water-weight warning. Isabgol water and medicine timing.
9-10 - Tracking	Added a sleep target. Clarified the adherence target.

PHASE 1 TARGETS

Run this baseline for 14 days before making changes unless energy or performance clearly deteriorates. If you start creatine, read the creatine rule on page 6 first.

Metric	Starting target	How to judge it
Calories	~2,500 kcal/day	Use food labels + your scale. A daily range of ~2,450-2,550 is fine. Calories are the main limit: if protein and fat land high, carbs come down.
Protein UPDATED	175 g minimum (175-185 g/day)	Hit 175 g every day. The base day already gives ~175 g, so you do not need extra food or an extra scoop to reach it.
Fat	65-75 g/day	Do not aggressively slash fats.
Carbohydrate	~285-310 g/day	Use the rest of calories here to support lifting + badminton.
Vegetables	300-500 g/day	At least 2 large servings; use variety across the week. Build up over 3 weeks (page 5).
Fruit	2-3 servings/day	Bananas are fine; rotate in guava, orange, apple, papaya, berries when available.
Steps	8-10k average	Increase from your current ~7k gradually.
Water / fluids	Usually ~3-4 L/day for you	Adjust to thirst, heat and sweat; do not force 7 L.
Sleep NEW	7-8 h/night	With a 05:30 first meal, lights out by ~21:30-22:00.
Rate of loss	~0.25-0.5 kg/week	Judge using the 7-day average, not single weigh-ins.

PHASE ENDPOINT

Your first physique checkpoint is around 79-80 kg, but the mirror, waist, strength and photos decide whether you keep cutting. The scale number is not the final goal.

HOW 2,500 KCAL WAS SET

Estimated maintenance: ~2,900-3,100 kcal/day (6'1", 83 kg, lifting, badminton, ~7k steps). **2,500 kcal is a ~400-600 kcal daily deficit.** This is an estimate. Your first 14 days of scale and waist data replace it.

YOUR MEASURED BASE DAY

Approximate macros depend on the exact Fuel One, Amul and Yoga Bar labels you buy. Log the package values rather than trusting generic database entries.

Time	Meal	Measured foods	Approx kcal	Approx protein
05:30	Overnight whey oats	Fuel One Whey Max 1 scoop + oats 45 g + Amul lactose-free milk 150 ml + mixed chia/pumpkin/sunflower seeds 15 g TOTAL + isabgol 5 g	~500 kcal	~41 g
09:00	Fruit meal	2 medium bananas	~210 kcal	~3 g
12:00	Pre-workout	Yoga Bar muesli 40 g + Amul lactose-free milk 150 ml	~245 kcal	~9 g
14:30-15:00	Post-workout lunch	Chicken breast 300 g RAW + cooked rice 220 g + curd 200 g + vegetables 300 g + light oil spray	~850-900 kcal	~80-85 g
19:00-20:00	Dinner	4 whole eggs + cooked rice 180 g + curd 150 g + vegetables 200 g	~650-700 kcal	~35-40 g

Approximate day total: ~2,500 kcal, ~175 g protein, ~290-300 g carbohydrate, ~60-70 g fat. Brand labels, curd fat percentage, banana size, chutney/oil and cooking method can move this meaningfully.

Idli day (optional swap) REWRITTEN

Idli + sambar replaces the 2 bananas at 9 AM. Make the three other changes below so fruit stays at 2 servings and the day stays at ~2,500 kcal.

Time	Base day	Idli day	Change
09:00	2 medium bananas	3 medium idlis + 1 bowl sambar	~+90 kcal, ~+7 g protein
12:00	Muesli 40 g + milk 150 ml	1 banana + milk 150 ml	~-50 kcal
Any time	-	1 orange, guava or apple	~+60-80 kcal
19:00-20:00	Cooked rice 180 g	Cooked rice 120 g	~-80 kcal
Net result			**About the same kcal and protein, 2 fruit servings**

- Chutney is extra. Measure it and log it. If you use more than 1 tbsp of coconut or peanut chutney, take another 30 g of cooked rice off dinner.
- Do not judge the swap by whether the food is "clean". Judge it by total calories, protein, digestion and gym performance.

FOOD-SCALE RULES

Precision only works if you measure the same way every time.

Food	How YOU will log it	Rule
Chicken breast	Raw grams	Weigh before cooking; keep this consistent.
Rice	Cooked grams	Use the same cooked-weight method daily. Do not mix raw-rice entries with cooked weights.
Oats / muesli	Dry grams	Weigh before soaking or adding milk.
Milk	Millilitres	Use package nutrition per 100 ml.
Curd	Grams	Use the exact brand/type entry, especially if fat content changes. See the lactose check below.
Seeds	Grams	15 g TOTAL daily is the starting cap, not 1 tbsp of each.
Oil / ghee	Grams or measured sprays	"A little" can become a hidden 100+ kcal. Measure at least while learning.
Eggs	Count + size	4 whole eggs is fine; log the actual egg size/label when possible.
Chutney	Grams / tbsp measured	Especially important for coconut, peanut or oily chutneys.
Whey	Scoops + label	Use your Fuel One label; do not copy a random database entry.

HARDCORE RULE

For the first 30 days, weigh the foods that are easiest to underestimate: rice, muesli, seeds, oil, chutney and curd. This trains your eye.

Meal-prep shortcut

1. Pre-portion chicken into 300 g raw packs for 3-4 days.
2. Cook a rice batch and weigh the final cooked rice into 220 g lunch and 180 g dinner boxes.
3. Wash/chop 2-3 days of vegetables at once. Aim for at least two colors per day.
4. Pre-mix a seed jar with equal parts chia, pumpkin and sunflower seed. Weigh 15 g total each morning.
5. Keep curd/milk in the fridge and log from the package, not memory.

LACTOSE CHECK (NEW)

You use lactose-free milk, but 350 g of regular curd a day has ~10-14 g lactose - about one large glass of milk. Curd is usually easier to digest than milk. If curd gives you gas or bloating, split it across more meals or swap part of it for a lactose-free option. Whey concentrate also contains some lactose.

VEGETABLE UPGRADE

Fiber powder can support intake, but it does not replace micronutrient and food variety.

Target	Easy execution
Lunch 300 g	150 g cucumber/tomato/carrot + 150 g cooked beans/capsicum/broccoli/cauliflower/spinach
Dinner 200 g	A cooked mixed-veg side, stir-fry, spinach, beans, gourds, carrots or salad
Weekly variety target	Try to rotate 6-8 different vegetables across the week rather than eating one "perfect" vegetable daily.

Fiber ramp NEW

Your vegetables start "very low". The base day also adds oats, seeds and isabgol. A sudden jump in fiber often causes gas and bloating, so build up.

Week	Vegetables per day	How
Week 1	~150-200 g	Lunch vegetables only. Keep isabgol at 5 g with a full glass of water.
Week 2	~300 g	Full lunch serving + a small dinner side.
Week 3 onward	300-500 g	Full base day: 300 g lunch + 200 g dinner.

Week 1-2 calories run ~30-60 kcal under the base day. That is fine. Do not add other food to cover it.

Fruit rotation

Use	Examples
Pre-workout / easy carbs	Banana
Higher-fiber rotation	Guava, apple, pear
Hydrating / light	Orange, watermelon, papaya
Any option	Use what is affordable and consistent; fruit is not a cheat food.

Hunger control

- If hungry at night but protein is already on target, add low-calorie volume first: vegetables, fruit, plain curd or a measured starchy food rather than automatically adding another whey scoop.
- If hunger and low energy are persistent for several days AND bodyweight is dropping faster than target, the fix is more calories - not more discipline.
- Keep highly palatable snack foods out of the default environment during the cut, but no food is morally "bad". Track it if you choose it.

ADJUSTMENT ALGORITHM

This page matters more than the original calorie number.

Measurement protocol

Measure	Frequency	Method
Bodyweight	Daily	Morning, after bathroom, before food/drink, same scale/location. Use 7-day average.
Waist	Weekly	At navel, relaxed, after normal exhale, same time/conditions.
Photos	Every 4 weeks	Front / side / back; same lighting, camera distance and posture.
Gym performance	Every session	Log every work-set load, reps and RIR.

Every 14 days, make ONE decision UPDATED

Check the rows from top to bottom. Use the **first** row that matches. The 0.2-0.6 kg/week "keep" band is wider than the 0.25-0.5 target on purpose, so normal noise does not cause a change.

#	What the data says	Action
1	**One random high weigh-in after salty meal / poor sleep**	DO NOTHING. Never adjust from one day.
2	**You are in the first 4 weeks of creatine**	Do NOT remove calories because of the scale. Creatine adds ~1-2 kg of water. Decide from waist, photos and lifts only.
3	**Gym performance/energy clearly falling for 2 weeks (at any rate of loss)**	ADD ~150 kcal/day, mostly carbs around training.
4	**Down >0.6 kg/week for 2 weeks**	ADD ~150 kcal/day, mostly carbs around training.
5	**Down <0.2 kg/week for 2 weeks AND waist not decreasing**	REMOVE ~150 kcal/day OR add ~3,000 average daily steps. Pick one, not both. *(1,000-1,500 steps burn only ~40-80 kcal at your size.)*
6	**Down <0.2 kg/week but waist decreasing**	KEEP calories. Recomposition can hide scale change.
7	**Anything else (including 0.2-0.6 kg/week with strength stable)**	KEEP current calories. Do nothing. Check again in 14 days.

FLOOR RULE	**Do not automatically cut below ~2,200 kcal from this plan without reassessing performance, hunger, adherence and your new bodyweight.**

TRAINING-DAY NUTRITION + HYDRATION

Fuel performance without turning supplements into the plan.

Before training

- Your 12:00 muesli + milk is a reasonable pre-workout meal if it digests comfortably before the 1 PM gym session.
- If you feel heavy, shift it earlier or reduce fiber/fat in the final hour before lifting. Do not add extra food just because it is "pre-workout".
- Normal hydration through the morning is enough for most gym sessions.

ORS / electrolytes

- Do not make ORS an automatic 1 PM ritual for a normal indoor lifting session.
- It is more useful when sweat losses are clearly high: long badminton, very hot conditions, prolonged exercise, illness-related fluid loss, or when medically advised.
- For normal days, water plus ordinary meals is the default.

Post-workout

- You do not need a 30-minute anabolic-window panic. Your normal lunch after training is already protein- and carbohydrate-rich.
- Keep the chicken/rice/curd/vegetable meal because it is easy for you to repeat. Consistency beats novelty.

Badminton days + rest days NEW

Day type	Rule
Normal badminton (under ~90 min)	Same calories as the base day. Your usual badminton is already part of the 2,500 kcal estimate. If play is far from a meal, eat a banana from the day's plan before you play.
Long or extra badminton (90+ min, or more than your usual week)	ADD ~150-200 kcal of carbs that day, for example 1 banana + 50 g cooked rice. Log it. Use ORS/electrolytes if you sweat heavily or it is hot.
Gym rest day	Same base day. Same calories every day keeps the plan simple. The 7-day average does the rest.

SUPPLEMENTS

Keep the useful, remove the risky or unnecessary.

Supplement	Status	Rule
Whey protein	KEEP	Use to hit the protein target. It is convenience, not a separate category of nutrition.
Creatine monohydrate	ADD / OPTIONAL	3-5 g daily is a well-studied maintenance approach. Timing is not important; daily consistency is. **Expect ~1-2 kg of water weight in the first 2-4 weeks. This is not fat. Use rule #2 on page 6 during those weeks.**
Fish oil	CONDITIONAL	Reasonable if fatty-fish intake is low. Avoid megadosing; check EPA+DHA on the label and discuss with a clinician if you use blood-thinning medication or have bleeding concerns.
Zinc 50 mg	CHECK / DO NOT ROUTINELY MEGADOSE	If the tablet contains 50 mg ELEMENTAL zinc, that exceeds the adult UL of 40 mg/day from all sources. Long-term high zinc can also cause copper deficiency. Do not take it nightly long-term without clinician guidance.
Magnesium	CHECK LABEL	Look at ELEMENTAL magnesium. NIH lists 350 mg/day as the adult UL from supplements/medications (food magnesium is not included in that UL). Higher supplemental doses commonly cause GI effects and may need medical guidance.
Vitamin B12	CONDITIONAL	Useful when intake/status warrants it; not required simply because you lift. Your eggs, chicken and dairy already supply B12. If you were prescribed it or have low B12, follow clinician guidance.
Isabgol / psyllium	OK IF TOLERATED	Count it as supplemental fiber and do not let it replace vegetables/fruit. Take it with at least one full glass (~250 ml) of water. Keep ~2 hours between isabgol and any medicine.

LABEL CHECK

Send the exact zinc and magnesium labels before we lock their doses. The number on the front of the bottle is not always the elemental dose.

12-WEEK TARGET BOARD

Your goal is a better physique, not simply a lighter number.

Metric	Start	12-week direction	What success looks like
Scale	83 kg	~79-80 kg checkpoint if loss stays controlled	No forced deadline; reassess visually.
Waist	Measure now	Clear downward trend	Same measurement method weekly.
Strength	Mostly stable	Stable or modestly improving	Maintaining strength while cutting is a win.
Steps	~7k	8-10k average	Built gradually; no punishment cardio.
Vegetables	Very low	300-500 g/day by week 3	2+ servings, varied colors.
Protein	Already high	175 g minimum, measured	Consistent rather than excessive.
Sleep	Measure now	7-8 h/night	Lights out ~21:30-22:00 for a 05:30 start.
Adherence	Strong	~85-90%+ of days on target, weekends included	A few imperfect meals do not break the plan.

When Phase 1 ends

- Stop the cut when the waist/visual look is lean enough that your next best move is building, not when a body-fat calculator gives a magic number.
- Hold maintenance for roughly 2-4 weeks while training performance stabilizes.
- Then move into a long, controlled lean-gain phase with a small surplus and the same measurement system.

WEEKLY COMPLIANCE SHEET

Print this page or copy the fields into your notes app.

Week	Avg kcal	Avg protein	7-day avg kg	Waist	Avg steps	Avg sleep	Veg target days	Training days	Notes
1									
2									
3									
4									
5									
6									
7									
8									
9									
10									
11									
12									

Creatine start date (if used): _____ Rule #2 on page 6 applies until: _____

Daily wins

- ☐ Calories approximately on target
- ☐ Protein >= 175 g
- ☐ Vegetables >= 300 g (after the week 1-2 ramp)
- ☐ Fruit >= 2 servings
- ☐ Steps moving toward 8-10k
- ☐ Workout logged if scheduled
- ☐ Sleep 7-8 h

EVIDENCE + SAFETY NOTES

Targets are individualized from your observed progress; supplement limits and training principles use external guidance.

- Jager R et al. International Society of Sports Nutrition Position Stand: protein and exercise. J Int Soc Sports Nutr. 2017;14:20. (1.4-2.0 g/kg/day is a broad evidence-based range for exercising people, with higher needs possible during energy restriction.)
- Morton RW et al. A systematic review, meta-analysis and meta-regression of protein supplementation in resistance training. Br J Sports Med. 2018. PMID: 28698222. (Gains in fat-free mass plateaued at ~1.6 g/kg/day, upper confidence limit ~2.2 g/kg/day. 175 g is ~2.1 g/kg for you, so more is not needed.)
- Antonio J et al. Common questions and misconceptions about creatine supplementation. J Int Soc Sports Nutr. 2021. (3-5 g/day is an effective daily maintenance strategy. Creatine can increase body water in the short term, which shows up on the scale.)
- NIH Office of Dietary Supplements. Zinc - Health Professional Fact Sheet. Adult tolerable upper intake level: 40 mg/day from all sources unless medically supervised.
- NIH Office of Dietary Supplements. Magnesium - Health Professional Fact Sheet. Adult UL from supplements/medications: 350 mg/day; food magnesium is excluded from this UL.
- Step energy estimate: walking costs roughly 0.5 kcal per kg per km above rest. At 83 kg and ~1,300 steps/km, 3,000 extra steps is ~100-150 kcal.

HEALTH NOTE

This is a fitness/nutrition plan for a generally healthy adult, not medical treatment. If you have kidney, liver, cardiovascular, gastrointestinal or metabolic disease, take prescription medication, or develop concerning symptoms, have a clinician review the plan and supplements.