

MACHINE LEARNING

In Q1 to Q11, only one option is correct, choose the correct option:

1. Which of the following methods do we use to find the best fit line for data in Linear Regression?
A) Least Square Error B) Maximum Likelihood
C) Logarithmic Loss D) Both A and B
Ans: a-least square error
 2. Which of the following statement is true about outliers in linear regression?
A) Linear regression is sensitive to outliers B) linear regression is not sensitive to outliers
C) Can't say D) none of these
Ans: a-Linear regression is sensitive to outliers
 3. A line falls from left to right if a slope is _____?
A) Positive B) Negative
C) Zero D) Undefined
Ans: b-negative
 4. Which of the following will have symmetric relation between dependent variable and independent variable?
A) Regression B) Correlation
C) Both of them D) None of these
Ans: b-correlation
 5. Which of the following is the reason for over fitting condition?
A) High bias and high variance B) Low bias and low variance
C) Low bias and high variance D) none of these
Ans: c-Low bias and high variance
 6. If output involves label then that model is called as:
A) Descriptive model B) Predictive modal
C) Reinforcement learning D) All of the above
Ans: b-Predictive model
 7. Lasso and Ridge regression techniques belong to _____?
A) Cross validation B) Removing outliers
C) SMOTE D) Regularization
Ans: d-Regularization
 8. To overcome with imbalance dataset which technique can be used?
A) Cross validation B) Regularization
C) Kernel D) SMOTE
Ans: d-smote
 9. The AUC Receiver Operator Characteristic (AUCROC) curve is an evaluation metric for binary classification problems. It uses _____ to make graph?
A) TPR and FPR B) Sensitivity and precision
C) Sensitivity and Specificity D) Recall and precision
Ans: a-tp and fpr
 10. In AUC Receiver Operator Characteristic (AUCROC) curve for the better model area under the curve should be less.
A) True B) False
Ans: a-true
 11. Pick the feature extraction from below:
A) Construction bag of words from a email
B) Apply PCA to project high dimensional data
-

MACHINE LEARNING

C) Removing stop words

D) Forward selection

Ans: b-apply pca to project high dimensional data

In Q12, more than one options are correct, choose all the correct options:

12. Which of the following is true about Normal Equation used to compute the coefficient of the Linear Regression?

A) We don't have to choose the learning rate.

B) It becomes slow when number of features is very large.

C) We need to iterate.

D) It does not make use of dependent variable.

Ans: a and b

MACHINE LEARNING

Q13 and Q15 are subjective answer type questions, Answer them briefly.

13. Explain the term regularization?

Ans: Regularization refers to training our model well enough that it can generalize over data it hasn't seen before. Regularization is a common method used to reduce overfitting and improve the model's performance for new inputs.

14. Which particular algorithms are used for regularization?

Ans: Ridge Regression

LASSO (Least Absolute Shrinkage and Selection Operator) Regression

Elastic-Net Regression

15. Explain the term error present in linear regression equation?

Ans: It is often said that the error term in a regression equation represents the effect of the variables that were omitted from the equation. This is unsatisfactory, even in simple contexts, as the following discussion should indicate. Suppose subjects are IID, and all variables are jointly normal with expectation 0. Suppose the explanatory variables have variance 1
